DAILY RAINFALL CAMBRIDGE 1911 - 1920

ABINGTON HALL	1911 - 1916
~~ABINGTON PIGOTTS~~	~~1911 - 1915~~
BALSHAM RECTORY	1912 - 1920
BARLOW HSE	1919 - 1920
BOXWORTH	1911 - 1920
BRINKLEY HALL	1911 - 1915
BURWELL	1911 - 1920
CAMBRIDGE "PINEHURST"	1911 - 1920
CAMBRIDGE PUMPING STN	1912 - 1920
CAMBRIDGE SIDNEY ST.	1911 - 1920
CAMBRIDGE CARLTON HALL	1911 - 1912
CAMBRIDGE HERSCHEL HSE	1911 - 1920
CAMBRIDGE BOTANIC GDNS	1911 - 1920
CAMBRIDGE HARVEY & HILL RD	1911 - 1920
CAMBRIDGE	1914. *
CAMBRIDGE CORPORATION STOREYARD	1912 - 1920
CAMBRIDGE TENISON AVE	1911 - 1920
CHATTERIS THE PRIORY	1911 - 1920
CHATTERIS AYLESBY HSE	1911 - 1920
CHERRY HINTON P. STN	1911 - 1920
CONINGTON HALL	1911 - 1915
COTTENHAM BERNARD HSE	1911 - 1920
CROXTON PARK	1911 - 1915
CROXTON RECTORY	1911.
ELY THE RED HOUSE	1914 - 1915
ELY THE PALACE	1911 - 1917
FORDHAM	1911 - 1914
FOWLMERE	1915 - 1920
FOXTON THE BURY	1911 - 1920
FULBOURN PUMPING STA	1911 - 1920
FULBOURN FLEAM DYKE P.S.	1911 - 1920
FULBOURN MENTAL HOSPITAL	1920.
GRANTCHESTER MILL	1911 - 1920
HARSTON VICARAGE	1911 - 1916
LINTON	1917 - 1919

ALSO *CAMBRIDGE "FOSSEDENE" 1914-15 1916 JAN & FEB
1919-1920

LITTLEPORT HIGHFIELD HSE	1911 - 1918
LITTLE SHELFORD	1911 - 1915
MARCH	1911 - 1920
MELBOURN VIC	1912 - 1915
MELDRETH BELMINGTON CLOSE	1911 - 1915
MELDRETH CHICSWICK FARM	1911 - 1918
MEPAL ENGINE	1912 - 1914
ODSEY GRANGE	1911 - 1920
OLD WOODBURY	1916 - 1920
PARSONS DROVE CLOWS CROSS	1913 - 1920
PRICKWILLOW VIC	1914-16, 19-20.
QUY HALL	1911 - 16
SAWSTON HALL	1911 - 1920
SHUDY CAMPS VIC	1913 - 1915
SOHAM	1911 - 1915
SOMERSHAM HOLWOOD FARM	1911-18, 1920
STAPLEFORD HSE	1911 - 1919
STANGROUND SLUICE	1911 - 1920
STRETHAM ENGINE	1911 - 1920
STRETHAM DIMOCKS COTE	1911 - 1914
STRETHAM ORCHARD HSE	1911 - 1915
SWAFFHAM PRIOR	1912-14, 1916-20
THORNEY	1911 - 1916
TRUMPINGTON	1911 - 1916
UPWELL MARMONT PRIORY LOCK	1911 - 1920
UPWELL EUXIMOOR HSE	1911 - 1915
WEST WRATTING PARK	1912 - 1915
WESTON COLVILLE	1911 - 1916
WHITTLESFORD	1920.
WILBURTON MANOR	1912 - 1915
WIMPOLE HALL	1911 - 1915
WISBECH MONICA RD	1911 - 1915
WISBECH QUEENS RD	1916 - 1920
WRYDE HSE	1911

DL

217

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

R ... 1

BATCHSLIP

STD JOB:
MET-ARCH
BATCH :
METZ002
ENTRY VERIFY

1911 - 1915 (5)

Kept at Abingto... in.

in the County of Ca... ...ve Ground ... ft. ... in.

by Mr J. N. ... Sea Level ... ft.

Name

Distance ... Direction

IMPORTANT N... and the result entered to the previous day. If an ... universal rule, he is earnestly requested to add the ... year in the space provided for it at the end of ... rement of rain, the selection and placing ... British Rainfall Organization are given in "*Rules for Rainfall Observers*," ... on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·06								1
2					·08		·05				·08	·13	2
3	·11	·02											3
4			·14							·11	·05	·41	4
5	·08			·08								·36	5
6													6
7	·15							·07		·04		·15	7
8			·13									·08	8
9		·08									·22		9
10	·16										·10	·25	10
11	·30								·10		·02		11
12			·40						·18	·56	·54		12
13					·45						·20	·20	13
14					·30							·36	14
15			·54										15
16						·18						·03	16
17	·02										·20	·08	17
18		·20									·10		18
19						·44			·18	·12	·52		19
20								·68	·05		·48	·38	20
21		·09						·22		·30		·18	21
22	·15		·26			·04				·10			22
23		·03	·20			·90			·22			·43	23
24		·08				·30				·28		·12	24
25			·10			·07	·07	·24				·16	25
26				·38		·06				·10			26
27		·16							·10			·18	27
28		·11		·20				·08		·16		·03	28
29							·10			·07		·04	29
30			·05	·06		·15			·20				30
31										·02			31
Total	·97 ·96	·77	1·82	·72	·89	2·14	·22	1·29	1·03	1·86	2·51	3·57	TOTAL for year 17·79
No. of Rain Days	7	8	8	4	4	8	3	5	7	11	11	18	94

9,000, IX. '10

DL

217

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

ABINGTON
PIGOTTS
1189
CAMBRIDGE
1911 - 1915 (5)

RI

Kept at Abington

in the County of Ca

by Mr. J. N.

in.
ove Ground ft. in.
" Sea Level ft.

Name
Distance Direction

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of urement of rain, the selection and placing of British Rainfall Organization are given in "*Rules for Rainfall Observers*, on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·06								1
2					·08		·05				·08	·13	2
3	·11	·02											3
4			·14							·11	·05	·41	4
5	·08			·08								·36	5
6													6
7	·15							·07		·04		·15	7
8			·13									·08	8
9		·08									·22		9
10	·16										·10	·25	10
11	·30								·10		·02		11
12			·40						·18	·56	·54		12
13					·45						·20	·20	13
14					·30							·36	14
15			·54										15
16						·18						·03	16
17	·02										·20	·08	17
18		·20									·10		18
19						·44			·18	·12	·52		19
20								·68	·05		·48	·38	20
21		·09						·22		·30		·18	21
22	·15		·26			·04				·10			22
23		·03	·20			·90			·22			·43	23
24		·08				·30				·28		·12	24
25			·10			·07	·07	·24				·16	25
26				·38		·06				·10			26
27		·16							·10			·18	27
28		·11		·20				·08		·16		·03	28
29							·10			·07		·04	29
30			·05	·06		·15			·20				30
31										·02			31
Total	·97 ~~·96~~	·77	1·82	·72	·89	2·14	·22	1·29	1·03	1·86	2·51	3·57	TOTAL for year 17·79
No. of Rain Days	7	8	8	4	4	8	3	5	7	11	11	18	94

9,000, IX. '10

DL

217

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

R

Kept at Abington Pigotts

in the County of Cambs 2

by Mr. J. N. Woodham

Rain Gauge { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·06								1
2					·08		·05				·08	·13	2
3	·11	·02											3
4			·14							·11	·05	·41	4
5	·08			·08								·36	5
6													6
7	·15							·07		·04		·15	7
8			·13									·08	8
9		·08									·22		9
10	·16										·10	·25	10
11	·30	—							·10		·02		11
12			·40						·18	·56	·54		12
13					·45						·20	·20	13
14					·30							·36	14
15			·54										15
16						·18						·03	16
17	·02										·20	·08	17
18		·20									·10		18
19						·44			·18	·12	·52		19
20								·68	·05		·48	·38	20
21		·09						·22		·30		·18	21
22	·15		·26			·04				·10			22
23		·03	·20			·90			·22			·43	23
24		·08				·30				·28		·12	24
25			·10			·07	·07	·24				·16	25
26				·38		·06				·10			26
27		·16							·10			·18	27
28		·11		·20				·08		·16		·03	28
29							·10			·07		·04	29
30			·05	·06		·15			·20				30
31										·02			31
Total	·97 ·96	·77	1·82	·72	·89	2·14	·22	1·29	1·03	1·86	2·51	3·57	TOTAL for year 17·79
No. of Rain Days	7	8	8	4	4	8	3	5	7	11	11	18	94

9,000, IX. '10

gl

Exc J.C.

211

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Abington Pigotts

in the County of Cambridgeshire 2

by J. N. Woodham

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.02						.09	1
2						.55	.45		.08			.01	2
3	.15				.32	.03	.04	.23		.29		.09	3
4	.04		.36		.06	.16					.26		4
5	.08	.27	.28					.10			.07		5
6	.15					.30	.28	.24				.02	6
7						1.15		.05				.01	7
8	.25		.10			.05		.10	.30				8
9		.22		.14	.02	.70						.25	9
10		.08						.37			.13	.03	10
11	.10							.13	.05		.01		11
12	.12	.06	.05		.03			.03			.03	.05	12
13								.04			.25		13
14					.04	.10		.08					14
15			.14		.25	.16		.04				.11	15
16	.28					.13		.04		.04			16
17			.16					.05			.09		17
18	.56		.13					.32		.01		.16	18
19	.34	.08	.10				.20	.42			.07		19
20			.10		.03			.18					20
21			.38		.55			.48		.30			21
22	.58				.05	.02		.28		.24	.04	.02	22
23	.54	.42	.22				.33	.60				.10	23
24	.28					.05		.20			.29	.11	24
25								.23			.01	.40	25
26							.22	.92		.33	.21	.25	26
27								.60		.10	.20	.12	27
28							.04		.05	.10		.37	28
29		.02				.15	.27	.37	.80	.17	.17		29
30					.44				.48	.07	.03	.05	30
31							.15	.25					31
Total	3.47	1.15	2.02	.14	1.79	3.57	1.98	6.35 6.35	1.76	1.65 1.65	1.86	2.24	TOTAL for year 27.98
No. of Rain Days.	13	7	11	1	10	14	9	26	6	10	15	18	139

W. 8,000, X. '11.

216

27 JAN 1914

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at Abington Pigotts

in the County of Cambridgeshire 2

by J. N. Woodham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.11	.10	.19					.56		.02	.15	1
2	.02	.12					.15		.12				2
3	.03		.10	.02	.80								3
4	.08		.04		.04		.05			.39	.04	.30	4
5	.08						.03			.10			5
6		.04	.07		.09	.24	.22			.08			6
7		.06			.04		.07	.05		.45			7
8				.02	.22	.25							8
9		.16	.02			.08			.05		.06	.02	9
10				.07			.16						10
11	.65			.45	.05					.20	.33		11
12											.15		12
13					.08				.04		.50		13
14	.05		.14				.72			.20	.05		14
15	.13		.21	.11			.19		.03				15
16	.02	.12	.21	.06					.12				16
17	.06			.15		1.42	.07					.15	17
18	.02			.08									18
19	.20		.13		.02		.07		1.00			.04	19
20	.05		.06						.05				20
21					.05	.06	.02			.25	.18	.05	21
22	.27		.25					.10		.10			22
23						.02		.03	.05				23
24	.02								.11		.02		24
25				.11					.03			.02	25
26			.23					.08		.75		.08	26
27		.05		.02	.12					.03		.10	27
28	.22		.24	.14						.08			28
29	.06		.09	.46	.29			.06		.03		.03	29
30	.18			.06				.07		.10			30
31								.60		.05			31
Total	2.17	.66	1.89	1.94	1.80	2.07	1.75	.99	2.16	2.81	1.35	.94	YEAR'S TOTAL 20.53
Rain Days.	18	7	14	14	11	6	11	7	11	14	9	10	132

W. 7,500, XI. 12

8

CX 9112

208

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Abington Pigotts

in the County of Cambridgeshire

2

by J. N. Woodham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02				1·25	·12			·06		1
2								·07			·08	·10	2
3			·10		·10		·65	·32			·45		3
4	·13		·02	·15							·45	·15	4
5				·20	·02		·32	·42					5
6		·06			·03	·11	·05	·03					6
7	·01	·05	·23	·05	·46	·15	·06	·10				·41	7
8	·07	·08	·45		·05	·63							8
9	·44		·44	·05		·50			·01			·84	9
10	·08	·08		·11	·05							·02	10
11		·05	·26		·03	·30			·10		·33	·17	11
12			·10						·57	·15		·15	12
13		·15	·11						·02		·08	·20	13
14			·20				·05			·45	·07	·76	14
15	·04		·25						·02		·02	·11	15
16	·03		·04				·06						16
17		·28	·02						·02	·01		·05	17
18												·32	18
19		·04	·15				·19		·02		·21		19
20		·08	·29						·04			·13	20
21	·02	·34	·07			·07				·02		·16	21
22		·02		·02	·23		·05	·03		·35			22
23		·06	·04		·06					·10			23
24			·02	·08						·17	·15		24
25		·02	·04				·08	·06		·25			25
26			·02					·04		·04	·07	·47	26
27	·05											·11	27
28		·04									·42	1·28	28
29	·01									·30	·05	·20	29
30			·06							·05	·20	·05	30
31					·13		·04						31
Total	·88	1·35	2·93	·66	1·16	1·76	2·80	1·19	·80	1·89	2·64	5·68	YEAR'S TOTAL 23·74
Rain Days.	10	14	21	7	10	6	11	9	8	11	14	19	140

W.7,000, XI. 13

8L

128
~~204~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Abington Pigotts
in the County of Cambridgeshire
by J. N. Woodham

Ex. Dk

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·10	·15					·01	·06			·20	1
2	·37	·10	·26	·15	·05	·02		·58			·07	·05	2
3	·20		·02	·14				·25			·02	·15	3
4	·30							·02				·42	4
5	·11	·19						·03				·16	5
6	·20			·20			1·12	·01		·13			6
7	·05	·22	·07	·05			·10	·07					7
8		·30								·02			8
9				·03		·01					·15	·74	9
10	23		·06								·03	·05	10
11	·02		·02		·02						·73		11
12	·10			·27	·28			·60		·05	·72		12
13		·45			1·12							·36	13
14		·02			·02		·43		·07		·08	·06	14
15	·11						·07	·25			·06	·08	15
16		·26					·37	·75					16
17		·17			·15		15	·05					17
18		·05	·25				·15			·03	·12		18
19			·02										19
20	·32			·06				·02		·02		·36	20
21	·10						·07						21
22	·80		·50				·03		·16			15	22
23		·05	·23				·53		·25	·20		·21	23
24			·11			·08	·13			·04		·06	24
25				·03		·02	·05					·05	25
26		·16				·12	·18					·15	26
27						·16	·05						27
28		·15				·02	·05	·05	·68	·40		10	28
29						·14		·10		·05		·15	29
30	·05	✗				·26			·04				30
31		✗		✗		✗		·04	✗	·38	✗		31
Total	2·96	2·22	1·69	·93	1·64	·83	3·48	2·83	1·26	1·32	1·98	3·50	YEAR'S TOTAL 24·64
Rain Days.	14	13	11	8	6	9	15	15	6	10	9	18	134

W. 8,000. X. 14.

SWAFFHAM PRIOR

CAMBRIDGE

1912-14, 16-20

made

REG

FORM A.
BRITISH RAINFALL.

13 JAN 1913

·18E

Kept at Swaffham

waffham Prior

in the County of Cam

4 7/8 in.

by the Rev. L. Fis

Ground 1 ft. in.

from August

Sea Level 44 ft.

NOTE.—Rain should be measure

ll instructions for the measurement

of rain and particulars as to the Briti

rs," sent post-free on application

to Dr. H. R. MILL, 62, Camden Squa

Date.	Jan.	Feb.	March.							Oct.	Nov.	Dec.	Date.
	in.	in.	in.							in.	in.	in.	
1										10			1
2													2
3												·17	3
4													4
5											·33		5
6											·07		6
7												·03	7
8									·16			·02	8
9												·22	9
10									·13		·07	·01	10
11									·10			·06	11
12											·26		12
13											·20		13
14											·04	·02	14
15											·01	·09	15
16										·03	·04		16
17												·05	17
18										·03	·03	·09	18
19										·02	·02		19
20										·37			20
21										·16	·05		21
22								0·17					22
23								0·78		·01	·20	·03	23
24								0·12				·07	24
25								·71			·15	·03	25
26								1·92		·30	·19	·29	26
27										·09		·17	27
28								·02	·04	·31	·09	·18	28
29								·30	·63	·37	·06	·30	29
30									·49	·06			30
31								·18		·02			31
Total								~~4·20~~	1·68	1·87	1·81	1·83	TOTAL for year
No. of Rain Days.									7	13	16	17	

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

made ✓

REG

FORM A. BRITISH RAINFALL. 13 JAN 1913

Long. 0·18E

Kept at Swaffham Prior Vicarage
in the County of Cambridge
by the Rev. L. Fisher
from August 22nd

Nearest Railway Station Swaffham Prior
Time of Observation 9 a.m.
Diameter of Rain Gauge 4 7/8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 44 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·13	·10			1
2													2
3												·17	3
4													4
5											·33		5
6											·07		6
7												·03	7
8									·16			·02	8
9												·22	9
10									·13		·07	·01	10
11									·10			·06	11
12											·26		12
13											·20		13
14											·04	·02	14
15											·01	·09	15
16										·03	·04		16
17												·05	17
18										·03	·03	·09	18
19										·02	·02		19
20										·37			20
21										·16	·05		21
22								0·17					22
23								0·78		·01	·20	·03	23
24								0·12				·07	24
25								·71			·15	·03	25
26								1·92		·30	·19	·29	26
27										·09		·17	27
28								·02	·04	·31	·09	·18	28
29								·30	·63	·37	·06	·30	29
30									·49	·06			30
31								·18		·02			31
Total								~~4·20~~	1·68	1·87	1·81	1·83	TOTAL for year
No. of Rain Days.									7	13	16	17	

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex. FC

FORM A.
BRITISH RAINFALL.

14 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Swaffham Prior Vicarage

in the County of Cambridge

by the Rev. L. Fisher

Lat. 52·15 Long. 0·18E.
Time of Observation 9 a.m.
Nearest Railway Station Swaffham prior
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·11	·05	*Accumulation since March 19th. Observer absent on Convalescence					*Accumulation since Aug 25		·04		1
2		·15			·25		·11				·02		2
3			·16		·60					·13		·02	3
4			·01		·08	·05	·05			·07	·05	·09	4
5	·08					·02	·01			·49	·01		5
6	·03	·04	·08		·27	·11	·03			·08			6
7		·03			·05		·01		*·87	·25	·01		7
8			·01		·30	·02					·05		8
9		·23	·05			·16					·04		9
10							·09				·25	·01	10
11	·67										·21		11
12					·04			·24			·05		12
13	·01							·01			·35		13
14	·05		·05					·05		·21			14
15	·21	·01	·19						·16				15
16	·10	·	·27				·22		·28				16
17	·11	·01	·02	*·95		·30	·10					·06	17
18	·05		·03	·04			·02		·10			·01	18
19	·03		Observer absent until April 17 —	·03			·04		·20			·06	19
20	·01			·03		·03			·12	·37			20
21	·01				·02		·04			·12	·28		21
22	·25						·08	·11	·10				22
23						·04	·04	·05	·09		·01		23
24	·01					·06		·01					24
25	·01			·13		·01		Observer absent till Sept 6th —				·03	25
26										·53	·01	·07	26
27		·05		·01	·06	·08				·12			27
28	·12			·01						·06		·01	28
29	·19			·21	·22					·06		·02	29
30	·16			·11						·03	·19	·01	30
31										·10			31
Total	2·18	0·63	0·92 2·44	1·52	1·89	0·88	0·84	[illegible]	1·92 2·39	2·62	1·57	0·39	YEAR'S TOTAL 15·83
Rain Days.	19	8	?	?+8	10	11	13	6+?	?+7	14	15	11	?

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
6 JAN 17

Kept at Swaffham Prior
in the County of Cambridge
by Rev. L. Fisher

Lat. 52·15 Long. 0·18 E.
Time of Observation 9 a.m.
Nearest Railway Station Swaffham Prior
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·06		·02	·02		~~·26~~	·26		·22		1
2	·40		·02		·10				·02	·22			2
3		·14	·63						·01	·19	·28		3
4	·19	·14	·01		·01	·26				·01	·21	·02	4
5			·01	·02	·01	·05	·10		·11	·10	·20		5
6		·19	·12	·22		·08	·08		·18		·21	·02	6
7	·10		·12	·01	·23	·02	·12				·35	·04	7
8			·01		·16						·01	·15	8
9	·01				·13	·15						·03	9
10		·02	·15	·04		·01	·26	·06				·14	10
11	·08	·25	·08	·15	·03	·20	·04					·02	11
12	·02	·05		·01	·53	·31	·01	·11		·14		·03	12
13		·30	·03	·01	·12	·12		·08		·01	·01		13
14		·47	·02	·02	·08	·03		·13		·01		·22	14
15		·26	·08				·05	·25					15
16			·09	·24	·01		·02	·04		·01			16
17	·02	·01		·14		·01	·13			·26		·02	17
18		·05	·07	·08				·09		·03	·36		18
19	·01		·02	·18		·01		·01	·16		·73		19
20	·16		·22	·01				·02	·23		·06	·33	20
21			·48				·43				·01	·14	21
22		·11	·02		·10	·01					·01	·42	22
23		·47				·08	·01	·02			·10	·04	23
24		·18				·02		·01		·23	·01	·27	24
25		·13	·07					·15		·06	·04	·04	25
26		·12	·02			·04		·55		·02	·04		26
27	·03	·30	·48			·03		·03		·14		·11	27
28		·23	·19			·01			(·03)				28
29	·01	·09				·06		1·10		·17		·02	29
30		✕			·07			·35		·22			30
31		✕		✕		✕			✕	·02	✕		31
Total	1·05	3·51	2·34	1·13	1·60	1·52	1·25	3·00	1·02	1·84	2·85	2·06	YEAR'S TOTAL 23.17
Rain Days.	12	19	23	13	14	20	11	16	8	17	17	18	188.

W. 8,000, VIII. 16

Ese Dl

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at Swaffham Prior

in the County of Cambridge

by the Rev. L. Fisher

2

Lat. 52·15 Long. 0·18 E.

Time of Observation 9 a.m.

Nearest Railway Station Swaffham Prior

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·01	·00	·00	·00	·03	·13	·00	·00	·08	·00	1
2	·00	·00	·00	·03	·00	·00	·04	·02	·00	·00	·04	·07	2
3	·00	·00	·16	·00	·11	·00	·19	·09	·00	·00	·00	·00	3
4	·10	·00	·00	·18	·01	·00	·00	·66	·00	·00	·18	·12	4
5	·00	·00	·08	·10	·02	·00	·14	·31	·00	·00	·00	·00	5
6	·00	·07	·00	·00	·01	·05	·01	·04	·00	·00	·14	·06	6
7	·00	·01	·32	·02	·12	·02	·15	·00	·00	·00	·00	·35	7
8	·16	·06	·34	·04	·09	·54	·01	·10	·00	·00	·00	·00	8
9	·64	·00	·38	·18	·04	·49	·00	·00	·00	·00	·00	·93	9
10	·43	·01	·00	·11	·04	·00	·00	·00	·00	·00	·00	·01	10
11	·00	·14	·32	·01	·01	·23	·00	·00	·06	·00	·16	·12	11
12	·00	·00	·05	·00	·00	·01	·10	·00	·36	·00	·05	·15	12
13	·00	·15	·16	·00	·00	·00	·00	·00	·03	·12	·08	·29	13
14	·00	·00	·12	·00	·00	·00	·26	·00	·00	·60	·08	·45	14
15	·08	·00	·25	·00	·00	·00	·02	·00	·10	·00	·01	·12	15
16	·01	·00	·06	·00	·00	·00	·19	·00	·00	·00	·00	·00	16
17	·00	·28	·00	·00	·00	·00	·00	·00	·09	·00	·00	·03	17
18	·00	·05	·01	·00	·00	·00	·00	·00	·00	·00	·00	·30	18
19	·00	·03	·11	·00	·00	·33	·01	·00	·08	·00	·21	·00	19
20	·00	·02	·30	·00	·00	·04	·00	·00	·00	·00	·00	·03	20
21	·00	·20	·24	·00	·00	·02	·00	·00	·00	·03	·00	·09	21
22	·00	·00	·02	·01	·35	·01	·03	·05	·00	·42	·00	·09	22
23	·00	·06	·02	·00	·06	·01	·00	·00	·00	·09	·00	·04	23
24	·00	·00	·01	·10	·00	·00	·05	·01	·00	·10	·11	·00	24
25	·01	·00	·00	·00	·00	·00	·00	·00	·00	·37	·00	·04	25
26	·00	·00	·03	·00	·00	·00	·09	·08	·00	·01	·05	·35	26
27	·01	·00	·00	·00	·00	·00	·10	·00	·00	·00	·00	·12	27
28	·00	·01	·00	·00	·00	·00	·00	·00	·00	·00	·45	1·02	28
29	·00	✗	·02	·00	·00	·00	·00	·00	·00	·26	·02	·00	29
30	·00	✗	·03	·00	·00	·00	·00	·00	·00	·02	·11	·10	30
31	·00	✗	·00	✗	·09	✗	·06	·00	✗	·00	✗	·04	31
Total	1·44	1·09	3·04	0·78	0·95	1·75	1·48	0·89	0·72	2·02	1·77	4·92	YEAR'S TOTAL 20·85
Rain Days.	8	13	22	10	12	11	17	10	6	10	15	23	157

W. 8,000. X. 14.

CXmL

FORM A. BRITISH RAINFALL.

13.1.19

REGISTER OF RAINFALL IN 1918

Kept at Swaffham Prior Vicarage
in the County of Cambridge
by the Rev. L. Fisher

Lat. 52·15 Long. 0·18 E
Time of Observation 9 a.m.
Nearest Railway Station Swaffham Prior
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02		·07			·06			·01	·03	·15	1
2	·03	·05		·04				·07		·02	·01	·13	2
3		·02	·04		·20			·11	·16		·59	·01	3
4		·03	·05					·03	·50		·19		4
5			·05		·09			·16	·02	·03		·01	5
6	·01	·11		·14					·02			·05	6
7	·09	·15		·07		·03			·01	·05	·15	·01	7
8							·02		·15		·03		8
9		·02				·01	·24		·45	·19			9
10	·07			·02			·35		·02		·02	·16	10
11				·01	·15		·01		·15	·36		·09	11
12		·24	·01		·10		·11		·12	·06		·03	12
13		·01		·01	·32				·09			·07	13
14	·21			·03		·07	·07		·15	·25		·08	14
15	·86			1·45			·40		·24			·05	15
16	·09			·61		·02		·02	·40				16
17	·11			·14	·02		·85						17
18	·44			·01		·11	·12		·41			·40	18
19	·04	·05	·12	·01		·23	·14			·09		·02	19
20	·01	·06		·03		·14	·11		·04	·09			20
21						·05	·02		·59	·16		·02	21
22	·01			·01	·22		·06		·03		·02	·23	22
23	·08				·58	·03	·14	·05	·02			·02	23
24		·18		·01	·05		·02		·08				24
25					·04	·04	·01	·19			·20		25
26							·49			·02	·24	·13	26
27				·36		·01		·05	·04		·10	·03	27
28	·01	·03	·04	·01		·10		·25			·14	·17	28
29		X						·01	1·39		·02		29
30		X	·30					·01	·06		·14	·11	30
31		X	·04	X		X		·01	X	·06	X	·05	31
Total	2·06	0·97	0·65	3·03	1·77	0·84	3·22	0·96	5·14	1·39	1·88	2·02	YEAR'S TOTAL 23·93
Rain Days.	14	13	8	18	10	12	18	12	23	13	14	22	177.

W. 6,500, VII. 18. w w o

Extd F Th

1241

FORM A.
BRITISH RAINFALL.
27 JUN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Swaffham Prior Vicarage

in the County of Cambridge

by the Rev. L. Fisher

Lat. 52·15 Long. 0·18 E

Time of Observation 9 a.m. G.M.T.

Nearest Railway Station Swaffham prior

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·08				1·26	·16		·09		1
2	·06	·02		·18		·19		·19			·04		2
3								·40		·23	·07		3
4		·18						·02		·54			4
5	·23	·01		·20				·05	·01		·16		5
6						·19				·08			6
7	·22					·11				·37		·01	7
8	·08			·16			1·26	·03		·24	·12	·02	8
9	·04		·05	·01			·01	·18		·02	·04	·11	9
10	·22		·10	·11				·04		·01	·03		10
11	·07	·01	·57	·03						·16	·02		11
12	·04	·01	·03	·04	·05			·02		·23	·01		12
13	·16		·05	·01		·03	·02	·04	·03	·13			13
14	·01	·02		·17							·01	·10	14
15	·02		·01					·04		·02		·01	15
16	·01	·05		·21	·01	·05	·32			·64		·13	16
17	·01		·02	·23	·55		·21	·00	·42	·21			17
18	·03	·01		·04		·06	·15	·03	·65				18
19	·01	·05	·17			·01			·22			·01	19
20	·02	·16	·10								·21		20
21	·01	·02	·05								·01		21
22			·09					·03	·02	·11			22
23	·01				·11			·14	·03	·02		·05	23
24	·02	·03				·15		·02		·10	·04		24
25		·01	·02				·10				·01	·05	25
26			·10			·02		·19	·05		·50	·09	26
27			·02				·01	·37					27
28		·03	·15			1·00		·06		·04		·06	28
29	·01					·30	·51	·01		·20		·11	29
30	·02	╳					·56	·06		·01			30
31	·04	╳	·27	╳		╳	·28	·10	╳		╳	·01	31
Total	1·34	0·63	1·80	1·47	0·72	2·11	3·43	3·28	1·59	3·36	1·36	0·76	YEAR'S TOTAL 21·85
Rain Days.	22	15	16	13	4	11	11	21	9	19	15	13	169

W. 8,000, IX. 17.

3·20

Cov. for auth.

1174

24 MAR 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Swaffham Prior Vicarage
in the County of Cambridge
by Revd L. Fisher

Lat. 52.15° Long. 0.18 E
Time of Observation 9 A.M.
Nearest Railway Station Swaffham Prior
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·03					·30			·14		·72	1
2	·20		·02		·08		·17	·04	·31		·22	·50	2
3			·18				·02		·02		·10	·04	3
4	·24		·22			·16	·53	·06			·01	·14	4
5	·10	·14	·20				·26		·12	·01		·09	5
6	·01	·01	·07				·01				·02	·01	6
7	·01		·21								·16		7
8	·03		·03	·08						·01	·08	·01	8
9			·03	·02	·01						·02		9
10			·21	·01						·01	·06	·05	10
11	·10		·15	·11		·07	·49				·06	·03	11
12	·01		·09	·04			·06			·08	·01		12
13	·11			·09					·01				13
14	·23	·01		·20			·13		·04				14
15	·29	·01		·25							·04	·09	15
16	·03	·51		·04				·01			·06	·03	16
17		·64	·03	·02							·20	·01	17
18		·14						·22	·01		·05	·08	18
19	·01	·13	·25	·01			·09	·16	·11	·01		·03	19
20	·24	·02	·05			·56	·64	·34					20
21	·29	·28	·01			·09	·79				·02	·17	21
22		·30	·01				·12		-28		·05	·47	22
23				·06		·07	·24	·07	·02			·08	23
24				·10		·11	·01					·05	24
25	·07			·07	·33			·29					25
26	·22	·54	·17	·04				·12	·07		·01	·37	26
27	·42	·09	·01	·73				·08		07	·01	·01	27
28				·29			·03	·71		·14	·06	-20	28
29	·03			·04		·01	·01	·18		·16	·02	-10	29
30			·01	·27		·21				·05	·22	-14	30
31	·02		·01				·04			·04		-02	31
Total	3·03	2·85	1·96	2·47	0·42	1·28	3·94	2·28	0·99	0·72	~~1·47~~ 1·48	3·44	Year's Total ~~24·87~~ 24·86
Days with ·01 in. or more	21	14	20	19	3	8	18	12	10	11	21	24	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1117

6 FEB 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Swaffham Prior Vicarage
in the County of Cambridge
by the Revd L. Fisher

Lat. 52·15 Long. 0·18 E.
Time of Observation 9 a.m.
Nearest Railway Station Swaffham prior
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·13	·05		·18			·23	·01	·09	1
2	·01			·01						·09		·03	2
3		·02		·18		·04	·35	·15	·10	·01	·01		3
4		·01	·05	·18	·01		·35	·09	·04	·01		·16	4
5			·05	·01	·12		·49	·02	·06			·06	5
6			·10	·10	·06		·55		·12				6
7			·04				·05					·05	7
8	·13			·37			·03	·12					8
9	·40			·46				·12					9
10	·09	·08	·12				·04				·02	·02	10
11	·19		·06	·11	·02		·09					·09	11
12			·03	·10		·04						·12	12
13	·01	·03	·02	·20		·16						·01	13
14		·01	·17	·08		·05	·06		·02	·01	·13		14
15		·02	·24	·02					·10	·02	·08	·07	15
16			·01	·06					·21				16
17	·03				·07		·01		·18			·06	17
18	·02				·08	·22	·02	·30	·21			·03	18
19	·16			·03				·04	·04		·01	·01	19
20	·06	·15		·26		·52							20
21				·02			·55	·08	·30			·03	21
22				·12				·11	·22			·02	22
23							·27		·66			·33	23
24	·04	·01	·13						·01	·01	·02	·02	24
25	·01	·03	·02	·08	·03	·03	·24		·01	·01	·01	·	25
26	·08		·05	·13	·21	·01	·04		·03	·01		·005	26
27	·09	·13		·11		·39				·01	·04	·03	27
28	·32	·02	·24		·17	·01	·02			·01	·03	·005	28
29	·01		·04		1·53		·07				·05	·31	29
30			·02	·01	·01	·06	·02		·23		·06	·20	30
31	·04		·02							·29		·10	31
													YEAR'S TOTAL
TOTAL	1·69	0·51	1·41	2·77	2·36	1·53	3·43	1·03	2·54	0·71	0·47	1·84	20·29
Days with ·01 in. or more	17	11	18	22	12	11	19	9	17	12	12	~~21~~ 22	~~181~~ 182
Days with ·04 in. or more	11	3	12	16	8	8	14	8	13	3	5	12	113

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REG

ABINGTON
HALL

CAMBRIDGE

1911- 1916

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Abington

in the County of Cam

by F. Ripley for

no name

3 in.

round ft. 4 in.

a Level ft.

ame Pampisford.

istance 1½ mls. Direction

IMPORTANT NOTE.- he result entered to the previous day. If an Obser sal rule, he is earnestly requested to add the reading r in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	4	0	0	0	0	0	0	1	0	0	0	0	1
2	6	0	1	0	9	0	2	0	0	25	4	5	2
3	10	2	0	8	4	0	0	0	0	5	0	10	3
4	10	0	10	12	0	0	0	2	0	5	2	30	4
5	0	0	0	1	0	0	0	0	0	0	0	0	5
6	20	0	4	2	0	0	0	0	0	2	0	10	6
7	0	0	0	0	0	0	0	0	0	0	25	30	7
8	18	0	8	0	0	0	0	0	0	0	40	12	8
9	12	0	0	3	0	0	0	1	0	0	0	0	9
10	0	0	4	0	0	0	0	0	0	0	10	35	10
11	24	0	0	0	4	0	0	0	0	0	33	0	11
12	25	0	45	0	4	0	0	0	0	0	10	0	12
13	0	0	5	0	10	0	0	0	26	41	0	25	13
14	0	0	20	0	66	4	0	0	0	0	0	40	14
15	0	2	14	0	0	46	0	0	5	3	12	0	15
16	0	0	0	0	0	4	0	0	0	0	18	4	16
17	0	2	0	0	0	0	0	0	0	0	5	2	17
18	0	24	0	0	0	2	0	0	0	0	83	12	18
19	0	0	0	0	2	30	0	0	2	8	35	2	19
20	0	3	0	0	2	0	0	14	23	18	0	40	20
21	2	6	0	0	0	0	0	15	0	13	0	14	21
22	0	0	14	0	0	6	0	1	0	0	0	32	22
23	0	4	10	0	0	90	0	0	31	40	0	4	23
24	0	0	4	0	0	8	0	0	0	0	0	14	24
25	0	4	8	8	0	21	35	3	0	0	0	0	25
26	0	0	0	12	0	3	0	1	0	12	10	10	26
27	0	15	6	1	0	0	0	0	15	0	0	0	27
28	0	8	0	20	8	0	0	12	0	0	4	2	28
29	0		1	6	0	12	15	0	25	25	0	0	29
30	0		0	0	1	2	0	0	2	12	0	0	30
31	0		0		0		0	0		2		0	31
Total	1·34	·40	1·63	·43	1·13	2·31	·52	·53	1·29	2·17	2·64	3·26	TOTAL for year 18·19
No. of Rain Days.	10	10	15	10	10	12	3	9	8	14	14	20	18·19

W. 8,000, X. '11.

135

REG

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Ubington Hall.

in the County of Cambridge.

by F. Ripley for J J Emerson Esq

RAIN GAUGE
Pattern Copper. no name
Diameter of top 3 in.
Height of top above Ground ft. 4 in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name Pampisford.
Distance 1½ mls Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	4.	0	0	0	0	0	0	1	0	0	0	0	1
2	6	0	1	0	9	0	2	0	0	25	4	5	2
3	10	2	0	8	4	0	0	0	0	5	0	10	3
4	10	0	10	12	0	0	0	2	0	5	2	30	4
5	0	0	0	1	0	0	0	0	0	0	0	0	5
6	20	0	4	2	0	0	0	0	0	2	0	10	6
7	0	0	0	0	0	0	0	0	0	0	25	30	7
8	18	0	8	0	0	0	0	0	0	0	10	12	8
9	12	0	0	3	0	0	0	1	0	0	0	0	9
10	0	0	4	0	0	0	0	0	0	0	10	35	10
11	24	0	0	0	4	0	0	0	0	0	33	0	11
12	25	0	45	0	4	0	0	0	0	0	10	0	12
13	0	0	5	0	10	0	0	0	26	41	0	25	13
14	0	0	20	0	66	4	0	0	0	0	0	40	14
15	0	2	14	0	0	46	0	0	5	3	12	0	15
16	0	0	0	0	0	4	0.	0	0	0	18	4	16
17	0	2	0	0	0	0	0	0	0	0	5	2	17
18	0	2.4	0	0	0	2	0	0	0	0	83	12	18
19	0	0	0	0	2	30	0	0	2	8	35	2	19
20	0	3	0	0	2	0	0	14	23	18	0	40	20
21	2	6	0	0	0	0	0	15	0	13	0	14	21
22	0	0	14	0	0	6	0	1	0	0	0	32	22
23	0	4	10	0	0	90	0	0	31	40	0	4	23
24	0	0	4	0	0	8	0	0	0	0	0	14	24
25	0	4	8	8	0	21	35	3	0	0	0	0	25
26	0	0	0	12	0	3	0	1	0	12	10	10	26
27	0	1.5	6	1	0	0	0	0	15	0	0	0	27
28	0	8	0	20	8	0	0	12	0	0	4	2	28
29	0		1	6	0	12	15.	0	25	25	0.	0	29
30	0		0	0	1	2.	0	0	2	12	0	0	30
31	0		0		0		0	0		2		0	31
Total	1·34	·40	1·63	·43	1·13	2·31	·52	·53	1·29	2·17	2·64	3·26.	TOTAL for year 18·19 18·19
No. of Rain Days.	10	10	15	10	10	12	3	9	8	14	14	20	

W. 8,000, X. '11.

cont for months 3''·13 – – WD. 3''

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

11 JAN 13

Kept at Abington Hall,
in the County of Cambridge 2
by F. Ripley.

Lat. Long.
Time of Observation
Nearest Railway Station Pampisford.
Diameter of Rain Gauge 3 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·02)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	0	·08	0	·02	0	·13	·23	·84	·05	0	1
2	0	0	0	·01	0	·01	·02	0	·10	·25	0	·20	2
3	·01	·03	·03	·03	0	·01	·30	0	0	0	0	·02	3
4	·02	0	0	0	·06	·14	·02	·26	0	0	0	·12	4
5	·10	0	·24	0	·08	·42	0	0	0	0	·26	0	5
6	·06	·04	·56	0	0	0	0	·22	0	0	0	0	6
7	·04	·03	0	0	·01	·43	·50	·12	0	0	0	0	7
8	·26	0	0	0	·03	·52	·15	·10	0	0	0	0	8
9	·05	·13	·13	0	0	·23	0	·15	·25	0	0	0	9
10	·25	0	0	·08	0	·02	·02	·06	0	0	0	·18	10
11	0	0	0	0	0	·07	0	·14	·12	0	·20	·12	11
12	0	·23	0	0	0	·0	0	·02	·06	0	0	0	12
13	·10	0	0	0	·04	·2	0	0	0	0	·18	0	13
14	·08	·01	0	0	·0	0	·12	·01	0	0	·15	0	14
15	·05	·02	0	0	·02	·05	0	·02	·01	·03	·07	·04	15
16	·0	0	·07	0	·27	·28	0	·03	0	·04	·02	·14	16
17	·0	0	·02	0	·05	0	0	·05	0	0	·08	0	17
18	·35	0	·03	0	0	·14	0	·04	0	0	0	·10	18
19	·25	0	·28	0	0	0	0	·02	0	0	·08	·04	19
20	·09	·03	·16	0	0	0	·35	·19	0	0	0	0	20
21	·08	0	·03	0	·04	0	·01	·10	0	·25	0	0	21
22	·02	·01	·53	0	·02	0	0	·75	0	0	·06	0	22
23	·0	·10	·02	0	·18	0	0	·10	0	0	0	·01	23
24	·40	·38	·20	0	·04	0	0	·90	·01	0	·14	·07	24
25	·43	0	0	0	0	0	·03	·34	0	0	0	·05	25
26	·35	0	0	0	0	·05	0	1·10	0	0	·13	·25	26
27	·0	·02	0	0	0	0	·07	1·20	0	·33	·20	·15	27
28	·0	·01	0	0	0	·02	·01	0	0	·05	0	·12	28
29	·0	·01	0	·01	0	·03	0	0	·10	0	·14	·23	29
30	·0		0	·01	0	·03	·35	·14	·60	·35	0	·02	30
31	·03		0		·35		·04	·83		·12		0	31
	–	–	·68	–	·02	–	·13	·23	·84	·05	–	(·02)	YEAR'S TOTAL
Total	~~3·02~~	~~1·05~~	~~2·30~~	~~·22~~	~~1·18~~	~~2·43~~	~~1·99~~	~~4·02~~	~~1·48~~	~~2·26~~	~~1·43~~	~~1·86~~	~~26·56~~
	3·02	1·05	2·38	·14	1·20	2·41	2·12	7·12	2·09	1·47	1·68	1·88	26·56
Rain Days.	20	14	~~13~~	~~6~~	~~13~~	~~18~~	~~14~~	25	9	9	~~14~~	~~14~~	~~142~~
			14	5	14	17	15				13	18	173

W. 7,500, XI. 12

end for W.D. 27.11.14

£ x 31.5

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

9 - JAN 1914

Kept at Abington Hall.
in the County of Cambridge. 2
by F. Ripley.

Lat. .... Long. ....
Time of Observation About 9 a.m.
Nearest Railway Station Pampisford
Diameter of Rain Gauge 3 in.
Height of top of Gauge above Ground ......ft. 6 in.
" " " " Sea Level ......ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	12	0	0	0	12	0	0	0	23	0	12	20	1
2	0	20	4	15	4	0	0	0	90	0	4	1	2
3	1	10	0	0	21	0	16	0	10	0	0	0	3
4	2	5	18	0	64	0	0	0	0	0	0	2	4
5	5	0	2	0	8	0	14	0	0	12	1	10	5
6	0	0	0	0	14	0	4	0	0	40	1	0	6
7	0	0	3	0	16	20	8	0	2	15	0	0	7
8	0	1	0	0	14	0	4	2	3	15	0	0	8
9	0	0	0	1	20	2	0	0	0	1	8	4	9
10	0	20	0	2	2	12	4	0	2	0	4	16	10
11	1	0	2	3	0	0	10	0	0	0	15	6	11
12	85	0	0	40	0	0	0	0	0	5	24	0	12
13	0	0	0	0	0	0	0	0	0	0	10	0	13
14	0	0	4	0	0	0	0	1	0	0	35	0	14
15	3	0	2	3	0	0	12	0	0	30	2	0	15
16	22	2	13	1	0	0	36	0	0	0	0	0	16
17	6	0	20	12	0	0	0	0	20	0	4	1	17
18	8	0	18	4	0	28	5	1	0	0	2	4	18
19	0	0	8	10	1	0	0	0	0	0	4	0	19
20	10	0	1	0	0	0	11	0	2	0	0	0	20
21	12	0	2	1	0	8	0	0	3	45	0	3	21
22	8	0	6	2	0	0	5	0	10	15	25	0	22
23	30	0	8	0	0	0	4	0	5	0	0	1	23
24	0	0	0	0	0	0	0	12	2	0	0	2	24
25	3	0	0	0	0	0	0	0	0	0	1	0	25
26	1	0	0	10	0	14	0	0	0	2	0	1	26
27	0	1	12	1	0	0	0	0	0	50	0	16	27
28	0	1	13	4	40	4	0	0	0	1	2	0	28
29	10		9	0	0	0	0	2	0	25	0	1	29
30	16		0	22	24	0	0	0	0	5	0	2	30
31	10		0		0		0	12		5		1	31
	–	–	–	·12	–	–	–	·23	–	·12	·20	(–)	YEAR'S TOTAL
Total	~~2·45~~	~~·60~~	~~1·45~~	~~1·31~~	~~2·43~~	~~·91~~	~~1·33~~	~~·30~~	~~1·42~~	~~2·96~~	~~1·54~~	~~·85~~	~~14·86~~
	2·33	·60	1·45	1·43	2·31	·91	1·33	·53	1·49	3·08	1·62	·65	17·73
Rain Days.	~~19~~ 18	8	18	~~16~~	~~13~~	7	13	~~6~~	~~12~~	~~15~~	14	~~16~~	~~166~~
				17	12			7	11	16		15	159 ✓

W.7,000, XI. 13

Ex 8L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 JAN 1915

Kept at Abington Hall

in the County of Cambridge. 2

by F. Ripley

Lat. 52° N Long. 0
Time of Observation 9 a.m
Nearest Railway Station Pampisford
Diameter of Rain Gauge 3 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	0	0	0	0	1	0	0	0	6	14	1
2	3	0	0	0	0	0	0	15	0	0	0	6	2
3	0	0	13	1	0	0	35	3	0	0	5	8	3
4	15	0	0	15	4	0	0	1	0	0	3	15	4
5	0	0	4	18	2	0	20	15	0	0	38	0	5
6	0	5	2	5	4	12	2	4	0	0	0	10	6
7	0	8	23	5	21	6	1	3	0	0	0	4	7
8	15	5	56	3	9	48	1	12	0	0	0	6	8
9	50	0	52	3	3	52	0	0	0	0	0	14	9
10	60	8	3	5	4	0	0	0	0	0	25	3	10
11	0	10	27	0	5	15	0	0	2	0	1	21	11
12	4	15	8	0	1	0	33	0	50	0	5	24	12
13	0	4	10	0	0	0	0	0	0	35	10	45	13
14	0	2	17	0	0	0	7	0	0	25	5	0	14
15	8	0	24	0	0	0	10	1	0	0	0	4	15
16	2	0	14	0	0	0	10	0	0	0	0	0	16
17	0	23	0	0	0	0	0	0	2	0	10	6	17
18	0	3	4	0	0	0	0	0	0	0	10	14	18
19	0	6	8	0	0	82	1	0	0	0	2	12	19
20	0	10	40	0	0	4	0	0	0	0	0	6	20
21	0	25	16	0	0	3	0	0	0	0	0	12	21
22	0	0	0	2	28	0	4	2	0	45	0	2	22
23	0	1	3	0	6	4	0	0	0	18	19	0	23
24	0	0	1	8	0	3	2	0	0	5	0	0	24
25	1	0	5	0	0	0	4	0	0	25	4	20	25
26	0	0	1	0	0	0	2	19	0	15	20	30	26
27	2	0	0	0	0	0	0	1	0	0	56	10	27
28	1	2	0	0	1	0	0	0	0	4	6	1·85	28
29	0		5	0	0	0	0	0	0	34	0	0	29
30	0		2	0	0	1	0	0	0	2	0	12	30
31	1		0		15		2	0		0		2	31
Total	1·62	1·27	3·38	·65	1·03	2·30	1·35	·76	·54	2·08	2·23	4·85	YEAR'S TOTAL 22·06
Rain Days.	12	15	23	10	13	11	16	11	3	10	17	25	166

W. 8,000. X. 14.

corrected for WD (2 days) 5.IV.16. written
~~W~~ 95 corr for anlts 27.III.16
1293

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
7 - JAN 1916

Kept at Abington Hall,
in the County of Cambridge 2
by F. Ripley

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Pampisford
Diameter of Funnel of Rain Gauge 3 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	4	0	0	0	0	67	0	8	0	0	7	1
2	2	5	4	0	0	0	25	0	5	0	20	4	2
3	26	4	0	0	8	0	0	20	4	0	4	24	3
4	4	14	14	0	0	0	0	130	3	0	0	4	4
5	24	4	4	15	0	0	0	0	10	0	12	16	5
6	12	7	3	0	0	0	0	3	0	18	10	45	6
7	5	10	6	0	50	0	0	8	0	0	0	4	7
8	20	0	10	25	0	0	66	7	0	0	0	6	8
9	12	25	8	2	0	0	35	0	0	0	0	15	9
10	8	10	2	0	0	0	2	0	0	0	0	0	10
11	10	4	0	0	0	0	0	96	0	2	15	45	11
12	11	0	4	0	0	1	0	1	0	0	4	5	12
13	0	0	0	0	0	0	0	0	0	0	90	4	13
14	4	0	0	36	24	0	0	0	0	12	78	0	14
15	0	62	0	0	1·12	0	0	8	1	0	0	0	15
16	15	25	0	0	0	0	32	10	2	0	0	25	16
17	0	2	0	0	3	0	2	38	0	0	30	5	17
18	0	10	0	0	0	0	1	85	0	10	0	1	18
19	0	4	0	0	13	0	16	0	0	0	2	0	19
20	0	36	25	0	5	0	0	0	0	0	4	0	20
21	0	0	2	4	3	0	0	3	0	0	0	0	21
22	12	0	0	0	0	0	0	0	0	2	0	30	22
23	20	0	0	2	0	0	0	0	0	0	2	10	23
24	75	0	32	1	0	0	35	0	0	6	1	12	24
25	6	18	0	0	0	1	5	0	8	0	3	14	25
26	0	1	20	0	0	0	3	0	22	0	0	15	26
27	0	6	1	2	0	0	0	0	0	0	0	2	27
28	0	2	0	1	0	45	3	0	0	0	0	25	28
29	0		0	0	0	15	4	0	0	20	0	3	29
30	0	X	0	0	0	7	2	0	82	24	0	0	30
31	4	X	0	X	0	X	3	18	X	0	X	8	31
Total	·35 ~~2·43~~ 2·77	4 ~~2·53~~ 2·48	= ~~1·35~~ 1·31	= ~~·88~~ ·88	= 2·18 2·18	·67 ·25 ~~·69~~ 1·61	= ~~2·95~~ 2·03	·08 ·05 ~~4·27~~ 4·40	= ~~1·45~~ 1·52	·20 ~~·94~~ 1·14	·07 ·04 ~~2·55~~ 2·46	·02 ~~3·29~~ 3·20	YEAR'S TOTAL ~~25·91~~ 25·78
Rain Days.	19	~~20~~ 19	~~14~~ 13	9	8	~~5~~ 7	~~17~~ 15	~~14~~ 16	~~10~~ 8	~~8~~ 9	~~14~~ 15	~~24~~ 22	~~162~~ 161

W. 8,000. X. 15.

1272

FORM A.
BRITISH RAINFALL.
18 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Abington Hall.

in the County of Cambridge.

by F. Ripley.

Lat. .... Long. ....

Time of Observation 9. a.m.

Nearest Railway Station Pampisford

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1	0	4	0	20	0	0	0	5	0	7	0	1
2	43	4	18	0	15	0	0	0	1	7	3	0	2
3	0	15	5	0	0	0	2	0	37	17	37	0	3
4	0	40	6	0	2	15	0	0	25	24	22	0	4
5	38	2	2	2	1	13	21	0	0	2	41	0	5
6	0	10	11	25	3	2	0	0	0	0	32	0	6
7	10	0	20	0	20	4	24	0	0	13	35	4	7
8	0	0	0	0	18	2	1	0	0	0	5	20	8
9	0	10	0	0	25	1	2	0	0	0	0	12	9
10	0	0	40	10	0	2	18	12	1	1	0	13	10
11	7	20	4	8	5	14	0	4	2	25	0	4	11
12	0	2	3	2	30	40	8	20	0	2	0	0	12
13	0	64	3	2	20	4	28	30	0	4	0	0	13
14	0	44	10	4	4	0	8	5	0	0	0	22	14
15	0	35	10	1	0	0	3	1	0	2	0	0	15
16	0	6	6	19	3	0	9	20	0	7	0	0	16
17	8	10	0	14	0	0	20	5	27	27	0	0	17
18	0	2	1	11	0	0	0	0	26	0	35	0	18
19	0	0	3	30	0	0	0	0	0	0	75	4	19
20	8	0	12	0	0	0	0	30	0	0	10	18	20
21	4	2	72	0	0	0	28	0	0	0	0	4	21
22	0	15	0	0	18	5	0	0	0	0	0	86	22
23	0	68	0	0	0	0	0	1	0	15	5	6	23
24	0	0	0	0	0	13	0	5	0	2	0	50	24
25	0	26	3	0	0	2	0	13	0	3	2	0	25
26	0	18	12	0	0	1	0	5	0	4	0	0	26
27	1	20	77	0	0	3	0	3	3	32	0	0	27
28	1	23	40	0	0	3	0	0	2	10	0	0	28
29	1	10	0	0	0	10	0	1·37	0	13	0	12	29
30	1	╳	0	0	4	2	0	45	0	41	0	0	30
31	0	╳	0	╳	0	╳	0	2	╳	5	╳	0	31
Total	1·23	4·46	3·62	1·18	1·88	136	1·72	3·38	1·29	2·56	309	2·55	YEAR'S TOTAL 28·32
Rain Days.	12	22	22	12	15	18	13	17	10	21	13	13	188

W. 8,000, VIII. 16

1194

BALSHAM RECTORY

1912 - 19

FORM A2.
BRITISH RAIN
2 JAN 1913

Kept at Balsh

in the County of (

by Rev. H. J.

2

Standard

5 in.

Ground 1 ft. 6 in.

Sea Level 399 ft.

a.m

Name Linton G.E.R

Distance 4 mile Direction SW

IMPORTANT NO the result entered to the previous day. If an C ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·02			·08	·07		·15	·27		·24	1
2	–		·05	·06			·36						2
3	·20		·02		·10	·28		·21				·13	3
4	·09		·46		·06			·07		[illegible]	·38		4
5	·08		·54		·05	·44		·49			·04		5
6	·24	·07			·02	·52	·30	·13	·02			·04	6
7	·02					↓	·30	·16				·02	7
8	·19	·21				·10		·15	·20				8
9		·03	·10	·09		·15						·28	9
10		·03						·14	·11		·10	·04	10
11	·09	·17							·09			·05	11
12	·10		·05		·02	·02					·26		12
13	·03					·07	·22				·18		13
14					·05	·12		·04		·12	·04	·05	14
15			·03		·31	·32		·04				·10	15
16	·35	·04	·11		·02	·27		·07			·09		16
17	·32		·21			·13			·01				17
18			·12				·22	·07			·05	·15	18
19	·09	·04	·22			·01		·42			·02		19
20	·04		·06				·01	·22		·33	·		20
21		·03	·42		·17			·73		·18	·09		21
22	·48	·04			·10			·31					22
23	·52	·40	·31			·10		1·05	·02		·18		23
24	·40					·03		·23				·15	24
25								·72			·14	·41	25
26							·26	1·50		·37	·18	·20	26
27										·07		·16	27
28		·03						·16	·07	·41	·10	·35	28
29						·05	·22		·81	·39			29
30	·05				·14	·03		·04	·65	·14			30
31			·09		·05		·14	·23	[illegible]	·06		·11	31
Total	3.31	1.09	2.81	0.15	1.09	2.72	2.10	7.18	2.13	2.34 2.34	1.85	2.48	TOTAL for year 29.25
No. of Rain Days.	18	11	16	2	12	17	10	22	10	10	14	16	158

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL
2 JAN 1913

2

Kept at Balsham Rectory

in the County of Cambridge 2

by Rev. H. J. E. Burrell

Rain Gauge
Pattern Standard
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 399 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Linton G.E.R
Distance 4 mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·02			·08	·07		·15	·27		·24	1
2	–		·05	·06			·36						2
3	·20		·02		·10	·28		·21				·13	3
4	·09		·46		·06			·07		[illegible]	·38		4
5	·08		·54		·05	·44		·49			·04		5
6	·24	·07			·02	·52	·30	·13	·02			·04	6
7	·02					↓	·30	·16				·02	7
8	·19	·21				·10		·15	·20				8
9		·03	·10	·09		·15						·28	9
10		·03						·14	·11		·10	·04	10
11	·09	·17							·09			·05	11
12	·10		·05		·02	·02					·26		12
13	·03					·07	·22				·18		13
14					·05	·12		·04		·12	·04	·05	14
15			·03		·31	·32		·04				·10	15
16	·35	·04	·11		·02	·27		·07			·09		16
17	·32		·21			·13			·01				17
18			·12				·22	·07			·05	·15	18
19	·09	·04	·22			·01		·42			·02		19
20	·04		·06				·01	·22		·33	·		20
21		·03	·42		·17			·73		·18	·09		21
22	·48	·04			·10			·31					22
23	·52	·40	·31			·10		1·05	·02		·18		23
24	·40					·03		·23				·15	24
25								·72			·14	·41	25
26							·26	1·50		·37	·18	·20	26
27										·07		·16	27
28		·03						·16	·07	·41	·10	·35	28
29						·05	·22		·81	·39			29
30	·05				·14	·03		·04	·65	·14			30
31			·09		·05		·14	·23	[illegible]	·06		·11	31
Total	3.31	1.09	2.81	0.15	1.09	2.72	2.10	7.18	2.13	2.34 2-34	1.85	2.48	TOTAL for year 29.25
No. of Rain Days.	18	11	16	2	12	17	10	22	10	10	14	16	158

W. 8,000, X. '11.

cwd for auth 27·11·14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

5 - JAN 1914

Kept at Balsham Rectory

in the County of Cambridge

by Rev H. J. E. Burrell

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Linton G.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 379 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·16	·02	·22					·35		·05	·25	1
2	·04	·08			·06		·12		·43			·04	2
3			·13	·01	·70				·14				3
4	·05				·08		·10			·16	·04	·22	4
5	·03					·05	·05			1·11		·01	5
6			·05		·38	·31	·13			·03			6
7		·04			·06			·06		·36			7
8			·03		·30					·10	·06		8
9		·22	·05	·01	·04	·16	·06	·03			·04	·07	9
10			·05	·08	·03			·15			·15		10
11	·48			·34						·02	·24		11
12											·07		12
13										·31	·44		13
14	·05	·01	·06				·22						14
15			·10	·12			·21		·07				15
16	·28		·24	·06					·22		·08	·04	16
17			·06	·10		·27	·11				·03	·04	17
18			·06	·05			·07				·07		18
19	·15		·03		·02		·10	·03	·04				19
20	·10					·06	·04		·12	·42		·03	20
21			·10				·06		·06	·24	·32		21
22	·32		·08				·10	·03	·04				22
23						·02	·11	·24			·04		23
24	·03					·07							24
25				·08		·09	·01						25
26										·48		·20	26
27		·11		·02	·16	·08				·08			27
28	·09		·14	·01						·18			28
29	·23		·08	·25	·25					~~·12~~		·04	29
30	·17		·13	·13									30
31										·19			31
Total	2.08	·62	1·42	1·48	2.08	1·11 111	1·49	·54	1·47	3·68	1.63	·94	YEAR'S TOTAL 18.53 18.53
Rain Days.	14	6	17	14	11	9	15	6	9	13	13	10	

W. 7,500, XI. ·12

1371

Exe DJ

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Balsham Rectory
in the County of Cambridge 2
by Rd. H. J. E. Burrell

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Linton G.E.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							–	·18			·07		1
2	·02												2
3			·17		·08						·07		3
4	·13		·03	·17	·02		·29	·07			·37	·31	4
5			·07	·15	·06		·19	·27			·26		5
6		·05			·05	·10	·06	·04				·05	6
7		·07	·30		·30	·01	·5	·05				·14	7
8	·19	·06	·52		·10	·55		·14					8
9	·62	·04	·46		·13	·44						·94	9
10	·49			·14	·06						·22		10
11		·17	·23		·06	·10					·01	·22	11
12	·04		·05			·01	·08		·09			·27	12
13		·15	·19						·48	·16	·14	·23	13
14			·16				·40		·03	·30		·51	14
15	·07		·24				·08				·19	·12	15
16			·05									·01	16
17		·23							·10				17
18												·17	18
19		·11	·17			·49	·08		·16		·26		19
20		·05	·17			·06				·03		·10	20
21		·26	·13							·02		·08	21
22			·01	·09	·27		·13	·10			·03	·02	22
23	·04	·10	·03		·06					·60			23
24			·10			·04	·30			·09	·18		24
25							·04	·17		·33			25
26			1·02							·03	·08	·51	26
27												·08	27
28											·75		28
29			·03							·38	·06	1·05	29
30			·04							·01		·10	30
31					·18							·05	31
Total	1.60	1.29	3.17	.55	1.27	1.80	1.70	1.02	.86	1.95	2.69	4.96	YEAR'S TOTAL 22.86
Rain Days.	8	11	21	4	11 12	9	11	8	5	10	2.69 14	19	132 131

W.7,000, XI. 13

1299

Exe DL

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL

8 JAN 1916

Kept at Balsham Rectory
in the County of Cambridge
by Rev H J E Burrell

2

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Linton G.E.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	·13			·10				·40		·02		1
2	·05	·20				·01			·09			·27	2
3	·22		·23	·08			·03	·30					3
4	·14		·12					1·09				·49	4
5	·03	·12			·02				·27	·27	·15	·15	5
6	·23		·10	·25			·53	·22				·05	6
7	·06	·24					·26	·15					7
8		·19		·04				0			·20	·10	8
9						·03		·04				·48	9
10	·27		·10				·02	·53				·05	10
11	·11							·08			·72		11
12	·04			·40	·22						·76	·03	12
13	·10	·47		·03	1·01				·05				13
14		·19	·03		·02		·31	·06					14
15					·08		·01				·35	·35	15
16		·14					·50	·49		·16			16
17		·15					·06	·28			·13		17
18		·15	·31				·12						18
19			·03	·08				·06				·03	19
20	·36				·05							·40	20
21	·25				·01		·05					·15	21
22	·47	·02	·28				·46						22
23	·02	·25	·06				·14		·04	·12		·15	23
24			·11				·02		·22			·11	24
25						·21						·10	25
26		·05					·04					2·91 ·18	26
27		·10					·13			·43			27
28						·44		·08	·81	·07			28
29		·02				·54	·08				·11	·10	29
30	·03	✕				1·25	·08		·02				30
31		✕		✕		✕		·10	✕	·15	✕	·09	31
Total	2·58	2·42	1·37	·98	1·51	2·48	2·84	3·48	1·90	1·20	2·44	3·28	YEAR'S TOTAL 26·48
Rain Days.	16	15	10	6	8	6	17	13	8	6	8	18	131

W. 8,000. X. 14.

1278

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Balsham Rectory
in the County of Cambridge
by Rev. H. J. E. Burrell

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Linton G.E.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·17	·04					·14		1
2	·33		·18		·11				·08				2
3		·22				·02				·45	·40		3
4	·24	·20	·13			·23	·05		·51	·06			4
5	·03		·16		·03	·20	·15			·08	·60		5
6			·16	·25	·01	·10			·01		·25		6
7		·15			·31		·36			·11	37		7
8					·18	·08							8
9					·21							·49	9
10		·03	·15	·09	·10	·02	·20	·07					10
11		·15	·05	·12		·22							11
12		·01			·49	·31	·14	·16	·03	·30			12
13		·44	·07		·14	·34	·71	·10					13
14		·25	·04			·03		·22				·03	14
15	·16	·38	·14	·11	·10			·48				·10	15
16			·10	·23			·10	·		·05			16
17		·09		·11			·13	·23	·38	·31			17
18				·08				·03	·29		28		18
19		·11	·03	·31					·24		·62		19
20			·27	·15				·07	·01		·05	·25	20
21	·14		·41				·18					·37	21
22					·?					·03		·47	22
23		·65			·21	·11					·06	·10	23
24		·04				·08		·05		·23		·37	24
25		·15						·19					25
26			·15			·04		·02		·06	·10	·02	26
27		·33	·43			·05				·36			27
28	·05	·15	·30			·01		1·32	·03	·			28
29		·18	·01			·11		~~·55~~		·24		·14	29
30		X			·04	·02		↓		·30		·01	30
31		X		X		X		·06	X	·07	X		31
Total	·95	3·51 3·53	2·78	1·46 1·45	2·10	2·02 2·01	2·02	3·53	1·58	2·65	2·77	2·27	YEAR'S TOTAL 27·64
Rain Days.		17	17	9	13	18	9	14	9	14	10	11	147

W. 8,000. X. 15.

1226

FORM A.
BRITISH RAINFALL.

10 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Balsham Rectory
in the County of Cambridge
by Rev. H. J. E. Burrell

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Linton
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06			.20				1.87	.12		.30		1
2		.06				.03		.43		.40			2
3				.04				.88		.60	.07		3
4		.36						.07					4
5	.26			.18				.52	.02		.05		5
6													6
7	.16		.02			.03							7
8	.05		.03	.10		.40	.90	.11	.01				8
9	.09							.09		.14	.29	.90	9
10	.35		.10					.05		.15			10
11	.10		.58							.49		.05	11
12				.18	.09			.04		.31			12
13	.20		.05			.15	.06	.05	.03	.30			13
14										~~.15~~ .02			14
15	.02							.35					15
16	.01	.14		.20			.64			.86			16
17				.25	.59		.20		.40	.26			17
18	.06	.03		.11	.04		.35		.37				18
19		.05	.14	.02		.10			.28				19
20	.01	.20	.14		.09						.24		20
21													21
22								.16					22
23		.03			.11				~~.20~~	.20			23
24		.04	.05			.18		.15			.10		24
25		.01							~~.09~~	.09		~~.15~~	25
26								.20			.49	.15	26
27	.03	.03	.25					.64				.20	27
28						.50		.03					28
29						.35	.34	.50	~~.30~~	.30			29
30	.08	X					.82	.09					30
31		X	.29	X		X	.25	.16	X		X		31
Total	1.50	.95	1.65	1.28	.92	1.74	3.56	~~1.71~~ 6.33	1.23	4.12	1.54	.60	YEAR'S TOTAL 25.42
Rain Days.	14	10	10	9	5	8	8	19	7	13	7	4	112

3.59

W. 8,000, VIII. 16

[illegible] E.F.E.

FORM A. BRITISH RAINFALL.
7·1·19

12

REGISTER OF RAINFALL IN 1918

Kept at Balsham Rectory
in the County of Cambridge
by Rev. H. J. E. Burrell

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Linton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2		·05											2
3	·05		·10					·24	·10	·01	·21	·25	3
4				·10	·15			·26	·78			·24	4
5									·11	·02			5
6		·02							·08		·07	·51	6
7		·18		·30					·03	·09			7
8	·17				·06				·39		·25		8
9				·05						·25			9
10									·10			·18	10
11		·23			·25		·42		·53	·34		·07	11
12	·10						·42		·10			·12	12
13				·04	·36	·18	·05		·10				13
14	·15						·05		·14	·39			14
15	1·35			1·75			·10		·15				15
16	·09			↓					·13				16
17			·15	·35			1·08						17
18	·15			·20		·20	·15		1.01				18
19							·33			·13			19
20		·10		·06		·05	·01		·05		·07		20
21									·58	·23		3 days	21
22	·05				·36		·29					·78	22
23	·01				·75	·04	·21		·11	·04			23
24	·12	·22			·14			·06					24
25						·09	·10	·19			·25	·16	25
26							·25						26
27				·29			·11	·26	·08				27
28								·03				.06	28
29	·02		·06						1·30			·14	29
30		X						·12	·07				30
31		X	·40	X		X			X		X	·16	31
Total	2·26	·80	·71	3·14	2·07	·56	3·57	1·10	6·05	1·50	1·45	2·57	YEAR'S TOTAL 25·78
Rain Days.	11	6	4	9	7	5	14	7	20	9	5	13	161 110

W. 8,000, IX. 17.

W Rz 1160

FORM A.
BRITISH RAINFALL.

6 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Balsham Rectory
in the County of Cambridge
by Rev. H. J. E. Burrell

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Linton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32		·01				·15			·19		·71	1
2							·14		·16		·10	·68	2
3		·20	·09		1·10				·04			·4	3
4	·33		·31		·10	·18	·20	·07		·02		·12	4
5	·3						·26		·14			·13	5
6			·21		·30						·14		6
7					·08								7
8	·06		·31		·10							·03	8
9				·06							·15		9
10			·14	·10						·07			10
11	·05		·11	·17			·43				·15		11
12			·11				·25						12
13	·10											·05	13
14				·33					·11				14
15	·30			·07			·04				·10	·20	15
16	·05	·61		·03									16
17		·59		·05				·03			·32		17
18		·19	·05					·15	·12			·06	18
19			·26				·22	·47				·03	19
20	·09		·03			·12	·98						20
21	·25		·02			·62	·71						21
22		·38					·41				·11	·61	22
23		·22				·13	·09	·06	·19			·11	23
24				·12		·16							24
25					·26		·03						25
26	·05	·52	·25	·18				·10	·05			·20	26
27	·67	·08						·30		·25		·01	27
28								·90				·21	28
29													29
30		X				·16		·31			·40		30
31		X		X		X			X	·09	X	·10	31
Total	2·50 ✓	2·79 ✓	1·90 ✓	1·11 ✓	1·94 ✓	1·37 ✓	4·01 ✓	2·39 ✓	·82 ✓	·62 ✓	1·47 ✓	3·36 ✓	YEAR'S TOTAL 24·28
Rain Days.	12	8 ✓	13 ✓	9 ✓	6 ✓	6 ✓	13 ✓	9 ✓	7 ✓	5 ✓	8 ✓	16	~~114~~

1194 1102

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Balsham Rectory
in the County of Cambridge
by Revd. H. J. E. Burrell

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Linton GER
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.81			.20	.12		.35	.03	.08	1
2				.09	.05					.09		.04	2
3		.02		.01			.39		.17				3
4				.17			.18		.05			.13	4
5			.04				.45		.17			.05	5
6				.20			.48	.07				.07	6
7			.15	.39			.10						7
8	.11						.02	.14					8
9	.34			.50								.02	9
10	.09	.04		.08			.07					.15	10
11	.22		.14	.15			.11						11
12				.07		.16						.15	12
13	.12	.02		.07		.12					.02		13
14		.01	.10				.11	~~.05~~	.05	.05	.02		14
15			.31						.20	.15	.10		15
16				.13					.22	.01			16
17	.09		.03				.01	.45	.15				17
18					.08			.10	.31				18
19		.20		.16							.02		19
20	.32			.05		.90			.39				20
21							.58		.45				21
22				.50			.01	.17					22
23		.09		.13			.31	.02				.49	23
24			.08			.03							24
25							.21		.04			.02	25
26	.05			.09	.33		.14					.01	26
27	.15		.09	.23		.26	.03				.09	.05	27
28					.34	.05							28
29			.21		.09						.09		29
30	.39	✕			.08		.11		.03		.06	.40	30
31	.02	✕		✕		✕	.03		✕	.20	✕	.06	31 19.62
TOTAL	1.90	.38	1.15	3.84	.97	1.52	3.56	1.07	2.23	.85	.43	1.72	YEAR'S TOTAL ~~19.63~~
Days with ·01 in. or more	11	6	9	18	6	6	19	7	12	6	8	14	~~122~~
	10	3	5	17	6	5	14	6	11	5	4	11	100

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

RE

"FOSSEDENE"
CAMBRIDGE
(HICKS FAMILY)

FORM A.
BRITISH RAINFALL.
10 MAR 1915

Kept at Fossedne, Moun

in the County of

by W Francis

8 am *

Cambridge

5 in.

above Ground 1 ft. 2½ in.

„ Sea Level 26 ft.

IMPORTANT N … nd the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … urement of rain, the selection and pla … British Rainfall Organization are give … on application to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	trace	nil	nil	nil	·20	·26	nil	trace	·07	nil	1
2	nil	nil	nil	·03	nil	nil	·02	·26	nil	trace	·05	·06	2
3	trace	nil	·11	nil	·12	nil	·24	·16	nil	nil	·12	nil	3
4	·12	nil	·02	·16	·02	nil	nil	·25	nil	nil	·39	·17	4
5	·01	nil	·05	·04	·03	·03	·18	·20	nil	nil	nil	nil	5
6	nil	·06 ~~nil~~	nil	·04	·03	·03	·03	·03	nil	nil	·20	·06	6
7	nil	·03	·26	nil	·12	·08	·03	nil	nil	nil	·01	·32	7
8	·11	·06	·26	·03	·06	·57	·05	·10	nil	nil	nil	nil	8
9	·51	nil	·44	·17	·01	·58	nil	nil	nil	trace	nil	·88	9
10	·50	·02	·01	·03	·04	nil	nil	trace	nil	nil	nil	·07	10
11	nil	·12	·31	·11	trace	·29	nil	nil	·06	nil	·26	·09	11
12	·01	·02	·03	nil	nil	·01	nil	nil	·37	nil	·01	·09	12
13	nil	·12	·26	nil	nil	nil	nil	nil	·01	·18	·11	·24	13
14	nil	·01	·14	nil	nil	nil	·08	nil	nil	·50	·02	·76	14
15	·05	·01	·26	nil	nil	trace	·13	nil	·19	nil	·05	·11	15
16	trace	nil	·09	nil	nil	trace	·06	nil	trace	nil	·03	nil	16
17	·02	·23	trace	nil	nil	nil	nil	nil	·18	nil	nil	·01	17
18	nil	·06	·02	nil	nil	nil	nil	nil	nil	nil	nil	·30	18
19	trace	·03	·08	nil	nil	·06	·06	nil	nil	nil	·23	trace	19
20	trace	·05	·32	nil	nil	·05	nil	nil	·03	·01	nil	·06	20
21	·01	·16	·12	nil	nil	·29	nil	·03	nil	·03	·01	·18	21
22	·01	nil	·02	·03	·33	nil	·07	·02	nil	·37	nil	·01	22
23	nil	·04	·03	·01	·07	·02	trace	nil	trace	·10	·01	·02	23
24	trace	·01	·01	·08	nil	·01	·10	nil	nil	·17	·11	nil	24
25	·03	nil	·03	nil	trace	nil	·01	nil	nil	·38	trace	·02	25
26	nil	nil	·05	nil	·01	nil	·02	·05	nil	·02	·05	·29	26
27	·02	nil	·02	nil	nil	nil	·03	·04	nil	nil	·02	·18	27
28	nil	·05	nil	nil	·01	nil	nil	nil	nil	·06	·33	1·40	28
29	·01	✕	·03	nil	nil	nil	nil	nil	nil	·20	·01	nil	29
30	nil	✕	·04	nil	nil	nil	nil	nil	nil	·03	·14	·03	30
31	nil	✕	nil	✕	·13	✕	·07	nil	✕	nil	✕	·08	31
Total	1·41	1·08	3·01	0·73	0·98	2·02	1·38	1·40	0·84	2·05	2·23	5·43	YEAR'S TOTAL 22·56
Rain Days.	13	17	25	11	13	12	17	11	6	12	21	23	181

W. 8,000. X. 14. * Not anticipating sending in my record, I have been taking them at this hour each day.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
10 MAR 1915

Kept at Fosedene, Mount Pleasant, Cambridge

in the County of Cambridgeshire

by W. Francis Hicks.

Lat. Long.

Time of Observation 8 am *

Nearest Railway Station Cambridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	nil	nil	trace	nil	nil	nil	·20	·26	nil	trace	·07	nil	1
2	nil	nil	nil	·03	nil	nil	·02	·26	nil	trace	·05	·06	2
3	trace	nil	·11	nil	·12	nil	·24	·16	nil	nil	·12	nil	3
4	·12	nil	·02	·16	·02	nil	nil	·25	nil	nil	·39	·17	4
5	·01	nil	·05	·04	·03	·03	·18	·20	nil	nil	nil	nil	5
6	nil	·06~~nil~~	nil	·04	·03	·03	·03	·03	nil	nil	·20	·06	6
7	nil	·03	·26	nil	·12	·08	·03	nil	nil	nil	·01	·32	7
8	·11	·06	·26	·03	·06	·57	·05	·10	nil	nil	nil	nil	8
9	·51	nil	·44	·17	·01	·58	nil	nil	nil	trace	nil	·88	9
10	·50	·02	·01	·03	·04	nil	nil	trace	nil	nil	nil	·07	10
11	nil	·12	·31	·11	trace	·29	nil	nil	·06	nil	·26	·09	11
12	·01	·02	·03	nil	nil	·01	nil	nil	·37	nil	·01	·09	12
13	nil	·12	·26	nil	nil	nil	nil	nil	·01	·18	·11	·24	13
14	nil	·01	·14	nil	nil	nil	·08	nil	nil	·50	·02	·76	14
15	·05	·01	·26	nil	nil	trace	·13	nil	·19	nil	·05	·11	15
16	trace	nil	·09	nil	nil	trace	·06	nil	trace	nil	·03	nil	16
17	·02	·23	trace	nil	nil	nil	nil	nil	·18	nil	nil	·01	17
18	nil	·06	·02	nil	nil	nil	nil	nil	nil	nil	nil	·30	18
19	trace	·03	·08	nil	nil	·06	·06	nil	nil	nil	·23	trace	19
20	trace	·05	·32	nil	nil	·05	nil	nil	·03	·01	nil	·06	20
21	·01	·16	·12	nil	nil	·29	nil	·03	nil	·03	·01	·18	21
22	·01	nil	·02	·03	·33	nil	·07	·02	nil	·37	nil	·01	22
23	nil	·04	·03	·01	·07	·02	trace	nil	trace	·10	·01	·02	23
24	trace	·01	·01	·08	nil	·01	·10	nil	nil	·17	·11	nil	24
25	·03	nil	·03	nil	trace	nil	·01	nil	nil	·38	trace	·02	25
26	nil	nil	·05	nil	·01	nil	·02	·05	nil	·02	·05	·29	26
27	·02	nil	·02	nil	nil	nil	·03	·04	nil	nil	·02	·18	27
28	nil	·05	nil	nil	·01	nil	nil	nil	nil	·06	·33	1·40	28
29	·01		·03	nil	nil	nil	nil	nil	nil	·20	·01	nil	29
30	nil		·04	nil	nil	nil	nil	nil	nil	·03	·14	·03	30
31	nil		nil		·13		·07	nil		nil		·08	31
Total	1·41	1·08	3·01	0·73	0·98	2·02	1·38	1·40	0·84	2·05	2·23	5·43	YEAR'S TOTAL 22·56
Rain Days.	13	17	25	11	13	12	17	11	6	12	21	23	181

W. 8,000. X. 14.

* Not anticipating sending in my record, I have been taking them at this hour each day.

exd 96

1307

FORM A.
BRITISH RAINFALL.

JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Fossedene, Cambridge.

in the County of Cambridgeshire 2

by W Francis Hicks.

Lat. ______ Long. * 3/4 mile WNW of Pain's station 13 Sidney Street.

Time of Observation 9 am.

Nearest Railway Station Cambridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·30	0·09	0·02	nil	0·09	nil	nil	0·03	0·04	nil	0·01	0·12	1
2	0·05	0·04	0·13	0·02	nil	0·02	nil	nil	0·13	nil	0·03	0·04	2
3	0·22	nil	0·11	0·16	nil	nil	0·02	0·38	nil	nil	0·02	0·14	3
4	0·19	nil	nil	nil	nil	nil	0·06	1·04	0·03	trace	0·03	0·47	4
5	0·02	0·10	nil	nil	0·06	nil	nil	0·01	nil	0·03	nil	0·18	5
6	0·18	0·02	0·06	0·14	nil	nil	1·07	0·02	nil	0·04	nil	0·03	6
7	0·10	0·24	0·05	nil	nil	nil	0·36	0·01	nil	nil	0·01	0·08	7
8	nil	0·14	0·05	0·01	nil	nil	nil	0·16	nil	nil	0·02	nil	8
9	trace	0·09	nil	nil	nil	0·03	nil	0·01	nil	nil	0·20	0·59	9
10	0·32	nil	0·05	nil	nil	nil	nil	nil	nil	nil	0·03	0·04	10
11	0·02	nil	0·02	nil	0·05	nil	nil	nil	nil	nil	0·65	nil	11
12	0·06	nil	nil	0·29	0·24	nil	nil	nil	nil	0·01	1·00	0·08	12
13	0·05	0·33	nil	nil	1·20	nil	nil	0·51	nil	nil	nil	nil	13
14	nil	0·15	nil	nil	trace	nil	0·27	0·01	0·03	nil	nil	0·33	14
15	0·11	0·02	nil	nil	0·02	nil	nil	0·10	nil	nil	0·22	0·11	15
16	nil	0·04	nil	nil	nil	nil	0·53	0·01	nil	nil	nil	0·01	16
17	0·02	0·14	nil	nil	0·03	nil	0·03	0·15	nil	nil	0·03	nil	17
18	0·01	0·07	0·25	nil	trace	nil	nil	0·81	nil	trace	0·07	nil	18
19	nil	0·01	0·02	nil	nil	nil	0·11	nil	nil	0·02	nil	nil	19
20	0·20	nil	nil	0·11	nil	nil	nil	nil	nil	0·02	nil	0·35	20
21	0·03	trace	nil	nil	0·01	nil	0·26	0·02	nil	trace	nil	0·03	21
22	0·84	0·03	0·33	0·01	nil	nil	0·36	nil	0·04	nil	nil	0·15	22
23	0·01	0·11	0·03	0·07	nil	0·03	0·03	nil	0·22	0·10	nil	0·20	23
24	nil	0·02	0·15	nil	nil	nil	0·19	nil	0·24	nil	nil	0·08	24
25	trace	nil	0·02	0·01	nil	0·28	0·06	nil	nil	0·01	nil	0·16	25
26	nil	0·04	0·01	nil	nil	0·06	0·05	nil	nil	nil	nil	0·17	26
27	nil	0·07	0·02	nil	nil	0·08	0·04	nil	nil	0·48	nil	0·02	27
28	nil	0·04	0·01	nil	nil	0·37	0·12	nil	0·77	0·12	nil	nil	28
29	nil	—	nil	nil	nil	0·07	0·04	0·08	nil	0·01	0·05	0·12	29
30	0·03	✕	nil	nil	nil	0·75	0·05	0·10	trace	nil	nil	trace	30
31	0·03	✕	nil	✕	nil	✕	0·10	nil	✕	0·06	✕	0·10	31
Total	2·79	1·79	1·33	0·82	1·70	1·69	3·75	3·45	1·50	0·90	2·37	3·60	YEAR'S TOTAL 25·69
Rain Days.	20	20	17	9	8	9	19	17	8	11	14	23	175

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Fossedene

in the County of Cambridgeshire

by W. F. Hicks

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03												1
2	·28	·01											2
3	·01	·13											3
4	·26	·08											4
5	·01												5
6		·22											6
7	·13												7
8													8
9	·01												9
10		·03											10
11	·05	·33											11
12	·01	·04											12
13		·34											13
14		·67											14
15		·24											15
16		·05											16
17	·03	·02											17
18	·01	·10											18
19	·02												19
20	·15												20
21	·02												21
22		·16											22
23	·02	·94											23
24		·14											24
25		·17											25
26		·02											26
27	·02	·38											27
28		·32											28
29		·09											29
30		╳											30
31	·01	╳		╳		╳			╳		╳		31
Total	1·07	4·48											YEAR'S TOTAL
Rain Days.	17	21											

W. 8,000. X. 15

missing months 1-3-20

cordfd ault by C

~~276A~~

FORM A. BRITISH RAINFALL.

23 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at Fossedene

in the County of Cambridge

by N. F. Hicks

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·08		·32			·05	·07	·65	1
2					·07		·06		·01	·03		·25	2
3							·06		·01		·16	·05	3
4			·19			·07	·21	·06			·16	·15	4
5							·16		·10			·14	5
6													6
7							·02				·06	·01	7
8				·07	·03						·02		8
9				·03						·02	·11		9
10				·04							·03		10
11			·73	·08			·50				·03	·06	11
12			·24	·01		·07	·22			·08	·05		12
13				·09			·01		·01	·01	·08		13
14				·14			·03			·02			14
15			·08	·07								·13	15
16				·04							·06		16
17				·02		·09		·05			·23	·01	17
18			·03					·25				·07	18
19			·19			·10	·11		·31		·08	·01	19
20			·02			·31	·64		·02			·02	20
21							·70	·01			·01	·13	21
22			·03			·06	·11	·01	·24		·01	·37	22
23						·13	·25		·08			·07	23
24				·29			·01	·06		·02		·01	24
25				·17	·12	·05		·45				·05	25
26			·21	·18		·12		·12	·10			·31	26
27				1·12				·30		·01		·02	27
28				·20		·02	·01	1·10		·11		·29	28
29				·02		·01	·02	·13		·13	·05	·21	29
30		X	·02	·24		·15		·02			·05	·04	30
31		X		X		X	·01		X	·04	X ·17	·02	31
Total			~~1·75~~ 1·74	~~2·77~~ 2·81	·30	1·18	3·45	2·56	·88	·52	1·43	3·07	YEAR'S TOTAL
Rain Days.			16	17	4	12	19	12	9	11	18	23	

W. 8,000, VIII. 16

208

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Fossedene
in the County of Cambridgeshire
by W. F. Hicks

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·21	·08		·21	·02	·05	·51	·03	·10	1
2				·06				·17	·05	·02		·04	2
3		·04		·10		·01	·20			·01		·01	3
4			·08	·20			·08	·17	·03	·02		·08	4
5			·03	·16	·08		·63	·03	·04			·03	5
6			·07		·05		·51		·01			·02	6
7			·08	·08	·01		·10					·02	7
8	·14			·44	·01		·09	·02					8
9	·39			·39					·01				9
10	·10	·02	·10	·03		·02	·11				·01		10
11	·23	·02	·07	·39	·04	·01	·09					·05	11
12	·11		·07	·08	·01	·15	·02					·12	12
13	·01	·01	·01	·15		·10			·07		·01		13
14			·21	·17		·02	·04		·18	·03	·14		14
15			·27	·04					·24	·01	·08	·16	15
16				·07	·02		·02		·17		·02	·01	16
17	·03			·01	·10		·01		·37			·02	17
18	·04			·01	·02			·37	·05			·03	18
19	·20			·04		·06					·01		19
20	·06	·15		·25		·52			·04				20
21				·18			·20		·22			·02	21
22				·14					·78				22
23							·24	·05	·01			·38	23
24	·03		·15					·02	·01		·02	·03	24
25		·06	·06	·06	·01	·03	·28		·02				25
26	·09		·07	·06	·32		·10					·01	26
27	·10	·07		·09		·33				·01	·16	·04	27
28	·35		·26		·24	·02	·11				·04		28
29	·03		·02		·28		·07				·03	·32	29
30	·02			·02		·06	·06	·01	·26		·08	·20	30
31	·03		·01				·01	·01		·07		·15	31
TOTAL	1·96	·37	1·56	3·43	1·27	1·33	3·18	·87	2·61	·68	·63	1·84	YEAR'S TOTAL 19·73
Days with ·01 in. or more	17	7	16	25	14	12	21	10	19	8	12	21	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

X ·04 11 4 12 21 8 6 17 4 13 2 5 11 114

8f

REGISTE

CAMBRIDGE.

BRINKLEY HALL

1911 - 1915

FORM A2.
BRITISH RAINFALL
23 JAN 1912
226

Kept at Brinkley H

in the County of Cambs

by R. W. King

in.

nd ft. in.

Level ft.

nce Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04						·01	·05		·03			1
2	·26		·02		·12		·11				·10		2
3	·02	·06		·05	·08					·22		·12	3
4	·05	·03	·20	·05							·08	·15	4
5	·02			·03						·03		·18	5
6	·18		·04	·01								·20	6
7	·01									·15	·20	·23	7
8	·17		·25								·12	·12	8
9	·24		·03	·04								·02	9
10	·01	·05	·09								·06	·19	10
11	·39	—									(·24) (·24)		11
12	·10		·41		·60				·03		·30		12
13	·01		·12		·04				·27	·70	·03	·25	13
14			·06		·62	·07			·01	·02		·42	14
15		(·04)	·46						·10		·08		15
16						·65				·06	·23	·05	16
17						·05			·02		·08		17
18		·20									·84		18
19		·09				·28			·02	·05	·35	·13	19
20						·02		·47	·12			·53	20
21		·13				·01		·87		·16		·20	21
22	·03		·22			·03				·20		·35	22
23		·05	·05			·86			·32			·08	23
24		·05	·02			·13	·03			·48		·09	24
25		·03	·03	·05		·29	·14	·06				·01	25
26				·25		·02				·11		·22	26
27		·21	·06	·05					·17	·12	·09	·04	27
28		·13		·24		·02	·01	·18			·02	·03	28
29				·08		·15	·10		·30	·36			29
30					·02	·02				·09			30
31										·02			31
Total	1·53	1·07 ✓	2·06	·85	1·48 1·48	2·60	·40	1·63	1·36	2·80	2·82 ✓	3·61	TOTAL for year 22·21
No. of Rain Days	14	11	15	10	6	14	6	5	10	16	15	21	143

9,000, IX. '10.

8f

226

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGISTI

Kept at Brinkley Hall

in the County of Cambs 1

by R. W. King

RAIN GAUGE	Diameter of top .... in.
	Height of top above Ground .... ft. .... in.
	" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station: Name .... Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04						·01	·05		·03			1
2	·26		·02		·12		·11				·10		2
3	·02	·06		·05	·08					·22		·12	3
4	·05	·03	·20	·05							·08	·15	4
5	·02			·03						·03		·18	5
6	·18		·04	·01								·20	6
7	·01									·15	·20	·23	7
8	·17		·25								·12	·12	8
9	·24		·03	·04								·02	9
10	·01	·05	·09								·06	·19	10
11	·39										(·24) (~~·24~~)		11
12	·10		·41		·60				·03		·30		12
13	·01		·12		·04				·27	·70	·03	·25	13
14			·06		·62	·07			·01	·02		·42	14
15		(·04)	·46						·10		·08		15
16						·65				·06	·23	·05	16
17						·05			·02		·08		17
18		·20									·84		18
19		·09				·28			·02	·05	·35	·13	19
20						·02		·47	·12			·53	20
21		·13				·01		·87		·16		·20	21
22	·03		·22			·03				·20		·35	22
23		·05	·05			·86			·32			·08	23
24		·05	·02			·13	·03			·48		·09	24
25		·03	·03	·05		·29	·14	·06				·01	25
26				·25		·02				·11		·22	26
27		·21	·06	·05					·17	·12	·09	·04	27
28		·13		·24		·02	·01	·18			·02	·03	28
29				·08		·15	·10		·30	·36			29
30					·02	·02				·09			30
31										·02			31
Total	1·53	1·07 ✓	2·06	·85	1·48 1·48	2·60	·40	1·63	1·36	2·80	2·82 ✓	3·61	TOTAL for year 22·21
No. of Rain Days	14	11	15	10	6	14	6	5	10	16	15	21	143

9,000, IX. '10.

Jan cor. for S   Ex J.C.   209

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Brinkley Hall

in the County of Cambridgeshire

by R. W. King

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " " Sea Level	ft.

Time of Observation

Nearest Railway Station { Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02					·20	·18		·21	·25		·09	1
2			·11	·03		·05	·35		·20				2
3	·20				·10	·17		·19	·02	·04		·16	3
4	·07		·59		·06	·07					·29		4
5	·03	·10	·54					·15			·08	·03	5
6	·28	·07			·02	·30	·25	·29					6
7					·04	·60	·42	·16				·02	7
8	·20	·17	·09			·08		·09	·22				8
9				·12		·24						·29	9
10								·07	·05		·10	·04	10
11	·08	·15						·09	·09			·06	11
12	·09	·05	·08		·04						·28		12
13						·08	·23				·25		13
14					·04	·07		·05	·02	·10	·04	·03	14
15		·04			·30	·27		·09			·04	·11	15
16	(·25)		·22		·10	·18		·13			·04		16
17	·28		·04			·12		·07			·04	·01	17
18	·10		·23							·04	·02	·21	18
19			·11			·02	·27	·22					19
20	·10		·20		·08		·02	·21		·36			20
21		·08	·42		·08			·89		·24	·11	·02	21
22	·46	·09			·18			·95					22
23	·24	·38	·33		·13			·88			·16		23
24	·40					·12		·30	·04			·11	24
25						·05	·02	·75		·42	·19	·36	25
26							·15	1·50		·10	·20	·37	26
27												·17	27
28					·02	·02	·17		·05	·35	·12	·42	28
29		·03				·06	·02	·02	·75	·12	·21		29
30					·15	·02		·16	·85	·41			30
31			·10		·06		·17	·03		·04			31
Total	(2·80)	1·16	3·07 3·06	·15	1·40	2·72	2·25	·21 ~~7·29~~ 7·50	~~2·50~~ 2·29	2·47	2·17	2·49	TOTAL for year 30·46
No. of Rain Days.	15	10	13	2	15	19	12	23	10	12	16	17	164

W. 8,000, X. '11.

Jl

Cord for article 26·11·14

214

FORM A. BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Brinkley Hall

in the County of Cambridgeshire

by R. W. ~~Kent~~ King

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·13	·16	·03						·50		·03	·03	1
2	·05	·14			·25		·22		·46				2
3			·20		·83								3
4	·04				·08	·13	·06			·25	·04	·27	4
5	·04					·02	·23		·02	·53	·02		5
6		·02			·32	·30	·02			·03			6
7					·04			·08		·52	·09		7
8					·30	·05			·04				8
9		·25	·11		·12	·17					·03	·06	9
10				·10			·05				·14		10
11	·60			·34				·27			·19		11
12					·06						·62		12
13		·02	·06					·07			·25		13
14	·10		·12				·05			·40	·05		14
15	·08	·04		·10			·27		·13				15
16	·16		·28	·08					·25		·05	·03	16
17	·03		·07	·08		·24						·04	17
18			·03	·15			·07		·05		·06		18
19			·10				·02					·02	19
20	·34		·04				·07		·20	·34			20
21			·08			·08				·32	·30		21
22	·36		·05				·08		·10				22
23							·05	·25					23
24	·03					·16	·20	·01			·02		24
25				·10		·04				·51			25
26			·12	·01						·05		·20	26
27		·10	·01		·08	·06				·22			27
28	·10		·05										28
29	·24			·25	·27			·12					29
30	·21			·10				·05		·06	·22		30
31			·25					·24		·14			31
Total	2·51	·73	1·60	1·31	2·35	1·25	1·39	1·09	1·75	3.37 3·37	2·11	·65 ·65	YEAR'S TOTAL 20·11
Rain Days.	15	7	16	10	10	10	13	8	9	12	15	7	132

W. 7,500, XI. ·12

Obsr says 2·02 Nov 29. is correct. corrd for arith by own obsts 25·11·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at Brinkley Hall
in the County of Camb P. figures
by R. W. King

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	20	—	—	15	21	1
2	—	—	—	2	—	—	1	4	—	—	—	—	2
3	—	—	20	4	—	—	54	—	—	—	·	—	3
4	~~20~~ 20	—	—	13.	8	—	—	4	—	—	27	18	4
5	—	—	12	18	2.	—	16	38.	—	—	—	12	5
6	—	11	2	2	1.	10	5	—	—	—	25	—	6
7	—	4.	32	—	4.	1	—	—	—	—	—	22	7
8	20	6	46	—	50	28	—	12.	—	—	—	—	8
9	80	—	50	3	12.	46	—	—	—	—	—	95	9
10	63	4	—	5	3.	—	—	—	—	—	—	—	10
11	—	18	30	—	5.	12	12	—	—	—	30	—	11
12	2	—	4	—	—	—	—	—	52	—	—	—	12
13	—	15	20	—	—	—	29.	—	2	—	13	80	13
14	—	—	16	—	—	—	—	—	—	50	—	25	14
15	—	—	25	—	—	—	—	2	—	—	—	47	15
16	—	—	7	—	—	—	—	—	2	—	—	—	16
17	—	35	1	—	—	—	12	—	—	—	—	15.	17
18	—	11	5	—	—	—	—	—	—	—	—	24	18
19	—	5	17	—	—	83	—	—	—	—	41	—	19
20	—	2.	22	—		10	—	—	18	—	—	4	20
21	—	25	22	—	—	—	—	—	—	—	—	8	21
22	—	—	4	—	—	—	—	6	—	61	—	—	22
23	—	—	2	—	34.	1	—	—	—	28	—	·5	23
24	—	(·03)	2	1	3.	2	23	—	—	8	18	—	24
25	—	—	8	14	—	—	—	4	—	35	—	—	25
26	—	—	—	—	—	—	5	·13 ~~18~~	—	—	—	46	26
27	—	—	—	—	—	—	5	—	—	—	—	—	27
28	—	—	—	—	—	—	—	—	—	—	—	85	28
29	—		5	—	—	—	—	—	—	~~49~~	202	—	29
30	—		8	—	—	—	—	—	—	19	·2	32	30
31	—		—	—	20×		—	—					31
Total	185	139	350	62.	1·42 ~~128~~	200	162	1·06 ~~92~~	74	200	3·71? 377	5·33 ~~895~~	YEAR'S TOTAL 25·18 ~~2834~~
Rain Days.	5	12	21	9	~~10~~ 11	10	10	9	4	7	8	~~16~~	
			3·50	·62							?		

W.7,000, XI. 13

285

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Brinkley Hall
in the County of Cambridgeshire
by R. W. King

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·31						1·02		·07		·11		1
2		12							·16			·20	2
3	·32	·16						·27	·10		·03	·18	3
4							·03	1·02	·04			·44	4
5	·22									·10	·17	·16	5
6	·25				·20			·03		·23	·03		6
7		·12			·15		·67			·01		·15	7
8							·37	·15					8
9	·05	·40					·02					·48	9
10	·36					·05					·20		10
11								·36			·75	·05	11
12	·15				·02						·83		12
13		·40			·14			·17		·07			13
14		·20			1·04			·01		·01		·44	14
15							·30		·01			·05	15
16	·18	·28			·01		·04	·11					16
17							·37	·33					17
18		~~·28~~			·05		·24	·10				·05	18
19		·20			·06						·30		19
20	·40						·13						20
21	·34							·05				·40	21
22							·04			·03			22
23							·60					·15	23
24							·12			·08			24
25	·25						·06		·22			·60	25
26		·63				·33						·11	26
27						·06	·02						27
28						·07	·26			·28		·08	28
29						·73	·02		1·03	·30			29
30						·75	·01	·25	·03				30
31						~~1·02~~	·01					·07	31
Total	2·83	2·51	NR	NR	1·67	3·01 ~~1·99~~	3·31 ~~4·33~~	2·92 ~~2·85~~	1·59 ~~1·66~~	1·22 ~~1·11~~	2·31 ~~2·42~~	3·61	YEAR'S TOTAL
Rain Days.	11	15 ~~11~~			8	6	19	12	8	9	8	16	

W. 8,000. X. 14.

Dl

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGIS

CAMBRIDGE.

"PINE HURST.

1911 - 1920

Kept at Pinehurst

in the County of Cambs

by C. F. Foster

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10						·04						1
2	·26		·02	·01	·06			·01			·08		2
3		·02		·04	·09					·12	·02		3
4	·05	·03	·11	·10						·10	·08		4
5	·02	·01		·02				·02		·06			5
6	·26		·02							·01	·02		6
7	·02		·02							·05	·22		7
8	·14		·13							·02	·08		8
9	·17		·01	·04							·02		9
10	·02	·05	·07	·01							·09		10
11	·31				·03						·37		11
12	·05		·35		·03				·11	·02	·15		12
13			·03			·03			·21	·97	·05		13
14		·02	·04		·47	·12					·07		14
15		·04	·23						·01	·02			15
16			·06			·33				·01	·28		16
17						·02				·01	·06		17
18		·16									·50		18
19		·02			·02	·41			·10	·11	·41		19
20								·31	·12	·02		·45	20
21	·02	·05	·01			·02		·24	·03	·27	·01		21
22	·08		·16			·01				·12	·01		22
23	·01	·04	·06			·87	·02		·42				23
24	·01	·05	·03			·15				·38			24
25		·05	·01	·03		·20	·16	·04					25
26			·06	·20			·14			·12	·05		26
27		·19		·02					·15		·02		27
28		·12		·22		·02		·14			·08		28
29				·07		·36	·13		·22	·27	·01		29
30				·01		·02			·02	·09			30
31										·03			31
Total	1·52	·85	1·42	·77	·70	2·56	·49	·76	1·39	2·80	2·68	3·63	TOTAL for year 19·57
No. of Rain Days	15	14	18	12	6	13	5	6	10	20	22	28	169

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGIS

Kept at *Pinehurst*

in the County of *Cambs* 2

by *C. F. Foster*

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10						·04						1
2	·26		·02	·01	·06			·01			·08		2
3		·02		·04	·09					·12	·02		3
4	·05	·03	·11	·10						·10	·08		4
5	·02	·01		·02				·02		·06			5
6	·26		·02							·01	·02		6
7	·02		·02							·05	·22		7
8	·14		·13							·02	·08		8
9	·17		·01	·04							·02		9
10	·02	·05	·07	·01							·09		10
11	·31				·03						·37		11
12	·05		·35		·03				·11	·02	·15		12
13			·03			·03			·21	·97	·05		13
14		·02	·04		·47	·12					·07		14
15		·04	·23						·01	·02			15
16			·06			·33				·01	·28		16
17						·02				·01	·06		17
18		·16									·50		18
19		·02			·02	·41			·10	·11	·41		19
20								·31	·12	·02		·45	20
21	·02	·05	·01			·02		·24	·03	·27	·01		21
22	·08		·16			·01				·12	·01		22
23	·01	·04	·06			·87	·02		·42				23
24	·01	·05	·03			·15				·38			24
25		·05	·01	·03		·20	·16	·04					25
26			·06	·20			·14			·12	·05		26
27		·19		·02					·15		·02		27
28		·12		·22		·02		·14			·08		28
29				·07		·36	·13		·22	·27	·01		29
30				·01		·02			·02	·09			30
31										·03			31
Total	1·52	·85	1·42	·77	·70	2·56	·49	·76	1·39	2·80	2·68	3·63	TOTAL for year 19·57
No. of Rain Days	15	14	18	12	6	13	5	6	10	20	22	28	169

9,000, IX. '10.

81

Ex F.C.

227

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Pinehurst

in the County of Cambridgeshire 2

by C. F. Foster

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·09	·03			·22		·07	1
2		·03	·01				·32		·14			·02	2
3	·15			·04	·05	·21		·23	·01		·26	·10	3
4	·05		·41		·05	·33		·04				·01	4
5	·02	·07	·20					·09			·04		5
6	·28	·07			·02	·34	·57	·19			·02	·01	6
7	·02				·03	·64	·06	·16				·02	7
8	·18	·16	·06	·02		·02		·04	·28		·01	·02	8
9	·01	·03	·01	·11		·11				·01		·18	9
10		·01	—					·10	·12		·12	·02	10
11	·13	·12				·01		·05	·06	·01		·05	11
12	·10	·01	·04		·05	·01		·04			·07		12
13	·01					·02	·01				·31	·02	13
14			·02		·05	·07		·05			·02	·01	14
15	·30	·02	·16		·18	·21		·06			·01	·09	15
16			·06		·05	·09		·05		·02	·04		16
17	·39		·19			·17		·07				·06	17
18	·02	·09	·09				·01	·31			·07	·12	18
19	·14		·21				·26	·45		·01	·02		19
20	·03	·01	·09		·11		·01	·37		·23			20
21	·01	·01	·36		·47			·87		·20	·04		21
22	·52	·10			·08	·01	·01	·17		·01		·02	22
23	·45	·31	·19				·01	·68	·02		·22	·11	23
24	·25					·06	·08	·17		·01		·04	24
25						·15		·76		·01	·16	·35	25
26		·01					·08	1·55		·37	·26	·17	26
27										·12		·18	27
28		·03		·01			·03	·03	·08	·23	·10	·29	28
29		·01				·09	·08	·36	·62	·17	·09		29
30	·02				·18	·01		·01	·50	·14			30
31			·10		·01		·23	·22		·05		·02	31
Total	3·08	1·09	2·20	·18	1·33	2·64	1·79	7·12	1·83	1·81	1·86	1·98	TOTAL for year 26·91
No. of Rain Days.	20	17	16	4	13	19	15	26	9	16	18	23	196

8l

FORM A.
BRITISH RAINFALL.

232

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Pinehurst
in the County of Cambridgeshire 2
by C. F. Foster

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·04	·11	·07	·11					·35		·09	·02	1
2	·06	·15			·21		·16		·53		·02	·01	2
3			·10		·59				·01	·27		·08	3
4	·10		·01		·05	·02	·08			·13	·06	·15	4
5	·07						·02		·04	·57	·02		5
6		·06	·05			·35	·17			·02			6
7					·12		·05	·01		·31	·02		7
8				·02	·16	·02					·09		8
9		·09	·04	·01	·09	·07	·05		·02		·06	·02	9
10	·01		·02	·03			·11				·33		10
11	·62			·41		·03		·13		·03	·16		11
12		·01			·04			·02			·06		12
13	·01							·02			·44		13
14	·02	·01	·05	·02			·23			·21	·04		14
15	·09	·02	·24	·07			·15						15
16	·06		·32	·11					·11				16
17	·08	·02	·13	·08		1·56	·02					·17	17
18	·01		·04	·14					·07			·02	18
19	·07		·03	·02			·07		·55			·05	19
20	·04		·07	·02					·01	·22			20
21			·08		·02		·03			·13	·24		21
22	·34		·08				·02	·06	·14				22
23						·03	·02	·10	·02		·01	·03	23
24	·01					·02						·01	24
25	·01			·15		·01	·02					·01	25
26		·03	·14	·01						·71	·01	·13	26
27		·03	·02	·03	·26	·04				·05			27
28	·13		·08	·04						·10		·03	28
29	·19		·09	·16	·20			·05			·01		29
30	·17			·13				·04		·07	·17	·03	30
31								1·04		·04			31
Total	2·13	·53	1·66	1·56	1·74	2·15	1·20	1·47	1·85	2·86	1·83	·76	YEAR'S TOTAL 19·74
Rain Days.	20	10	19	18	10	10	15	9	11	14	17	14	167

W. 7,500, XI. ·12

DL
written 26·II·15

225

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Pinehurst
in the County of Cambridgeshire 2
by C. F. Foster

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01				·20	·21			·07		1
2	·01			·03			·02	·22			·06	·08	2
3			·12		·15		·29	·18			·15		3
4	·11		·02	·20	·02			·08			·33	·14	4
5		·01	·05	·13	·03	·03	·20	·82			·01		5
6		·07			·02	·05	·02	·04			·19	·08	6
7		·03	·29	·03	·13	·12	·06					·39	7
8	·11	·07	·29	·01	·09	·60	·01	·13				·86	8
9	·54		·45	·03		·55							9
10	·38	·08		·13	·05				·05	·01		·02	10
11		·07	·33	·06	·01	·28			·04		·30	·09	11
12	·01	·01	·06			·01			·37	·01	·01	·14	12
13		·14	·17						·01	·25	·09	·25	13
14			·16				·20			·47	·06	·78	14
15	·06		·26				·13	·04	·19		·01	·12	15
16	·01		·08				·08				·04		16
17	·01	·31							·17			·01	17
18		·02	·03								·02	·31	18
19		·03	·13			·11	·06				·24		19
20		·05	·29			·05			·05	·03		·07	20
21		·17	·15			·34		·03		·42	·01	·15	21
22			·03	·01	·34		·08	·05				·01	22
23		·04	·05		·08	·01				·15	·01	·03	23
24	·01	·01	·01	·11		·01	·15			·13	·12	·05	24
25	·02		·05		·01			·05		·37			25
26	·01		·04				·02	·10		·02	·06	·33	26
27	·03		·03				·02				·02	·14	27
28		·03								·07	·44	1·36 5	28
29	·01		·05							·21	·02		29
30			·05							·03	·18	·07	30
31					·16		·07					·06	31
Total	1·32	1·14	3·20	·74	1·09	2·16	1·61	1·95	·88	2·17	2·44	5·54	YEAR'S TOTAL 2424
Rain Days.	14	16	25	10	12	12	16	12	7	13	22	23	182

W.7,000, XI. 13

5181 1314

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

5 JAN 191

Kept at Pinehurst, Cambridge

in the County of

2

by C. F. Foster

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·12			·09				·12		·01	·12	1
2	·06	·05	·19	·05		·02		·25		·01	·02	·4	2
3	·18		·08	·16			·01	·96	·01		·01	·13	3
4	·17						·04	·02			·02	·48	4
5	·03	·13			·06			·01			·01	·18	5
6	·19		·06	·14			1.0	·02		·06		·04	6
7	·08	·25	·06				·35	·13				·09	7
8	·01	·22	·05				·02	·01			·01	·52	8
9		·05		·02		·03					·20		9
10	·34		·04								·02	·05	10
11	·02		·04		·06						·6~~8~~3		11
12	·09		·01		·26			·58		·01	·85	·05	12
13	·03	·33		·28	1·05						·215		13
14		·13					·27	·06	·03			·33	14
15	·16				·02							·08	15
16		·12					·49	·16				·02	16
17	·03	·14			·06		·14	·69			·02		17
18	·01	·09	·225								·07		18
19		·01	·02				·14			·02			19
20	·26			·12				·02		·01		·34	20
21	·07	·02			·03		·05					·04	21
22	·91	·02	·33	·01			·59		·07			·13	22
23	·02	·17	·04	·04		·04	·03		·22	·10	·01	·18	23
24			·13				·16		·27			·06	24
25			·01			·31	·03					·06	25
26		·07				·05	·03					·17	26
27		·08	·02 S			·06	·16			·47		·01	27
28		·04				·53	·02	·12	·60	·07			28
29						·11	·02	·04		·01	·04	·11	29
30	·05	×				·53	·08			·06	·01		30
31		×		×		×		·05	×		×	·09	31
Total	2·99	2.04	1.30	·82	1.63	1.68	3.63	3.12	1.32	·82	2.14	3.32	YEAR'S TOTAL 24.81
Rain Days.	20	18	15	8	8	9	19	15	7	10	16	23	168

W. 8,000. X. 14.

5 made ✓

1292

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Pinehurst, Cambridge

in the County of

by C. F. Foster

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·11		·14	·02					·29		1
2	·27		·04		·19				·01	·23	·01		2
3		·13	·01		·01		·01		·16	·19	·13		3
4	·24	·08	·01			·27	·01		·30	·04	·15		4
5	·01	·01	·01	·04		·14	·12			·11	·18		5
6		·10	·18	·23		·05	·10			·02	·19		6
7	·13		·16		·13	·10	·21			·02	·33	·03	7
8					·15	·24					·01	·12	8
9	·01		·01		·17							·05	9
10		·03	·07	·05			·17					·07	10
11	·07	·30	·04	·12	·05	·10			·02			·01	11
12	·02	·04			·36	·28	·05	·06	·01	·19			12
13		·33	·04	·06	·19	·09	·39	·08		·01			13
14		·38	·03	·04	·07	·01		·03				·15	14
15		·21	·24	·01			·02	·26	·01			·03	15
16		·10	·08	·22	·05		·10	·20		·02		·02	16
17	·03	·03		·26			·17	·19	·21	·22			17
18		·11	·02	·06				·12	·24	·02	·39		18
19	·02	~~·09~~ ·01	·06	·27				·06	·19		·79	·03	19
20	·15	·01	·27	·02				·02			·09	·12	20
21	·01		·63				·62					·41	21
22		·13 S	·01		·16	·02					·02	·43	22
23	·01	·67 S				·07	·01	·01			·06	·14	23
24		·09				·03		·02		·09	·02	·32	24
25		·18	·10		·02			·16		·03	·04	·02	25
26		·08	·06			·05		·05		·01	·02		26
27	·04	·38	·61			·02		·01	·02	·12			27
28		·26	·24			·02						·12	28
29		·08	·01			·10		·99		·17		·02	29
30								·36		·25			30
31								·03		·02			31
Total	1.04	3.74	3.14	1.38	1.69	1.61	1.98	2.65	1.17	1.76	2.72	2.09	YEAR'S TOTAL 24.97
Rain Days.	14	23	24	12	13	17	13	17	10	18	16	17	194

W. 8,000. X. 15.

1236

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

10 JAN 1918

Kept at Pinehurst, Cambridge

in the County of

by C. F. Foster

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·06				·90	·14		·14		1
2	·02	·02		(·27)s.		·02		·17			·04		2
3				·02				·38			·08		3
4		·08 s.						·01		·69			4
5	·17	·01 s.		·21				·02	·01	·03	·15		5
6									·02		·01		6
7	·20					·05				·57		·01	7
8	·16			·10			1.56	·06		·23	·09	·06	8
9	·11 s		·07 s.	·02				·19		·01			9
10	·29 s	·01 s.	·14	·13				·12					10
11	·05		·51	·09						·18			11
12	·07	·03	·12	·02	·02			·06		·23		·12	12
13	·21		·01			·83	·02	·05	·03	·08	·01		13
14			·01	·77				·02			·01	·02	14
15	·03									·02		·01	15
16	·02	·05		·30		·06	·02			·62		·10	16
17			·01	·18	·66		·17	·05	·46	·19			17
18	·03	·02		·08	·01	·16	·38		·69				18
19		·05	·17		·36	·01			·24				19
20	·02	·19	·14		·10						·17		20
21		·02	·04										21
22			·08 s.					·02		·09			22
23		·04			·20			·20	·03	·01		·05	23
24	·02	·01				·16		·03		·12	·06	·04	24
25		·02	·05								·02		25
26			·07			·02		·18	·07		·38		26
27			·02					·46				·07	27
28		·02	·16			·81		·10				·03	28
29	·02		·01			·47	1.90	·05		·22		·12	29
30		X	·01				·69	·07		·01		·01	30
31	·03	X	·38	X		X	·43	·07	X		X	·03	31
Total	1.45	·59	2.0	1.66	1.35	1.79	6.17	3.21	1.69	3.25	1.16	·67	YEAR'S TOTAL 23·98
Rain Days.	16	15	18	13	6	10	8	21	9	16	12	13	157

W. 8,000, VIII. 16

a made

120

22

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

13.1.19

Kept at Pinehurst Cambridge

in the County of

by C. F. Foster

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09			·09				·05		1
2	·02	·10		·25				·06	·04	·01	·01	·15	2
3			·07		·45			·02	·11		·69	·02	3
4	·02	·03	·06					·02	·49	·03	·264	·07	4
5					·18		·01	·08	·17	·05			5
6		·12		·16				·01	·20			·02	6
7		·11		·03	·02				·08	·05	·05	·01	7
8	·12 S.					·03			·17	·02	·14		8
9		·01		·04			·16		·50	·21		·02	9
10				·04			·15		·02			·23	10
11	·05			·02	·14	·02	·03		·18	·34	·02	·07	11
12		·16			·12		·07		·09	·05		·02	12
13					·54		·16					·07	13
14	(·20)			·01			·09		·37	·27		·08	14
15	1·24 S			1.80		·07	·27		·06		·01	·09	15
16	·08			·61				·02	·98				16
17	·03			·15			·47		·01			·11	17
18	·12						·12		·44			·29	18
19	·51	·07	·14	·05		·18	·16			·07		·05	19
20		·04				·70	·07		·07	·07			20
21						·05	·01		·62	·10		·02	21
22	·02			·10	·23		·09		·12		·01	·25	22
23	·06						·11	·05	·05	·01			23
24		·19		·01		·03	·01		·07				24
25					·65	·02		·27			·08		25
26					·02		·54				·24	·10	26
27				·29			·03	·17	·09		·15	·07	27
28	·01	·06	·04					·07			·20	·10	28
29	·01		·02						1·49		·02	·02	29
30	·01	X	·34					·04	·03		·21	·12	30
31		X	·11	X		X		·01	X	·08	X	·13	31
Total	2·50	·89	·78	3.65	2·35	1-10	2·64	·82	6.45	1.36	2·14	2.06	YEAR'S TOTAL 26.74
Rain Days.	15	10	7	15	9	8	19	12	24	14	15	25	173

W. 8,000, IX. 17.

B made

1170

FORM A. BRITISH RAINFALL.

15 JAN 20

REGISTER OF RAINFALL IN 1919

Box. [illegible]

Kept at Pinehurst, Cambridge
in the County of
by C. F. Foster

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							~~·48~~			·04			
1	·33	·03			·05		·48					·90	1
2	·26		·02		·15		·05		·17			·49	2
3	·23		·21				·05		·03		·18	·08	3
4	·8		·28			·05	·09	·03			·15	·23	4
5	·4	·20	·27				·20		·14	·01		·15	5
6			·07								·05		6
7	·1		·25				·02				·08	·07	7
8			·03	·09	·03						·07		8
9			·04	·03						·02	·02		9
10	·7		·15	·04							·01	·04	10
11	·10		·14	·09			·52				·03		11
12			·18	·01		·07	·17			·04	·03	·01	12
13	·10			·10					·01	·01		·04	13
14	·24			·11			·02		·07	·02			14
15	·21		·06	·06							·05	·11	15
16	·03	·60		·04				·02			·08	·02	16
17		·88	·03	·02							·22	·02	17
18		·10	·01					·15			·02	·06	18
19	·01	·15	·22			·18	·10	·14	·03		·06	·02	19
20	·40	·02	·02			·58	·56	·28	·02				20
21	·51	·31					·52			·01	·01	·15	21
22		·43	·04				·15		·12		·03	·45	22
23						·06	·15	·05	·04			·06	23
24				·16		·19	·02			·02		·01	24
25	·06			·08	·12	·03		·18				·06	25
26	·17	·30	·25	·10				·14	·08			·31	26
27	·79	·10		·86				·16		·02	·01	·01	27
28		·01		·17			·02	·78		·08	·07	·28	28
29	·05			·5			·02	·14		·19	·05	·08	29
30		✕	·30	·26		·20		·02		·04	·13	·11	30
31	·03	✕	·02	✕		✕	·01		✕	·04	✕	·04	31
Total	3.72	3.13	2.59	2.27	·25	1.36	3.15	2.09	·71	·54	1.35	3.75	YEAR'S TOTAL 24.91
Rain Days.	20	12	20	17	4	8	18	12	10	13	20	25	179

W. 6,500, VII. 18. W W C

1113

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

18 JAN 1921

Kept at Pinehurst, Cambridge

in the County of Cambridge

by C. F. Foster

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·28	·09		·20	·04		·57	·01	·10	1
2			·01	·06			·20	·12	·10	·01		·03	2
3		·03		·25					·06			·02	3
4			·06	·14		·06	·10	·15	·03	·01		·09	4
5			·04	·04	·08		·52	·02	·11			·02	5
6			·08	·08	·07		·50						6
7			·09		·01		·10					·03	7
8	·17	·01		·42			·09	·02					8
9	·38			·41				·12					9
10	·09	·03	·10	·03							·02	·02	10
11	·26		·07	·29	·04		·05					·04	11
12	·11	·01	·06	·10		·01	·05					·175	12
13	·01		·02	·14		·10						·01	13
14	·01	·01	·32	·17		·09	·04		·14	·03	·13	·02	14
15		·01	·19	·04		·03			·11	·01	·07	·05	15
16	·01			·07	·08				·40		·01	·02	16
17	·03		·01	·02	·03		·02		·38		·01	·04	17
18	·07				·03			·24	·07		·01	·03	18
19	·10	·01		·06							·01		19
20	·07	·14		·27					·02				20
21		·01		·21		·59	·17	·09	·25			·02	21
22				·15				·03	·83	·01		·04	22
23		·01					·27					·35	23
24	·04		·14					·01	·01	·02	·02	·04	24
25	·01	·07	·06	·06		·03	·23		·02	·01	·02		25
26	·08		·06	·06	·62		·17					·02	26
27	·11	·06		·07		·33				·02	·14	·05	27
28	·31		·28			·02	·04			·01	·04		28
29	·03		·05		·21		·05				·02	·31	29
30	·05	×	·01	·02	·30	·06	·02		·21		·04	·21	30
31	·01	×	·01	×		×			×	·07	×	·10	31
TOTAL	1.95	·40	1.66	3.44	1.56	1.32	2.84	·84	2.74	·77	·55	1.83	YEAR'S TOTAL 19.90
Days with ·01 in. or more	20	12	19	24	11	10	18	10	15	11	14	24	188
	13	3	14	21	8	6	16	6	11	2	5	13	148

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Section A **for t**

tation No. 1203

METFORM 1090
(*Rev. Feb. 1965*)
Kept at Cambrid
in the County of Cam

Diameter of funnel of ga
Height of top of gauge a
Height of ground above

THE MORNING MEAS
An observer who does not
year in the space on the ri

CAMBRI~~DGE~~
BOTANIC GDNS
1901 - 1910

901

DAY
t of the following
verleaf

Jan. 1, following

Date	Jan.	Feb.	M								Nov.	Dec.		*Date*
	in.	in.									in.	in.	†	
1														1
2			19	03			12			107				2
3			03	55						15				3
4		05	18							03	01			4
5		03	12				07	04		06		01		5
6			11	17	09		06			18				6
7			37		09							26		7
8	06			02	24				35	06		11		8
9				21	12									9
10		01		13					01	02				10
11				42					01		14			11
12						07	08	01			05	78		12
13				11		17					81	02		13
14		01		27				50				04		14
15			05	11				32		01				15
16	01	03	09	04					33	25				16
17	05	02				01			24	02		01		17
18	03	03								13				18
19	05	02	26			05								19
20						02			06		04			20
21		18				06			01		04			21
22			01				01			01	06			22
23		01										05		23
24	01	01	04			02	32			09		43		24
25	01		01		01		15	34			01			25
26		07		01			33	15			02			26
27	19		02											27
28	01	07	03									29		28
29		X			40					05		14		29
30		X	30		03	1·18		17						30
31	01	X	01	X		X		01	X		X	05		31
TOTAL	0·43	0·54	1·88	2·07	0·99	1·58	1·17	1·54	1·01	2·24	1·18	2·19	Year's Total 16·82	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)............(P.T.O.)

Section A **for t** … ation No. 1203

Metform 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~01

Kept at Cambridge Bot. Gardens
in the County of Cambridgeshire
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			06		01		03			11				1
2			19	03			12			107				2
3			03	55						15				3
4		05	18							03	01			4
5		03	12				07	04		06		01		5
6			11	17	09		06			18				6
7			37		09							26		7
8	06			02	24				35	06		11		8
9				21	12									9
10		01		13					01	02				10
11				42					01		14			11
12						07	08	01			05	78		12
13				11		17					81	02		13
14		01		27				50				04		14
15			05	11				32		01				15
16	01	03	09	04					33	25				16
17	05	02				01			24	02		01		17
18	03	03								13				18
19	05	02	26			05								19
20						02			06		04			20
21		18				06			01		04			21
22			01				01			01	06			22
23		01										05		23
24	01	01	04			02	32			09		43		24
25	01		01		01		15	34			01			25
26		07		01			33	15			02			26
27	19		02											27
28	01	07	03									29		28
29		X			40					05		14		29
30		X	30		03	1·18		17						30
31	01	X	01	X		X		01	X		X	05		31
TOTAL	0·43	0·54	1·88	2·07	0·99	1·58	1·17	1·54	1·01	2·24	1·18	2·19	Year's Total 16·82	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 1203

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 196 02

Kept at Cambridge Botanical Gardens

COPY

in the County of Cambridgeshire

Diameter of funnel of gauge..........in.
Height of top of gauge above ground..........ft..........in.
Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	09				01	09	10					27		1
2			02		13	10		03	05					2
3		09		04	06	12			15			03		3
4	10			06	11	01		11						4
5				45	06			40		01	11			5
6					14	19		51			03			6
7			01		02	07		13		01				7
8		01	02			04		09			08			8
9			02		01	01	23		09	31				9
10	05						09	03	14	03				10
11		01		07		05		02	23	12	04			11
12					04	42				02		04		12
13						28				06		04		13
14		02	30	04	03	13				06		06		14
15				03	14					04		19		15
16					26	18			01			30		16
17				01	19	02	05	09		22				17
18					26			24						18
19		01	4 —	05	10		63	07		10				19
20		01	12		08	02	08							20
21				01						07		01		21
22	02	37		04	37		02	03						22
23		06		08				25						23
24	02	26	19					01			36			24
25							16			03	11			25
26	13	09	12				05	01		02	06			26
27	02	07					01					01		27
28		03			[illegible]						10	04		28
29	02	X			15					01	14			29
30		X	01	05	126			12			26	02		30
31		X		X	25	X		13	X		X			31
TOTAL	0·45	1·03	0·81	0·93	3·67	1·73	0·82	2·27	0·67	1·11	1·29	1·01	Year's Total 15·79	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).......................................(P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 1203

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~03

Kept at Cambridge Botanical Garden COPY

in the County of Cambridgeshire

Diameter of funnel of gauge.................in.

Height of top of gauge above ground.............ft.............in.

Height of ground above sea level.................ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03		03	26	04							01		1
2	13		08	07	04			46			26			2
3	11			08	23					14		09		3
4	43		12	08	05				29	44				4
5	14		02		01					20				5
6		01	18		02					26				6
7			01	03	14				02	06		14		7
8	07				33				15	69	03	27		8
9			17		60	15		07	01		09	04		9
10			03		17	01		24	69	11	02	44		10
11	03				23			39		79		01		11
12				01			01			25	05	06		12
13						82	07	01		01				13
14		01	05	03		68		04		17	04			14
15		11		04	12	63				03				15
16					22	106	05	44		10				16
17	19		13		28	32	22	16			13			17
18	01						13			05	01	02		18
19	04					47				10		08		19
20							12	23		25		01		20
21		01					05			09				21
22	09	01					28		30	12				22
23			59				234	13		02	02	01		23
24	01	17	06					86	11	10				24
25		19	15	11			43	03.	09	05	13	01		25
26		06		08			46			06	12			26
27	43		02	09			37	05	07	44	95	03		27
28			05	08			01	13	05	02	25			28
29		X	19		12		01		27					29
30		X	15	31	01		19				04			30
31	02	X		X		X			X	21	X			31
TOTAL	1·73	0·57	2·03	1·27	2·61	4·14	4·74	3·24	2·05	4·76	2·14	1·22	Year's Total 30·50	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 1203

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~04

Kept at Cambridge Botanical Gardens

in the County of Cambridgeshire

COPY

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		25	03	01	19	14			02	06	01			1
2		11	07	01	02		11		18			04		2
3	04	15	13		05		01		09					3
4	01	05	[illegible]	11			01					04		4
5		01	02	11	01					10		05		5
6		05	01		17				02		22	43		6
7	01	10	09	02	05				02	07	30	02		7
8	04	09		03					02		03	03		8
9		52		01	02	22		01			01	23		9
10	24	37			16	01					19	03		10
11	01							12				20		11
12	13	11		07				01	13					12
RP 13	05			01		01 ~~15~~								13
14			01	01		25		04	22		01	35		14
15				13				04			01	01		15
16		20								16	01			16
17	02	12						23				01		17
18	07				01									18
19	06	13	05				01				01	01		19
20	10													20
21			04		08					28	15	01		21
22				20			01	07	01	05	04			22
23					10			06	09	26	18			23
24			01		07	03		01	10	02				24
25	03		02		01		39	01				01		25
26	01			01	01	28	35					03		26
27	07				05		19					03		27
28	03		19											28
29	02		25	04			25				01	06		29
30	15	X	39		01	01	149	01	40	02				30
31	17	X	04	X	35	X		105	X	03	X	01		31
TOTAL	1·26	2·26	1·35	0·77	1·36	~~1·09~~ 95	2·82	1·66	1·30	105	1·18	1·60	Year's Total ~~1770~~ 1756	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section A **for the entry of Daily Observations** **Station No.** 120~~4~~83

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~05

Kept at Cambridge Botanical Gardens
in the County of Cambridgeshire

COPY

Diameter of funnel of gauge..........in.
Height of top of gauge above ground..........ft..........in.
Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	01	01	07		23	08	49		09	02	18			1
2	07	01	02	11	01			11						2
3								30			09			3
4	11	01	01	11						31	16			4
5	10		11			51	06	27	02		01	04		5
6	03	10	01	18		48			06			08		6
7	01	16	07	14		23			13	05		28		7
8	11		06								01	02		8
9	13		03	19			33		07	02				9
10			19	27		09	01	05		01	13			10
11			03	13	03	06				01	13			11
12			15			05				03	10	02		12
13	01	18	13	03	01				02		03			13
14		01	22	06	01					01				14
15			29				24		01	11	06			15
16	46	01	01			31								16
17	02		19			56	07	07		02				17
18		01	05		05			12		01		01		18
19	01	03		01										19
20		31		05	01	01		02		01		01		20
21		01		01				12						21
22								21		02	04			22
23		04		04			03	05		02	09			23
24	01		01						35	02				24
25		01	04	03				03	100					25
26		22	06	03		03		03		05	41			26
27	01	02	04	01		21	17	37	02			02		27
28		01		04				19	07	17	07	16		28
29	01	X	03	05	01	03		37	08	15	03	01		29
30	01	x	03	04	67	49		02		21	19			30
31		x		x		x			x	04	x			31
TOTAL	1·11	1·09	1·85	1·5~~4~~3	1·03	3·14	1·40	2·3~~8~~3	1·92	1·29	1·73	0·65	Year's Total 19·0~~4~~7	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).......... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 1203

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1966

Kept at Cambridge Bot Gdns

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	·17	–	–	·12	–	–	–	·20	·04	–		1
2	·05	·19	·01	–	·10	·09	–	·04	–	·50	·11	–		2
3	·30	–	–	–	–	–	–	–	–	0	·13	·01		3
4	·50	·13	–	–	·23	–	–	–	·02	·01	·51	·03		4
5	·38	–	–	–	·04	–	–	–	–	–	–	·04		5
6	·03	·01	–	–	–	–	–	–	–	–	·32	·02		6
7	·27	–	·01	–	–	–	–	–	–	·14	·42	–		7
8	·02	·16	·04	–	–	–	–	–	–	·15	·92	·15		8
9	·07	·12	–	–	·12	–	–	–	–	·23	·09	–		9
10	–	·14	·19	–	·01	–	·01	·08	–	–	–			10
11	·13	·01	·11	–	–	–	·06	–	–	–	–	·07		11
12	·32	–	·27	–	–	–	·02	–	–	·11	–	·04		12
13	·05	·05	–	·06	–	–	·02	·30	·25	–	–	·17		13
14	–	·03	·09	–	·01	·04	–	–	·17	–	–	·04		14
15	·03	·02	·03	–	–	·28	–	·03	–	–	·10	·27		15
16	·07	·27	·02	–	·17	·16	–	–	·09	–	·35	·26		16
17	·09	·01	·06	·04	–	·02	–	·05	·06	·21	·10	–		17
18	·19	·16	·02	–	–	–	·03	–	·03	·42	–	·01		18
19	–	·17	·11	–	–	–	·02	–	·02	–	–	–		19
20	·12	–	·13	·04	·21	–	–	–	·05	·01	·16	–		20
21	·01	–	·04	·08	0	·01	–	–	–	·01	·01	–		21
22	–	–	–	·10	·01	–	–	–	·03	·02	–	–		22
23	–	–	·05	·08	·14	·14	–	–	–	–	–	–		23
24	·25	·03	·08	–	·01	·02	–	·20	–	·09	–	·01		24
25	·05	–	·15	–	–	–	–	–	–	–	–	·20		25
26	–	·09	·04	–	·19	–	·01	–	–	·05	·03	·12		26
27	–	·16	·01	·17	–	·41	·23	–	–	·02	–	·12		27
28	–	·01	–	·02	–	1·93	–	–	–	·19	–	·15		28
29	·03	X	–	·01	–	0·33	·27	–	–	·12	·04	0		29
30	–	X	–	·25	–	–	·01	–	–	·50	–	·12		30
31	·03	X	–	X	·03	X	–	–	X	–	X	·04		31
TOTAL	~~3·0~~ 2·99	1·76	1·63	0·85	1·27	3·55	0·68	0·70	0·72	2·98	3·33	1·87	Year's Total 22·33 ~~22·13~~	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

FORM A. BRITISH RAINFALL. 12.03

REGISTER OF RAINFALL IN 1907

Kept at University Botanic, Garden.
in the County of Cambridgeshire.
by R. Irwin Lynch. M.A. &c.
per. C.A. Chrubb

Lat. 52°12′N Long. 0°7′30″E.
Nearest Railway Station S.E.R., G.N.R., M.R., &c.
Time of Observation 9 A.M.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 43 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·52	0	0	0	0·08	0·16	0	0	0	0·06	0	0	1
2	0·15	0	0·09	0	0·07	0·01	0·11	0·61	0·14	0	0	0·04	2
3	0	0·04	0	0·03	0·06	0·04	0·16	0	0·07	0·03	0	0	3
4	0	0·17	0	0·09	0	0·02	0·05	0	0·18	0	0	0·68	4
5	0	0	·14	0·03	0	0·09	0	0·01	0·07	0·25	0	0	5
6	0	0·03	0	0	0	0·04	0	0	0·02	0·20	0	0·09	6
7	0	0	0·04	0·04	0·36	0·01	0	0	0	0	0	0·31	7
8	0	0·02	0	0·09	0·04	0	0	0	0	0	0	0·07	8
9	0	0·12	0·10	0·18	0	0·02	0·10	0·05	0	0·10	0	0·14	9
10	0·21	0·28	0·02	0·02	0	0	0·60	0·01	0	0·08	0	0	10
11	0	0·02	0	0·03	0·07	0·04	0	0	0	0	0·05	0·31	11
12	0	0·22	0·12	0·20	0	0·01	0	0·01	0	0	0·05	0·13	12
13	0	0·03	0·12	0	0·82	0·01	0·02	0	0	0	0	0·46	13
14	0	0·01	0·02	0	0·06	0·12	0	0·08	0	0·31	0·11	0·13	14
15	0	0	0	0	0·01	0·04	0	0·18	0	0·01	0·01	0	15
16	0	0	0·03	0·13	0	0	0	0·05	0	0·20	0·04	0	16
17	0	0·01	0	0·07	0	0	0	0·33	0	0·10	0·41	0	17
18	0	0·04	0	0	0·01	0	0	0	0	0·27	0·38	0·02	18
19	0	0·10	0·18	0	0	0	0	0·05	0	0·07	0·02	0·02	19
20	0·03	0·05	0	0·11	0·19	0	0	0·22	0	0·04	0	0	20
21	0	0	0	0·30	0·07	0	0·15	0	0	0	0	0	21
22	0	0	0	0	0·12	0·06	0·04	0·08	0	0·01	0·28	0·22	22
23	0	0	0	0	0·03	0	0	0	0	0·01	0	0·11	23
24	0	0·01	0	0	0·01	0·14	0	0	0	0	0·18	0	24
25	0	0	0	0·23	0·41	0·05	0·01	0	0·03	0	0·14	0	25
26	0	0	0	0·25	0·21	0·03	0·04	0	0·01	0	0·50	0	26
27	0·04	0	0	0·21	0	0·07	0	0	0	0	0·13	0	27
28	0·15	0	0	0·07	0·03	0	0	0	0	0	0	0	28
29	0·03	X	0	0·04	0	0·87	0·06	0	0	0·20	0	0	29
30	—	X	0	0·26	0·14	0·33	0·20	0	0	0·01	0	0·01	30
31	0·03	X	0	X	0·01	X	0	0·03	X	0	X	0	31
Total	1·16	1·15	0·86	2·38	2·74	2·16	1·54	1·71	0·52	1·95	2.30	2·74	TOTAL for year
No. of Rain Days	8	15	10	19	20	20	12	13	7	17	13	15	in. 21·21

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

T69

Price 2d.

Sa.

cor. by c. 3.2.89

FORM A
BRITISH RAINF

REGISTER OF RAINFALL IN 1908

Kept at Botanic Garden, Cambridge.

in the County of Cambridgeshire.

by R. J. Lynch. Esq, M. A. V. M. H. &c.

Lat. 52° 12 N Long. 0 7' 30 E

Nearest Railway Station GER. MR. LNWR.

Time of Observation 9 am 12c3

Diameter of Rain Gauge ~~1 foot~~ in. 8 in

Height of top of Gauge above Ground 1 ft. 1

" " " Sea Level 40

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measuremen of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on applicatio to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·18	—	—	0·07	—	—	0·16	—	—	—	1
2	—	0·01	0·03	—	0·04	—	—	—	0·04	—	—	—	2
3	—	0·04	0·05	0·07	0·04	—	0·10	—	0·13	—	—	—	3
4	—	—	—	0·10	0·02	0·46	—	0·01	0·05	—	—	0·10	4
5	0·01	—	0·14	0·10	0·03	—	—	0·15	—	—	—	0·02	5
6	0·02	—	0·10	0·02	0·12	—	—	—	—	—	—	0·06	6
7	0·41	—	0·04	—	0·09	—	—	—	—	0·01	—	—	7
8	0·20	—	0·03	—	—	0·08	0·19	—	—	—	—	0·06	8
9	0·02	0·01	0·03	0·06	—	0·01	0·45	—	0·05	0·16	—	0·05	9
10	—	—	0·05	—	—	—	0·01	0·01	—	—	0·01	0·01	10
11	—	—	—	0·02	0·25	—	0·08	0·05	·33	—	0·07	0·02	11
12	—	—	—	—	—	0·05	0·47	0·08	—	0·01	—	0·16	12
13	—	—	—	0·03	0·10	0·04	0·17	—	—	—	0·05	0·24	13
14	—	—	—	0·01	0·03	—	0·11	—	—	—	—	0·21	14
15	—	0·11	0·06	—	0·16	—	0·26	—	0·10	—	—	—	15
16	0·02	0·16	—	—	—	0·45	0·34	—	0·04	0·45	—	0·06	16
17	—	0·07	—	0·01	—	0·09	0·19	—	—	—	—	0·14	17
18	—	0·03	0·01	—	—	—	0·23	—	0·01	—	0·03	0·01	18
19	0·01	—	0·05	0·30	—	—	0·05	—	—	—	—	0·01	19
20	—	0·08	—	0·08	—	—	—	0·20	—	—	—	—	20
21	—	—	—	0·01	—	—	—	0·31	0·05	—	0·33	—	21
22	—	0·08	0·05	0·01	0·05	—	—	0·05	—	—	0·08	—	22
23	—	0·03	—	0·90	—	—	—	0·32	0·33	0·04	—	—	23
24	—	0·08	0·03	—	—	—	—	—	0·02	0·13	0·06	—	24
25	0·01	0·08	0·46	0·05	0·02	—	—	—	0·03	0·09	—	—	25
26	—	0·07	0·01	—	—	—	—	0·12	—	0·01	0·01	—	26
27	—	0·16	0·14	0·06	—	—	—	0·10	0·01	0·15	—	—	27
28	0·05	0·04	—	0·20	—	—	—	0·10	—	0·02	0·02	0·04	28
29	—	0·01	0·09	0·09	0·01	—	—	0·11	—	—	0·11	0·23	29
30	0·04	×	0·15	0·16	—	—	—	0·05	—	—	—	—	30.
31	—	×	—	×	0·20	×	—	0·38	×	—	×	0·05	31
Total	0·79	1·06	1·70	2·28	1·16	1·25	2·65	2·04	1·35	1·07	0·77	1·47	TOTAL for year
No. of Rain Days	10	16	19	19	14	8	13	15	14	10	10	17 165	17.5

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d

S.3.

REGISTER OF RAINFALL IN 1909

FORM A203 BRITISH RAINFALL.

7 JAN 1910

Kept at Botanic Garden, Cambridge

in the County of Cambridge.

by R. I. Lynch, Esq., M.A. &c.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 1½ in.
" " " Sea Level 43 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name G.E.R. L.N.W.R. G.N.R.
Distance ¼ m Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	–	·02	–	·06	·69	–	·59	·05	·03	–	·19	1
2	·01	–	·29	–	–	·07	–	·03	–	·02	·01	·51	2
3	·01	–	·02	–	–	·07		–	–	·25	·01	·04	3
4	–	·04	–	–	–	·53	·03	–	·14	–	·01	·26	4
5	·04	–	·01	–	–	·03	–	–	·06	·15	–	·03	5
6	–	–	·62	–	–	·04	·05	–	·04	–	–	·02	6
7	·15	–	·10	–	–	–	·24	–	·22	·35	–	·03	7
8	·01	–	–	–	–	–	·21	–	·07	·01	–	–	8
9	·16	·10	·15	–	–	–	–	–	–	–	·01	·08	9
10	·13	–	–	–	–	·02	·42	–	·01	·07	–	·20	10
11	–	·02	·01	–	–	·12	·17	–	–	·27	–	·01	11
12	–	–	–	·02	·02	·01	·16	–	·29	–	–	–	
13	·05	–	·17	·10	–	–	–	–	·05	·10	–	·01	13
14	·08	·01	·10	–	–	–	·01	–	–	–	·15	–	14
15	·01	–	·08	–	·02	–	–	·11	·05	·14	–	–	15
16	–	–	–	–	·01	–	·32	·06	–	·06	–	·21	16
17	–	–	–	–	·02	–	·05	·14	–	·52	–	·25	17
18	·02	–	·02	–	–	–	–	·22	–	–	–	–	18
19	–	–	·03	·65	–	–	·02	·04	–	·02	·02	·08	19
20	–	–	·06	–	–	–	–	·12	·03	·05	–	–	20
21	–	–	·06	–	–	·02	·02	·14	–	–	·01	·30	21
22	·01	–	–	·03	–	·17	–	·01	·12	·02	·02	·01	22
23	–	–	–	–	–	·22	–	·08	–	·09	–	·06	23
24	–	–	·39	–	·34	·42	–	·02	·07	·02	–	·10	24
25	–	–	·03	·01	·40	·60	–	·27	·17	–	–	·09	25
26	–	·02	–	·03	·45	–	·03	–	·01	·40	–	–	26
27	–	·05	·01	·06	·05	–	–	–	·07	·20	·01	·17	27
28	–	–	·16	·02	·01	–	·57	–	·23	·62	–	·04	28
29	·03	X	·02	·75	–	·12	–	·07	–	·05	·26	–	29
30	–	X	·44	·02	–	–	·05	–	·02	–	–	·01	30
31	·04	X	·02	X	–	X	·25	–	X	·21	X	–	31
Total	·75	·24	2·81	1·69	1·38	3·13	2·60	1·90	1·70	3·65	0·51	2·70	TOTAL for year 23·06
No. of Rain Days	14	6	22	10	10	15	16	14	18	22	10	22	179

7,000. X. '09.

Dl Sa

6×98

224

FORM A.
BRITISH RAINFALL.

28 JAN 1911

1203

REGISTER OF RAINFALL IN 1910

Kept at Botanic Gardens

in the County of Cambridge 2

by R. I. Lynch Esq

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·08			·10	·02		·05	·07	·12	·04	·70	1
2		·16			·17	·07	·18			·03	·03	·70	2
3					·10		·13				·17	·14	3
4	·01			·43	·06	·01		·36				·09	4
5	·01	·07		·06	·13		·47	·03					5
6		·02		·01	·04		·20			·01	·16		6
7		·01	·02		·09	·01	·09	·04	·07			·01	7
8	·03	·13			·07		·02	·11				·09	8
9	·05		·26	·01	·02							·06	9
10		·03				·11			·02	·05	·17	·02	10
11	·20	·03	·21		·10			·06	·01	1·37	·05	·03	11
12			·01	·03	·05	·03			·02	·20	·17	·05	12
13	·02	·03		·01				·11	·65		·17	·01	13
14		·28		·05	·31				·26		·07	·23	14
15	·09	·01		·08	·01				·01		·03	·65	15
16	·07		·02	·70								·12	16
17	·01	·19	·04		·42		·22			·02		·19	17
18	·17	·03	·06		·30		·01	·13		·20			18
19				·07	·01			·01		·01	·05		19
20		·22					·20	·02				·01	20
21	·01			·05								·08	21
22	·03	·26		·06		·01	·02	·01					22
23	·18	·08		·01		·03		·09			·20	·08	23
24	·08	·19		·06		·37	·02					·09	24
25	·03	·11		·10		·41	·16	·27					25
26		·03		·01				·02				·17	26
27	·21	·06				·28				·35	·70		27
28	·07			·28	·05			·13		·01		·01	28
29	·06	X		·06	·03	·05		·05	·05				29
30		X		·05	·03	·12		·05		·02	·29		30
31		X		X	·07	X			X	·36	X	·01	31
Total	1·35	2·02	·62	2·13	2·16	1·52	1·72	1·54	1·16	2·75	2·30	3·54	TOTAL for year 22·81
No. of Rain Days	19	20	7	19	20	13	12	17	9	13	14	22	195

6,000. V. '09.

Section **A** for the entry of Daily Observations

Station No. 1203

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1965

Kept at Cambridge Bot Gdns.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	01 ~~.005~~	01 ~~.005~~	07 ~~.065~~		23 ~~.235~~	.08	49 ~~.495~~		09 ~~.086~~	02 ~~.018~~	18 ~~.180~~			1
2	.07 ~~.075~~	.01	.02	11 ~~.105~~	01 ~~.015~~			11 ~~.105~~						2
3								.30	.005		09 ~~.085~~			3
4	11 ~~.105~~	.01	.01	11 ~~.105~~						.31	16 ~~.163~~			4
5	.10		.11			.51	.06	.27	02 ~~.018~~		01 ~~.007~~	.04 ~~.036~~		5
6	.03	.10	.01	.18		.48		~~.002~~	.06			08 ~~.084~~		6
7	01 ~~.005~~	.10	.07 ~~.075~~	.14		.23 ~~.235~~			13 ~~.132~~	.05		.28		7
8	11 ~~.115~~		.06								01 ~~.015~~	.02 ~~.024~~		8
9	.13		.03	19 ~~.195~~			33 ~~.325~~		07 ~~.069~~	.02				9
10			19 ~~.185~~	.27		09 ~~.095~~	01 ~~.005~~	.05		01 ~~.015~~	13 ~~.128~~			10
11			.03	.13	03 ~~.025~~	.06				01 ~~.005~~	13 ~~.130~~			11
12			.15 ~~.145~~			.05				03 ~~.035~~	.10	02 ~~.021~~		12
13	.01	.18	.13	.03 ~~.035~~	01 ~~.015~~				.02		03 ~~.025~~			13
14		.01 ~~.015~~	.22	.06	01 ~~.005~~					.01 ~~.015~~				14
15			.29			~~.004~~	.24		01 ~~.008~~	11 ~~.113~~	.06			15
16	.46	.01 ~~.015~~	01 ~~.005~~			.31								16
17	.02		19 ~~.185~~			.56	07 ~~.075~~	.07		.02 ~~.023~~				17
18		.01	05 ~~.055~~		.05 ~~.045~~			.12		01 ~~.005~~		01 ~~.015~~		18
19	01 ~~.005~~	.03 ~~.025~~		01 ~~.005~~										19
20		31 ~~.305~~		05 ~~.045~~	01 ~~.005~~	.01 ~~.005~~		02 ~~.023~~		.01		.01		20
21		01 ~~.005~~		.01				.12 ~~.117~~						21
22								21 ~~.205~~		.03 ~~.023~~	.04			22
23		.04		.04			.03 ~~.025~~	05 ~~.045~~		.02	09 ~~.085~~			23
24	.01		01 ~~.005~~						.35	.02				24
25		.01	.04	.03 ~~.025~~				.03	1.00	~~[illegible]~~				25
26		.22	.06	.03		03 ~~.025~~		03 ~~.025~~		.05 ~~.054~~	41 ~~.410~~			26
27	01 ~~.005~~	.02	.04	.01		.21	17 ~~.175~~	.37 ~~.365~~	.02	~~[illegible]~~		.02		27
28		01 ~~.015~~		.04				19 ~~.185~~	.07 ~~.075~~	17 ~~.174~~	.07 ~~.066~~	.16		28
29	01 ~~.005~~		.03 ~~.025~~	.05 ~~.045~~	01 ~~015~~	.03 ~~.025~~		37 ~~.365~~	.08	15 ~~.154~~	.03 ~~.035~~	.01		29
30	.01 ~~.005~~	X	.03	.04	67 ~~.665~~	.49		.02 ~~.017~~		21 ~~.210~~	.19			30
31		X		X		X			X	.04	X			31
TOTAL	1.085	1.085	1.825	1.51	1.025	3.139	1.40	2.294	1.921	1.314	1.719	0.66	Year's Total	
*Days with .01 in. or more.	1.11	1.09	1.85	1.51	1.03	3.14	1.40	2.38	1.92	1.29	1.73	.65	19.02	
*Days with .04 in. or more.														

~~[illegible]~~55
18977

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 1203

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1904

Kept at Cambridge Bot Gdns

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·25 ~~·255~~	·03 ~~·025~~	·01 ~~·005~~	·19	0·14			·02	·06	·01 ~~·005~~			1
2		·11	·07 ~~·075~~	·01 ~~·015~~	·02		·11 ~~·105~~		·18			·04		2
3	·04	·15 ~~·145~~	·13		·05		·01		·09					3
4	·01 ~~·015~~	·05		·11			·01 ~~·005~~					·04		4
5		·01 ~~·005~~	·02	·11	·01 ~~·005~~					·10		·05 ~~·055~~		5
6		·05	·01		·17				·02		·22	·43		6
7	·01	·10	·09	·02	·05 ~~·055~~				·02	·07	·30	·02		7
8	·04	·09		·03					·02		·03	·03 ~~·035~~		8
9		·52		·01 ~~·005~~	·02	·22		·01			·01 ~~·005~~	·23		9
10	·24	·37			·16	·01					·19 ~~·185~~	·03		10
11	·01				~~·005~~			·12				·20		11
12	·13	·11 ~~·115~~		·07				·01 ~~·005~~	·13					12
13	·05 ~~·055~~			·01 ~~·005~~		0·15								13
14			·01	·01 ~~·005~~		·25 ~~·255~~		·04	·22		·01 ~~·005~~	·35		14
15				·13 ~~·125~~				·04			·01 ~~·005~~	·01 ~~·005~~		15
16		·20								·16	·01 ~~·005~~			16
17	·02	·12						·23				·01 ~~·005~~		17
18	·07				·01 ~~·015~~									18
19	·06	·13	·05				·01 ~~·005~~				·01	·01		19
20	·10													20
21			·04		·08					·28	·15	·01		21
22				·20			·01 ~~·005~~	·07	·01	·05	·04			22
23					·10			·06	·09	·26	·18			23
24			·01 ~~·015~~		·07 ~~·075~~	·03		·01	·10	·02				24
25	·03 ~~·025~~		·02		·01 ~~·005~~		·39	·01				·01 ~~·005~~		25
26	·01			·01 ~~·005~~	·01 ~~·015~~	·28	·35					·03 ~~·035~~		26
27	·07 ~~·075~~				·05 ~~·055~~		·19 ~~·195~~					·03		27
28	·03 ~~·035~~		·19											28
29	·02		·25 ~~·255~~	·04			·25 ~~·245~~				·01	·06		29
30	·15	X	·39		·01 ~~·005~~	·01	1·49	·01	·40	·02				30
31	·17 ~~·175~~	X	·04	X	·35 ~~·355~~	X		1·05	X	·03 ~~·035~~	X	·01		31
TOTAL	1·26 1·28	2·26 2·26	1·35 ~~1·360~~	·77 0·755	1·36 ~~1·38~~	1·09 ~~0·96~~	2·82 2·80	1·66 ~~1·655~~	1·30 ~~1·30~~	1·05 ~~1·055~~	1·18 ~~1·15~~	1·60 1·60	Year's Total 17·70	17·555
*Days with .01 in. or more.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section A **for the entry of Daily Observations**

Station No. 1203

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~60~~63

Kept at Cambridge Bot Gdns

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	03 ~~·034~~		·03	·26	04 ~~·039~~							·01		1
2	·13		08 ~~·077~~	·07	04 ~~·043~~			·46 ~~·457~~			·26			2
3	·11			08 ~~·082~~	23 ~~·227~~					·14 ~~·143~~		09 ~~·087~~		3
4	·43 ~~·433~~		·12	08 ~~·082~~	05 ~~·053~~				·29 ~~·293~~	·44				4
5	·14		·02 ~~·022~~		01 ~~·006~~				~~·002~~	·20				5
6		·01	·18 ~~·184~~		02 ~~·023~~					·26 ~~·264~~				6
7			·01 ~~·008~~	·03 ~~·026~~	14 ~~·136~~				·02	06 ~~·064~~		14 ~~·137~~		7
8	07 ~~·074~~				33 ~~·333~~				·15	69 ~~·688~~	03 ~~·028~~	27 ~~·265~~		8
9			·17		·60	·15		·07 ~~·067~~	01 ~~·015~~		09 ~~·087~~	·04		9
10			03 ~~·033~~		·17	01 ~~·008~~		24 ~~·241~~	69 ~~·692~~	11 ~~·109~~	·02	·44		10
11	·03				23 ~~·233~~			·39	~~·002~~	·79	~~·002~~	01 ~~·011~~		11
12	~~·005~~			·01			01 ~~·012~~			25 ~~·254~~	·05	06 ~~·058~~		12
13						·82 ~~·816~~	07 ~~·067~~	·01		01 ~~·013~~				13
14		01 ~~·008~~	·05	03 ~~·028~~		·68 ~~·677~~		04 ~~·044~~		·17	04 ~~·036~~			14
15		·11 ~~·107~~		04 ~~·044~~	·12 ~~·123~~	63 ~~·625~~				03 ~~·026~~				15
16					22 ~~·222~~	1·06 ~~1·062~~	05 ~~·053~~	·44		10 ~~·097~~				16
17	·19 ~~·187~~		·13 ~~·128~~		·28	·32	·22	·16			·13 ~~·134~~			17
18	01 ~~·009~~						·13 ~~·134~~			05 ~~·052~~	01 ~~·011~~	02 ~~·016~~		18
19	04 ~~·037~~					·47 ~~·475~~				10 ~~·098~~		08 ~~·082~~		19
20							12 ~~·124~~	·23 ~~·232~~		·25 ~~·249~~		01 ~~·011~~		20
21		01 ~~·009~~					05 ~~·055~~			09 ~~·095~~				21
22	09 ~~·086~~	01 ~~·006~~					28 ~~·283~~		·30 ~~·299~~	·12 ~~·118~~				22
23			59 ~~·587~~				2·34 ~~2·338~~	·13	~~·004~~	·02 ~~·023~~	02 ~~·024~~	01 ~~·007~~		23
24	·01	·17 ·174	06 ~~·057~~				·002	86 ~~·862~~	·11 ~~·115~~	10 ~~·098~~				24
25		19 ~~·189~~	·15 ·153	11 ~~·113~~			·43 ~~·434~~	·03	09 ~~·092~~	·05 ~~·047~~	13 ~~·134~~	01 ~~·013~~		25
26		06 ~~·056~~		08 ~~·084~~			·46 ~~·459~~			06 ~~·061~~	12 ~~·118~~			26
27	·43		02 ~~·017~~	09 ~~·089~~			·37	05 ~~·046~~	07 ~~·068~~	·44	·95	·03 ~~·026~~		27
28			05 ~~·052~~	08 ~~·077~~			01 ~~·007~~	13 ~~·135~~	05 ~~·053~~	02 ~~·022~~	25 ~~·248~~			28
29			·19		12 ~~·117~~		01 ~~·005~~		·27 ~~·272~~	~~·004~~				29
30		X	·15 ~~·148~~	·31	·01		19 ~~·188~~				04 ~~·039~~			30
31	02 ~~·016~~	X		X		X			X	·21 ~~·212~~	X			31
TOTAL	1·73 ~~1·729~~	·57 ~~·559~~	2·03 ~~2·026~~	1·27 ~~1·275~~	2·61 ~~2·615~~	4·14 ~~4·133~~	4·74 ~~4·751~~	3·24 ~~3·244~~	2·05 ~~2·077~~	4·76 ~~4·777~~	2·14 ~~2·141~~	1·22 ~~1·203~~	Year's Total 30 50	30530
*Days with .01 in. or more.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
*Days with .04 in. or more.							32444							

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

Section A **for the entry of Daily Observations** **Station No.** 1203

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~02

Kept at Cambridge Bot Gdns.

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09				01 ~~·005~~	09 ~~·087~~	10 ~~·096~~					27 ~~·267~~		1
2		~~·004~~	02 ~~·019~~		·13 ~~·128~~	·10		·03	05 ~~·053~~					2
3		·09		·04	06 ~~·064~~	·12 ~~·117~~			·15 ~~·155~~			·03 ~~·027~~		3
4	·10			·06	11 ~~·106~~	01 ~~·013~~		·11						4
5				·45 ~~·453~~	06 ~~·057~~			·40 ~~·404~~		·01 ~~·006~~	·11 ~~·109~~			5
6					14 ~~·137~~	·19 ~~·193~~		·51 ~~·514~~		~~·005~~	·03 ~~·033~~			6
7			·01 ~~·006~~		02 ~~·023~~	07 ~~·066~~		·13 ~~·133~~		·01 ~~·009~~				7
8		01 ~~·011~~	02 ~~·016~~			·04		·09 ~~·086~~		[illegible]	·08			8
9			02 ~~·019~~		01 ~~·005~~	·01	·23		09 ~~·092~~	·31				9
10	05 ~~·049~~		~~·002~~				·09 ~~·088~~	·03	·14 ~~·145~~	~~·034~~ [illegible] ·03				10
11	~~·002~~	01 ~~·013~~		07 ~~·066~~		·05		·02 ~~·022~~	23 ~~·226~~	·12	·04 ~~·044~~			11
12				~~·003~~	·04	42 ~~·422~~				02 ~~·023~~		·04		12
13						28 ~~·284~~				06 ~~·057~~		·04 ~~·038~~		13
14		·02	·30 ~~·299~~	·04	·03 ~~·026~~	13 ~~·129~~				·06 ~~·058~~		·06		14
15				03 ~~·035~~	·14 ~~·138~~					·04 ~~·037~~		·19 ~~·193~~		15
16					26 ~~·262~~	·18 ~~·183~~			01 ~~·012~~			·30		16
17				01 ~~·008~~	·19	02 ~~·023~~	·05 ~~·053~~	·09		·22 ~~·217~~				17
18					·26 ~~·264~~			·14						18
19		01 ~~·006~~		·05 ~~·049~~	10 ~~·103~~		·03 ~~·031~~	·07		·10 ~~·101~~				19
20		01 ~~·005~~	·12 ~~·118~~		·08	·02	·08							20
21				01 ~~·012~~			~~·002~~			·07 ~~·074~~		·01 ~~·007~~		21
22	·02	·37		04 ~~·044~~	·37 ~~·372~~	~~·003~~	02 ~~·017~~	·03 ~~·027~~						22
23		·06		·08				·25 ~~·249~~	~~·003~~					23
24	02 ~~·018~~	·26	·19					·01 ~~·015~~			·36 ~~·356~~			24
25							·16			·03 ~~·033~~	·11 ~~·108~~			25
26	13 ~~·133~~	09 ~~·089~~	·12 ~~·122~~				05 ~~·047~~	·01 ~~·012~~		02 ~~·017~~	·06 ~~·063~~			26
27	02 ~~·022~~	·07					01 ~~·012~~			~~·002~~		·01 ·006		27
28	~~·002~~	03 ~~·034~~									·10	04 ~~·043~~		28
29	02 ~~·018~~		~~·003~~		·15 ~~·146~~					01 ~~·007~~	·14			29
30		X	·01	·05	1·26 ~~1·257~~			·12 ~~·123~~			·26 ~~·258~~	02 ~~·022~~		30
31		X		X	·25	X		·13 ~~·127~~	X		X			31
TOTAL	·45 ~~·454~~	1·03 ~~1·032~~	·81 ~~·804~~	·93 ·94	3·67 ~~3·653~~	1·73 ~~1·74~~	·82 ~~·816~~	2·27 ~~2·282~~	·67 ~~·684~~	1·11 ~~1·125~~	1·29 1·291	1·01 ~~1·003~~	Year's Total 15·79	
*Days with .01 in. or more.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		15824
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 1203

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19601

Kept at Cambridge Bot Gdns

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.06 ~~.057~~	~~.002~~	.01 ~~.012~~		.03 ~~.026~~			.11				1
2			.12 ~~.118~~	.03 ~~.027~~			.12			1.07				2
3			.03 ~~.031~~	.55 ~~.555~~						.15 ~~.148~~	~~.004~~			3
4		.05 ~~.048~~	.18 ~~.176~~							.03 ~~.028~~	.01			4
5		.03 ~~.030~~	.12 ~~.117~~				.07 ~~.068~~	.04		.06	~~.003~~	.01 ~~.014~~		5
6			.11	.17	.09 ~~.093~~		.06	~~.003~~		.18 ~~.178~~				6
7	~~.003~~		.37 ~~.374~~		.09 ~~.091~~							.26 ~~.257~~		7
8	.06 ~~.057~~			.02 ~~.022~~	.24 ~~.237~~				.35	.06 ~~.056~~		.11 ~~.112~~		8
9				.21 ~~.207~~	.12 ~~.122~~									9
10	~~.003~~	.01 ~~.008~~		.13 ~~.128~~					.01 ~~.013~~	.02				10
11				.42 ~~.424~~				~~.002~~	.01		.14 ~~.137~~			11
12			~~.004~~	~~.002~~		.07	.08 ~~.082~~	.01			.05	.78 ~~.776~~		12
13				.11		.17 ~~.165~~					.81	.02 ~~.018~~		13
14		.01 ~~.006~~		.27				.50 ~~.501~~				.04 ~~.042~~		14
15			.05	.11				.32		.01 ~~.009~~				15
16	.01 ~~.013~~	.03	.09 ~~.088~~	.04 ~~.042~~		~~.004~~			.33	.25				16
17	.05 ~~.054~~	.02	~~.003~~			.01 ~~.008~~			.24 ~~.236~~	.02 ~~.016~~		.01 ~~.007~~		17
18	.03 ~~.030~~	.03 ~~.027~~								.13 ~~.128~~				18
19	.05 ~~.047~~	.02 ~~.017~~	.26 ~~.264~~			.05 ~~.053~~								19
20						.02			.06 ~~.059~~		.04 ~~.036~~			20
21		.18 ~~.177~~				.06			.01 ~~.013~~		.04 ~~.042~~			21
22			.01 ~~.012~~				.01 ~~.006~~		~~.002~~	.01 ~~.008~~	.06 ~~.062~~			22
23		.01 ~~.008~~										.05 ~~.046~~		23
24	.01 ~~.013~~	.01 ~~.007~~	.04 ~~.038~~			.02	.32			.09 ~~.088~~		.43		24
25	.01 ~~.007~~		.01 ~~.009~~		.01 ~~.014~~		.15 ~~.147~~	.34 ~~.342~~			.01 ~~.006~~			25
26		.07		.01 ~~.008~~			.33	.15 ~~.147~~			.02 ~~.018~~			26
27	.19 ~~.188~~		.02 ~~.018~~	~~.002~~										27
28	.01 ~~.008~~	.07 ~~.073~~	.03 ~~.034~~									.29		28
29					.40					.05 ~~.051~~		.14		29
30		X	.30 ~~.298~~		.03 ~~.034~~	1.18 ~~1.177~~		.17				~~.002~~		30
31	.01 ~~.010~~	X	.01 ~~.013~~	X		X		.01 ~~.006~~	X		X	.05 ~~.053~~		31
TOTAL	.43 ~~.433~~	.54 .521	1.88 ~~1.814~~	2.07 ~~2.079~~	.99 ~~1.003~~	1.58 1.577	1.17 ~~1.156~~	1.54 ~~1.541~~	1.01 ~~1.016~~	2.24 ~~2.223~~	1.18 1.178	2.19 ~~2.187~~	Year's Total 16.82	
*Days with .01 in. or more.	/	/	/	/	/	/	/	/	/	/	/	/		
*Days with .04 in. or more.														

16.24

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

8L

RE 1

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

239

Kept at Burwel

in the County of Cam

by R. Stephen

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

BURWELL

CAMBRIDGE

1911 - 1920

IMPORTANT NOTE the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the read ar in the space provided for it at the end of this ent of rain, the selection and placing tish Rainfall Organization are given in ' servers,' sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03							·03				·07	1
2	·25		·05		·11		·03				·09		2
3		·03		·14	·12					·28	·04		3
4	·06	·03	·08	·08					·02	·05	·13	·15	4
5	·03		·04	·04				·10		·03		·22	5
6	·35		·04									·18	6
7	·03		·19								·22	·21	7
8	·23										·07		8
9	·18		·09	·07								·06	9
10	·03	·06	·08									·14	10
11	·25										·38	·02	11
12	·15		·38		·20				·04		·19		12
13			·17		·08				·22	·55	·02	·19	13
14		·02	·10		·41					·03	·06	·32	14
15		·04	·32							·03	·25	·02	15
16			·03			·40			·05			·05	16
17	·04											·08	17
18		·10				·04				·05	·80	·04	18
19		·03				·30			·08	·02	·30	·02	19
20		·05						·55	·19			·40	20
21		·06				·02		·92		·23		·12	21
22			·28			·02		·03		·06		·33	22
23			·06			·76		·04	·35			·19	23
24		·09	·02			·22				·44		·15	24
25		·08	·05	·15		·19	·26	·05		·15			25
26				·23			·01			·10	·06	24	26
27		·23	·06	·04			·07		·17			·05	27
28		·16		·25				·07			·14	·04	28
29				·07		·33	·10		·40	·30			29
30				·02		·04			·12	·11	·02		30
31										·05		·03	31
Total	1·63	·98	2·04	1·09	·92	2·32	·47	1·79	1·64	2·48	2·77	3·32	TOTAL for year 21·45
No. of Rain Days	12	13	17	10	5	10	5	8	10	16	15	24	145

9,000, IX. '10.

84

239

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL

Kept at Burwell

in the County of Cambs 2

by R. Stephenson

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03							·03				·07	1
2	·25		·05		·11		·03				·09		2
3		·03		·14	·12					·28	·04		3
4	·06	·03	·08	·08					·02	·05	·13	·15	4
5	·03		·04	·04				·10		·03		·22	5
6	·35		·04									·18	6
7	·03		·19								·22	·21	7
8	·23										·07		8
9	·18		·09	·07								·06	9
10	·03	·06	·08									·14	10
11	·25										·38	·02	11
12	·15		·38		·20				·04		·19		12
13			·17		·08				·22	·55	·02	·19	13
14		·02	·10		·41					·03	·06	·32	14
15		·04	·32							·03	·25	·02	15
16			·03			·40			·05			·05	16
17	·04											·08	17
18		·10				·04				·05	·80	·04	18
19		·03				·30			·08	·02	·30	·02	19
20		·05						·55	·19			·40	20
21		·06				·02		·92		·23		·12	21
22			·28			·02		·03		·06		·33	22
23			·06			·76		·04	·35			·19	23
24		·09	·02			·22				·44		·15	24
25		·08	·05	·15		·19	·26	·05		·15			25
26				·23			·01			·10	·06	·24	26
27		·23	·06	·04			·07		·17			·05	27
28		·16		·25				·07			·14	·04	28
29				·07		·33	·10		·40	·30			29
30				·02		·04			·12	·11	·02		30
31										·05		·03	31
Total	1·63	·98	2·04	1·09	·92	2·32	·47	1·79	1·64	2·48	2·77	3·32	TOTAL for year 21·45
No. of Rain Days	12	13	17	10	5	10	5	8	10	16	15	24	145

9,000, IX. '10.

82

Ex 7130

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

Kept at Burwell

in the County of Cambridgeshire 2

by R. Stephenson

Rain Gauge { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·04	·05		·11	·08		·10	1
2			·01		·01	·01	·33					·18	2
3	·14			·02	·06	·55	·02	·18	·02	·04		·01	3
4	·11		·31		·05	·06					·35		4
5		·11	·23					·17			·05	·05	5
6	·23	·07			·02	·47	1·33	·18					6
7					·01	·51	·02	·11	·01				7
8	·18	·11	·08			·06		·12	·20			·03	8
9		·02		·16	·01	·14						·25	9
10		·02		·05				·05	·12		·11	·02	10
11	·10	·05							·13		·08	·08	11
12	·10	·02	·07		·05	·02					·25		12
13	·06					·10	·14				·20		13
14					·03	·20		·04	·03		·06	·03	14
15	·18	·03	·19		·23	·25		·10				·12	15
16			·05		·04	·43		·05		·06	·07		16
17	·12		·18			·11		·10				·10	17
18	·08		·09				·03	·05		·06	·05	·11	18
19	·09	·09	·14				·24	·45		·03	·05		19
20			·19		·03			·53		·31			20
21	·03	·03	·45		·28			·92		·17	·07		21
22	·36	·08	·04		·02		·29	·15		·04		·05	22
23	·53	·42	·23		·08			1·00	·05		·20	·10	23
24	·30					·08	·04	·14	·02			·04	24
25						·16	·03	1·07			·15	·28	25
26		·03					·12	1·73		·27	·18	·20	26
27					·01					·10		·20	27
28		·03		·04			·18	·04	·03	·35	·09	·36	28
29				·02		·11	·10	·35	·65	·42	·04		29
30					·24	·03		·05	·52	·13	·02		30
31			·08		·04		·19	·19		·04		·04	31
Total	2·61	1·11	2·34	·29	1·21	3·33	3·11	7·77	1·89	2·10	2·02	2·35	TOTAL for year 30·13
No. of Rain Days.	15	14	15	5	17	18	15	23	12	14	17	20	185

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

237

27 JAN 1914

Kept at Burwell

in the County of Cambridgeshire 2

by R. Stephenson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·10		·07					·20		·07	·04	1
2	·03	·13	·07		·34		·14		·10		·02	·02	2
3			·24		·67				·02	·08		·03	3
4	·08				·12	·09	·02			·12	·06	·15	4
5	·05						·03		·02	·29	·03		5
6		·03	·12		·43	·18	·06			·05			6
7		·05			·07		·06			·41	·09		7
8			·08		·37	·03				·05			8
9		·25	·06	·02	·10	·16					·05	·03	9
10							·08				·20		10
11	·52			·40		·03		·54			·24		11
12					·02			·02			·08		12
13								·06			·41		13
14	·06	·04		·04			·05			·25			14
15	·19		·20	·08			·18		·11		·04		15
16	·09		·28	·11					·27		·03	·02	16
17	·08		·11	·05		·33	·04						17
18	·07		·04	·03					·08		·07	·05	18
19	·06		·02				·06		·07		·06		19
20	·05		·06	·02		·05			·27	·35		·04	20
21			·06		·02		·08			·15	·12		21
22	·27		·07				·10		·19		·04		22
23						·05	·09	·13					23
24	·03					·05	·02	·02					24
25		·02		·11		·03				·06			25
26			·10	·01	·01					·58		·14	26
27			·02		·06	·09				·12	·02		27
28	·11	·09		·02						·06		·01	28
29	·24		·13	·22	·18			·07		·11			29
30	·17			·12				·13		·06	·20	·01	30
31								·34		·11			31
Total	2·18	·71	1·66	1·30	2·39	1·09	1·01	1·31	1·33	2·84	1·83	·54	YEAR'S TOTAL 1819
Rain Days.	17	8	16	14	12	11	14	8	10	16	18	11	155

W. 7,500, XI. 12

8L

6x me

230

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Burwell

in the County of Cambridgeshire 2

by R. Stephenson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·02					·13			·07		1
2	·02			·04			·05	·03				·07	2
3			·19		·13		·24	·09					3
4	·16			·26				·08			·21	·11	4
5			·10	·10	·06		·07	·38					5
6		·07		·02	·03	·05	·15	·04			·13	·08	6
7		·04	·35	·03	·16		·05				·02	·35	7
8	·25	·07	·29		·11	·53	·08	·12					8
9	·64		·45	·15	·03	·48						·95	9
10	·42	·06	·02	·10	·05							·03	10
11		·15	·36	·03	·03	·27			·05		·27	·12	11
12			·05			·02	·10		·34		·02	·18	12
13		·16	·23						·04	·26	·11	·20	13
14			·11				·26			·56		·51	14
15	·10	·02	·25				·02				·10	·15	15
16	·02		·07				·24						16
17		·32	·03						·18			·04	17
18		·03	·04									·32	18
19		·06	·13			·80	·03				·24		19
20		·04	·32			·06			·15				20
21		·19	·33			·07					·02		21
22			·03		·35		·04			·43		·30	22
23		·10	·04	·04	·06			·07		·11		·10	23
24			·02	·05		·03				·08	·14		24
25	·03	·03								·39	·06	·07	25
26			·05				·08	·11		·03		·30	26
27	·03											·13	27
28		·02					·03			·10	·38	1·43	28
29			·02							·23	·07	·02	29
30			·04							·03	·12	·07	30
31					·09		·06					·10	31
Total	1·68	1·36	3·54	·82	1·10	2·31	1·50	1·05	·76	2·22	1·96	5·63	YEAR'S TOTAL 2393
Rain Days.	10	15	24	10	11	9	15	9	5	10	15	22	155

W.7,000, XI. 13

81

1321
~~223~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Burwell
in the County of Cambridgeshire
by R. Stephenson

Rose 81
2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.18	.13	.02	.02	.13				.08		.06	.15	1
2	.13	.05	.26			02		.40	.06		.07	.08	2
3	.21		.09	.16			.02	.65	.06			.05	3
4	.16							.04			.04	.44	4
5	.04	.06			.03					.15	.06	.18	5
6	.15	.03	.08	.16	.17		.53					.03	6
7	.06	.22	.04				.42	.19			.02	.14	7
8		.10		.05			.07	.02		.01	.01		8
9		.12				.03				.02	.20	.52	9
10	.26		.11				.04	.03				.06	10
11			.03	.16	.06		.03				.52	.03	11
12	.11	.04		.12	.33			.20		.06	.72	.02	12
13	.03	.28			1.02			.03					13
14		.17					.41		.02			.26	14
15	.15				.03			.04			.37	.08	15
16		.11					.48	.48			.07		16
17		.15	.27		.04		.22				.07		17
18		.15			.02								18
19							.09						19
20	.23		.03	.11				.04				.34	20
21	.15						.06					.04	21
22	.56	.04	.28				.38					.18	22
23	.02		.04				.08		.04	.04		.18	23
24		.02	.20				.14		.15			.06	24
25			.02			.30					.02	.06	25
26		.10				.03	.02					.14	26
27			.02			.08	.12			.35			27
28		.14				.80	.03	.04	.65	.19			28
29						.06	.32	.15			.11	.08	29
30	.04					.40							30
31	.05							.05				.09	31
Total	2.53	1.91	1.49	.78	1.83	1.72	3.46	2.36	1.06	.82	2.34	3.21	YEAR'S TOTAL 23.51
Rain Days.	17	17	14	7	9	8	18	14	7	7	14	22	154

W. 8,000. X. 14.

81 1299

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Burwell

in the County of Cambridgeshire

by R. Stephenson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·05			·04					·27		1
2	·33				·11				·10	·20	·03		2
3		·17	·04			·02	·03		·40	·26	·31		3
4	·23	·27	·06			·27			·32	·06	·20		4
5	·02		·02	·03		·08	·05			·05	·23		5
6		·17	·15	·25	·02	·07	·05				·22		6
7	·09		·14		·28	·06	·15				·35	·06	7
8			·02		·17	·05					·02	·13	8
9			·02		·16	·07						·04	9
10			·16	·06		·02	·18					·18	10
11	·07	·26	·09	·15	·08	·22			·02		·01	·03	11
12	·02	·05		·02	·45	·30	·05	·11	·03	·13			12
13		·33	·04		·18	·21	·02	·08	·02			·02	13
14		·45	·02		·09	·03		·10		·08		·33	14
15		·23	·09	·02			·05	·33	·03				15
16		·06	·09	·23			·06	·02				·04	16
17	·02			·21			·13	·02	·30	·29			17
18		·04		·08				·16	·17	·05	·36		18
19			·06	·25		·06		·07	·31		·76		19
20	·15		·20	·03				·11				·25	20
21			·54				·35					·24	21
22		·18	·04		·12							·36	22
23		·95				·16					·15	·12	23
24		·08				·06		·03		·23		·26	24
25		·18	·12					·17		·08	·05	·04	25
26	·02	·16	·03			·07		·79		·02	·05		26
27	·02	·35	·58			·03		·08		·21			27
28		·26	·30						·03	·02		·12	28
29		·08	·01			·06		1·26		·18			29
30		X			·40	·03		·40		·22		·02	30
31	·03	X		X		X		·05	X	·02	X		31
Total	1·02	4·27	2·87	1·33	2·06	1·91	1·12	3·78	1·73	2·10	3·01	2·24	YEAR'S TOTAL 27·44
Rain Days.	12	18	23	11	11	20	11	16	11	16	14	16	179

W. 8,000. X. 15.

124
187

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Burwell
in the County of Cambridgeshire
by R. Stephenson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02		-		1·40	·19		·10		1
2				·25		·16		·21			·05		2
3								·50			·10		3
4		·22						·03		·80			4
5	·24			·26				·06	·02		·14		5
6						·18				·18			6
7	·24			·01		·08				·29	·03		7
8				·16			1·45	·02		·25	·15	·08	8
9	·08	·02		·04				·24		·03	·05	·10	9
10	·25		·14	·12				·05		·03	·02		10
11	·09		·63	·06						·18			11
12	·09			·07	·05			·03		·24			12
13	·11		·15			·01	·02	·05	·04	·21			13
14	·05			·15								·03	14
15								·06		·03		·09	15
16	·02	·06		·25		·05	·30			·63		·11	16
17		·02	·03	·25	·57		·25		·45	·22			17
18	·03			·08		·06	·16	·02	·68				18
19		·05	·11			·05			·25				19
20	·02	·15	·25		·02						·24		20
21			·05								·03	·09	21
22								·03	·03	·10			22
23		·06	·22		·13			·15	·06	·05			23
24	·05					·05		·03		·12	·06		24
25			·02				·28					·15	25
26			·15			·03		·16	·04		·60	·10	26
27								·38				·07	27
28		·05	·14			1·22		·07				·05	28
29						·30	·35	·05		·24		·10	29
30		X	·03				·56	·09					30
31	·08	X	·28	X		X	·32	·10	X		X		31
Total	1·35	·63	2·20	1·72	·77	2·29	3·69	3·73	1·76	3·60	1·57	·97	YEAR'S TOTAL 24·28
Rain Days.	13	8	13	13	4	11	9	21	9	16	12	11	140

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
30.1.19

Kept at Burwell

in the County of Cambridgeshire

by R. Stephenson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06			·05						·03	·05	·10	1
2		·08		·05				·09			·03	·12	2
3			·05		·25			·15	·06		·66		3
4		·05	·06					·03	·64	·03	·22		4
5		·11	·04		·11			·19	·16	·05			5
6	·17	·12		·16					·03			·07	6
7				·09					·02	·07	·08		7
8						·04			·20		·09	·01	8
9		·02		·02		·02	·26		·47	·21	·03	·06	9
10	·08			·03			·31		·05			·09	10
11	·01		·11	·02	·18		·04		·22	·40		·13	11
12		·24			·13		·17		·14			·03	12
13		·04			·30		·01					·07	13
14	·21			·05		·07	·07		·50	·30		·09	14
15	·76			1·70		·03	·37	·03	·06			·05	15
16				·52		·02			·29				16
17	·22			·13	·13		·81					·12	17
18	·41			·02		·08	·10		·45			·43	18
19	·05	·06				·68	·16			·10		·03	19
20		·05		·24		·13	·12		·07	·09			20
21						·06	·03		·66	·11			21
22	·03			·02	·04		·05		·03	·02		·27	22
23	·10			·03	·60	·03	·13	·05	·04	·02			23
24		·19	·01		·15		·04		·09		·11		24
25						·07		·22			·16		25
26		·05					·39	·02			·17	·15	26
27				·32		·02	·03	·26	·04	·03	·08	·02	27
28		·05	·05	·02				·05	·05		·14	·15	28
29								·02	1·40		·03		29
30		X	·30					·03	·09		·25		30
31		X	·03	X		X			X	·06	X	·08	31
Total	2·10	1·06	·65	3·47	1·89	1·25	3·09	1·14	5·76	1·52	2·10	2·07	YEAR'S TOTAL 26·10
Rain Days.	11	12	8	17	9	12	18	12	23	14	14	19	168

DL

170

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Burwell

in the County of Cambridgeshire

by R. Stephenson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33						·40				·05	·78	1
2	·30		·03				·16	·05	·51	·17	·27	·54	2
3	·08		·14		·04		·06		·04		·11	·04	3
4			·23			·16	·29	·07				·11	4
5	·12	·20	·18				·28		·14				5
6			·07									·13	6
7			·20								·20	·03	7
8	·05		·04	·12							·09		8
9				·02	·01						·02		9
10			·23								·06	·12	10
11	·11		·16	·11			·47				·09	·02	11
12			·13			·07	·06			·11	·02		12
13	·12			·12									13
14	·20			·18			·13		·06		·02		14
15	·30	·02	·01	·19			·02					·07	15
16		·55		·07	·09			·02			·05		16
17		·45	·01	·04							·15	·05	17
18		·10						·19			·04	·10	18
19		·13	·22			·10	·07	·18	·12				19
20	·24	·02	·06			·39	·58	·32	·03		·03	·07	20
21	·27	·28				·06	·72					·13	21
22		·26	·01				·16		·20		·08	·45	22
23				·07		·05	·24	·07	·03			·08	23
24				·12		·12	·01						24
25	·07			·25	·32			·07					25
26	·22	·62	·16	·10				·45	·13			·38	26
27	·35	·08		·66				·16		·05		·02	27
28				·27				·62		·17		·20	28
29				·27		·01	·02	·17		·18		·07	29
30		X		·04		·24		·01		·05	·24	·12	30
31		X		X		X	·04		X		X	·05	31
Total	2·76	2·71	1·88	2·63	·46	1·20	3·71	2·38	1·26	·73	1·52	3·56	YEAR'S TOTAL 24·80
Rain Days.	14	11	16	16	4	9	17	13	9	6	16	21	152

W. 8,000, IX. 17.

1118

27 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Burwell

in the County of Cambridge

by Robert Stephenson

Lat. Long. all as last year

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~[illegible]~~	.03		.13	.06	–	.21			.20		.07	1
2				.14			.29	.15	.11			.03	2
3	~~[illegible]~~	.02		~~[illegible]~~		.02	.26		.03			.04	3
4			.06	.16	.03		.52	.09	.09			.15	4
5			.05	.06	.14		.44	.03	.18			.06	5
6			.13		.07		.12	.01					6
7			.09	.09			.02					.06	7
8	.13	.01		.29				.11					8
9	.35			.53				.14					9
10	.13	.20	.12	.06			.05			~~[illegible]~~	.02		10
11	.12	.01	.07	.09	.01		.09					.19	11
12	.14			.11		.01							12
13			.04	.10		.23					.02	.03	13
14		.10	.16	.09		.04	.65		.09	.02	.12		14
15	.02		.33	.02					.23		.07		15
16		.01	.02	.07					.16	.02			16
17	.03				.05		.01		.15				17
18	.10				.07	.19	.02	.37				.11	18
19	.11			.06		.05		.02	.07				19
20	.08	.17		.32		.48			.14			.02	20
21				.06			.45	.08	.36			.05	21
22				.14				.13	.65			.03	22
23							.27		~~.45~~			.29	23
24	.05		.13					.01	.01				24
25		.05	.02	.10	~~[illegible]~~	.03	.24		.02		.03	.02	25
26	.09	.14	.05	.10	.22	.05	.05				.03		26
27	.10			.14		.35	.01					.03	27
28	.27		.07		.13	.01	.01						28
29	.01		.17		1.10		.10				.09	.11	29
30	.02	✕	.02		.10	.03	.04			.04	.06	.35	30
31		✕	.01	✕		✕	.01		✕	.32	✕		31
Total	1.75	.74	1.54	2.86	1.98	1.49	3.26	1.14	2.29	.60	.44	1.63	Year's Total 19.72
Days with ·01 in. or more	16	.10	17	21	11	12	21	11	14	5	8	17	163
Days with ·04 in. or more	12	5	13	20	9	7	15	7	11	3	4	11	117

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

RE

CAMBRIDGE

BOTANIC GDNS

CAMBRIDGE

1911 - 1920

23 JAN 1912

FORM A2.
BRITISH RAINFALL.

334

Kept at Cambridge

in the County of Ca

by R. Irwin L

8 in.

Ground 1 ft. 1 in.

ea Level 43 ft. 1203

ame

stance Direction

IMPORTANT NOTE.- he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this t of rain, the selection and placing h Rainfall Organization are given in " lication to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5.1 ~~.20~~	—	—	—	—	—	1.0 ~~.04~~	—	—	—	—	—	1
2	5.3 ~~.21~~	—	0.3 ~~.01~~	—	1.5 ~~.06~~	—	0.3 ~~.01~~	0.3 ~~.01~~	—	—	2.3 ~~.09~~	2.5 ~~.10~~	2
3	—	0.5 ~~.02~~	—	1.3 ~~.05~~	1.8 ~~.07~~	—	—	—	—	4.3 ~~.17~~	0.3 ~~.01~~	0.3 ~~.01~~	3
4	1.5 ~~.06~~	0.8 ~~.03~~	2.5 ~~.10~~	1.8 ~~.07~~	—	—	—	—	—	1.3 ~~.05~~	2.0 ~~.08~~	5.1 ~~.20~~	4
5	0.3 ~~.01~~	—	—	0.5 ~~.02~~	—	—	—	0.3 ~~.01~~	—	0.5 ~~.02~~	—	5.1 ~~.20~~	5
6	5.9 ~~.23~~	—	0.5 ~~.02~~	—	—	—	—	—	—	—	0.3 ~~.01~~	5.8 ~~.23~~	6
7	0.3 ~~.01~~	—	0.3 ~~.01~~	—	—	—	—	—	—	0.5 ~~.02~~	5.8 ~~.23~~	6.1 ~~.24~~	7
8	4.1 ~~.16~~	—	3.5 ~~.14~~	—	—	—	—	—	—	—	2.5 ~~.10~~	1.0 ~~.04~~	8
9	3.8 ~~.15~~	—	—	1.3 ~~.05~~	—	—	—	—	—	—	—	—	9
10	0.3 ~~.01~~	1.3 ~~.05~~	1.5 ~~.06~~	—	—	—	—	—	—	—	2.3 ~~.11~~	3.6 ~~.14~~	10
11	6.9 ~~.27~~	—	—	—	0.3 ~~.01~~	—	—	—	—	—	9.1 ~~.36~~	—	11
12	2.3 ~~.09~~	—	9.1 ~~.36~~	—	0.3 ~~.01~~	—	—	—	2.0 ~~.08~~	0.3 ~~.01~~	4.3 ~~.17~~	—	12
13	—	—	1.5 ~~.06~~	—	0.3 ~~.01~~	0.8 ~~.03~~	—	—	4.6 ~~.18~~	15.7 ~~.62~~	0.5 ~~.02~~	6.1 ~~.24~~	13
14	—	0.3 ~~.01~~	2.0 ~~.08~~	—	17.0 ~~.67~~	4.1 ~~.16~~	—	—	—	—	—	8.1 ~~.32~~	14
15	—	1.0 ~~.04~~	6.3 ~~.25~~	—	—	—	—	—	0.3 ~~.01~~	0.8 ~~.03~~	1.8 ~~.07~~	—	15
16	—	—	1.0 ~~.04~~	—	—	7.9 ~~.31~~	—	—	—	—	6.6 ~~.26~~	1.3 ~~.05~~	16
17	—	—	—	—	—	0.3 ~~.01~~	—	—	—	—	1.3 ~~.05~~	1.8 ~~.07~~	17
18	—	4.1 16	—	—	—	0.8 ~~.03~~	—	—	—	—	15.2 ~~.60~~	0.8 ~~.03~~	18
19	—	—	—	—	0.5 ~~.02~~	14.2 ~~.56~~	—	—	2.5 ~~.10~~	2.8 ~~.11~~	8.1 ~~.32~~	—	19
20	—	0.3 ~~.01~~	—	—	—	—	—	6.1 ~~.24~~	3.3 ~~.13~~	0.8 ~~.03~~	—	11.7 ~~.46~~	20
21	0.3 ~~.01~~	1.0 ~~.04~~	—	—	—	—	—	4.8 ~~.19~~	0.3 ~~.01~~	6.3 ~~.25~~	—	2.8 ~~.11~~	21
22	1.3 ~~.05~~	—	4.3 ~~.17~~	—	—	0.8 ~~.03~~	—	—	—	4.1 ~~.16~~	—	11.2 ~~.45~~	22
23	—	0.8 ~~.03~~	1.3 ~~.05~~	—	—	22.9 ~~.90~~	—	—	8.9 ~~.35~~	—	—	3.0 ~~.12~~	23
24	—	1.3 ~~.05~~	0.3 ~~.01~~	—	—	3.5 ~~.14~~	—	—	—	9.1 ~~.36~~	—	5.1 ~~.20~~	24
25	—	1.5 ~~.06~~	0.5 ~~.02~~	1.3 ~~.05~~	—	5.1 ~~.20~~	5.6 ~~.23~~	2.3 ~~.09~~	—	—	0.3 ~~.01~~	—	25
26	—	—	—	4.3 ~~.17~~	—	—	1.0 ~~.04~~	—	—	2.8 ~~.11~~	1.0 ~~.04~~	6.3 ~~.25~~	26
27	—	4.8 ~~.19~~	1.3 ~~.05~~	0.5 ~~.02~~	—	—	—	—	3.8 ~~.15~~	—	0.3 ~~.01~~	0.5 ~~.02~~	27
28	—	2.8 ~~.11~~	—	5.8 ~~.23~~	—	1.0 ~~.04~~	—	1.8 ~~.07~~	—	—	2.5 ~~.10~~	0.5 ~~.02~~	28
29	—		—	3.3 ~~.13~~	—	9.7 ~~.38~~	5.1 ~~.20~~	—	5.3 ~~.21~~	6.3 ~~.25~~	—	—	29
30	—		—	0.3 ~~.01~~	—	0.5 ~~.02~~	—	—	0.8 ~~.03~~	2.5 ~~.10~~	—	—	30
31	—		—		—		—	—		1.0 ~~.04~~		0.5 ~~.02~~	31
99 Total	37.4 ~~1.46~~	20.3 .79	36.2 ~~1.43~~	20.4 .80	21.7 .85	71.6 2.81	13.0 .52	15.6 .61	31.8 1.25	59.1 2.33	66.5 2.64	89.2 3.52	TOTAL for year 482.8
No. of Rain Days	13	13	16	10	7	13	5	6	10	16	19	22	150

9,000, IX. '10.

8L

REC

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

234

Kept at Cambridge, Botanic Gardens

in the County of Cambs 2

by R. Irwin Lynch

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 43 ft. 1203

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date II	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5·1 ~~·20~~	—	—	—	—	—	1·0 ~~·04~~	—	—	—	—	—	1
2	5·3 ~~·21~~	—	0·3 ~~·01~~	—	1·5 ~~·06~~	—	0·3 ~~·01~~	0·3 ~~·01~~	—	—	2·3 ~~·09~~	2·5 ~~·10~~	2
3	—	0·5 ~~·02~~	—	1·3 ~~·05~~	1·8 ~~·07~~	—	—	—	—	4·3 ~~·17~~	0·3 ~~·01~~	0·3 ~~·01~~	3
4	1·5 ~~·06~~	0·8 ~~·03~~	2·5 ~~·10~~	1·8 ~~·07~~	—	—	—	—	—	1·3 ~~·05~~	2·0 ~~·08~~	5·1 ~~·20~~	4
5	0·3 ~~·01~~	—	—	0·5 ~~·02~~	—	—	—	0·3 ~~·01~~	—	0·5 ~~·02~~	—	5·1 ~~·20~~	5
6	5·9 ~~·23~~	—	0·5 ~~·02~~	—	—	—	—	—	—	—	0·3 ~~·01~~	5·8 ~~·23~~	6
7	0·3 ~~·01~~	—	0·3 ~~·01~~	—	—	—	—	—	—	0·5 ~~·02~~	5·8 ~~·23~~	6·1 ~~·24~~	7
8	4·1 ~~·16~~	—	3·5 ~~·14~~	—	—	—	—	—	—	—	2·5 ~~·10~~	1·0 ~~·04~~	8
9	3·8 ~~·15~~	—	—	1·3 ~~·05~~	—	—	—	—	—	—	—	—	9
10	0·3 ~~·01~~	1·3 ~~·05~~	1·5 ~~·06~~	—	—	—	—	—	—	—	2·3 ~~·11~~	3·6 ~~·14~~	10
11	6·9 ~~·27~~	—	—	—	0·3 ~~·01~~	—	—	—	—	—	9·1 ~~·36~~	—	11
12	2·3 ~~·09~~	—	9·1 ~~·36~~	—	0·3 ~~·01~~	—	—	—	2·0 ~~·08~~	0·3 ~~·01~~	4·3 ~~·17~~	—	12
13	—	—	1·5 ~~·06~~	—	0·3 ~~·01~~	0·8 ~~·03~~	—	—	4·6 ~~·18~~	15·7 ~~·62~~	0·5 ~~·02~~	6·1 ~~·24~~	13
14	—	0·3 ~~·01~~	2·0 ~~·08~~	—	17·0 ~~·67~~	4·1 ~~·16~~	—	—	—	—	—	8·1 ~~·32~~	14
15	—	1·0 ~~·04~~	6·3 ~~·25~~	—	—	—	—	—	0·3 ~~·01~~	0·8 ~~·03~~	1·8 ~~·07~~	—	15
16	—	—	1·0 ·04	—	—	7·9 ~~·31~~	—	—	—	—	6·6 ~~·26~~	1·3 ~~·05~~	16
17	—	—	—	—	—	0·3 ~~·01~~	—	—	—	—	1·3 ~~·05~~	1·8 ~~·07~~	17
18	—	4·1 ~~·16~~	—	—	—	0·8 ~~·03~~	—	—	—	—	15·2 ~~·60~~	0·8 ~~·03~~	18
19	—	—	—	—	0·5 ~~·02~~	14·2 ~~·56~~	—	—	2·5 ~~·10~~	2·8 ~~·11~~	8·1 ~~·32~~	—	19
20	—	0·3 ~~·01~~	—	—	—	—	—	6·1 ~~·24~~	3·3 ~~·13~~	0·8 ~~·03~~	—	11·7 ~~·46~~	20
21	0·3 ~~·01~~	1·0 ~~·04~~	—	—	—	—	—	4·8 ~~·19~~	0·3 ~~·01~~	6·3 ~~·25~~	—	2·8 ~~·11~~	21
22	1·3 ~~·05~~	—	4·3 ~~·17~~	—	—	0·8 ~~·03~~	—	—	—	4·1 ~~·16~~	—	11·2 ~~·45~~	22
23	—	0·8 ~~·03~~	1·3 ~~·05~~	—	—	22·9 ~~·90~~	—	—	8·9 ~~·35~~	—	—	3·0 ~~·12~~	23
24	—	1·3 ~~·05~~	0·3 ~~·01~~	—	—	3·5 ~~·14~~	—	—	—	9·1 ~~·36~~	—	5·1 ~~·20~~	24
25	—	1·5 ~~·06~~	0·5 ~~·02~~	1·3 ~~·05~~	—	5·1 ~~·20~~	5·6 ~~·23~~	2·3 ~~·09~~	—	—	0·3 ~~·01~~	—	25
26	—	—	—	4·3 ~~·17~~	—	—	1·0 ~~·04~~	—	—	2·8 ~~·11~~	1·0 ~~·04~~	6·3 ~~·25~~	26
27	—	4·6 ~~·18~~	1·3 ~~·05~~	0·5 ~~·02~~	—	—	—	—	3·8 ~~·15~~	—	0·3 ~~·01~~	0·5 ~~·02~~	27
28	—	2·8 ~~·11~~	—	5·8 ~~·23~~	—	1·0 ~~·04~~	—	1·8 ~~·07~~	—	—	2·5 ~~·10~~	0·5 ~~·02~~	28
29	—		—	3·3 ~~·13~~	—	9·7 ~~·38~~	5·1 ~~·20~~	—	5·3 ~~·21~~	6·3 ~~·25~~	—	—	29
30	—		—	0·3 ~~·01~~	—	0·5 ~~·02~~	—	—	0·8 ~~·03~~	2·5 ~~·10~~	—	—	30
31	—		—		—		—	—		1·0 ~~·04~~		0·5 ·02	31
99 Total	37·4 1·46	20·3 ·79	36·2 1·43	20·4 ·80	21·7 ·85	71·6 2·81	13·0 ·52	15·6 ·61	31·8 1·25	59·1 2·33	66·5 2·64	89·2 3·52	TOTAL for year 482·8
~~No. of~~ Rain Days	13	13	16	10	7	13	5	6	10	16	19	22	150

9,000, IX. '10.

DL

Ex J C

FORM A2.
BRITISH RAINFALL.
225
25 JAN 1913
1203

REGISTER OF RAINFALL IN 1912

Kept at Cambridge Botanic Gardens

in the County of Cambridgeshire 2

by R. I. Lynch

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
12 1	—	—	—	—	—	2·0 ~~·08~~	2·0 ~~·08~~	—	3·6 ~~·14~~	5·6 ~~·22~~	—	2·0 ~~·08~~	1
2	—	0·3 ~~·01~~	—	0·8 ~~·03~~	—	—	8·1 ~~·32~~	—	—	—	—	0·3 ~~·01~~	2
3	3·8 ~~·15~~	—	—	—	1·3 ~~·05~~	5·8 ~~·23~~	—	5·8 ~~·23~~	0·3 ·01	—	—	3·0 ~~·12~~	3
4	1·3 ~~·05~~	—	9·4 ~~·37~~	—	1·3 ~~·05~~	7·9 ~~·31~~	—	1·0 ~~·04~~	—	—	6·3 ~~·25~~	—	4
5	1·5 ~~·06~~	1·0 ~~·04~~	5·1 ~~·20~~	—	—	—	—	2·5 ~~·10~~	—	—	1·3 ~~·05~~	—	5
6	5·6 ~~·22~~	2·0 ~~·08~~	—	—	0·5 ~~·02~~	8·1 ~~·32~~	15·2 ~~·60~~	6·1 ~~·24~~	—	—	0·3 ~~·01~~	0·3 ~~·01~~	6
7	0·8 ~~·03~~	—	—	—	0·3 ~~·01~~	15·0 ~~·59~~	2·5 ~~·10~~	2·0 ~~·08~~	—	—	—	0·3 ·01	7
8	4·6 ~~·18~~	3·0 ~~·12~~	1·5 ~~·06~~	—	—	1·0 ~~·04~~	—	1·3 ~~·05~~	6·6 ~~·26~~	—	—	0·8 ~~·03~~	8
9	—	1·0 ~~·04~~	0·3 ~~·01~~	2·8 ~~·11~~	—	2·5 ~~·10~~	—	—	—	—	—	4·6 ·18	9
10	—	0·3 ~~·01~~	—	—	—	—	—	2·0 ~~·08~~	2·3 ~~·09~~	—	3·0 ~~·12~~	0·5 ·02	10
11	3·0 ~~·12~~	3·6 ~~·14~~	—	—	—	0·3 ~~·01~~	—	1·0 ~~·04~~	2·0 ~~·08~~	—	—	1·0 ·04	11
12	2·8 ~~·11~~	0·3 ~~·01~~	1·0 ~~·04~~	—	1·3 ~~·05~~	0·3 ~~·01~~	—	2·8 ~~·11~~	—	—	1·8 ~~·07~~	—	12
13	—	—	—	—	—	0·8 ~~·03~~	0·8 ~~·02~~	—	—	—	7·6 ~~·30~~	0·5 ~~·02~~	13
14	—	—	0·3 ~~·01~~	—	1·0 ~~·04~~	2·0 ~~·08~~	—	1·0 ~~·04~~	—	0·3 ~~·01~~	0·3 ~~·01~~	0·3 ~~·01~~	14
15	—	0·5 ~~·02~~	3·3 ~~·13~~	—	4·1 ~~·16~~	5·1 ~~·20~~	—	1·5 ~~·06~~	—	—	0·3 ~~·01~~	2·3 ·09	15
16	8·4 ~~·33~~	—	1·5 ~~·06~~	—	1·3 ~~·05~~	2·5 ~~·10~~	—	1·3 ~~·05~~	—	0·8 ~~·03~~	1·0 ~~·04~~	—	16
17	15·2 ~~·60~~	—	5·3 ~~·21~~	—	—	4·3 ~~·17~~	—	1·8 ~~·07~~	—	—	—	1·5 ·06	17
18	0·8 ~~·03~~	—	2·3 ~~·09~~	—	—	—	—	5·6 ~~·22~~	—	—	2·0 ~~·08~~	3·8 ·15	18
19	3·6 ~~·14~~	2·5 ~~·10~~	5·3 ~~·21~~	—	—	0·3 ~~·01~~	5·3 ~~·21~~	13·2 ~~·52~~	—	—	0·5 ·02	—	19
20	0·5 ~~·02~~	0·3 ~~·01~~	2·8 ~~·11~~	—	1·3 ~~·05~~	—	0·3 ~~·01~~	11·2 ~~·44~~	—	8·1 ~~·32~~	—	—	20
21	0·3 ~~·01~~	—	9·4 ~~·37~~	—	11·7 ~~·46~~	—	—	21·8 ~~·86~~	—	7·4 ·29	1·5 ·06	—	21
22	11·7 ~~·46~~	2·5 ~~·10~~	—	—	3·0 ~~·12~~	—	0·3 ~~·01~~	4·3 ~~·17~~	—	0·3 ·01	—	1·0 ~~·04~~	22
23	11·9 ~~·47~~	8·4 ~~·34~~	7·4 ~~·29~~	—	—	—	0·3 ~~·01~~	16·8 ~~·66~~	0·3 ~~·01~~	—	5·6 ~~·22~~	2·5 ~~·10~~	23
24	5·8 ~~·23~~	—	—	—	—	—	1·5 ~~·06~~	4·3 ~~·17~~	—	—	—	1·0 ~~·04~~	24
25	—	—	—	—	—	3·5 ~~·14~~	0·3 ~~·01~~	17·5 ~~·69~~	—	—	4·3 ~~·17~~	10·9 (~~·43~~)	25
26	—	—	—	—	—	—	3·6 ~~·14~~	43·9 ~~1·73~~	—	9·7 ~~·38~~	4·8 ~~·19~~	3·0 ~~·12~~	26
27	—	—	—	—	—	—	0·5 ~~·02~~	—	—	2·8 ~~·11~~	—	4·6 ~~·18~~	27
28	—	0·5 ~~·02~~	—	—	—	—	0·5 ~~·02~~	0·3 ~~·01~~	2·3 ~~·09~~	6·1 ~~·24~~	2·8 ~~·11~~	7·1 ~~·28~~	28
29	—	—	—	—	—	5·3 ~~·21~~	4·1 ~~·16~~	8·9 ~~·35~~	14·5 (~~·58~~)	4·8 ·19	2·8 ~~·11~~	—	29
30	0·5 ~~·02~~		—	—	3·8 ~~·15~~	0·8 ~~·02~~	—	—	13·2 ~~·52~~	3·0 ~~·12~~	—	—	30
31	0·3 ~~·01~~		2·0 ~~·08~~		0·3 ~~·01~~		3·8 ~~·15~~	5·3 ~~·21~~		1·3 ~~·05~~		0·8 ~~·03~~	31
99 Total	82·4 3·24	26·2 1·04	56·9 2·24	3·6 ·14	31·2 1·22	67·5 2·65	49·1 1·92	183·2 7·22	45·1 1·78	50·2 1·97	46·2 1·82	52·1 2·05	TOTAL for year 693·7
No. of Rain Days.	19	14	15	2	13	18	16	25	9	12	17	22	182

W. 8,000, X. '11.

82

FORM A. BRITISH RAINFALL.

27 JAN 1914

233

1203

REGISTER OF RAINFALL IN 1913

Kept at Cambridge Botanic Gardens

in the County of Cambridgeshire 2

by R. I. Lynch

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	1·3 ~~·05~~	3·3 ~~·13~~	1·8 ~~·07~~	2·5 ~~·10~~	—	—	—	—	7·9 ~~·31~~	—	1·3 ~~·05~~	0·3 ~~·01~~	1
2	1·8 ~~·07~~	4·1 ~~·16~~	—	—	4·8 ~~·19~~	—	3·8 ~~·15~~	—	11·7 ~~·46~~	—	1·5 ~~·06~~	—	2
3	—	—	3·0 ~~·12~~	—	16·5 ~~·65~~	—	—	—	0·3 ~~·01~~	0·3 ~~·01~~	—	1·5 ~~·06~~	3
4	2·3 ~~·09~~	—	—	—	1·5 ~~·06~~	—	2·0 ~~·08~~	—	—	2·5 ~~·10~~	1·3 ~~·05~~	4·1 ~~·16~~	4
5	1·8 ~~·07~~	0·3 ~~·01~~	—	—	—	—	0·3 ~~·01~~	—	0·5 ~~·02~~	16·8 ~~·66~~	0·5 ~~·02~~	—	5
6	—	1·8 ~~·07~~	2·5 ~~·10~~	—	2·3 ~~·09~~	8·6 ~~·34~~	1·5 ~~·06~~	—	—	0·5 ~~·02~~	—	—	6
7	—	1·5 ~~·06~~	—	—	0·8 ~~·03~~	—	0·8 ~~·03~~	0·3 ~~·01~~	—	7·4 ~~·29~~	0·3 ~~·01~~	—	7
8	—	—	—	—	4·3 ~~·17~~	0·8 ~~·03~~	—	—	—	—	2·3 ~~·09~~	—	8
9	—	5·1 ~~·20~~	1·0 ~~·04~~	0·5 ~~·02~~	0·3 ~~·01~~	2·5 ~~·10~~	1·5 ~~·06~~	—	0·5 ~~·02~~	—	1·3 ~~·05~~	1·0 ~~·04~~	9
10	0·3 ~~·01~~	—	0·5 ~~·02~~	0·5 ~~·02~~	—	—	3·0 ~~·12~~	0·3 ~~·01~~	—	—	7·6 ~~·30~~	—	10
11	16·3 ~~·64~~	—	—	9·7 ~~·38~~	—	1·0 ~~·04~~	—	5·1 ~~·20~~	—	0·5 ~~·02~~	4·3 ~~·17~~	—	11
12	—	—	—	—	1·0 ~~·04~~	—	—	0·5 ~~·02~~	—	—	1·5 ~~·06~~	—	12
13	—	—	—	—	—	—	—	0·5 ~~·02~~	—	—	10·4 ~~·41~~	—	13
14	0·8 ~~·03~~	0·3 ~~·01~~	1·8 ~~·07~~	0·8 ~~·03~~	—	—	6·1 ~~·24~~	—	—	5·6 ~~·22~~	0·8 ~~·03~~	—	14
15	4·1 ~~·16~~	0·8 ~~·03~~	5·6 ~~·22~~	2·0 ~~·08~~	—	—	3·6 ~~·14~~	—	—	—	—	—	15
16	2·0 ~~·08~~	—	6·3 ~~·25~~	2·8 ~~·11~~	—	—	—	—	2·8 ~~·11~~	—	—	—	16
17	2·3 ~~·09~~	0·5 ~~·02~~	3·3 ~~·13~~	2·0 ~~·08~~	—	30·0 ~~1·18~~	0·5 ~~·02~~	—	—	—	—	2·3 ~~·09~~	17
18	—	—	0·5 ~~·02~~	4·6 ~~·18~~	—	—	—	—	0·3 ~~·01~~	—	—	0·8 ~~·03~~	18
19	2·0 ~~·08~~	—	1·3 ~~·05~~	0·5 ~~·02~~	—	—	2·0 ~~·08~~	—	10·2 ~~·40~~	—	—	1·3 ~~·05~~	19
20	0·8 ~~·03~~	—	—	0·3 ~~·01~~	—	—	—	—	0·3 ~~·01~~	5·8 ~~·23~~	—	—	20
21	—	—	1·3 ~~·05~~	—	0·5 ~~·02~~	—	1·0 ~~·04~~	—	—	3·3 ~~·13~~	6·1 ~~·24~~	—	21
22	8·6 ~~·34~~	—	3·6 ~~·14~~	—	—	—	0·3 ~~·01~~	1·3 ~~·05~~	3·0 ~~·12~~	—	—	—	22
23	—	—	—	—	—	—	0·5 ~~·02~~	5·8 ~~·24~~	0·8 ~~·03~~	—	—	0·8 ~~·03~~	23
24	0·3 ~~·01~~	—	—	—	—	1·0 ~~·04~~	—	—	—	—	—	—	24
25	—	—	—	3·6 ~~·14~~	—	—	0·3 ~~·01~~	—	—	—	—	0·5 ~~·02~~	25
26	—	1·0 ~~·04~~	3·6 ~~·14~~	0·3 ~~·01~~	—	—	—	0·3 ~~·01~~	—	18·3 ~~·72~~	—	3·6 ~~·14~~	26
27	—	0·8 ~~·03~~	0·5 ~~·02~~	0·8 ~~·03~~	6·1 ~~·24~~	1·3 ~~·05~~	—	—	—	1·3 ~~·05~~	0·3 ~~·01~~	—	27
28	2·8 ~~·11~~	—	2·3 ~~·09~~	—	—	—	—	—	—	2·3 ~~·09~~	—	0·5 ~~·02~~	28
29	4·6 ~~·18~~		2·5 ~~·10~~	4·1 ~~·16~~	5·8 ~~·23~~	—	—	1·3 ~~·05~~	—	0·3 ~~·01~~	—	—	29
30	4·6 ~~·18~~		—	3·6 ~~·14~~	—	—	—	1·3 ~~·05~~	—	2·0 ~~·08~~	4·3 ~~·17~~	0·8 ~~·03~~	30
31	—		—		—		—	18·5 ~~·73~~		1·3 ~~·05~~		—	31
99 Total	56·7 ~~2·22~~	19·5 ~~·76~~	41·4 ~~1·63~~	38·6 ~~1·51~~	43·9 ~~1·73~~	45·2 ~~1·78~~	27·2 ~~1·07~~	35·2 ~~1·39~~	38·3 ~~1·50~~	68·2 ~~2·68~~	43·8 ~~1·72~~	17·5 ~~·68~~	YEAR'S TOTAL 475·5
Rain Days.	17	11	17	16	11	7	15	11	11	15	15	12	158

W. 7,500, XI. ·12

8L/

226

REGISTER OF RAINFALL IN 1914

28 JAN 1915

FORM A.
BRITISH RAINFALL.

1203

Kept at Cambridge Botanic Gardens

in the County of Cambridgeshire 2

by R. Irwin Lynch

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
14 1	—	—	0.8 ~~·03~~	—	—	—	1.3 ~~·05~~	4.8 ~~·19~~	—	—	2.0 ~~·08~~	—	1
2	0.3 ~~·01~~	—	—	1.0 ~~·04~~	—	—	0.3 ~~·01~~	5.1 ~~·20~~	—	—	1.3 ~~·05~~	2.0 ~~·08~~	2
3	—	—	3.0 ~~·12~~	0.3 ~~·01~~	3.0 ~~·12~~	—	7.4 ~~·29~~	5.1 ~~·20~~	—	—	3.0 ~~·12~~	—	3
4	2.8 ~~·11~~	—	0.5 ~~·02~~	4.8 ~~·19~~	—	—	—	1.8 ~~·07~~	—	—	8.1 ~~·32~~	4.3 ~~·17~~	4
5	—	—	1.3 ~~·05~~	3.3 ~~·13~~	0.5 ~~·02~~	0.5 ~~·02~~	4.6 ~~·18~~	15.0 ~~·59~~	—	—	—	—	5
6	—	1.8 ~~·07~~	—	—	0.5 ~~·02~~	1.3 ~~·05~~	0.5 ~~·02~~	0.8 ~~·03~~	—	—	4.1 ~~·16~~	2.0 ~~·08~~	6
7	—	0.8 ~~·03~~	7.1 ~~·28~~	0.8 ~~·03~~	3.8 ~~·15~~	2.0 ~~·08~~	2.0 ~~·08~~	—	—	—	—	9.9 ~~·39~~	7
8	2.8 ~~·11~~	1.5 ~~·06~~	7.4 ·29	0.3 ~~·01~~	1.8 ·07	14.0 ~~·55~~	0.5 ~~·02~~	3.0 ~~·12~~	—	—	—	—	8
9	14.2 ~~·56~~	—	11.4 ~~·45~~	1.3 ~~·05~~	0.3 ·01	12.9 ~~·51~~	—	—	—	—	—	23.4 ~~·92~~	9
10	11.4 ~~·45~~	1.8 ~~·07~~	—	3.3 ~~·13~~	0.8 ~~·03~~	—	—	—	1.5 ~~·06~~	—	—	0.5 ~~·02~~	10
11	—	2.3 ~~·09~~	7.6 ~~·30~~	1.0 ~~·04~~	0.3 ·01	6.9 ·27	—	—	0.3 ~~·01~~	—	7.4 ~~·29~~	2.8 ~~·11~~	11
12	0.3 ~~·01~~	0.3 ~~·01~~	1.8 ~~·07~~	—	—	0.3 ~~·01~~	—	—	10.9 ~~·43~~	—	—	3.3 ~~·13~~	12
13	—	4.1 ~~·16~~	3.6 ~~·14~~	—	—	—	—	—	—	6.6 ~~·26~~	1.5 ~~·06~~	5.1 ~~·20~~	13
14	—	—	3.8 ~~·15~~	—	—	—	4.6 ~~·18~~	—	—	19.6 ·77	1.3 ~~·05~~	19.1 ~~·75~~	14
15	1.5 ~~·06~~	—	6.6 ~~·26~~	—	—	—	2.0 ~~·08~~	0.8 ~~·03~~	4.1 ~~·16~~	—	0.3 ~~·01~~	2.8 ~~·11~~	15
16	—	—	2.5 ~~·10~~	—	—	—	2.3 ~~·09~~	—	—	—	0.3 ~~·01~~	—	16
17	0.3 ~~·01~~	8.1 ~~·32~~	—	—	—	—	—	—	2.3 ~~·09~~	—	—	—	17
18	—	0.5 ~~·02~~	0.5 ~~·02~~	—	—	—	—	—	—	—	—	7.1 ~~·28~~	18
19	—	0.5 ~~·02~~	3.0 ~~·12~~	—	—	0.8 ~~·03~~	2.0 ~~·08~~	—	—	—	5.1 ~~·20~~	—	19
20	—	1.3 ~~·05~~	7.6 ~~·30~~	—	—	1.3 ~~·05~~	—	—	0.3 ~~·01~~	—	—	1.5 ~~·06~~	20
21	0.3 ~~·01~~	4.6 ~~·18~~	3.3 ~~·13~~	—	—	10.4 ~~·41~~	—	0.8 ~~·03~~	—	0.5 ~~·02~~	—	3.3 ~~·13~~	21
22	—	—	0.8 ~~·03~~	0.3 ~~·01~~	8.6 ~~·34~~	—	1.8 ~~·07~~	1.3 ~~·05~~	—	11.2 ~~·44~~	—	0.3 ·01	22
23	—	0.5 ~~·02~~	1.0 ~~·04~~	—	1.8 ~~·07~~	—	—	—	—	3.3 ~~·13~~	—	0.8 ~~·03~~	23
24	0.3 ~~·01~~	—	—	2.5 ~~·10~~	—	0.5 ~~·02~~	4.1 ~~·16~~	—	—	2.5 ~~·10~~	3.0 ~~·12~~	—	24
25	0.5 ~~·02~~	—	1.8 ~~·07~~	—	—	—	0.3 ~~·01~~	1.3 ·05	—	8.4 ~~·33~~	—	1.0 ~~·04~~	25
26	—	—	1.3 ~~·05~~	—	—	—	0.3 ~~·01~~	2.3 ·09	—	0.3 ~~·01~~	1.3 ~~·05~~	8.1 ~~·32~~	26
27	0.8 ~~·03~~	—	0.8 ~~·03~~	—	—	—	1.0 ~~·04~~	—	—	—	0.3 ~~·01~~	2.8 ~~·11~~	27
28	—	0.5 ~~·02~~	—	—	—	—	—	—	—	1.5 ~~·06~~	12.7 ~~·50~~	35.8 ~~1·41~~	28
29	—		1.0 ~~·04~~	—	—	—	—	—	—	5.6 ~~·22~~	0.5 ~~·02~~	—	29
30	0.3 ~~·01~~		1.3 ~~·05~~	—	—	—	—	—	—	0.5 ·02	3.8 ~~·15~~	1.3 ~~·05~~	30
31	—		—		3.6 ~~·14~~		1.5 ~~·06~~	—		—		1.8 ~~·07~~	31
99 Total	35.8 ~~1·40~~	28.6 ~~1·12~~	79.8 ~~3·14~~	18.9 ~~·74~~	25.0 ·98	50.9 ~~2·00~~	36.5 ~~1·43~~	42.1 ~~1·65~~	19.4 ·76	60.0 2·36	56.0 ~~2·20~~	139.0 ~~5·47~~	YEAR'S TOTAL 591.9 ~~23~~
Rain Days.	13	14	24	11	11	11	17	12	6	11	17	22	169

W.7,000, XI. 13

[illegible] C 8·11·15

1315

FORM A.
BRITISH RAINFALL.

7 - JAN 1916
1203

REGISTER OF RAINFALL IN 1915

Kept at Cambridge Bot. Gdn.

in the County of Cambridge

by R. I. Lynch Esq. M.A. [illegible] V.G.R.

2

Lat. 52. 12 N. Long. 0. 8 E.

Time of Observation 9 a.m.

Nearest Railway Station Cambridge

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1½ in.

" " " " Sea Level 41 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 15	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	7.1 ~~·28~~	2.5 ~~·10~~	— ~~·18~~	~~0~~	2.3 ~~·09~~	~~0~~	~~0~~	~~0~~	2.0 ~~·08~~	~~0~~	~~Trace~~	3.0 ~~·12~~	1
2	1.3 ~~·05~~	1.3 ~~·05~~	4.6 ~~·07~~	0.8 ~~·03~~	~~0~~	0.3 ~~·01~~	~~0~~	15.0 ~~·59~~	~~0~~	~~0~~	0.5 ~~·02~~	1.0 ~~·04~~	2
3	4.6 ~~·18~~	~~0~~	1.8 ~~0~~	3.8 ~~·15~~	~~0~~	~~0~~	0.5 ~~·02~~	19.1 ~~·75~~	~~0~~	~~Trace~~	0.3 ~~·01~~	3.5 ~~·14~~	3
4	3.8 ~~·15~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	0.5 ·02	~~0~~	~~Trace~~	0.3 ~~·01~~	11.4 ~~·45~~	4
5	0.8 ~~·03~~	3.3 ~~·13~~	— ~~·05~~	~~0~~	2.5 ~~·10~~	~~0~~	~~0~~	~~0~~	~~0~~	0.3 ~~·01~~	0.3 ~~·01~~	4.6 ~~·18~~	5
6	4.6 ~~·18~~	~~0~~	1.3 ~~·03~~	3.8 ~~·15~~	~~0~~	~~0~~	25.9 (~~1·02~~)	0.5 ·02	~~0~~	0.5 ~~·02~~	~~0~~	0.8 ~~·03~~	6
7	2.0 ~~·08~~	5.8 ~~·23~~	0.8 ~~·02~~	~~0~~	~~0~~	~~0~~	5.6 ~~·22~~	3.0 ~~·12~~	~~0~~	~~0~~	~~0~~	2.3 ~~·09~~	7
8	~~0~~	4.3 ~~·17~~	0.5 ~~0~~	~~0~~	~~0~~	~~0~~	0.3 ~~·01~~	~~0~~	~~0~~	~~0~~	~~Trace~~	~~0~~	8
9	~~0~~	1.5 ~~·06~~	— ~~·04~~	~~0~~	~~0~~	0.5 ~~·02~~	~~0~~	~~0~~	~~0~~	~~0~~	4.6 ~~·18~~	13.7 ~~·54~~	9
10	7.6 ~~·30~~	~~0~~	1.0 ~~·03~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	0.5 ~~·02~~	1.3 ~~·05~~	10
11	0.5 ~~·02~~	~~0~~	0.8	0	1.0 ~~·04~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	16.3 ~~·64~~	~~0~~	11
12	~~0~~	~~0~~	~~0~~	7.6 ~~·30~~	6.3 ~~·25~~	~~0~~	~~0~~	17.0 ~~·67~~	~~0~~	0.3 ~~·01~~	20.8 ~~·82~~	1.0 ~~·04~~	12
13	0.8 ~~·03~~	8.4 ~~·33~~	~~0~~	~~0~~	28.5 ~~1·12~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	13
14	~~0~~	3.6 ~~·14~~	~~0~~	~~0~~	~~0~~	~~0~~	8.9 ~~·35~~	~~·01~~	0.5 ~~·02~~	~~0~~	~~0~~	8.6 ~~·34~~	14
15	4.3 ~~·17~~	0.3 ~~·01~~	~~0~~	~~0~~	0.3 ~~·01~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	4.8 ~~·19~~	1.5 ~~·06~~	15
16	~~0~~	2.3 ~~·09~~	~~0~~	~~0~~	~~0~~	~~0~~	11.4 ~~·45~~	3.3 ~~·13~~	~~0~~	~~Trace~~	~~0~~	~~Trace~~	16
17	0.5 ~~·02~~	3.3 ~~·13~~	~~0~~	~~0~~	1.3 ~~·05~~	~~0~~	3.0 ~~·12~~	33.5 ~~1·32~~	~~0~~	~~0~~	0.5 ~~·02~~	~~0~~	17
18	0.3 ~~·01~~	2.0 ~~·08~~	6.1 ~~·24~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	1.8 ~~·07~~	~~0~~	18
19	~~0~~	~~0~~	0.3 ~~·01~~	~~0~~	~~0~~	~~0~~	3.0 ~~·12~~	~~0~~	~~0~~	0.3 ~~·01~~	~~Trace~~	~~0~~	19
20	5.9 ~~·23~~	~~0~~	~~0~~	2.5 ~~·10~~	~~0~~	~~0~~	~~0~~	0.3 ~~·01~~	~~0~~	0.3 ~~·01~~	~~0~~	8.4 ~~·33~~	20
21	1.8 ~~·07~~	~~0~~	~~0~~	~~0~~	0.3 ~~·01~~	~~0~~	3.0 ~~·12~~	~~0~~	~~0~~	~~Trace~~	~~0~~	~~0~~	21
22	21.9 ~~·86~~	1.3 ~~·05~~	7.9 ~~·31~~	0.5 ~~·02~~	~~0~~	~~0~~	~~·42~~ 10.7 ~~·42~~	~~0~~	0.3 ~~·01~~	~~0~~	~~0~~	3.3 ~~·13~~	22
23	0.3 ~~·01~~	3.3 ~~·13~~	0.8 ~~·03~~	~~0~~	~~0~~	0.5 ~~·02~~	1.0 ~~·04~~	~~0~~	5.3 ~~·21~~	2.3 ~~·09~~	~~Trace~~	4.6 ~~·18~~	23
24	~~0~~	0.5 ~~·02~~	2.8 ~~·11~~	~~0~~	~~0~~	~~0~~	1.0 ~~·04~~	~~0~~	5.8 ~~·23~~	~~0~~	~~0~~	1.5 ~~·06~~	24
25	~~0~~	~~0~~	0.3 ~~·01~~	~~0~~	~~0~~	7.4 ~~·29~~	0.8 ~~·03~~	~~0~~	~~0~~	~~Trace~~	~~0~~	1.3 ~~·05~~	25
26	~~0~~	1.3 ~~·05~~	~~0~~	~~0~~	~~0~~	0.8 ·03	0.8 ~~·03~~	~~0~~	~~0~~	~~0~~	~~0~~	4.1 ~~·16~~	26
27	~~0~~	1.8 ~~·07~~	~~0~~	~~0~~	~~0~~	3.0 ~~·12~~	5.1 ~~·20~~	~~0~~	~~0~~	12.5 ~~·49~~	~~0~~	0.3 ~~·01~~	27
28	~~0~~	0.5 ~~·02~~	~~0~~	~~0~~	~~0~~	10.7 ~~·42~~	0.3 ~~·01~~	1.0 ~~·04~~	15.0 ~~·59~~	1.8 ~~·07~~	~~0~~	~~0~~	28
29	~~0~~	~~0~~	~~0~~	~~0~~	~~0~~	2.0 ~~·08~~	0.3 ~~·01~~	3.0 ~~·12~~	~~0~~	~~0~~	1.0 ~~·04~~	2.3 ~~·09~~	29
30	1.0 ~~·04~~		~~0~~	~~0~~	~~0~~	19.3 ~~·76~~	0.3 ~~·01~~	~~0~~	~~0~~	~~0~~	~~Trace~~	~~Trace~~	30
31	0.5 ·02		0		~~0~~		~~0~~	1.0 ~~·04~~		~~0~~		2.0 ~~·08~~	31
99 Total	69.6 2·43	47.3 1·86	29.0 1·13	19.0 ·75	42.5 1·67	44.5 1·75	81.9 3·22 3·22	97.2 3·84	28.9 1·14	18.3 ·71	51.7 2·03 2·03	80.5 3·17	YEAR'S TOTAL 610.4 2? ·00 24·00
Rain Days.	19	18	13	6	8	9	18	13	6	8	12	21	151

W. 8,000. X. 14.

✓ ~~WK~~ DL cwd for auth

REGISTER OF RAINFALL IN 1916

FORM ~~1a~~ 3 BRITISH RAINFALL.

12. JAN 1917

Kept at Cambridge Bot Gdns
in the County of Cambridgeshire
by R. I. Lynch Esq M.A. M.V.O.P.

Lat. 52·12N Long. 0·8E
Time of Observation
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 43 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	0	·10	0	0	·02	0	0	trace	0	·25	0	1
2	·26	0	·04	0	·15	0	0	0	trace	·13	0	0	2
3	0	·13	·01	0	·20	0	·02	0	·15	·31	·15	0	3
4	·26	·08	·02	0	0	·26	0	0	·23	·02	·17	0	4
5	0	·01	·01	·02	0	·11	06	0	trace	·10	·21	·02	5
6	0	·09	21	·23	trace	·05	·07	0	0	0	·18	0	6
7	·12	0	·13	0	0	·12	·28	0	0	trace	·28	·04	7
8	·0	0	01	0	·15	trace	0	0	0	0	·02	·10	8
9	·01	0	·0	0	·14	·17	0	0	0	0	0	·09	9
10	0	·03	·16	·04	·15	·06	·29	0	trace	0	0	0	10
11	·05	·26	·03	·11	0	·10	0	0	·01	0	0	·08	11
12	·01	·02	trace	trace	·06	·25	·05	·02	trace	·16	0	0	12
13	·0	·33	·05	08	·35	·13	·39	·12	0	·05	0	0	13
14	0	·47	·02	·03	·17	·01	0	0	0	0	0	·11	14
15	0	·16	·23	01	·07	0	·04	·46	trace	0	0	·04	15
16	0	·14	·08	·19	0	0	·08	·06	0	·02	0	0	16
17	·03	·02	0	·30	·04	0	·22	trace	·20	·21	0	0	17
18	trace	·11	·02	·05	0	0	0	·08	·23	·02	·36	0	18
19	02	trace	04	·23	0	trace	0	·07	·12	0	·70	·04	19
20	·13	0	·26	02	0	0	0	·02	0	0	·13	09	20
21	trace	0	·63	trace	0	0	·28	0	0	0	0	·44	21
22	0	·10	·01	0	0	·01	0	0	0	0	0	·44	22
23	0	·60	0	0	·15	·07	0	trace	0	0	·06	·13	23
24	0	·12	0	0	0	07	0	·02	0	·08	·02	·30	24
25	0	·14	07	0	0	0	0	·16	0	05	·04	·02	25
26	0	·11	05	0	·02	·04	0	·03	0	trace	02	0	26
27	04	·28	·41	0	0	trace	0	·03	trace	·12	0	0	27
28	trace	·24	·36	0	0	·02	0	0	trace	0	0	·12	28
29	0	·10	trace	0	0	·10	0	·99	0	·15	0	·02	29
30	trace	~~10~~	0	·15	0	trace	0	·35	0	·24	0	0	30
31	0	╳	0	╳	0	╳	0	·02	╳	·02	╳	0	31
Total	1·23	~~3·24~~ 3·54	3·25	1·46	1·65	1·59	1·48	2·43	·94	1·68	2·59	2·08 2·28	YEAR'S TOTAL 24·32 24·22
Rain Days.	15	21 ~~22~~	25	15	13	21	11	16	~~04~~	17	14	16	~~189~~ 173
	11		23	13	12	17		14	6	15			

W. 8,000. X. 15.

Section **A** for the entry of Daily Observations

Station No. 1203

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN ~~19~~5 16

1203

Kept at Cambridge (Botanic Gardens)

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

millimetres (cr)

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
16	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm		
1	7.6	–	2.6	–	–	0.5	–	–	–	–	6.3	–		1
2	6.6	–	1.0	–	3.8	–	=	–	–	3.3	–	–		2
3	–	3.3	0.3	–	5.1	–	0.5	–	3.8	7.9	3.8	–		3
4	6.6	2.0	0.5	–	–	6.6	–	–	5.9	0.5	4.4	–		4
5	–	0.2	0.3	0.5	–	2.8	1.5	–	–	2.6	5.3	0.5		5
6	–	2.3	5.3	5.8	–	1.3	1.8	–	–	–	4.6	–		6
7	3.1	–	3.3	–	–	3.1	7.1	–	–	–	7.1	1.0		7
8	–	–	0.2	–	3.8	–	–	–	–	–	0.5	2.5		8
9	0.3	–	–	–	3.6	4.3	–	–	–	–	–	2.3		9
10	–	0.8	4.1	1.0	3.8	1.5	7.4	–	–	–	–	–		10
11	1.3	6.6	0.8	2.8	–	2.6	–	–	0.2	–	–	2.0		11
12	0.2	0.5	–	=	1.5	6.4	1.3	0.5	–	4.1	–	–		12
13	–	8.4	1.3	2.0	8.9	3.3	9.9	3.0	–	1.3	–	–		13
14	–	11.9	0.5	0.8	4.3	0.2	1.0	–	–	=	–	2.8		14
15	–	4.1	5.9	0.3	1.8	–	2.0	11.7	–	–	–	1.0		15
16	–	3.6	2.0	4.8	–	–	5.6	1.5	–	0.5	–	–		16
17	0.7	0.5	–	7.6	1.0	–	–	–	5.1	5.3	–	–		17
18	–	2.8	0.5	1.3	–	–	–	2.0	5.8	0.5	9.2	–		18
19	0.5	–	1.0	5.9	–	–	–	1.8	3.1	–	17.8	1.0		19
20	3.3	–	6.6	0.5	–	–	7.1	0.5	–	–	3.3	2.3		20
21	–	–	16.0	–	–	–	–	–	–	–	–	11.2		21
22	–	2.6	0.2	–	–	0.2	–	–	–	–	–	11.2		22
23	–	15.3	–	–	3.8	1.8	–	–	–	–	1.5	3.3		23
24	–	3.0	–	–	–	1.8	–	0.5	–	2.0	0.5	7.7		24
25	–	3.5	1.8	–	–	–	–	4.1	–	1.3	1.0	0.5		25
26	–	2.8	1.3	–	0.5	1.0	–	0.8	–	–	0.5	–		26
27	1.0	7.1	18.0	–	–	–	–	0.8	–	3.0	–	–		27
28	–	6.1	9.1	–	–	0.5	–	–	–	–	–	3.0		28
29	–	2.5	–	–	–	2.5	–	25.1	–	3.8	–	0.5		29
30	–	X	–	3.8	–	–	–	8.9	–	6.1	–	–		30
31	–	X	–	X	–	X	–	0.5	X	0.5	X	–		31
99 TOTAL	31.2 ✓	89.9 ✓	82.6 ✓	37.1 ✓	41.9 ✓	40.4 ✓	45.2 ✓	61.7 ✓	23.9 ✓	42.7 ✓	65.8 ✓	52.8 ✓	Year's Total 61.52	✓
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ....

cnd for auth

1237

REGISTER OF RAINFALL IN 1917

FORM A.3
BRITISH RAINFALL.

28. JAN 1918

Kept at Cambridge Bot Gdns
in the County of Cambridgeshire
by R. I. Lynch Esq M.A. pp. T.G.P.

Lat. 52·12N Long. 0·8E
Time of Observation 8
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 8 ~~8·13~~ in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 41 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	·02	0	·05	0	0	0	·91	·16	0	·15	0	1
2	·03	·02	0	·24	0	·04	0	·17	0	0	·02	0	2
3	0	0	0	·01	0	0	0	·35	0	·06	·09	0	3
4	0	·09	0	0	0	0	0	·02	0	·62	0	0	4
5	·18	·01	trace	·20	0	0	0	·01	trace	·03	·07	0	5
6	0	0	0	0	0	·02	0	·00	·01	·06	·02	0	6
7	·19	0	trace	0	0	trace	0	·00	0	·48	trace	0	7
8	·10	0	·01	·07	0	0	1·43	·09	0	·23	·11	·04	8
9	·04	0	·08	·03	0	0	·01	·39	0	·01	·03	·00	9
10	·24	·02	·13	·13	0	0	0	·06	0	trace	trace	·01	10
11	·09	0	·42	·07	0	0	0	·00	trace	·16	0	0	11
12	·08	·01	·08	·01	·09	0	0	·08	0	·23	0	·02	12
13	·16	0	·02	trace	0	·10	trace	·05	·03	·10	trace	·01	13
14	·02	·03	0	·17	0	0	0	·02	0	0	0	trace	14
15	·02	0	trace	0	0	0	0	00	0	·01	trace	·01	15
16	·01	·07	0	·26	trace	·05	0·1	0	0	·61	0	·10	16
17	·01	0	·01	·18	·60	0	·23	trace	·43	·20	0	0	17
18	·02	·01	0	·08	·01	·13	·24	·05	·52	0	0	0	18
19	·01	·04	·15	0	·36	·02	0	0	·34	0	trace	0	19
20	·01	·21	·11	0	·09	0	0	0	0	0	·12	0	20
21	·02	·01	·05	0	0	0	0	0	0	0	trace	0	21
22	trace	trace	·11	0	0	0	0	·01	0	·09	0	0	22
23	0	·04	0	0	·19	0	0	·816	·03	trace	0	·01	23
24	0	·01	0	0	0	·17	trace	·06	0	·12	·05	·03	24
25	0	·01	·02	0	0	0	0	0	0	0	·01	·03	25
26	0	~~trace~~ 0	·05	0	0	·01	0	·15	·06	0	·41	·05	26
27	0	·07	·61	0	0	0	0	·46	0	0	trace	0	27
28	0	·02	·14	0	0	·92	0	·05	0	·01	0	·07	28
29	0		trace	0	0	·46	1·39	·05	0	·18	0	·12	29
30	·04	X	0	0	0	·0	·60	·07	0	0	0	·01	30
31	·03	X	·39	X	0	X	·49	·07	X	0	X	·02	31
Total	1·33 1·33	·62	1·78	1·50	1·34	1·92	4·40	3·28 3·26	1·58	3·20	1·08	·66	YEAR'S TOTAL 22·49
Rain Days.	~~20~~ 19	17 ~~18~~	16 ~~19~~	13 ~~14~~	~~7~~ 6	10 ~~11~~	8 ~~9~~	21 ~~22~~	8 ~~10~~	17 ~~19~~	11 ~~18~~	15 ~~16~~	161 ~~183~~

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations

Station No. 1203

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

1203

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~ 17

Kept at Cambridge, Botanic Gdns

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

mm. av.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
17	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	†	
1	–	0.5	–	1.3	–	–	–	23.1	4.1	–	3.8	–		1
2	0.8	0.5	–	6.1	–	1.0	–	4.3	–	–	0.5	–		2
3	–	–	–	0.2	–	–	–	8.9	–	1.5	2.3	–		3
4	–	2.3	–	–	–	–	–	0.5	–	15.7	–	–		4
5	4.6	0.3	–	5.1	–	–	–	0.2	–	0.8	1.8	–		5
6	–	–	–	–	–	0.5	–	–	0.2	1.6	0.5	–		6
7	4.8	–	–	–	–	–	–	–	–	12.2	–	–		7
8	2.5	–	0.2	1.8	–	–	36.3	2.3	–	5.8	2.8	1.0		8
9	1.0	–	2.0	0.8	–	–	0.3	9.9	–	0.3	0.8	2.5		9
10	6.8	0.5	3.3	3.3	–	–	–	1.5	–	–	–	0.3		10
11	2.3	–	10.7	1.8	–	–	–	–	–	4.1	–	–		11
12	2.1	0.3	2.0	0.2	2.3	–	–	2.0	–	5.8	–	0.5		12
13	4.1	–	0.5	–	–	2.5	–	1.3	0.8	2.5	–	0.2		13
14	0.5	0.8	–	4.3	–	–	–	0.5	–	–	–	–		14
15	0.5	–	–	–	–	–	–	–	–	0.2	–	0.2		15
16	0.3	1.8	–	6.6	–	1.3	0.2	–	–	15.5	–	2.5		16
17	0.3	–	0.2	4.6	15.3	–	5.9	–	10.9	5.1	–	–		17
18	0.5	0.2	–	2.0	0.2	3.3	6.1	1.3	13.2	–	–	–		18
19	0.2	1.1	3.8	–	9.1	0.5	–	–	8.6	–	–	–		19
20	0.2	5.4	2.8	–	2.3	–	–	–	–	–	3.0	–		20
21	0.5	0.2	1.3	–	–	–	–	–	–	–	–	–		21
22	–	–	2.8	–	–	–	–	0.2	–	2.3	–	–		22
23	–	1.0	–	–	4.8	–	–	4.1	0.8	–	–	1.1		23
24	–	0.2	–	–	–	4.3	–	1.5	–	3.0	1.3	0.8		24
25	–	0.2	0.5	–	–	–	–	–	–	–	0.2	0.8		25
26	–	–	1.3	–	–	0.3	–	3.8	1.5	–	10.4	1.3		26
27	–	–	0.3	–	–	–	–	11.7	–	–	–	–		27
28	–	0.5	3.6	–	–	23.4	–	1.3	–	0.2	–	1.8		28
29	–	~~X~~	–	–	–	11.7	35.3	1.3	–	4.6	–	3.1		29
30	1.0	X	–	–	–	–	15.2	1.8	–	–	–	0.2		30
31	0.8	X	9.9	X	–	X	12.4	1.8	X	–	X	0.5		31
TOTAL	99 33.8 ✓	15.8 ✓	45.2 ✓	38.1 ✓	34.0 ✓	48.8 ✓	111.7 111.7	83.3 ✓	40.1 ✓	81.3 ✓	27.4 ✓	16.8 ✓	Year's Total 576.3 ✓	
*Days with .01 in. or more.	5		0											
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) (P.T.O.)

Ex RR 8 in. till Sept. & then 5 inches

23

FORM A. BRITISH RAINFALL. 1203

REGISTER OF RAINFALL IN 1918

Kept at Cambridge ~~Bot~~ & Gdns

in the County of Cambridgeshire

by R. I. Lynch Esq M.A. pp F.G.P.

Lat. 52.12.N. Long. 0.8.E 15.

Time of Observation 8

Nearest Railway Station Cambridge

Diameter of Funnel of Rain Gauge 8 & 5 in. 19

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 41 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
								in. ~~x~~	m.m. x	x	x	x 2·8	
1	0	trace	0	·06	0	0	0	0	0	0	1·0	4·3	1
2	·01	·06	0	·16	0	0	0	·05	0	0·1	0	0	2
3	0	·02	·05	0	·44	0	trace	·04	3·4	0	17·5	1·0	3
4	0	·01	·05	0	trace	0	0	·01	10·7	trace	4·9	0	4
5	0	trace	trace	0	·15	0	0	·09	7·4	2·2	0	0·4	5
6	·04	·12	0	·13	trace	0	0	·02	6·5	0	0	0	6
7	·13	·04	0	02	·01	0	trace	0	1·1	1·4	1·1	0	7
8	0	·04	0	0	0	0	·22	0	3·9	0	3·0	0·6	8
9	·04	trace	0	03	0	·03	·12	0	11·0	5·~~9~~4	0	5·1	9
10	·05	0	0	02	0	0	trace	0	0·5	0	0·2	1·9	10
11	·01	0	0	01	·12	0	0·9	0	4·6	8·2	0·4	trace	11
12	0	·15	0	0	·10	0	·10	0	2·6	1·6	0	2·9	12
13	0	·01	0	01	·36	0	0	0	1·0	0	0	2·0	13
14	·19	0	0	trace	0	08	·10	0	12·0	6·6	0	2·0	14
15	·79	0	0	1·60	0	0	·35	0	1·8	0	0	0	15
16	·09	0	0	·64	0	0	trace	trace	26·6	0	0	2·4	16
17	·12	0	0	·18	0	·02	·51	0	0	0	0	7·2	17
18	·47	0	0	0	0	·16	·15	0	11·0	0	0	1·2	18
19	·01	trace	·14	·03	0	·81	·17	0	0	1·6	0	0	19
20	·01	·10	trace	·08	0	·04	·09	0	1·9	1·2	0	0	20
21	trace	trace	0	·01	0		trace	0	17·3	2·7	0	6·4	21
22	trace	0	0	trace	·34	0	·08	0	3	0	0	0	22
23	·07	0	0	0	·62	62	·11	·04	1·0	0	0	0	23
24	0	·18	0	trace	trace	01	trace	0	1·4	0	0	0	~~24~~
25	0	0	0	0	0	0	·01	·27	0	trace	2·6	2·1	25
26	0	0	0	0	0	0	·30	0	0	1·2	6·2	1·1	26
27	trace	0	0	·21	0	trace	·08	·16	1·9	0	2·0	2·5	27
28	trace	·05	·04	·01	0	trace	0	·12	0	0	6·2	0·2	28
29	trace	~~0~~	·02	0	0	0	0	0	39·0	0	0·5	2·8	29
30	trace	X	·35	0	0	·05	0	·04	1·4	0	2·4	4·2	30
31	0	X	·10	X	0	X	0	·01	X	1·3	X		31
Total	2·03	·81	·75	3.20	2·14	1.22	2.48	·85	6.63 168.3	1.32 33.5	1.89 48.0	2.09 53.1	YEAR'S TOTAL 25.41
Rain Days.	·14	11	7	16	8	9	15	11	2~~1~~3	12	13	20	15~~7~~8

X were read in m.m. the previous months in inches

W, 0,500, VII. 18. W W C

Section **A** for the entry of Daily Observations

Station No. 1203

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~18

Kept at Cambridge (Bot. Gdns.)

in the County of Cambridgeshire

Diameter of funnel of gauge .... in.

Height of top of gauge above ground 1 ft. 1 in.

Height of ground above sea level 41 ft.

m m w

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
18	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	†	
1	–	–	–	1·5	–	–	–	–	–	–	1·0	2·8		1
2	0·2	1·5	–	4·1	–	–	–	1·3	–	0·1	–	4·3		2
3	–	0·5	1·3	–	11·2	–	–	1·1	3·4	–	17·5	–		3
4	–	0·3	1·3	–	–	–	–	0·3	10·7	–	4·9	1·0		4
5	–	=	–	–	3·8	–	–	2·3	7·4	2·2	–	–		5
6	1·0	3·0	–	3·3	–	–	–	0·5	6·5	–	–	0·4		6
7	3·3	1·8	–	0·5	0·3	–	–	–	1·1	1·4	1·1	–		7
8	–	1·0	–	–	–	–	5·6	–	3·9	–	3·0	–		8
9	1·0	–	–	0·8	–	0·8	3·1	–	11·0	5·4	–	0·6		9
10	1·3	>	–	0·5	–	–	–	–	0·5	–	0·2	5·1		10
11	0·3	=	–	0·2	2·9	–	2·3	–	4·6	8·2	0·4	1·9		11
12	–	3·8	–	–	2·6	–	2·6	–	2·6	1·6	–	–		12
13	=	0·3	–	0·3	9·2	–	–	–	1·0	–	–	2·9		13
14	4·8	=	–	–	–	2·0	2·5	–	12·0	6·6	–	2·0		14
15	20·1	=	–	40·6	–	–	8·9	–	1·8	–	–	2·0		15
16	2·3	=	–	16·2	–	–	–	–	26·6	–	–	–		16
17	3·0	=	–	4·6	–	0·5	12·9	–	–	–	–	2·4		17
18	11·9	–	–	–	–	4·1	3·8	–	11·0	–	–	7·2		18
19	0·3	=	3·5	0·8	–	20·6	4·3	–	–	1·6	–	1·2		19
20	0·3	2·5	–	2·0	–	1·0	2·3	–	1·9	1·2	–	–		20
21	–	–	–	0·3	–	–	–	–	17·3	2·7	–	–		21
22	–	–	–	–	8·6	–	2·0	–	0·3	–	–	6·4		22
23	1·8	=	–	–	15·8	0·5	2·8	1·0	1·0	–	–	–		23
24	–	4·6	–	–	–	0·2	–	–	1·4	–	–	–		24
25	–	–	–	–	–	–	0·3	6·8	–	–	2·6	–		25
26	–	–	–	–	–	–	7·6	–	–	1·2	6·2	2·1		26
27	–	–	–	5·3	–	–	2·0	4·1	1·9	–	2·0	1·1		27
28	–	1·3	1·0	0·3	–	–	–	3·0	–	–	6·2	2·5		28
29	–	X	0·5	–	–	–	–	–	39·0	–	0·5	0·2		29
30	–	X	8·9	–	–	1·3	–	1·0	1·4	–	2·4	2·8		30
31	–	X	2·5	X	–	X	–	0·2	X	1·3	X	4·2		31
99 TOTAL	51·6 ✓	20·6 ✓	19·0 ✓	81·3 ✓	54·4 ✓	31·0 ✓	63·0 ✓	2·16 ✓	168·3 ✓	33·5 ✓	48·0 ✓	53·1 ✓	Year's Total 645·4 ✓	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Ex. CaB. 4/2/20 cor'd by B + [illegible].

1171

1203

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

5 FEB 20

Kept at Cambridge [M.O.]

in the County of Cambridge

by R. Irwin Lynch M.A.

Lat. 52° 12′ Long. 0° 8′ E

Time of Observation 8h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 41 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6·6	1·0	-	-	1·5	-	8·1	-	-	0·9	-	23·2	1
2	6·2	-	0·4	-	1·2	-	1·2	-	3·3	-	4·3	14·2	2
3	6·4	-	5·5	-	-	-	1·3	-	0·9	-	4·2	1·9	3
4	2·0	-	7·3	-	-	1·7	3·3	0·8	-	-	-	5·1	4
5	0·8	4·8	6·5	-	-	-	4·3	-	4·3	-	-	3·8	5
6	-	-	1·7	-	-	-	-	-	-	-	1·1	-	6
7	-	-	6·6	-	-	-	-	-	-	-	2·3	-	7
8	1·4	-	1·1	2·8	-	-	-	-	-	-	2·2	-	8
9	-	-	1·3	0·8	-	-	-	-	-	0·5	0·8	-	9
10	-	-	3·1	1·2	-	-	-	-	-	-	-	-	10
11	2·6	-	3·5	2·5	-	-	12·9	-	-	-	0·8	1·6	11
12	-	-	4·7	-	-	1·4	4·3	-	-	1·0	0·9	-	12
13	2·2	-	-	1·9	-	-	-	-	-	-	-	0·2	13
14	5·9	-	-	3·7	-	-	0·6	-	1·9	-	-	-	14
15	6·5	-	1·3	1·4	-	-	-	-	-	-	0·6	2·1	15
16	1·0	16·3	-	1·1	-	-	-	0·5	-	-	2·0	-	16
17	-	14·3	0·5	0·4	-	-	-	-	-	-	5·4	0·7	17
18	-	10·2	0·5	-	-	-	-	3·6	-	-	-	1·6	18
19	-	4·2	5·2	-	-	4·1	2·6	3·7	0·6	-	1·9	0·3	19
20	8·5	-	0·8	-	-	15·2	14·8	7·4	-	-	-	-	20
21	9·6	7·3	-	-	-	-	12·9	-	-	-	-	3·6	21
22	-	10·6	1·2	-	-	-	4·2	-	3·7	-	1·0	11·5	22
23	-	-	-	-	-	1·6	5·4	1·0	1·1	-	-	2·1	23
24	-	-	-	3·7	-	5·4	0·4	-	-	0·3	0·2	-	24
25	2·4	-	-	1·9	3·1	0·5	-	2·5	-	-	-	1·5	25
26	4·2	8·3	0·5	3·4	-	-	-	5·0	1·9	-	-	6·7	26
27	16·0	2·4	0·1	26·8	-	-	-	3·1	-	0·4	-	-	27
28	-	-	-	3·3	-	-	0·2	23·0	-	2·2	-	6·8	28
29	1·5	X	-	2·8	-	-	0·2	3·5	-	4·1	2·6	1·7	29
30	-	X	-	6·5	-	5·5	-	0·6	-	1·0	2·2	2·6	30
31	1·3	X	-	X	-	X	0·2	-	X	0·6	X	1·2	31
99 TOTAL	85·1 ✓	79·4 ✓	51·8 ✓	64·2 ✓	5·8 ✓	~~35·0~~ 35·4 ✓	76·9 ✓	54·7 ✓	17·7 ✓	11·0 ✓	32·5 ✓	92·4 ✓	YEAR'S TOTAL 606·9 606·5 ✓
Days with 0·2 mm. or more	18	10	18	16	3	8	17	12	8	9	16	20	155 ✓

607

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Section **A** for the entry of daily observations

Station No. 1203

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1091

REGISTER OF RAINFALL IN 1920

Kept at Cambridge (Botanic Gdn)

in the County of Cambridge

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 1 ft. 1 in.

Height of ground above sea level 41 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
20	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	—	—	—	8·3	1·5	—	4·7	1·0	—	9·6	0·5	2·5		1
2	—	—	1·3	3·3	—	—	—	2·8	2·7	—	—	0·7		2
3	—	0·7	—	5·0	—	0·7	3·9	—	1·7	—	—	0·3		3
4	—	—	1·9	3·5	—	—	3·4	3·2	0·8	0·3	—	1·5		4
5	—	—	0·9	1·2	1·8	—	13·9	0·4	2·7	—	—	1·1		5
6	—	—	2·4	—	1·5	—	13·4	—	—	—	—	—		6
7	—	—	2·3	1·9	—	—	2·4	—	—	—	—	0·4		7
8	4·8	—	—	9·1	—	—	1·0	1·0	—	—	—	—		8
9	10·2	—	—	12·0	—	—	—	4·1	—	—	—	—		9
10	2·5	0·5	2·7	0·6	—	—	1·1	—	—	—	0·2	0·3		10
11	8·5	—	1·2	9·0	0·6	0·1	1·4	—	—	—	—	0·9		11
12	2·8	—	2·2	2·3	—	2·8	—	—	—	—	—	3·7		12
13	0·3	0·2	0·1	3·4	—	1·8	—	—	—	—	—	—		13
14	—	—	3·5	3·6	—	0·4	1·4	—	3·0	1·3	3·1	0·6		14
15	0·3	—	9·0	0·7	—	—	—	—	7·5	—	1·8	1·1		15
16	—	—	—	1·2	—	—	—	—	4·9	—	0·4	—		16
17	0·6	—	0·3	0·4	1·6	—	0·2	—	9·4	—	—	1·1		17
18	1·0	—	—	—	0·6	—	—	5·8	3·0	—	—	0·6		18
19	5·8	—	—	0·6	—	0·7	—	—	—	—	—	—		19
20	2·1	3·2	—	6·7	—	14·2	—	—	0·4	—	—	—		20
21	—	—	—	6·5	—	—	7·1	2·1	7·6	—	—	0·4		21
22	—	—	—	3·4	—	—	—	1·0	18·6	—	—	1·0		22
23	—	—	—	—	—	—	6·8	—	—	—	—	8·2		23
24	0·6	—	3·0	—	—	—	—	0·1	0·1	—	—	1·3		24
25	—	1·6	0·5	1·3	—	0·4	5·2	—	0·5	—	—	0·1		25
26	1·7	—	0·9	1·5	17·7	—	5·2	—	—	—	—	—		26
27	2·7	—	—	1·6	—	9·1	—	—	—	—	3·9	1·2		27
28	8·7	—	5·8	—	5·2	0·2	0·9	—	—	—	0·3	0·2		28
29	0·7	—	2·0	—	6·3	—	1·3	—	—	—	1·1	7·9		29
Rl 30	~~0·7~~	X	—	0·4	0·4	1·2	0·7	0·3	4·1	—	1·0	3·4		30
31	1·3	X	—	X	—	X	—	—	X	1·1	X	3·6		31
TOTAL 99	54·6	6·2 ✓	40·0 ✓	87·5 ✓	37·2 ✓	31·6 ✓	74·0 ✓	21·8 ✓	67·0 ✓	12·3 ✓	12·3 ✓	42·1 ✓	486·6	
*Days with 0.2 mm. or more	17	5	16	24	10	10	18	10	14	4	9	22	159	
*Days with 1.0 mm. or more														
OFFICE USE ONLY														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except years' total.

(*Signed*)..(P.T.O.)

W towns [illegible] MWR

11 14
1203

2 MAR 1921

~~[illegible]~~

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cambridge (Botanic Gdn.)
in the County of Cambridge (M.O.)
by The Curator

Lat. 52°12′N Long. 0°8′E
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 41 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
20	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	8·3	1·5	-	4·7	1·0	-	9·6	0·5	2·5	1
2	-	-	1·3	3·3	-	-	-	2·8	2·7	-	-	0·7	2
3	-	0·7	-	5·0	-	0·7	3·9	-	1·7	-	-	0·3	3
4	-	-	1·9	3·5	-	-	3·4	3·2	0·8	0·3	-	1·5	4
5	-	-	0·9	1·2	1·8	-	13·9	0·4	2·7	-	-	1·1	5
6	-	-	2·4	-	1·5	-	13·4	-	-	-	-	-	6
7	-	-	2·3	1·9	-	-	2·4	-	-	-	-	0·4	7
8	4·8	-	-	9·1	-	-	1·0	1·0	-	-	-	-	8
9	10·2	-	-	12·0	-	-	-	4·1	-	-	-	-	9
10	2·5	0·5	2·7	0·6	-	-	1·1	-	-	-	0·2	0·3	10
11	8·5	-	1·2	9·0	0·6	0·1	1·4	-	-	-	-	0·9	11
12	2·8	-	2·2	2·3	-	2·8	-	-	-	-	-	3·7	12
13	0·3	0·2	0·1	3·4	-	1·8	-	-	-	-	-	-	13
14	-	-	3·5	3·6	-	0·4	1·4	-	3·0	1·3	3·1	0·6	14
15	0·3	-	9·0	0·7	-	-	-	-	7·5	-	1·8	1·1	15
16	-	-	-	1·2	-	-	-	-	4·9	-	0·4	-	16
17	0·6	-	0·3	0·4	1·6	-	0·2	-	9·4	-	-	1·1	17
18	1·0	-	-	-	0·6	-	-	5·8	3·0	-	-	0·6	18
19	5·8	-	-	0·6	-	0·7	-	-	-	-	-	-	19
20	2·1	3·2	-	6·7	-	14·2	-	-	0·4	-	-	-	20
21	-	-	-	6·5	-	-	7·1	2·1	7·6	-	-	0·4	21
22	-	-	-	3·4	-	-	-	1·0	18·6	-	-	1·0	22
23	-	-	-	-	-	-	6·8	-	-	-	-	8·2	23
24	0·6	-	3·0	-	-	-	-	0·1	0·1	-	-	1·3	24
25	-	1·6	0·5	1·3	-	0·4	5·2	-	0·5	-	-	0·1	25
26	1·7	-	0·9	1·5	17·7	-	5·2	-	-	-	-	-	26
27	2·7	-	-	1·6	-	9·1	-	-	-	-	3·9	1·2	27
28	8·7	-	5·8	-	5·2	0·2	0·9	-	-	-	0·3	0·2	28
29	0·7	-	2·0	-	6·3	-	1·3	-	-	-	1·1	7·9	29
30	-		-	0·4	0·4	1·2	0·7	0·3	4·1	-	1·0	3·4	30
31	1·3		-		-		-	-		1·1		3·6	486·6
99 TOTAL	54·6	6·2	40·0 ~~39·7~~	87·5	37·2	31·6 ~~30·8~~	74·0	21·8	67·0	12·3	12·3	42·1	YEAR'S ~~TOTAL~~ ~~4[illegible]~~
Days with 0·2 mm. or more	17	5	16	24	10	10	18	10	14	4	9	22	159
	[illegible]	[illegible]	12	10	7	5	15	8	14	3	5	13	142

(44,284). Wt. [illegible]—218 500. 1[illegible]. Gp. 1[illegible]2. [illegible] &E.

copied from BR 3202

Of

RE

BATCHSLIP

STD JOB: MET-ARCH

BATCH : METZ007

ENTRY ---\|\|\| VERIFY 110 ---

1911 - 1920 (10)

FORM A2. BRITISH RAINFALL.

23 JAN 1912

238

Kept at Boxwor

in the County of Cam

by E. H. Thorn

3 in.

Ground 1 ft. in.

Sea Level 76 ft. ?

Name

Distance Direction

IMPORTANT NOTE the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the readi r in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camde

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·02				·05				·01	1
2	·09	·02		·01	·07		·01	·03			·06	·09	2
3		·02		·03	·15	·38				·03	·03	·02	3
4	·02	·03	12	·15						·03	·18	·19	4
5	·01	·01		·01				·09		·01	·04	·18	5
6	·41		·02							·01	·02	·25	6
7	·02		·01	·02						·06	·25	·33	7
8	·17		·11							·01	·03	·06	8
9	·16			·01							·02	·01	9
10	·02	·05	·11								·05	·13	10
11	·24										·43		11
12	·10		·37		·03				·03	·53	·25	·01	12
13			·07		·07				26	·27		·26	13
14		·02	·05		·47	·08						·33	14
15		·03	·16							·02	·09	·01	15
16	·01		·09			·11				·01	·34	·06	16
17											·02	·10	17
18		·12				·41					·46	·05	18
19		·02			·03	·24			·12	·01	·37	·02	19
20	·01	·01	·03					·35	·15	·06		·57	20
21		·04	·01	·01				·32		·02		·11	21
22	·06		·15	·01		·07		·04		·31	·01	·47	22
23		·02	·06			·84	·08		39	·14		·18	23
24	·01	·05	·03			·19						·13	24
25		·07	·02	·13		·21				·22		·01	25
26		·15		·30		·01	·05			·12	·05	·22	26
27		·22	·08	·08			·01		·16			·02	27
28		11		·23				·18		·01	·06	·02	28
29				·11		·46	·07		·24	·26	·01		29
30			·01	·03		·02			·01	·10	·01	·01	30
31					·36					·02			31
Total	1·43	·99	1·50	1·15	1·18	3·02	·22	1·06	1·36	2·25	2·78	3·85	TOTAL for year 20·79
No. of Rain Days	15	17	18	15 ~~18~~	7	12	5	7	8	21	21	28	174

9,000, IX. '10.

Df

238

23 JAN 1912

FORM A2.
BRITISH RAINFALL.

RE

Kept at Boxwor

in the County of Can

by E. H. Thorn

BOXWORTH

1208

CAMBRIDGE

1911 – 1920 (10)

5 in.

e Ground 1 ft. in.

Sea Level 76 ft. ?

Name

Distance Direction

IMPORTANT NOT
previous day. If an Ob
requested to add the read
for it at the end of thi
the selection and placin
Organization are given in
Dr. H. R. Mill, 62, Cam

l the result entered to the
versal rule, he is earnestly
ar in the space provided
nent of rain,
itish Rainfall
application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·02				·05				·01	1
2	·09	·02		·01	·07		·01	·03			·06	·09	2
3		·02		·03	·15	·38				·03	·03	·02	3
4	·02	·03	·12	·15						·03	·18	·19	4
5	·01	·01		·01				·09		·01	·04	·18	5
6	·41		·02							·01	·02	·25	6
7	·02		·01	·02						·06	·25	·33	7
8	·17		·11							·01	·03	·06	8
9	·16			·01							·02	·01	9
10	·02	·05	·11								·05	·13	10
11	·24										·43		11
12	·10		·37		·03				·03	·53	·25	·01	12
13			·07		·07				·26	·27		·26	13
14		·02	·05		·47	·08						·33	14
15		·03	·16							·02	·09	·01	15
16	·01		·09			·11				·01	·34	·06	16
17											·02	·10	17
18		·12				·41					·46	·05	18
19		·02			·03	·24			·12	·01	·37	·02	19
20	·01	·01	·03					·35	·15	·06		·57	20
21		·04	·01	·01				·32		·02		·11	21
22	·06		·15	·01		·07		·04		·31	·01	·47	22
23		·02	·06			·84	·08		·39	·14		·18	23
24	·01	·05	·03			·19						·13	24
25		·07	·02	·13		·21				·22		·01	25
26		·15		·30		·01	·05			·12	·05	·22	26
27		·22	·08	·08			·01		·16			·02	27
28		·11		·23				·18		·01	·06	·02	28
29				·11		·46	·07		·24	·26	·01		29
30			·01	·03		·02			·01	·10	·01	·01	30
31					·36					·02			31
Total	1·43	·99	1·50	1·15	1·18	3·02	·22	1·06	1·36	2·25	2·78	3·85	TOTAL for year 20·79
No. of Rain Days	15	17	18	15 ~~10~~	7	12	5	7	8	21	21	28	174

9,000, IX. '10.

Df

RE

FORM A2.
BRITISH RAINFALL.
23 JAN 1912
238

Kept at Boxworth, St Ives
in the County of Cambs 2
by E. H. Thornhill

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 76 ft. ?

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·02				·05				·01	1
2	·09	·02		·01	·07		·01	·03			·06	·09	2
3		·02		·03	·15	·38				·03	·03	·02	3
4	·02	·03	·12	·15						·03	·18	·19	4
5	·01	·01		·01				·09		·01	·04	·18	5
6	·41		·02							·01	·02	·25	6
7	·02		·01	·02						·06	·25	·33	7
8	·17		·11							·01	·03	·06	8
9	·16			·01							·02	·01	9
10	·02	·05	·11								·05	·13	10
11	·24										·43		11
12	·10		·37		·03				·03	·53	·25	·01	12
13			·07		·07				·26	·27		·26	13
14		·02	·05		·47	·08						·33	14
15		·03	·16							·02	·09	·01	15
16	·01		·09			·11				·01	·34	·06	16
17											·02	·10	17
18		·12				·41					·46	·05	18
19		·02			·03	·24			·12	·01	·37	·02	19
20	·01	·01	·03					·35	·15	·06		·57	20
21		·04	·01	·01				·32		·02		·11	21
22	·06		·15	·01		·07		·04		·31	·01	·47	22
23		·02	·06			·84	·08		·39	·14		·18	23
24	·01	·05	·03			·19						·13	24
25		·07	·02	·13		·21				·22		·01	25
26		·15		·30		·01	·05			·12	·05	·22	26
27		·22	·08	·08			·01		·16			·02	27
28		·11		·23				·18		·01	·06	·02	28
29				·11		·46	·07		·24	·26	·01		29
30			·01	·03		·02			·01	·10	·01	·01	30
31					·36					·02			31
Total	1·43	·99	1·50	1·15	1·18	3·02	·22	1·06	1·36	2·25	2·78	3·85	TOTAL for year 20·79
No. of Rain Days	15	17	18	15 ~~18~~	7	12	5	7	8	21	21	28	174

9,000, IX. '10.

L

~~W~~. 4G6

231

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Boxworth

in the County of Cambridgeshire 2

by E. H. Thornhill

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·36	·01		·14	·12		·18	1
2				·02		·03	·36		·01			·03	2
3	·14	·12			·05	·52		·29	·02			·08	3
4	·03		·43		·06	·28		·09			·28	·01	4
5	·06	·14	·21			·02		·07			·05	·01	5
6	·36	·06			·01		·58	·47				·05	6
7	·03					·85	·06	·10				·01	7
8	·23	·24	·10	·02		·02		·12	·23		·01		8
9		·04	·02	·09								·23	9
10		·03	·01					·17	·11		·11	·01	10
11	·18	·12				·01		·03	·06			·15	11
12	·13	·07	·05		·01						·06		12
13							·02					·01	13
14		·01			·07	·13		·04		·01			14
15		·01	·09		·39	·25		·07		·01	·01	·10	15
16	·46		·04		·05	·04		·03		·03	·02		16
17	·66		·21			·15		·07				·13	17
18	·05		·15				·02	·30		·02	·02	·12	18
19	·14	·08	·16			·01	·31	·34		·01	·01		19
20	·07	·01	·05		·07		·02	·35		·36			20
21	·01	·01	·23		·75			1·27		·28	·05		21
22	·52	·08	·01		·12		·26	·20		·01		·09	22
23	·29	·56	·25					·58	·02	·01	·21	·13	23
24	·23						·14	·29		·01		·11	24
25	·01					·13		·68		·01	·17	·30	25
26	·01	·02	·01			·04	·14	1·77		·34	·17	·31	26
27										·25		·19	27
28		·02						·08	·10	·40	·19	·42	28
29						·10	·10	·13	·77	·25	·05		29
30	·03				·58	·02		·01	·45	·12			30
31			·12		·01		·26	·21		·02		·01	31
Total	3·64	1·62	2·14	·13	2·17	2·96	2·28	7·76	1·91	2·26	1·41	2·68	TOTAL for year 30·96
No. of Rain Days.	20	17	17	3	12	17	13	25	10	18	15	22	189

W. 8,000, X. '11.

88

REGISTER OF RAINFALL IN 1913

236

FORM A.
BRITISH RAINFALL.

27 JAN 1914

Kept at Boxworth, St: Ives

in the County of Cambridgeshire 2

by E. H. Thornhill

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·03	·12	·10	·15		·03			1·03	·01	·05		1
2	·02	·15			·08		·16		·11		·02	·02	2
3	·02		·16		·73					·18		·02	3
4	·17		·01		·02	·03	·10		·01	·19	·05	·11	4
5	·03	·01					·01			·47	·02		5
6		·02	·02		·25	·25	·31		·01	·08			6
7		·09			·05		·15			·48	·04		7
8			·01	·01	·18	·18				·05	·17		8
9	·01	·19	·04	·01	·02	·10			·02		·05	·01	9
10	·02		·01	·01	·12		·07	·03			·40		10
11	·59			·36		·01		·21		·02			11
12	·01	·01			·06			·02		·01	·13		12
13	·02		·01					·01	·02	·01	·42		13
14	·04	·01	·09	·04			·62			·17			14
15	·15	·02	·15	·12			·15		·02		·05		15
16	·05		·47	·28					·08	·01			16
17	·12		·11	·11		·32	·02			·01		·06	17
18	·02		·05	·05			·01	·01	·37				18
19	·09		·03	·02	·04	·01	·06		·45			·05	19
20	·26		·16			·02				·19			20
21			·10		·07					·08			21
22	·31	·01	·22				·01	·02	·13	·01	·24		22
23		·01	·01			·05	·02	·06	·02	·01			23
24	·01			·01		·02		·01			·01		24
25	·01	·02		·11			·02			·73		·05	25
26		·03	·16	·02				·01				·11	26
27	·01		·02	·02	·15	·02				·06	·01		27
28	·17		·24	·06					·01	·10	·01	·03	28
29	·11		·11	·23	24			·07		·01	·01	·02	29
30	·21			·10				·13	·01	·10	·17		30
31								·44		·02		·02	31
Total	2·48	·72	2·28	1·71	2·01	1·04	1·71	1·02	2·29	3·00	1·85	·50	YEAR'S TOTAL 2061
Rain Days.	24	13	22	18	13	12	14	12	14	23	17	11	193

W. 7,500, XI. 12

DL ✓ 229

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL

28 JAN 1915

Kept at Boxworth, St. Ives
in the County of Cambridgeshire 2
by E. H. Thornhill

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·63	·35			·10		1
2							·03	·05			·06	·12	2
3			·11		·16		·38	·16			·11		3
4	·11	·01	·02	·21				·10			·46	·18	4
5			·04	·07		·02	·28	·11			·02		5
6		·07		·03	·05	·03	·12	·03			·19	·05	6
7		·08	·30	·02	·11	·23	·05				·02	·37	7
8	·09	·05	·24	·01	·12	·66	·02						8
9	·55		·37	·02	·01	·75		·13				·65	9
10	·23	·11			·03				·10			·01	10
11		·07	·37		·04	·28					·22	·18	11
12		·01	·04			·01			·47	·01	·02	·19	12
13		·12	·14						·01	·17	·15	·18	13
14			·20				·16			1·10	·08	·43	14
15	·06		·32				·06	·05	·16		·02	·15	15
16		·34	·04				·10		·01		·03		16
17	·02								·05			·05	17
18			·04						·02		·02	·35	18
19		·02	·16			·03	·25				·17	·02	19
20		·06	·31			·02			·05			·09	20
21		·20	·15			·04				·03	·02	·22	21
22			·03	·01	·21		·07	·05		·20		·02	22
23		·03	·06		·10					·11		·02	23
24	·01		·04	·10		·01	·09			·17	·12		24
25	·01		·02					·06		·41		·06	25
26			·04				·01	·49			·09	·44	26
27	·03		·01				·02			·03	·02	·13	27
28		·05								·11	·37	1·57	28
29	·01		·06							·23	·03		29
30			·05		·14					·04	·18	·22	30
31							·06					·06	31
Total	1·12	1·22	3·16	·47	·97	2·08	2·33	1·58	·87	2·61 2·63	2·50	5·76	YEAR'S TOTAL 2467
Rain Days.	10	14	24	8	10	11	16	11	8	12	22	24	170

W.7,000, XI. 13

82

1319
~~222~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Boxworth Exd

in the County of Cambridgeshire 2

by E. H. Thornhill

Lat.________ Long.________

Time of Observation________

Nearest Railway Station________

Diameter of Rain Gauge________in.

Height of top of Gauge above Ground________ft.________in.

" " " " Sea Level________ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·10	·02		·11				·08		·11	·14	1
2	·18	·13	·19	·09		·02		·85		·04	·03	·04	2
3	·24		·07	·21			·03	·59	·06		·02	·11	3
4	·19						·80	·04				·48	4
5	·03	·13						·02		·03	·04	·19	5
6	·18	·03	·04	·12			1·35	·09		·02		·04	6
7	·05	·32	·11				·12	·13				·12	7
8		·30	·02	·02				·01	·01				8
9	·02			·02		·01					·18	·47	9
10	·28		·06					·06	·01	·01	·03	·05	10
11	·01	·01	·02		·06		·04				·83		11
12	·08	·01		·30	·33			·03			1·23	·09	12
13	·03	·41	·02		1·16								13
14		·03					·03	·12	·03			·43	14
15	·17				·03			·15			·30	·10	15
16		·20					·56	·15				·08	16
17	·03	·16			·03		·13	·46			·03	·01	17
18	·02	·03	·13								·07		18
19		·07	·02				·22			·04			19
20	·27			·09				·03		·02		·33	20
21	·08	·01			·01		·05			·03		·05	21
22	·65		·36				·66		·03			·16	22
23	·02	·14	·05			·05	·62		·26	·16		·15	23
24		·01	·14			·01	·02		·24	·01		·07	24
25	·02		·02			·29	·26			·01		·13	25
26		·13	·01			·03	·05					·16	26
27	·01					·09	·07			·41		·02	27
28		·07				·22		·04	·58	·11			28
29						·17	·05	·15		·01	·10	·19	29
30	·06	×				1·69	·08				·01	·01	30
31	·03	×		×		×		·06	×	·12	×	·16	31
Total	2·93	2·29	1·28	·85	1·73	2·58	5·14	2·98	1·30	1·02	2·98	3·78	YEAR'S TOTAL 28.86
Rain Days.	23	19	16	7	7	10	18	17	9	14	13	25	178

W. 8,000. X. 14.

1291

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
3 JAN 1917

Kept at Boxworth
in the County of Cambridge
by E. H. Thornhill

Lat. 52·15 N. Long. 3 W
Time of Observation 9 a.m.
Nearest Railway Station Swavesey G.E.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·19		·11	·01	·02		·02		·20		1
2	·35		·02		·26				·14	·22			2
3		·15	·01				·11		·17	·22	·11		3
4	·28	·04	·01			·17			·22	·01	·16		4
5	·01		·02	·04	·02	·15	·14			·09	·34	·03	5
6			·14	·22	~~·14~~	·08	·18			·03	·27		6
7	·08		·16		·14	·04	·09			·02	·28	·04	7
8	·01		·02		·15	·16					·03	·23	8
9					·21	·10						·06	9
10		·05	·14	·04		·03	·02	·02	·01			·06	10
11	·05	·26	·06	·10	·10	·13			·02		·01	·02	11
12	·02	·04	·02		·41	·26	·04	·03	·01	·16	·01		12
13		·31	·07	·07	·19	·10	·06	·05		·01			13
14		·52	·02	·02	·18	·01		·38		·06		·01	14
15		·25	·32	·02			·09	·22	·01	·01		·13	15
16		·05	·09	·23	·03		·05	·04		·04			16
17	·04	·02		·18			·21	·05	·22	·28			17
18			·02	·06				·20	·10	·02	·72		18
19	·03	·10	·09	·14					·46		·71	·11	19
20	·12		·24	·01				·02			·10	·22	20
21	·03		·54			·02	·49					·74	21
22		·18	·01		·10					·02	·02	·47	22
23	·02	·61				·07	·01			·01	·05	·16	23
24		·11				·08		·01		·02	·02	·36	24
25		·15	·17		·02			·18		·02	·05	·64	25
26		·06	·02			·09		·19		·01	·05		26
27	·05	·46	·52			·01		·09	·02	·05			27
28		·31	·40			·07			·02		·01	·13	28
29		·08				·07		1·00		·19		·03	29
30	·01	×				·02		·20		·20			30
31		×		×		×		·02	×	·01	×		31
Total	1·15	3·75	3·60	1·13	1·92	1·67	1·51	2·70	1·42	1·70	3·14	2·84	YEAR'S TOTAL 26·53
Rain Days.	15	19	24	12	13	20	13	16	13	22	18	17	202

W. 8,000, VIII. 16

1240

FORM A.
BRITISH RAINFALL.

3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Boxworth.
in the County of Cambridge.
by E. H. Thornhill.

Lat. 52·15 N Long. 3 W.
Time of Observation 9 a.m.
Nearest Railway Station Swavesey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·08				1·11	·17		·06		1
2	·01	·02		·30		·09		·13		·01	·05		2
3								·37		·11	·11		3
4		·10	·01	·01				·02		·59			4
5	·20		·01	·15					·02	·03	·14		5
6						·06			·02	·07		·01	6
7	·40		·01			·48				·41		·01	7
8	·22			·20			1·04	·22		·25	·09	·03	8
9	·07		·12	·04			·01	·28		·03		·05	9
10	·34	·02	·21	·14				·11		·03			10
11	·65		·51	·14				·06		·21			11
12	·09		·03	·07	·02			·06		·22	·01	·01	12
13	·16	·02	·02	·01		·42		·10	·03	·03	·01	·01	13
14	·04		·01	·03				·07			·01		14
15	·02				·03			·50		·01	·01	·02	15
16	·03	·06		·21		·08	·12			·63		·05	16
17	·01		·01	·15	·66	·18	·23	·03	·44	·35		·02	17
18	·03	·01		·07	·03	·15	·16		·94				18
19	·01	·06	·10		·11	·03			·17				19
20	·03	·16	·14		·07						·17		20
21	·01	·02	·01							·01	·01		21
22	·01	·01	·09						·02	·15			22
23		·02			·14			·12	·05			·05	23
24	·02	·01				·18		·08		·12	·04		24
25			·02								·05	·01	25
26			·06			·03		·26	·17		·36	·04	26
27			·01			·01	·01	·33				·02	27
28		·03	·16			·90		·03		·06		·03	28
29						·42	·48	·01		·14		·13	29
30	·01	╳					·16	·10		~~·01~~		·02	30
31	·01	╳	·18	╳		╳	·48	·06	╳	·01	╳	·03	31
Total	1·77	·54	1·71	1·60	1·06	3·03	3·19	4·05	2·03	3·47	1·12	·54	YEAR'S TOTAL 24·11
Rain Days.	21	13 34	19 53	14 67	7 74	13 87	9 96	21 117	10 127	21 148	14 162	17 179	179
	1·77	2·31	4·02	5·62	6·68	9·71	12·90	16·95	18·98	22·45	23·57	24·11	

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exd. E. F. E.

25

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
9.1.19

Kept at Boxworth.
in the County of Cambridge.
by E. H. Thornhill.

Lat. 52°15′N Long. 3′ W
Time of Observation 9 a.m.
Nearest Railway Station Swavesey G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·40

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·02							·04	·05	1
2	·01	·10		·21				·06	·02	·02	·01	·13	2
3		·05	·03		·44			·06	·10		·70	·02	3
4		·03	·08					·16	·46	·02	·40	·01	4
5					·17				·35	·05		·01	5
6	·01	·13		·15				·02	·03		·01	·02	6
7	·19	·19	—	·01		·07			·01	·03	·12	·01	7
8							·02			·01	·06		8
9	·03	·02		·03			·20		·18	·14		·06	9
10	·04			·01			·52		·61	·01	·02	·20	10
11	·01			·01	·08		·11		·08	·37	·02	·06	11
12		·15	·01		·18		·17		·13			·02	12
13		·03		·01	·20		·01		·10			·05	13
14	·27			·02		·03	·14		·12	·17		·09	14
15	·96			1·58			·23		·38			·04	15
16	·12			·56				·04	·02				16
17	·13			·05	·60		·40		·78			·09	17
18	·56					·10	·08		·27			·46	18
19	·04	·06	·07	·03		·09	·06		·02	·10	·01	·09	19
20	·01	·06		·17		·05	·01		·12	·14	·01		20
21	·05			·03					·77	·07		·02	21
22	·04			·01	·08		·14		·09	·01		·25	22
23	·08				·45	·01	·14 ·15	·05	·05	·02	·04	·01	23
24		·21		·02			·15 ·02		·07		·03		24
25							·02 ·14	·22	·01		·05		25
26						·01	·14 ·42		·01	·02	·15	·16	26
27				·10			·42 ·55	·19	·03		·11	·01	27
28		·07	·06			·01		·02			·24	·09	28
29									1·33		·01		29
30		×	·29						·03	·02	·15	·15	30
31		×	·01	×		×			×	·08	×	·03	31
Total	2·55	1·10	·57	3·02	2·20	·37	3·67	·82	6·17	1·28	2·18	2·07	YEAR'S TOTAL 26·00
Rain Days.	16	12 28	8 36	18 54	8 62	8 70	18 88	9 97	27 124	17 141	19 160	25 185	185
W. 8,000, IX. 17		3·65	4·22	7·24	9·44	9·81	13·48	14·30	20·47	21·75	23·93	26·00	

~~W~~ ML corrd for anth [illegible] B

1173

18 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Boxworth - E

in the County of Cambridge.

by E. H. Thornhill.

Lat. 52-15' N Long. 3" W.

Time of Observation 9 a.m.

Nearest Railway Station Swavesey G.E.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	·03	·		·08		·27			·02	·01	·94	1
2	·20		·01		·03		·14		·33	·04	·17	·58	2
3	·46		·15				·12		·02		·17	·07	3
4	·12		·31			·04	·04	·05				·10	4
5	·05	(snow) ·20	·21				·31	·01	·43			·14	5
6			·04							·01	·04		6
7	·03		·28								·07	·01	7
8	·11		·04	·07	·01						·02	·01	8
9	·05		·02								·07		9
10			·25	·03							·02	·03	10
11	·14		·13	·08	·02		·65				·04	·05	11
12			·11	·03		·03				·07	·01		12
13	·10			·23					·01				13
14	·24			·13					·36				14
15	·21	·02	·10	·07							·06	·19	15
16	·05	·69		·03				·01			·07		16
17		·65	·02	·02							·18	·04	17
18		·08			·01			·21	·01		·03	·08	18
19		·16	·73			·13	·12	·18	·04		·02	·04	19
20	·48	·02	·05			·35	·66	·34	·03		·04	·01	20
21	·56	·36	·01			·01	·74				·01	·11	21
22		·39	·03				·06		·29		·02	·38	22
23				·02		·01	·12	·08	·05	·02	·01	·08	23
24				·13		·12	·01	·03		·05		·01	24
25	·13			·11	·15	·03		·15				·10	25
26		·14	·17	·02				·01	·~~02~~ 10			·39	26
27	·83 snow 1·09	·11	·01	snow ·70 ·83			·33			·07		·02	27
28				·04				·72		·08	·08	·29	28
29	·05			·03			·03	·25		·19	·07	·14	29
30		╳	·02	·30		·23				·02	·13	·15	30
31	·02	╳		╳		╳	·01		╳	·02	╳	·04	31
TOTAL	4·48	2·85	2·69	2·17	·30	·95	~~3·28~~ 3·61	~~2·27~~ 2·04	1·67	·59	1·31	4·00	YEAR'S TOTAL ~~26·56~~ ✓
Days with ·01 in. or more	19	12	20	17	6	9	~~14~~ 15	~~13~~ 12	11	11	22	25	179 ✓
		31	51	68	74	83	97	110	121	132	154	179	
		7·33	10·02	12·19	12·49	13·44	16·72	18·99	20·66	21·25	22·56	26·56	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~W 8L~~ [illegible] 1116

JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Boxworth

in the County of Cambridgeshire

by E. H. Thornhill

Lat. 52.15 N Long. 3" W

Time of Observation 9 a.m.

Nearest Railway Station Swavesey G.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. " in.

" " " " Sea Level 76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .26

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.20	.11		.22		.01	33	.03	.15	1
2			.01	.08				.14	.10	.01		.03	2
3		.02		.03		.03	.13		.06	.04		.03	3
4	.01		.15	.13			.28	.16	.06	.12		.03	4
5			.08	.01	.11		.69	.03	.09			.06	5
6			.04		.06		.52					.01	6
7		.01	.02	.13	.01		.07					.03	7
8	.07	.01	.30	.49	.01		~~.02~~ .02						8
9	.40			.25				.07					9
10	.07	.08	.08	.02			.06				.01	.05	10
11	.19		.05	.40	.09	.01	.02					.01	11
12	.09		.01	.10	.01	.11	.03					Snow .15	12
13		.02		.13		.09					.02		13
14	.01	.02		.23		.02	.03		.17	.03	.16	.03	14
15	.01	.01	.25	.04					.11		.11	.01	15
16				.07	.01				.22	01	.01	.01	16
17	.03			.03	.09		.02		.23		.01	.02	17
18	.08			.01	.06	.10	.11	.24	.08		.01	.04	18
19	.14	.02		.12		.02		.01					19
20	.07	.81 Snow		.24		.51			.03				20
21				.24			.05	.09	.29			.03	21
22				.16					.08			.03	22
23		.01					.22					.35	23
24	.05		.17									.03	24
25	.01	.06	.05	.04		.05	.37						25
26	.05		.02	.07	.25		.07					.02	26
27	.09	.07		.13		.36					.21	.10	27
28	.49		.19	.01	.28		.05				.03		28
29	.03		.01		.89						.05	.30	29
30	.03	✕	.01	.02		.07	.08	.01	.16		.07	.19	30
31	.10	✕	.03	✕		✕			✕	.08	✕	.07	31
TOTAL	2.02	.48 ~~2.50~~	1.47 3.97	3.37 7.34	1.98 9.32	1.37 10.69	3.04 13.73	0.75 14.48	1.69 16.17	0.62 16.79	0.72 17.51	1.78 19.29	YEAR'S TOTAL 19.29
Days with ·01 in. or more	20	12 32	17 49	26 75	13 88	11 99	19 118	8 126	14 140	7 147	12 159	24 183	183
	13	4	10	19	9	7	15	5	12	4	5	10	113

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

£.04

1152

FORM A.
BRITISH RAINFALL.

CAM~~BR~~IDGE.

BARTLOW HOUSE.

1919 - 1920

REGIST

Kept at Bartlow H 30°

m

in the County of Cambri Bartlow

by Fred. N. Folk

Gauge 5 in.

Ground ft. 9 in.

Sea Level 18 ft.

IMPORTANT NOTE.—I the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15				·07		·15					·79	1
2	·30					·03	·63		·12	·02		·49	2
3			·23				·11				·19	·14	3
4	·20	·10	·16				·13	·09			·10	·04	4
5	·04		·17				·25				·05	·17	5
6			·08				·05				·07		6
7	·06												7
8			·25										8
9	·08										·08	·25	9
10	·02			·10						·15			10
11				·18			·37						11
12	·04						·20						12
13				·24									13
14			·06	·30					·10	·07	·12		14
15	·05			·10	·11						·07	·15	15
16	·16	·58	·05	·02			·03					·09	16
17	·12	·45		·04								·02	17
18		·34							·08			·03	18
19						·13	·19	·40	·09		·11	·04	19
20		·10	·30			·68	·80	·36				·06	20
21	·19	·02	·10				·57						21
22	·22	·25					·20	·02	·19		·15	·74	22
23						·10	·33						23
24			·02	·16		·20							24
25		·41		·06	·15			·15			·24	·11	25
26	·30		·21	·23						·12		·02	26
27	·17	·12	·02	1·80				81		·13		·22	27
28				·32							·25		28
29				·64						·20	·15	·24	29
30		X		·30		1·14		·04				·13	30
31	·18	X		X		X			X		X	·15	31
Total	2·28	2·37	1·65	4·49	·33	2·28	4·01	1·87	·58	·69	1·58	3·87	YEAR'S TOTAL 26·00 inches
Rain Days.	16 days	9 days	12 days	14 days	3 days	6 days	14 days	7 days	5 days	6 days	12 days	19 days	~~123~~

W, 6,500, VII. 18. W W C

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 19

Kept at Bartlow House Bartlow
in the County of Cambridgeshire
by Fred. N. Folkard

Lat. 52°. Long. 0°30°
Time of Observation 9 a.m.
Nearest Railway Station Bartlow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15				·07		·15					·79	1
2	·30					·03	·63		·12	·02		·49	2
3			·23				·11				·19	·14	3
4	·20	·10	·16				·13	·09			·10	·04	4
5	·04		·17				·25				·05	·17	5
6			·08				·05				·07		6
7	·06												7
8			·25										8
9	·08										·08	·25	9
10	·02			·10						·15			10
11				·18			·37						11
12	·04						·20						12
13				·24									13
14			·06	·30					·10	·07	·12		14
15	·05			·10	·11						·07	·15	15
16	·16	·58	·05	·02			·03					·09	16
17	·12	·45		·04								·02	17
18		·34							·08			·03	18
19						·13	·19	·40	·09		·11	·04	19
20		·10	·30			·68	·80	·36				·05	20
21	·19	·02	·10				·57						21
22	·22	·25					·20	·02	·19		·15	·74	22
23						·10	·33						23
24			·02	·16		·20							24
25		·41		·06	·15			·15			·24	·11	25
26	·30		·21	·23						·12		·02	26
27	·17	·12	·02	1·80				·81		·13		·22	27
28				·32							·25		28
29				·64						·20	·15	·24	29
30		X		·30		1·14		·04				·13	30
31	·18	X		X		X			X		X	·15	31
Total	2·28	2·37	1·65	4·49	·33	2·28	4·01	1·87	·58	·69	1·58	3·87	YEAR'S TOTAL 26·00 inches
Rain Days.	16 days	9 days	12 days	14 days	3 days	6 days	14 days	7 days	5 days	6 days	12 days	19 days	123

W, 6,500, VII. 18. W W C

Wo

not for wall + Cy B
[illegible]

28 JAN 1921

1094

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Bartlow House Gardens

in the County of Cambridgeshire

by Frederick M. Folkard

Lat. 52°. Long. 0°30°

Time of Observation 9 oc

Nearest Railway Station Bartlow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

" " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·69			·25	·05	·01	·24	·04	·16	1
2							·01	·04	·12	·06			2
3									·02	·03		·08	3
4				·13			·55	·02	·03	·08		·16	4
5			·06	·19	·08		·47	·08	·20			·09	5
6			·15		·10		·37	·005				·06	6
7			·14	·10			·10						7
8	·16			·31				·12					8
9	·35	·03		·40				·06					9
10	·09	·02		·31			·11					·02	10
11	·24		·12	·13			·12					·17	11
12	·12		·04	·10								·09	12
13	·01	·01	·01	·12		·09	·01				·03		13
14		·02	·30	·07	·09	·10	·09	·10		·03	·16		14
15	·01		·12	·08					·18	·10	·03	·05	15
16			·01				·08		·30		·02		16
17	·04								·11			·04	17
18	·06			·20				·44	·27			·02	18
19	·23			·32				·13	·005				19
20		·17		·18					·09			·07	20
21	·07	·005		·15		·75	·47		·36				21
22								·12	·04			·15	22
23			·07				·53	·04				·30	23
24	·01		·10									·09	24
25		·01	·03	·09	·10								25
26	·10		·04	·10	·43		·19		·005				26
27	·15			·14		·22	·13				·13	·10	27
28	·33						·02				·02	·01	28
29	·03				·55		·09		·15		·14	·21	29
30	·04	╳			·04		·19			·20	·12	·35	30
31	·05	╳	·20	╳	·02	╳			╳		╳		31
TOTAL	2·09	·265	1·39	~~3·91~~ 3.81	1·41	1·16	3·78	1·305	1·89	·74	·69	~~2·12~~ 2·22	YEAR'S TOTAL 20·75
Days with ·01 in. or more	18	7	14	19	8	4	18	11	14	7	9	20	149
·04	14	1	11	19	7	4	15	11	10	5	5	17	= 119

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Df

225

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGIS

CAMBRIDGE

CARLTON HALL

1911 - 1912

Kept at Carlton Ha

in the County of Cambs

by A. S. Rice

5 in.

Ground 1 ft. 6 in.

ea Level 290 ft.

ame

istance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·02			·03	·12					1
2	·43		·03		·14		·13				·10	·09	2
3		·03			·08					·09		·04	3
4	·06	·03	·14	·20						·02	·08	·17	4
5	·03	·02		·08				·02		·03		·18	5
6	·19		·04									·18	6
7	·03									·17	·21	·24	7
8	·17		·22								·11	·12	8
9	·24		·07	·06							·02	·01	9
10	·03	·05	·09								·05	·20	10
11	·49										·40		11
12	·15		·41		·30				·03		·25		12
13			·15		·12				·24	1·12	·07	·23	13
14		·03	·13		·40	·05			·02	·03		·40	14
15		·05	·54						·02	·07	·04	·02	15
16		·02				·60					·23	·05	16
17	·06		·02			·01					·12	·09	17
18		·23	·03			·04					1·04	·07	18
19		·09			·02	·30				·07	·44	·03	19
20		·02						·71	12			·53	20
21	·03	·09						·68		·19	·02	·23	21
22	·02		·21			·04				·25	·02	·36	22
23		·05	·08			·86			·30			·07	23
24		·08	·04			·07	·06			·55		·17	24
25		·07	·04	·13		·22	·26	17				·02	25
26				·24		·03	·01			·18	·04	·25	26
27		·22	·08	·05					·18		·03	·05	27
28		·11		·25		·04	·03	·15				·04	28
29				·20		·15	·04		·32	·35	·01		29
30						·02			·07	·13			30
31										·03		·03	31
Total	1·93	1·19	2·32	1·23	1·06	2·43	·56	1·85	1·30	3·28	3·28	3·87	TOTAL for year 24·30
No. of Rain Days	13	16	17	9	6	13	7	6	9	15	19	26	156

9,000, IX. '10.

Df

225

23 JAN 1912

FORM A2.
BRITISH RAINFALL.

REGIS

Kept at Carlton Hall
in the County of Cambs
by A. S. Rice

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 290 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·02			·03	·12					1
2	·43		·03		·14	—	·13				·10	·09	2
3		·03			·08					·09		·04	3
4	·06	·03	·14	·20						·02	·08	·17	4
5	·03	·02		·08				·02		·03		·18	5
6	·19		·04									·18	6
7	·03									·17	·21	·24	7
8	·17		·22								·11	·12	8
9	·24		·07	·06							·02	·01	9
10	·03	·05	·09								·05	·20	10
11	·49	—									·40		11
12	·15		·41		·30				·03		·25		12
13			·15		·12				·24	1·12	·07	·23	13
14		·03	·13		·40	·05			·02	·03		·40	14
15		·05	·54						·02	·07	·04	·02	15
16		·02				·60					·23	·05	16
17	·06		·02			·01					·12	·09	17
18		·23	·03			·04					1·04	·07	18
19		·09			·02	·30				·07	·44	·03	19
20		·02						·71	·12			·53	20
21	·03	·09						·68		·19	·02	·23	21
22	·02		·21			·04				·25	·02	·36	22
23		·05	·08			·86			·30			·07	23
24		·08	·04			·07	·06			·55		·17	24
25		·07	·04	·13		·22	·26	·17				·02	25
26				·24		·03	·01			·18	·04	·25	26
27		·22	·08	·05					·18		·03	·05	27
28		·11		·25		·04	·03	·15				·04	28
29				·20		·15	·04		·32	·35	·01		29
30						·02			·07	·13			30
31										·03		·03	31
Total	1·93	1·19	2·32	1·23	1·06	2·43	·56	1·85	1·30	3·28	3·28	3·87	TOTAL for year 24·30
No. of Rain Days	13	16	17	9	6	13	7	6	9	15	19	26	156

9,000, IX. '10.

82

90X H66

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

Kept at Carlton Hall

in the County of Cambridgeshire

by A. S. Nice

Rain Gauge:
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station: Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3	.22												3
4	.08												4
5	.06												5
6	.29												6
7													7
8	.26												8
9													9
10													10
11	.10												11
12	.10												12
13	.02												13
14													14
15													15
16	.26												16
17	.27												17
18	.02												18
19	.11												19
20	.03												20
21	.02												21
22	.46												22
23	.63												23
24	.34												24
25													25
26													26
27													27
28													28
29													29
30													30
31	.05												31
Total	3.32												TOTAL for year
No. of Rain Days.	18												

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

CAMBRIDGE.

"HERSCHEL HOUSE".

1911 – 1920.

REG 11

Kept at Herschel ... monds

in the County of Camb...

by C N H Lock...

5 in.

...ove Ground 1 ft. 1 in.

,, Sea Level 36 ft.

A.M.

Name Cambridge

Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	—	—	—	—	—	·02	—	—	—	·08	—	1
2	·15	—	·01	—	·05	—	—	—	—	—	·02	·10	2
3	—	·01	—	·03	·07	—	—	—	—	·10	—	—	3
4	·05	·03	·09	·09	—	—	—	—	—	—	·07	·27	4
5	—	—	—	·09	—	—	—	·02	—	·15	—	—	5
6	·32	—	·03	·04	—	—	—	—	—	—	—	·31	6
7	·01	—	—	—	—	—	—	—	—	·04	—	·22	7
8	·14	—	·11	—	—	—	—	—	—	·03	·29	—	8
9	·13	—	·01	—	—	—	—	—	—	—	·01	·03	9
10	·01	·04	·06	·09	—	—	—	—	—	—	·09	·10	10
11	·27	—	—	—	·02	—	—	·01	—	—	·34	·01	11
12	—	—	·31	—	·06	—	—	—	·09	—	·16	—	12
13	—	—	·02	—	·02	—	—	—	·19	·87	—	·20	13
14	—	—	·11	—	·46	·11	—	—	—	—	—	·29	14
15	—	·03	·10	—	—	—	—	—	—	·03	·05	—	15
16	—	—	·05	—	—	·33	—	—	—	—	·25	·05	16
17	—	—	—	—	—	—	—	—	—	—	·05	·05	17
18	—	·14	—	—	—	·02	—	—	—	—	·47	·02	18
19	—	·01	—	—	—	·35	—	—	·08	·10	·28	—	19
20	—	—	—	—	·05	—	—	·33	·11	·01	—	·39	20
21	—	·04	—	—	—	·04	—	·19	·04	·23	—	·10	21
22	·07	—	—	—	—	·01	—	—	—	·10	—	·37	22
23	—	·03	·20	—	—	·83	—	—	·31	—	—	·14	23
24	—	·04	·02	—	—	·11	·28	—	—	·31	—	·16	24
25	—	·04	·01	·03	—	·17	—	·03	—	·11	—	—	25
26	—	gauge	—	·16	—	—	—	—	—	—	—	·20	26
27	—	not taken	·04	·02	—	—	—	—	·12	—	·08	·02	27
28	—	·25	—	·19	—	·01	—	·11	—	—	·06	·02	28
29	—		—	·05	—	·32	·11	—	·20	·21	—	—	29
30	—		—	·01	—	·02	—	—	·01	·09	—	·01	30
31	—		—		—		—	—		·03		·01	31
Total	1·26	·66	1·17	·80	·73	2·32	·41	·69	1·15	2·41	2·30	3·07	TOTAL for year 16·97
No. of Rain Days.	10	13?	15	11	7	12	3	6	9	15	15	22	138?

W. 8,000, X. '11.

REG [illegible] 11

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Herschel House, Cambridge

in the County of Cambridge 2

by C N H Lock

RAIN GAUGE
Pattern Symond's
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 36 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Cambridge
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	—	—	—	—	—	·02	—	—	—	·08	—	1
2	·15	—	·01	—	·05	—	—	—	—	—	·02	·10	2
3	—	·01	—	·03	·07	—	—	—	—	·10	—	—	3
4	·05	·03	·09	·09	—	—	—	—	—	—	·07	·27	4
5	—	—	—	·09	—	—	—	·02	—	·15	—	—	5
6	·32	—	·03	·04	—	—	—	—	—	—	—	·31	6
7	·01	—	—	—	—	—	—	—	—	·04	—	·22	7
8	·14	—	·11	—	—	—	—	—	—	·03	·29	—	8
9	·13	—	·01	—	—	—	—	—	—	—	·01	·03	9
10	·01	·04	·06	·09	—	—	—	—	—	—	·09	·10	10
11	·27	—	—	—	·02	—	—	·01	—	—	·34	·01	11
12	—	—	·31	—	·06	—	—	—	·09	—	·16	—	12
13	—	—	·02	—	·02	—	—	—	·19	·87	—	·20	13
14	—	—	·11	—	·46	·11	—	—	—	—	—	·29	14
15	—	·03	·10	—	—	—	—	—	—	·03	·05	—	15
16	—	—	·05	—	—	·33	—	—	—	—	·25	·05	16
17	—	—	—	—	—	—	—	—	—	—	·05	·05	17
18	—	·14	—	—	—	·02	—	—	—	—	·47	·02	18
19	—	·01	—	—	—	·35	—	—	·08	·10	·28	—	19
20	—	—	—	—	·05	—	—	·33	·11	·01	—	·39	20
21	—	·04	—	—	—	·04	—	·19	·04	·23	—	·10	21
22	·07	—	—	—	—	·01	—	—	—	·10	—	·37	22
23	—	·03	·20	—	—	·83	—	—	·31	—	—	·14	23
24	—	·04	·02	—	—	·11	·28	—	—	·31	—	·16	24
25	—	·04	·01	·03	—	·17	—	·03	—	·11	—	—	25
26	—	gauge not taken	—	·16	—	—	—	—	—	—	—	·20	26
27	—		·04	·02	—	—	—	—	·12	—	·08	·02	27
28	—	·25	—	·19	—	·01	—	·11	—	—	·06	·02	28
29	—		—	·05	—	·32	·11	—	·20	·21	—	—	29
30	—		—	·01	—	·02	—	—	·01	·09	—	·01	30
31	—		—		—		—	—		·03		·01	31
Total	1·26	·66	1·17	·80	·73	2·32	·41	·69	1·15	2·41	2.30	3·07	TOTAL for year 16·97
No. of Rain Days.	10	13?	15	11	7	12	3	6	9	15	15	22	138?

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 19~~08~~12

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Herschel House Cambridge
in the County of Cambridgeshire Z
by C. N. H. Lock

Lat. 52° 12′ N Long. 0° 6′ E
Nearest Railway Station Cambridge
Time of Observation 9 AM Patten Symons
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0½ in.
" " " Sea Level 36 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	·08	·08	—	·13	·19	—	·13	1
2	—	·03	—	·02	—	—	·30	—	—	—	—	—	2
3	—	—	—	—	·04	·19	—	·26	—	—	—	·10	3
4	·17	—	—	—	·05	·33	—	—	—	—	·24	—	4
5	·10	·07 Snow	·34	—	—	—	—	·09	—	—	·02	—	5
6	·17	·05	·16	—	·01	·30	·56	·18	—	—	—	—	6
7	—	—	—	—	—	·58	—	·18	—	—	—	—	7
8	·18	·12	·05	—	—	·02	—	·08	·24	—	—	—	8
9	—	·02	·01	—	·01	·10	—	—	—	—	—	·19	9
10	—	—	—	·11	—	—	·05	·07	·09	—	—	·05	10
11	·12	·11	—	—	—	—	—	·03	·04	—	·20	—	11
12	·09	—	·03	—	·04	—	—	·02	—	—		—	12
13	—	—	—	—	—	·04	—	—	—	—	·27	—	13
14	—	—	—	—	·04	—	—	·03	—	—	—	—	14
15	—	—	·16	—	·16	·26	—	·05	—	—	—	·07	15
16	·26	—	—	—	—	·08	—	·03	—	·02	·04	—	16
17	·46 snow	—	·26	—	—	·15	—	·04	—	—	—	·08	17
18	·02	—	·04	—	—	—	·25	·28	—	—	—	·07	18
19	·16	·08	·18	—	—	—	—	·35	—	—	·12		19
20	·01	—	·09	—	·10	—	—	·38	—	·38	—	—	20
21	—	—	·34	—	·45	—	—	·76	—		—	—	21
22	·46	·07	—	—	·05	—	·02	·08	—	—	—	—	22
23	·40	·28	·25	—	—	—	·02	·58	·01	—	·20	·10	23
24	·23	—	—	—	—	·06	·07	·15	—	—	—	·04	24
25	—	—	—	—	—	·12	—	·51	—	—	·15	·23	25
26	—	—	—	—	—	—	·07	1·57	—	·33	·23	·20	26
27	—	—	—	—	—	—	—	—	—	·11	—	·15	27
28	—	·01	—	—	—	—	·02	·12	·07	·21	·08	·24	28
29	—	—	—	—	—	·09	·06	·21	·53	·15	—	—	29
30	—	—	—	—	·17	—	—	—	·45	·15	—	—	30
31	—		·08		·01		·20	·19				·01	31
Total	2·82	·84	1·99	·13	1·13	2·40	1·67	6·24	1·56	1·54	1·55	1·66	TOTAL for year 23·53
No. of Rain Days	14	10	13	2	12	14	12	24	8	10	11	15	145

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

✓

cont by old g. Jan 1-22 estd } 12.11.13

W DL

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Herschel House Cambridge

in the County of Cambridge 2

by C N H Lock

RAIN GAUGE { Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 36 ft.

Time of Observation 9 A.M.

Nearest Railway Station { Name Cambridge
Distance 1½ mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		—	—	—	—	·09	·05	—	·14	·21	—	·14	1
2		·02	—	·01	—	—	·33	—	—	—	—	—	2
3		—	—	—	·04	·20	—	·27	—	—	—	·11	3
4		—	—	—	·05	·35	—	—	—	—	·27	—	4
5		·08	·39	—	—	—	—	·09	—	—	·02	—	5
6		·06	·17	—	·01	·32	·60	·20	—	—	—	—	6
7		—	—	—	—	·61	—	·19	—	—	—	—	7
8		·13	·05	—	—	·02	—	·09	·26	→	—	—	8
9		·01	·01	—	—	·11	—	—	—	—	—	·21	9
10		—	—	·12	—	—	·05	·08	·10	—	—	·05	10
11	(2·25)	·11	—	—	—	—	—	·03	·06	—	} ·22	—	11
12		—	·03	—	·04	—	—	·01	—	—		—	12
13		—	—	—	—	·05	—	~~[illegible]~~	—	—	·27	—	13
14		—	—	—	·04	~~·28~~	—	~~·05~~ ·03	—	—	—	—	14
15	gauge started on 23rd	—	·17	—	·18	·28 ~~·09~~	—	·05	—	—	—	·08	15
16		—	—	—	—	·09	—	·04	—	·02	·04	—	16
17		—	·26	—	—	·17	—	·05	—	—	—	·08	17
18		—	·04	—	—	—	·27	·24	—	—	—	} ·08	18
19		·07	·20	—	—	—	—	·34	—	—	·12		19
20		—	·10	—	·10	—	—	·42	—	} ·41	—	—	20
21		—	·35	—	·49	—	—	·83	—		—	—	21
22		·08	—	—	·06	—	·02	·09	—	—	—	—	22
23	·42	·30	·27	—	—	—	·02	·62	(·02)	—	·23	·12	23
24	·26	—	—	—	—	·06	·09	·16	—	—	—	·04	24
25	—	—	—	—	—	·13	—	·53	—	—	·16	·25	25
26	—	—	—	—	—	—	·08	1·68	—	·38	·26	·25	26
27	—	—	—	—	—	—	—	—	—	·12	—	·18	27
28	—	·01	—	—	—	—	·02	·13	·08	·24	·10	·26	28
29	—	—	—	—	—	·10	·07	·24	·59	·17	—	—	29
30	—		—	—	·18	—	—	—	·49	} ·16	—	—	30
31	—		·08		·01		·21	·21				·01	31
Total	(2·93)	·87	2·12	·13	1·20	2·58	1·81	6·72	1·74 ✓	1·71	1·69	1·86	(25·36) TOTAL for year ? ~~25·60~~
No. of Rain Days.	(14?)	10	13	2	11	14	12	24	7	10	~~10~~ 11	15	~~142~~ 143

W. 8,000, X. '11.

corr by own stats 27.11.~~14~~

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

Kept at Herschel House Cambridge

in the County of Cambridge

by C. N. H Lock

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Cambridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·11	·07	·11					·03 (·30)		·08		1
2	·04	·14			·18		·15		·49			·17	2
3			·11		·56					~~·12~~		·10	3
4	·09				·09		·03			·14	·04	·12	4
5	·06						·09		·02	·55			5
6			·04		·03	·30	·10						6
7		·09					·06			·34			7
8		·12			·16	·02					·10		8
9		·07				·06	·06				·05	·01	9
10				·03			·11				·33		10
11	·63			·405		·01		·11		·01	·16		11
12					·03						·05		12
13								·01			·42		13
14			·04	·01			·19			·19	·02		14
15	·08	·02	·24	·07			·15						15
16	·05		·33	·12					·12				16
17	·08		·07	·08		1·38	·01					·15	17
18			·02	·12			·07		·08				18
19			·02	·01					·61			·06	19
20	·09		·05							·22			20
21			·06		·02		·03			·11	·23		21
22	·33		·08				·02	·05	·12				22
23						·02		·08	·04				23
24						·02						·03	24
25				·13									25
26		·02	·13							·72			26
27		·01			·24	·03				·06			27
28	·12		·06	·02	·21							·17	28
29			·09	·15				·04					29
30	·36			·13				·04					30
31								1·07		·10			31
Total	1·96	·58	1·41	1·38	1·52	1·84	1·07	1·40	1·78	2·56	1·48	·81	YEAR'S TOTAL 17·79
Rain Days.	12	8	15	13	9	8	13	7	8	11	10	8	122

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Herschel House Cambridge
in the County of Cambridgeshire 2
by C. N. H. Lock

Lat. 52° 12' 14" N Long. 0° 6' 19" E
Time of Observation 9 AM.
Nearest Railway Station Cambridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·01	—	—	·21		—	·04	·10	—	1
2	—	—	—	—	—	—	·01	·40	—	—	·03	·05	2
3	—	—	·12	·01	·14	—	—	·16	—	—	—	—	3
4	·12	—	—	·21	·02	—	·30	·07	—	—	·47	·15	4
5	—	—	·02	·12	·01	·01	·20	·78	—	—	—	—	5
6	—	·06	·01	—	—	·03	·01	·03	—	—	·20	·06	6
7	·05	·01	·33	—	·14	·10	·05	—	—	—	—	·37	7
8	—	—	·26	—	·07	·56	—	·12	—	—	—	—	8
9	·60	·06	—	·05	—	·53	—	—	—	—	—	·87	9
10	·40	·09	·44	—	·05	—	—	—	—	—	—	—	10
11	—	·04	·33	—	—	·25	—	—	—	—	·31	·11	11
12	—		·06	—	—	—	—	—	—	—	·01	·14	12
13	—	·15	·14	—	—	—	—	—	·42	—	·08	·20	13
14	—	—	·16	—	—	—	·18	—	—	·69	·05	·76	14
15	·06	—		—	—	—	·11	·02	·21	—	—	·11	15
16	—	—	·36	—	—	—	·06	—	—	—	—	—	16
17	—	·33	—	—	—	—	—	—	·19	—	—	—	17
18	—	—	—	—	—	—	·05	—	—	—	—	·30	18
19	—	—	—	—	—	·12	—	—	—	—	·26	—	19
20	—	·11	·45	—	—	·42	—	—	—	—	—	·06	20
21	—	·12	~~·54~~ ·12	—	—	—	—	·01	—	·01	—	·12	21
22	—	—	—	—	·33	—	·08	·04	—	·42	—	hail ·01	22
23	—	·04	—	—	·07	—	—	—	—	·15	—	—	23
24	—	—	—	·24	—	—	·11	—	—	·12	·13	—	24
25	—	·01	—	—	—	—	—	·04	—	·39	—	·02	25
26	—	—	·12	—	—	—	—	·08	—	—	—	·33	26
27	—	·01	—	—	—	—	·01	—	—	—	—	·13	27
28	—	·02	—	—	—	—	—	—	—	·06	·47	rain & snow 1·34	28
29	—	×	·10	—	—	—	—	—	—	·20	—	—	29
30	—	×	—	—	—	—	—	—	—	·02	·19	·06	30
31	—	×	—	×	·13	×	·06	—	×	—	×	·05	31
Total	1·23	1·05	3·02	·64	·96	2·02	1·44	1·75	·82	2·10	2·30	5·24	YEAR'S TOTAL 22·57
Rain Days.	5	13	15 14	6	9	8	14	11	3	10	12	20	~~125~~ 126 ?

W. 8,000. X. 14.

W DL Corr. by mon. stat. 1.3.16 1309

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Herschel House Cambridge

in the County of Cambridgeshire 2

by C N H Lock

Lat. 52° 12′ 14″ N Long. −0° 6′ 19″ E
Time of Observation 9 A.M.
Nearest Railway Station Cambridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27	·10	—	—	·08	—	—	—	·12	—	—	—	1
2	·05	·04	·24	—	—	—	—	·49	—	—	—	—	2
3	·17	—	·05	—	—	—	—	·62	—	—	·05		3
4	·15	—	—	·07	—	—	·06	—	—	—	·01	·88	4
5	·01	·13	—	·14	·04	—	—	—	—	·01	·02	·16	5
6	·18	—	·04	·13	—	—	1·01	·01	—	·03	—	—	6
7	·08	·24	·05	—	—	—	·31	·13	—	—	—	·10	7
8	—	·23	—	—	—	—	—	—	—	—	—	—	8
9	—	·01	—	—	—	·02	+	—	—	—	·18	·51	9
10	·31	—	·05	—	—	—	—	—	—	—	—	—	10
11	—	—	·02	—	·06	—	—	—	—	—	·65	—	11
12	·11	—	—	·26	·26	—	—	·55	—	—	·84	·10	12
13	·01	·34	—	—	1·08	—	—	—	—	—	—	—	13
14	—	·11	—	—	—	—	·25	·06	—	—	—	·33	14
15	·14	—	—	—	·01	—	—	—	—	—	·21	·08	15
16	—	·11	—	—	—	—	·46	·15	—	—	—	—	16
17	·01	·11	—	—	·04	—	·12	·59	—	—	—	—	17
18	—	·08	·21	—	—	—	—	—	—	—	—	—	18
19	—	—	·01	—	—	—	·13	—	—	—	—	—	19
20	·30	—	—	·11	—	—	—	—	—	—	—	·34	20
21	—	—	—	—	—	+	·04	—	—	—	—	·03	21
22	·90	—	·33	—	—	—	·56	—	—	—	—	·12	22
23	—	·15	·04	—	—	—	·03	—	·29	·13	—	·18	23
24	—	—	—	·03	—	—	·17	—	·27	—	—	·05	24
25	—	—	—	—	—	·31	·02	—	—	—	—	·05	25
26	—	—	·11	—	—	·03	·01	—	—	—	—	·17	26
27	—	·05	—	—	—	—	·14	—	—		—	—	27
28	—	—	—	—	—	·54	·03	·05	·58	·53	—	—	28
29	—	×	—	—	—	·12	·01	·09	—	—	—	·10	29
30	·04	×	—	—	—	·60	·13	—	—	—	—	—	30
31	·01	×	—	×	—	×	—	·05	×	·05	×	·08	31
Total	2·74	1·70	1·15	·74	1·57	1·62	3·48	2·99	1·26	·75	1·96	3·28	YEAR'S TOTAL 23·04 23·01
Rain Days.	16	13	11	6	7	6	17	11	4	~~4~~ 5	~~5~~ 7	~~17~~ 16	119

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Herschel House Cambridge
in the County of Cambridge
by Christopher N. H. Lock

Lat. 52° 12' N Long. 0° 7' E
Time of Observation 9 A.M.
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·12	—	·12	·01	—	—	—	—	·27	—	1
2	·29	—	·02	—	·20	—	·02	—	·02	·25	—	—	2
3	—	·15	—	—	—	—	—	—	·14	·01	·11	—	3
4	·23	·08	—	—	—	·27	—	—	·27	—		—	4
5	—	—	—	·02	—	·11	·15	—	—	·11	·31	—	5
6	—	·10	·17 s	·23	—		·09	—	—	—	·20	—	6
7	·11	—	·15 s	—		·12	·26	—	—	—	·32	—	7
8	—	—	—	—	·26	·01	—	—	—	—	—	·20	8
9	—	—	—	—	·16	·25	—	—	—	—	—	·05	9
10	—	·03	·18 s	·04	—	·05	·18	—	—	—	—	·07	10
11	·06	·28	·03 x	·10	·06	·10	—	—	—	—	—	—	11
12	·01	·03	—	—	·35	·27	·04	·04	·01	·19	—	—	12
13	—	·36	·03	·07	·16	·05	·39	·10	—	—	—	—	13
14	—	·39 s	·01	·03	·06	—	—		—	—	—	·14	14
15	—	·21 s	·21	—	—	—	·05	·26	—	—	—	·03	15
16	—	—	·07	·22	—	—	·06	·17	—	—	—	—	16
17	—	—	—	·20	—	—	·18	·15	·20	·26	—	—	17
18	—	·20	·01	·05	—	—	—	·12	·23	—	·52	—	18
19	·05	—	·04	·23	—	—	—	·07	—	—	·74	·01 s	19
20	·10	—	·25	—	·21	—	—	·01	—	—	·05	·13	20
21	—	—	·61	—	—	—	·53	—	—	—	—	·39	21
22	—	·17	—	—	—	·01	—	—	—	—	—	·43	22
23	—	·48 s	—	—	—	·07	—	—	—	—	·06	·14	23
24	—	·22 s	—	—	—	·04	—	·02	—	·11	—	·33	24
25	—	·16 s	·11	—	—	—	—	·14	—	—	—	—	25
26	—	·09 s	·05	—	—	·05	—	·02	—		—	—	26
27	—	·30 s	·74 s	—	—	—	—	—	·10	·13	—	—	27
28	—	·31 s	·39 s	—	—	·02	—	—	—	—	—	·11	28
29	—	·08		—	—	·10	—	1·02	—	·20	—	—	29
30	—	X		—	—	—	—	·28	—	·22	—	·01	30
31	—	X		X	—	X	—	·02	X	—	X	—	31
Total	·85	3·64	3·19	1·19	1·58	1·53	1·95	2·42	·97	1·48	2·58	2·04	YEAR'S TOTAL 23·42
Rain Days.	~~8~~ 7	~~18~~	~~18~~	~~10~~	~~10~~ 9	~~17~~ 16	~~11~~	~~15~~ 14	~~7~~	~~10~~ 9	~~10~~ 9	~~13~~	~~144~~

W. 8,000, VIII. 16

1232

REGISTER OF RAINFALL IN, 1917

FORM A.
BRITISH RAINFALL.

2 JAN 1918

Kept at Herschel House Cambridge
in the County of Cambridge
by C N H Lock

Lat. 52° 12′ N Long. 0° 7′ E
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·15	—	·04	—	·87	·11	—	·24	—	1
2	·01	—	—	·31	—	—	—	·15	—	—	—	—	2
3	—	—	—	—	—	—	—	·36	—	—	—	—	3
4	—	·01	—	·20	—	—	—	—	—	·80	—	—	4
5	·19	—	—	—	—	—	—	—	—	—	·17	—	5
6	—	—	—	·04	—	—	—	—	—	—	—	—	6
7	·22	—	—	·02	—	·04	—	—	—	·55	—	—	7
8	·14	—	—	·01	—	—	1·47	·07	—	·24	·10	·13	8
9	snow ·09	—	snow ·07	·07	—	—	·01	·17	—	—	—	—	9
10	snow ·27	—	·13	·12	—	—	—	·12	—	—	—	—	10
11	·04	—	·50	·07	—	—	—	—	—	—	—	—	11
12		—	—	·03	—	—	—	·03	—	·40	·02	—	12
13	snow ·24	—	—	·01	—	·01	—	·06	·01	—	—	—	13
14	—	—	—	·14	—	—	·01	·01	—	—	—	·02	14
15	snow ·01	—	—	—	—	—	—	—	—	—	—	—	15
16	·01	·15	—	·25	~~·66~~	·06	·02	—	—	·64	—		16
17	—	—	—	·01	·66	—	·17	—	·44	·17	—	·12	17
18	·02	—	—	·07	—	—	·31	·04	·70	—	—	—	18
19	—	·10	·15	—	·28	—	—	—	·26	—	—	—	19
20	—	·17	·12	—	·08	—	—	—	—	—	·16	—	20
21	—	—	·03	—	—	—	—	—	—	—	—	—	21
22	·02	—	—	—	—	—	—	—	—	—	—	—	22
23	—	—	—	—	·19	—	—	·23	·03	—	—	—	23
24	—	·07	—	—	—	·31	—	·02	—	·19	—	—	24
25	—	—	·11	—	—	—	—	—	—	—	·08	snow ·06	25
26	—	—		—	—	—	—	·17	—	—	·39	·08	26
27	—	—	·09	—	—	—	—	·48	—	—	—	—	27
28	—	·01	—	—	—	·85	—	·08	—	—	—	·05	28
29	—	✗	·16	—	—	·46	1·79	·04	—	·21	—	·11	29
30	snow ·05	✗	—	—	—	—	·55	·07	—	—	—	—	30
31	—	✗	·25	✗	—	✗	·47	·07	✗	—	✗	·03	31
Total	1·31	·52	1·61	1·50	1·21	1·77	4·80	3·04	1·55	3·20	1·16	·60	YEAR'S TOTAL 22·27
Rain Days.	13	7	10	15	4	7	9	18	6	8	21·57 7	8	112

W. 8,000, IX. 17.

18

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
10 1 19

Kept at Herschel House Cambridge
in the County of Cambridge
by C. N. H. Locke

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. 2 in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·48

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·09		·08			·07				·04	·06	1
2	·01	·04	·06	·28				·05		·005		·17	2
3					·45			·04	·16		·70		3
4									·38	·02	·25	·01	4
5					·16				·30	·02			5
6			~~·15~~	·15					·20				6
7	·12	·23	~~·01~~	·01				·09	·07		·09		7
8									·15	·06	·08		8
9	·03		~~·03~~	·02			·15		·26	·18			9
10	·04		~~·02~~	·02			·14		·25			·22	10
11					·10		·02		·12	·34		·07	11
12					·14		·06		·10	·04			12
13		·16			·57		·13		·05			·09	13
14	·24					·06	·10		·37	·27		·08	14
15	·96		~~1·74~~	1·74			·26		·15			·10	15
16	·20		~~·71~~	·71					1·01				16
17			~~·12~~	·12			·43						17
18	·50					·17	·10					·39	18
19	·02	·05	·18	·04		·68	·13					·04	19
20		·04	~~·08~~	·08		·03	·06		·48	·20			20
21			~~·01~~	·01					·62	·07			21
22	·02				·31		·07		·10			·27	22
23	·05				·62		·11	·04					23
24		·18			·01				·05		·05		24
25								·25	·07				25
26						·05	·49			·04	·39	·11	26
27			~~·26~~	·26			·03	·17	·10		~~·24~~		27
28		·06	·05								·24	·11	28
29									1·40				29
30			·32					·11	·07		·15	·13	30
31			·09							·07			31
Total	2·19	·85	·70	3·52	2·36	·99	2·35	·75	6·46	1·255	1·99	1·85	YEAR'S TOTAL 25·26
Rain Days.	~~12~~ 11	8	5	13	8	5	16	7	22	11 12	9	14	~~130~~

W, 6,500, VII. 18. W W C

E+R

1166

3 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Herschel House Cambridge
in the County of Cambridge
by C N H Lock

Lat. 52° 12' 15" N Long. 0° 6' 25" E
Time of Observation 9 A.M.
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	—	—	—	·05	—	·44	—	—	·03	—	1·26	1
2	·27	—	—	—	·03	—	·04	—	·16	·01	·20	—	2
3	·24	—	·23	—	—	—	·05	—	·02	—	·13	·08	3
4	·08	—	·29	—	—	·05	·09	·03	·10	—	—	—	4
5	·02	·20	·24	—	—	—	·17	—	—	—	—	·33	5
6	—	—	·08	—	—	—	—	—	—	—	·12	—	6
7	—	—	·23	—	—	—	—	—	—	—	—	—	7
8	·08	—	·02	·08	—	—	—	—	—	—	·07	—	8
9	—	—	·02	—	—	—	—	—	—	—	—	·08	9
10	—	—	·16	·15	—	—	—	—	—	—	—	—	10
11	·10	—	·13	—	—	—	·50	—	—	—	—	—	11
12	—	—	·18	—	—	·06	·18	—	—	—	—	—	12
13	·10	—	—	·12	—	—	—	—	—	·05	—	—	13
14	·21	—	—	—	—	—	·03	—	06	—	—	—	14
15	·24	—	·05	·14	—	—	—	—	—	—	—	11	15
16	·02	·61	—	—	—	—	—	·01	—	—	·18	—	16
17	—	·86	—	·04	—	—	—	—	—	—	—	—	17
18	—	·09	—	—	·01	—	—	·15	—	—	·27	·09	18
19	—	·19	—	—	—	·04	·09	—	·01	—	—	—	19
20	·40	—	·26	—	—	·71	·53	·40	—	—	·02	—	20
21	·49	·32	—	—	—	—	·57	—	—	—	—	·13	21
22	—	·42	·04	—	—	—	·07	—	·15	—	·03	·43	22
23	—	—	—	—	—	·06	·17	·04	—	—	—	·05	23
24	—	—	—	·20	—	·14	—	—	·03	—	—	·01	24
25	—	—	—	·08	·12	·04	—	·18	—	—	—	—	25
26	·19	·28	·25	—	—	—	—	·25	·07	—	—	·36	26
27	·73	·10	—	1·03	—	—	—	·15	—	—	—	—	27
28	—	—	—	—	—	—	—	·88	—	·09	·10	·28	28
29	·04		—	—	—	—	—	·14	—	·21	—	·09	29
30	—		—	·43	—	·14	—	—	—	—	·23	·11	30
31	·06		—		—		—	—		·04		·03	31
Total	3·75	3·07	2·18	2·27	0·21	1·24	2·93	2·23	0·60	0·43	1·35	3·44	Year's Total 23·70
Days with ·01 in. or more	17	9	14	9	4	8	13	10	8	6	10	15	~~123?~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1109

1 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

Kept at Herschel House, Grange Road, Cambridge
in the County of Cambridge
by C. N. H. Lock

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·26	·09		·23	·03		·57		·13	1
2				·05				·11	·10			·02	2
3				·16		·04	·18		·05				3
4			·35	·18			·12	·15	·07				4
5			·03	·04	·07		·31		·07				5
6			·07		·07		·33						6
7				·08			·09						7
8	·15			·43			·10						8
9	·39	·04		·40			·02	·12	·05				9
10	·10		·17				·05						10
11	·25			·33	·04		·03						11
12	·11		·12	·08		·11						·28	12
13			·02	·13		·09							13
14			·19	·16		·01							14
15			·25	·04			·03		·25		·20	·07	15
16				·06	·01				·27				16
17	·02				·10				·36				17
18	·09							·23					18
19	·12			·05					·04				19
20				·26		·47			·13				20
21				·20			·16	·08	·13				21
22				·13					·96				22
23							·26	·07				·45	23
24	·11		·14									·02	24
25			·05	·05			·26						25
26	·50		·07	·06	·47	·35	·09					·05	26
27	↓ +			·06							·17		27
28	+		·24		·21	·01	·02					·03	28
29	·01		·05		·24		·04				·04	·28	29
30						·02			·25			·25	30
31	·04		·03							·09		·04	31
TOTAL	1·89	·04	1·78	3·21	1·30	1·10	2·52	·73	2·73	·66	·41	1·62	YEAR'S TOTAL 17·99 ~~18·17~~
Days with ·01 in. or more	14	1	14	21	9	8	17	7	13	2	3	~~12~~ 11	~~18·19~~
Days with ·04 in. or more	~~10~~ 11	1	11	21	8	5	13	5	13	2	3	8	~~126~~ 101

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
3 - FEB 191

REGIST

CAMBRIDGE

"13, SIDNEY ST."

1911 – 1920

Kept at 13 Sidney St. C
in the County of Cambridge
by W. E. Pain &

in.
round ft. in.
~~Sea~~ Level ft.
as before
ame
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.18	—	0.03	—	—	—	0.03	0.01	—	—	—	—	1
2	0.16	—	0.01	—	0.05	—	0.02	0.01	—	—	0.06	0.12	2
3	—	0.01	—	0.04	0.06	—	—	—	—	0.12	0.01	0.05	3
4	0.05	0.03	0.09	0.05	—	—	—	—	—	0.11	0.05	0.21	4
5	0.01	0.01	—	0.05	—	—	—	0.02	—	0.07	—	0.14	5
6	0.24	—	0.02	0.02	—	—	—	—	—	—	0.01	0.23	6
7	0.02	0.01	—	—	—	—	—	—	—	0.02	0.19	0.28	7
8	0.14	—	0.03	—	—	—	—	—	—	—	0.11	0.03	8
9	0.15	—	0.08	0.04	—	—	—	—	—	—	—	—	9
10	0.01	0.05	0.03	—	—	—	—	—	—	—	0.10	0.12	10
11	0.25	—	0.01	—	0.04	—	—	0.05	—	—	0.34	—	11
12	0.09	—	0.31	—	—	—	—	—	0.04	0.01	0.15	—	12
13	—	—	0.04	—	0.02	0.03	—	—	0.21	0.43	—	0.22	13
14	—	0.02	0.08	—	0.51	0.13	—	—	—	0.01	—	0.32	14
15	—	0.02	0.19	—	—	—	—	—	0.02	0.02	0.05	0.02	15
16	—	—	0.05	—	—	0.33	—	—	—	—	0.29	0.04	16
17	—	—	—	—	—	—	—	—	—	—	0.05	0.06	17
18	—	0.07	—	—	—	—	—	—	—	—	0.51	0.02	18
19	—	0.04	—	—	0.02	0.41	—	—	0.11	0.11	0.26	—	19
20	—	0.01	0.01	—	—	0.02	—	0.28	0.10	0.02	—	0.42	20
21	0.01	0.02	—	—	—	—	—	0.21	0.05	0.26	—	0.09	21
22	0.06	—	0.16	—	—	0.05	—	—	—	0.10	—	0.39	22
23	0.01	0.02	0.05	—	—	0.92	0.01	—	0.36	—	—	0.14	23
24	—	0.03	~~0.01~~	—	—	0.12	—	—	—	0.34	—	0.20	24
25	—	0.03	0.01	0.02	—	0.14	0.31	0.04	—	—	0.01	0.01	25
26	—	0.01	—	0.14	—	—	0.03	—	—	0.12	0.05	0.23	26
27	—	0.09	0.04	0.02	—	—	—	—	0.16	—	0.02	0.02	27
28	—	0.11	—	0.22	—	0.02	—	0.11	—	—	0.09	0.02	28
29	—	—	—	0.05	—	0.34	0.31	—	0.22	0.22	—	—	29
30	—	—	—	0.01	—	0.03	—	—	0.01	0.04	—	0.01	30
31	—	—	—	—	—	—	—	—	—	0.02		0.02	31
Total	1.41 1.41	0.58 1.99	1.25 3.24	0.69 3.93	0.73 4.66	2.57 7.23	0.71 7.94	0.73 8.67	1.31 9.98	2.38 12.36	2.35 14.71	3.44 18.15	TOTAL for year 18.15
No. of Rain Days.	14	17	19	11	6	12	6	8	10	17	18	25	163

W. 8,000, X. '11.

REGIST

FORM A2.
BRITISH RAINFALL.
3 - FEB 191

Kept at 13 Sidney St. Cambridge

in the County of Cambridgeshire 2

by W. E. Pain & Sons.

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. ~~in.~~
" " " ~~Sea Level~~ ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

Q as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.18	—	0.03	—	—	—	0.03	0.01	—	—	—	—	1
2	0.16	—	0.01	—	0.05	—	0.02	0.01	—	—	0.06	0.12	2
3	—	0.01	—	0.04	0.06	—	—	—	—	0.12	0.01	0.05	3
4	0.05	0.03	0.09	0.05	—	—	—	—	—	0.11	0.05	0.21	4
5	0.01	0.01	—	0.05	—	—	—	0.02	—	0.07	—	0.14	5
6	0.24	—	0.02	0.02	—	—	—	—	—	—	0.01	0.23	6
7	0.02	0.01	—	—	—	—	—	—	—	0.02	0.19	0.28	7
8	0.14	—	0.03	—	—	—	—	—	—	—	0.11	0.03	8
9	0.15	—	0.08	0.04	—	—	—	—	—	—	—	—	9
10	0.01	0.05	0.03	—	—	—	—	—	—	—	0.10	0.12	10
11	0.25	—	0.01	—	0.04	—	—	0.05	—	—	0.34	—	11
12	0.09	—	0.31	—	—	—	—	—	0.04	0.01	0.15	—	12
13	—	—	0.04	—	0.02	0.03	—	—	0.21	0.43	—	0.22	13
14	—	0.02	0.08	—	0.51	0.13	—	—	—	0.01	—	0.32	14
15	—	0.02	0.19	—	—	—	—	—	0.02	0.02	0.05	0.02	15
16	—	—	0.05	—	—	0.33	—	—	—	—	0.29	0.04	16
17	—	—	—	—	—	—	—	—	—	—	0.05	0.06	17
18	—	0.07	—	—	—	—	—	—	—	—	0.51	0.02	18
19	—	0.04	—	—	0.02	0.41	—	—	0.11	0.11	0.26	—	19
20	—	0.01	0.01	—	—	0.02	—	0.28	0.10	0.02	—	0.42	20
21	0.01	0.02	—	—	—	—	—	0.21	0.05	0.26	—	0.09	21
22	0.06	—	0.16	—	—	0.05	—	—	—	0.10	—	0.39	22
23	0.01	0.02	0.05	—	—	0.92	0.01	—	0.36	—	—	0.14	23
24	—	0.03	0.01	—	—	0.12	—	—	—	0.34	—	0.20	24
25	—	0.03	0.01	0.02	—	0.14	0.31	0.04	—	—	0.01	0.01	25
26	—	0.01	—	0.14	—	—	0.03	—	—	0.12	0.05	0.23	26
27	—	0.09	0.04	0.02	—	—	—	—	0.16	—	0.02	0.02	27
28	—	0.11	—	0.22	—	0.02	—	0.11	—	—	0.09	0.02	28
29	—	—	—	0.05	—	0.34	0.31	—	0.22	0.22	—	—	29
30	—	—	—	0.01	—	0.03	—	—	0.01	0.04	—	0.01	30
31	—	—	—	—	—	—	—	—	—	0.02		0.02	31
Total	1.41 1.41	0.58 1.99	1.25 3.24	0.69 3.93	0.43 4.66	2.57 7.23	0.71 7.94	0.93 8.67	1.31 9.98	2.38 12.36	2.35 14.71	3.44 18.15	TOTAL for year 18.15
No. of Rain Days.	14	17	19	11	6	12	6	8	10	17	18	25	163

W. 8,000, X. '11.

BRITISH RAINFALL. FORM A.

13 JAN 1913

Ex. 92

REGISTER OF RAINFALL IN 1912

Kept at 13 Sidney Street, Cambridge

in the County of Cambridgeshire 2

by W. C. Pain & Sons

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
as before
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0.01	—	0.12	0.03	—	0.15	0.21	—	0.14	1
2	—	0.02	—	0.03	—	0.01	0.39	—	—	—	—	0.01	2
3	0.12	0.02	—	—	0.04	0.18	0.01	0.25	0.01	—	—	0.09	3
4	0.03	—	0.34	—	0.04	0.31	—	0.02	—	—	0.22	—	4
5	0.08	0.10	0.14	—	—	—	—	0.10	0.02	—	0.03	—	5
6	0.14	0.04	—	—	0.02	0.38	0.41	0.20	—	—	0.01	—	6
7	0.02	0.01	—	—	0.02	0.54	0.11	0.16	—	—	—	0.01	7
8	0.15	0.12	0.05	—	—	0.03	—	0.04	0.21	—	—	0.02	8
9	—	0.05	0.02	0.10	—	0.11	—	—	—	—	—	0.13	9
10	—	0.01	—	0.01	—	—	—	0.08	0.12	—	0.08	0.02	10
11	0.12	0.12	—	—	—	—	—	0.03	0.04	—	0.01	0.04	11
12	0.12	0.01	0.03	—	0.03	0.01	—	0.05	—	—	0.05	—	12
13	0.01	—	—	—	—	0.03	0.02	—	—	—	.30 0.~~23~~	0.01	13
14	—	—	0.01	—	0.05	0.08	—	0.03	0.01	—	0.02	—	14
15	—	0.01	0.16	—	0.16	0.20	—	0.05	—	—	0.01	0.05	15
16	0.26	—	0.04	—	0.05	0.12	—	0.05	—	0.02	0.06	—	16
17	0.40	—	0.20	—	—	0.13	—	0.06	—	—	—	0.06	17
18	0.03	—	0.06	—	—	—	0.01	0.35	—	—	0.05	0.12	18
19	0.12	0.04	0.20	—	—	0.01	0.26	0.33	—	—	0.01	—	19
20	0.02	0.01	0.09	—	0.04	—	0.02	0.47	—	0.21	—	—	20
21	0.01	0.01	0.35	—	0.48	—	—	0.91	—	0.14	0.04	—	21
22	0.46	0.04	—	—	0.09	—	0.02	0.20	—	—	—	0.02	22
23	0.47	0.31	0.24	—	—	—	0.01	0.59	0.01	—	0.21	0.08	23
24	0.25	—	—	—	—	0.04	0.04	0.23	—	—	—	0.03	24
25	—	—	—	—	—	0.13	—	0.44	—	—	0.12	0.34	25
26	—	0.01	—	—	—	—	0.13	1.46	—	0.33	0.16	0.12	26
27	—	—	—	—	—	0.01	0.01	—	—	0.09	—	0.16	27
28	—	0.02	—	—	0.01	—	0.06	0.02	0.08	0.23	0.08	0.26	28
29	—	—	—	—	—	0.23	0.08	0.38	0.58	0.16	—	—	29
30	0.02		—	—	0.16	0.02	—	0.01	0.51	0.08	0.13	—	30
31	—		0.09		0.01		0.17	0.22		0.03		0.03	31
Total	2.86	1.04	2.05	0.15	1.23	2.69	2.11	7.36	1.44	1.53	1.59	1.77	YEAR'S TOTAL 26.12
Rain Days.	19	18	15	4	14	20	17	26	11	10	18	20	192

W. 7,500, XI. 12

81

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

231

Kept at 13 Sidney Street
in the County of Cambridgeshire
by W. E. Pain

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·03	·12	·07	·08					·30		·07		1
2	·04	·12			·32		·13		·45			·02	2
3			·11		·66					·05		·06	3
4	·10				·06		·06			·13	·05	·08	4
5	·06						·06		·02	·60	·01		5
6		·04	·03		·09	·26	·07			·02			6
7		·03			·02		·03	·01		·30	·01		7
8			·03	·01	·16	·01					·09		8
9		·21		·01	·01	·03	·05		·01		·05	·03	9
10	·02			·03			·11	·01			·29		10
11	·38			·40		·01		·11		·03	·12		11
12					·04			·03			·05		12
13								·02			·39		13
14	·02		·05	·01			·17			·18	·02		14
15	·12	·02	·17	·06			·12						15
16	·06		·30	·08					·12				16
17	·09	·03	·06	·08		1·21	·01					·11	17
18	·01		·02	·07			·01		·05			·02	18
19	·06		·02	·04	·02		·06		·46			·02	19
20	·02		·06	·01						·22			20
21			·06		·02		·02			·11	·23		21
22	·33		·10				·01	·06	·13				22
23						·02		·12	·03			·02	23
24						·03							24
25		·01		·12								·01	25
26		·03	·13	·01				·01		·72		·11	26
27		·03	·02	·02	·28	·04				·06			27
28	·08		·08	·02						·07		·02	28
29	·18		·09	·16	·23			·05					29
30	·13			·13				·06		·05	·17	·05	30
31								1·04		·04			31
Total	1·73	·64	1·40	1·34	1·91	1·61	·91	1·52	1·57	2·58	1·55	·55	YEAR'S TOTAL 17·31
Rain Days.	17	10	17	18	12	8	14	11	9	14	13	12	155

82/ 224

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at 13 Sidney Street

in the County of Cambridgeshire 2

by W. E. Pain & Sons

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·14	·21			·06		1
2	·01						·01	·22			·06	·06	2
3			·11	·01	·12		·23	·16			·10		3
4	·10		·01	·21	·02			·06			·29	·12	4
5			·03	·09	·02	·01	·19	·78					5
6		·06			·01	·05	·03	·04			·17	·06	6
7			·30	·02	·11	·08	·04					·34	7
8	·08	·07	·28		·06	·58	·02	·12					8
9	·56		·38	·03	·01	·56				·01		·92	9
10	·41	·06		·12	·03				·05			·02	10
11		·05	·33	·05		·26			·02		·30	·07	11
12	·01		·06						·35	·01	·01	·11	12
13		·13	·12						·01	·19	·08	·20	13
14		·01	·12				·16			·52	·06	·80	14
15	·05		·25				·09	·04	·20		·01	·10	15
16			·06				·07				·04		16
17		·23	·01						·20			·01	17
18		·01	·01								·01	·24	18
19		·02	·15			·08	·08				·19		19
20		·03	·18			·06			·01		·01	·05	20
21		·15	·11			·37		·02		·02	·01	·10	21
22			·01		·34		·06	·05		·45			22
23		·03	·04	·01	·06	·02				·15		·02	23
24						·01	·09			·12	·11		24
25	·01		·05	·08				·04		·38		·04	25
26			·04				·01	·07		·02	·04	·33	26
27	·02		·01				·05				·01	·12	27
28		·02			·01					·05	·39	1.02	28
29			·05		—					·21	·02		29
30			·02							·01	·12	·06	30
31					·12		·05					·06	31
Total	1·25	·87	2·73	·62	·91	2·08	1·32	1·81	·84	2·14	2·09	4·85	YEAR'S TOTAL 21·51
Rain Days.	9	13	24	9	12	11	16	12	7	13	21	22	169

W.7,000, XI. 13

End Feb

1310

FORM A.
BRITISH RAINFALL.

FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at 13 Sidney St. Cambridge

in the County of Cambridgeshire

by W. C. Pain & Sons.

Lat. Long.

Time of Observation as before

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.24	0.10	—	—	0.09	—	—	—	0.12	—	0.01	0.11	1
2	0.05	0.03	0.18	0.03	—	0.02	—	0.45	—	0.01	0.02	0.06	2
3	0.18	—	0.04	0.12	—	—	0.02	0.85	0.03	—	0.01	0.12	3
4	0.16	—	—	—	—	—	0.03	0.01	—	—	0.02	0.46	4
5	0.02	0.12	—	—	—	—	—	0.01	—	0.05	0.02	0.16	5
6	0.18	—	0.06	0.13	0.06	—	1.06	0.01	—	0.01	—	0.03	6
7	0.06	0.23	0.03	—	—	—	0.33	0.12	—	—	0.01	0.06	7
8	—	0.18	0.03	0.01	—	—	0.02	0.01	—	—	—	—	8
9	0.01	0.04	—	—	—	0.02	—	—	—	0.01	0.16	0.47	9
10	0.27	—	0.05	—	—	—	—	—	—	—	0.03	0.04	10
11	0.02	—	0.02	—	0.05	—	—	—	—	—	0.61	—	11
12	0.09	—	—	0.27	0.26	—	—	0.58	—	0.01	0.83	0.05	12
13	0.02	0.31	—	—	0.99	—	—	0.01	—	—	0.01	—	13
14	—	0.10	—	—	—	—	0.29	0.08	0.01	—	—	0.25	14
15	0.10	0.02	—	—	0.03	—	—	0.01	—	—	0.18	0.07	15
16	0.01	0.09	—	—	—	—	0.48	0.14	—	—	0.01	0.01	16
17	0.01	0.11	—	—	0.03	—	0.10	0.80	—	—	0.03	—	17
18	—	0.09	0.25	—	—	—	—	—	—	—	0.06	—	18
19	—	—	0.02	—	—	—	0.12	—	—	0.02	—	—	19
20	0.21	—	—	0.14	—	—	—	0.03	—	0.01	—	0.30	20
21	0.07	0.02	—	—	0.01	—	0.06	—	—	—	—	0.03	21
22	0.88	0.01	0.33	0.02	—	—	0.48	—	0.04	—	—	0.09	22
23	0.02	0.12	0.03	—	—	0.02	0.03	—	0.20	0.10	—	0.17	23
24	—	0.01	0.14	0.05	—	—	0.19	—	0.24	—	—	0.07	24
25	—	—	0.01	—	—	0.29	0.03	—	—	—	—	0.05	25
26	—	0.06	—	—	—	0.06	0.03	—	—	0.01	—	0.14	26
27	—	—	—	—	—	0.15	0.12	—	—	0.45	—	0.02	27
28	—	0.03	—	—	—	0.52	0.03	0.04	0.60	0.12	—	—	28
29	—	✕	—	—	—	0.11	0.02	0.11	—	—	0.02	0.10	29
30	0.05	✕	—	—	—	0.98	0.12	—	—	—	—	0.01	30
31	0.03	✕	—	✕	—	✕	—	0.05	✕	0.05	✕	0.06	31
Total	2.41	1.64	1.19	0.77	1.52	2.17	3.56	3.31	1.24	0.85	2.03	2.93	YEAR'S TOTAL 23.95
Rain Days.	21	18	13	8	8	9	19	17	7	12	16	24	172

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
15. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at 13 Sidney St. Cambridge
in the County of Cambridgeshire
by W. C. Pain + Sons.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground as before ft. .... in.
" " " " Sea Level as before ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03	—	0.12	—	0.13	0.01	—	—	0.01	—	0.24	—	1
2	0.26	—	0.03	—	0.22	—	—	—	—	0.24	0.01	—	2
3	—	0.10	0.01	—	—	—	0.02	—	0.13	0.23	0.12	—	3
4	0.21	0.08	—	—	—	0.23	—	—	0.20	0.03	0.14	—	4
5	0.01	0.01	0.01	0.02	0.01	0.11	0.08	—	—	0.11	0.16	0.01	5
6	—	0.07	0.20	0.25	—	0.06	0.14	—	—	0.01	0.19	—	6
7	0.08	—	0.10	—	0.14	0.05	0.21	—	—	0.01	0.28	0.03	7
8	—	—	0.02	—	0.12	0.01	—	—	—	—	0.01	0.12	8
9	—	—	—	—	0.17	0.30	—	—	—	—	—	0.06	9
10	—	0.04	0.12	0.04	—	0.13	0.19	—	—	—	—	0.07	10
11	0.04	0.23	0.04	0.08	0.05	0.12	—	—	0.01	—	—	0.01	11
12	0.02	0.03	—	—	0.35	0.24	0.03	0.05	0.01	0.19	—	—	12
13	—	0.35	0.05	0.08	0.14	0.07	0.31	0.09	—	0.01	—	—	13
14	—	0.34	0.02	0.04	0.07	0.02	—	0.01	—	—	—	0.12	14
15	—	0.26	0.23	0.02	—	—	0.06	0.28	—	—	—	0.04	15
16	—	0.09	0.08	0.20	0.04	—	0.07	0.16	—	—	—	0.01	16
17	0.03	0.02	0.01	0.15	—	—	0.20	0.01	0.17	0.26	—	—	17
18	—	0.08	0.03	0.04	—	—	—	0.10	0.15	0.02	0.28	—	18
19	0.01	0.01	0.05	0.20	—	—	—	0.08	0.11	—	0.78	0.03	19
20	0.12	—	0.27	0.03	—	—	—	0.02	—	—	0.05	0.15	20
21	0.02	—	0.54	—	—	—	0.21	—	—	—	0.01	0.37	21
22	—	0.09	0.02	—	0.16	0.01	—	—	—	—	—	0.38	22
23	0.01	0.63	—	—	—	0.06	—	0.01	—	—	0.05	0.09	23
24	—	0.03	—	—	—	0.18	0.01	0.02	—	0.08	0.01	0.29	24
25	—	0.14	0.08	—	—	—	—	0.15	—	0.04	0.05	0.02	25
26	—	0.07	0.03	—	0.05	0.04	—	0.07	—	—	0.03	—	26
27	0.03	0.23	0.43	—	—	0.01	—	0.01	—	0.11	—	0.01	27
28	—	0.24	0.38	—	—	0.02	—	—	0.01	—	—	0.05	28
29	—	0.08	0.01	—	—	0.07	—	0.83	—	0.19	—	0.01	29
30	—	X	—	—	—	0.01	—	0.27	—	0.23	—	—	30
31	—	X	—	X	—	X	—	0.02	X	0.01	X	0.01	31
Total	0.87	3.22	2.88	1.15	1.65	1.75	1.53	2.18	0.90	1.44	2.44	1.88	YEAR'S TOTAL 22.22
Rain Days.	13	22	24	12	13	20	12	17	9	16	16	20	194

~~Esq 40~~ 1033

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

12 JAN 1918

Kept at 13 Sidney Street, Cambridge

in the County of Cambridgeshire

by W. E. Pain & Sons.

Lat. Long.
Time of Observation as before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.03	—	0.04	—	—	—	0.48	0.11	—	0.15	—	1
2	0.02	0.02	—	0.18	—	0.03	—	0.12	—	—	0.02	—	2
3	—	—	—	0.02	—	—	—	0.24	—	0.11	0.11	—	3
4	—	0.12	—	—	—	—	—	0.03	—	0.61	—	—	4
5	0.14	—	0.01	0.15	—	—	—	0.03	0.01	0.03	0.12	—	5
6	—	—	—	—	—	0.05	—	—	0.02	0.07	—	—	6
7	0.22	—	0.01	—	—	—	—	—	—	0.53	—	—	7
8	0.08	—	0.01	0.09	—	—	1.40	0.08	—	0.23	0.05	0.05	8
9	0.06	—	0.06	0.04	—	—	—	0.14	—	0.02	0.03	0.07	9
10	0.253	0.02	0.14	0.07	—	—	—	0.08	—	0.01	—	—	10
11	0.14	0.01	0.51	0.07	—	—	—	—	0.01	0.14	—	—	11
12	0.05	0.01	0.01	0.01	0.10	—	—	0.11	—	0.23	—	0.02	12
13	0.16	—	0.02	—	—	0.05	0.01	0.05	0.02	0.04	—	0.01	13
14	—	—	—	0.14	—	—	—	0.03	—	—	—	—	14
15	0.01	—	—	—	—	—	—	—	—	0.04	—	0.02	15
16	0.01	0.05	—	0.22	—	0.08	0.03	—	—	0.61	—	0.04	16
17	0.01	—	0.01	0.14	0.62	—	0.26	0.05	0.45	0.16	—	—	17
18	0.02	0.01	—	0.05	—	0.15	0.29	0.01	0.62	—	—	—	18
19	0.01	0.05	0.12	—	0.22	0.01	—	—	0.33	—	—	—	19
20	—	0.16	0.10	—	0.09	—	—	—	—	—	0.14	—	20
21	—	0.02	0.04	—	—	—	—	—	—	—	—	—	21
22	0.01	—	0.06	—	—	—	—	0.06	0.02	0.08	—	—	22
23	—	0.02	—	—	0.22	—	—	0.15	0.02	—	—	0.03	23
24	0.01	0.02	—	—	—	0.15	—	0.02	—	0.08	0.05	0.04	24
25	—	0.01	0.03	—	—	—	—	—	—	—	0.02	—	25
26	—	—	0.03	—	—	0.02	—	0.13	0.07	—	0.28	0.08	26
27	—	—	0.02	—	—	—	0.01	0.44	—	—	—	—	27
28	—	0.02	0.16	—	—	0.85	—	0.08	—	0.01	—	0.03	28
29	—	X	—	—	0.01	0.34	1.55	0.03	—	0.18	—	0.10	29
30	0.02	X	0.05	—	—	—	0.60	0.06	—	—	—	0.01	30
31	0.02	X	0.30	X	—	X	0.36	0.07	X	—	X	0.02	31
Total	1.25 ✓	0.54 ✓	1.69 ✓	1.28 ✓	1.26 ✓	1.46 ✓	4.51 ✓	2.85 ✓	1.68 ✓	3.21 ✓	0.94 ✓	0.52 ✓	YEAR'S TOTAL 21.55 ✓
Rain Days.	18 ✓	15 ✓	19 ✓	13 ✓	6 ✓	10 ✓	9 ✓	22 ✓	11 ✓	18 ✓	10 ✓	13 ✓	164 ✓

3.68

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
1. 2. 19

Kept at 13. Sidney St. Cambridge

in the County of Cambridgeshire

by W. C. Pain & Sons.

Lat. Long. as before.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	~	~	~	0.07	~	~	0.11	~	~	~	0.04	0.06	1
2	0.01	0.06	~	0.20	~	~	~	0.06	0.05	0.01	0.01	0.11	2
3	~	0.0~~6~~5	0.05	~	0.46	~	~	0.05	0.14	~	0.68	0.02	3
4	~	0.0~~5~~1	0.05	~	0.01	~	0.01	0.04	0.51	0.01	0.22	0.01	4
5	~	[illegible] ~	~	~	0.16	~	~	0.07	0.21	0.04	~	~	5
6	0.03	0.08	~	0.14	0.02	~	~	0.02	0.16	~	~	0.02	6
7	0.20	0.0~~8~~9	~	0.04	0.01	0.02	~	~	0.05	0.04	0.08	0.01	7
8	~	0.0~~9~~1	~	~	~	~	~	~	0.12	~	0.09	~	8
9	~	0.0~~1~~1	~	0.04	~	0.01	0.20	~	0.54	0.14	~	0.07	9
10	0.04	~~0.07~~	~	0.01	~	~	0.11	~	0.03	0.01	0.01	0.16	10
11	~	~	~	0.01	0.12	~	0.03	~	0.14	0.34	0.01	0.07	11
12	~	0.13	~	~	0.14	~	0.06	~	0.09	0.06	~	~	12
13	~	0.~~1~~02	~	0.01	0.51	~	0.16	~	0.11	~	~	0.05	13
14	0.20	~~0.02~~ ~	~	0.01	~	0.06	0.10	~	0.43	0.26	~	0.07	14
15	0.43	~	~	1.58	~	~	0.30	~	0.02	~	~	0.08	15
16	0.07	~	~	0.62	~	~	~	0.01	1.08	~	~	0.01	16
17	0.11	~	~	0.13	~	0.01	0.46	~	0.01	~	~	0.11	17
18	0.45	~	~	0.01	~	0.14	0.10	~	0.48	~	~	0.26	18
19	0.03	0.06	0.11	0.05	~	1.27	0.17	~	~	0.06	~	0.03	19
20	~	0.03	~	0.05	~	0.03	0.08	~	0.06	0.04	0.01	~	20
21	~	~	~	0.02	~	~	0.01	~	0.66	0.09	~	0.01	21
22	0.02	~	~	0.01	0.39	0.01	0.06	~	0.07	0.01	~	0.26	22
23	0.04	~	~	~	0.51	0.02	0.11	0.04	0.05	0.01	~	0.03	23
24	~	0.16	~	~	0.01	~	0.01	~	0.04	~	0.01	~	24
25	~	~	~	~	~	0.03	~	0.24	~	~	0.08	~	25
26	~	~	~	~	~	~	0.45	~	~	0.05	0.24	0.07	26
27	~	~	~	0.28	~	~	0.07	0.21	0.07	~	0.12	0.03	27
28	~	0.04	0.03	0.01	~	~	~	0.05	~	~	0.21	0.09	28
29	~	╳	~	~	~	~	~	~	1.45	~	0.01	0.01	29
30	~	╳	0.35	~	~	~	~	0.02	0.05	~	0.14	0.11	30
31	~	╳	0.10	╳	~	╳	~	~	╳	0.07	╳	0.09	31
Total	1.93	0.75	0.69	3.29	2.34	1.63	2.60	0.81	6.62	1.27	1.96	1.84	YEAR'S TOTAL 25.43
Rain Days.	12	13	6	19	11	10	19	11	25	16	16	25	183

W. 8,000, IX. 17.

Exd 1/1

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at 13 Sidney St. Cambridge
in the County of Cambridgeshire
by W. C. Pain + Sons.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 53 ft. — in.
" " " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.32	0.04	—	—	0.05	—	0.28	—	—	0.03	—	0.05	1
2	0.38	—	0.01	—	0.03	—	0.05	—	0.13	0.02	0.16	0.38	2
3	0.24	—	0.19	—	—	—	0.05	—	0.02	—	0.12	0.06	3
4	0.08	—	0.27	—	—	0.05	0.38	0.03	—	—	—	0.14	4
5	0.03	0.15	0.24	—	—	—	0.11	—	0.16	—	—	0.12	5
6	—	—	0.05	—	—	—	—	—	—	—	0.02	—	6
7	0.01	—	0.19	—	—	—	0.02	—	—	—	0.09	0.01	7
8	0.07	—	0.04	0.06	—	—	—	—	—	—	0.07	—	8
9	—	—	0.04	0.03	—	—	—	—	—	0.02	0.02	—	9
10	—	—	0.13	0.03	0.01	—	—	—	—	—	0.01	0.02	10
11	0.11	—	0.14	0.09	—	—	0.51	—	—	—	0.02	0.03	11
12	0.02	—	0.16	—	—	0.05	0.15	—	—	0.03	0.02	—	12
13	0.09	—	—	0.11	—	—	—	—	—	—	0.01	—	13
14	0.17	0.01	—	0.09	—	—	0.03	—	0.06	—	—	—	14
15	0.24	—	0.06	0.04	—	—	—	—	—	—	0.02	0.10	15
16	0.03	0.56	—	0.05	—	—	—	0.03	—	—	0.08	0.03	16
17	—	0.62	0.02	0.01	—	—	—	—	—	—	0.17	0.01	17
18	—	0.10	0.01	—	0.01	—	—	0.11	—	—	0.04	0.03	18
19	—	0.15	0.15	—	—	0.23	0.11	0.14	0.02	—	0.03	0.02	19
20	0.37	0.02	0.01	—	—	0.56	0.56	0.27	0.02	—	—	0.02	20
21	0.46	0.29	0.01	—	—	0.01	0.66	—	—	—	—	0.08	21
22	—	0.39	0.03	—	—	—	0.05	—	0.12	—	0.04	0.37	22
23	—	—	—	0.01	—	0.06	0.21	0.06	0.03	—	—	0.05	23
24	—	—	—	0.16	—	0.19	0.01	—	—	0.02	—	0.01	24
25	0.05	—	—	0.06	0.13	0.03	—	0.26	—	—	—	0.04	25
26	0.17	0.27	0.23	0.14	—	—	—	0.08	0.06	—	—	0.34	26
27	0.49	0.09	—	0.66	—	—	—	0.32	—	0.02	—	0.02	27
28	—	—	—	0.16	—	—	0.01	0.67	—	0.07	0.05	0.28	28
29	0.04		—	0.05	—	—	0.02	0.13	—	0.16	0.03	0.07	29
30	—		—	0.36	—	0.17	—	0.02	—	0.03	0.16	0.11	30
31	0.02		—		—		—	—		0.02		0.04	31
TOTAL	3.39	2.69	1.98	2.01	0.23	1.35	3.21	2.12	0.62	0.42	1.16	3.36	YEAR'S TOTAL 22.54
Days with ·01 in. or more	26	12	19	17	5	9	17	12	9	10	19	25	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W WMD ind 1110

2 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at 13 Sidney St. Cambridge

in the County of Cambridgeshire

by W. E. Pain + Sons.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Cambridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 53 ft. — in.

„ „ „ „ Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0.23	0.08	—	0.16	0.05	—	0.43	0.01	0.11	1
2	—	—	—	0.11	—	—	—	0.12	0.11	0.01	—	0.02	2
3	—	0.02	—	0.18	—	0.03	0.17	—	0.05	—	—	0.02	3
4	—	—	0.07	0.15	—	—	0.22	0.16	0.04	0.02	—	0.06	4
5	—	—	0.03	0.04	0.05	—	0.39	0.02	0.08	—	—	0.02	5
6	—	—	0.07	—	0.05	—	0.57	—	—	—	—	—	6
7	—	—	0.09	0.09	0.01	—	0.11	—	—	—	—	0.02	7
8	0.13	—	—	0.44	—	—	0.07	0.02	—	—	—	—	8
9	0.36	—	—	0.37	—	—	—	0.17	—	—	—	—	9
10	0.08	0.01	0.07	0.03	—	—	0.05	—	—	—	0.01	—	10
11	0.20	0.01	0.06	0.42	0.04	0.02	0.05	—	—	—	—	0.03	11
12	0.11	—	0.05	0.08	—	0.15	—	—	—	—	—	0.16	12
13	0.01	—	0.02	0.16	—	0.09	—	—	—	—	0.01	—	13
14	0.01	0.01	0.18	0.17	—	0.02	0.04	—	0.14	0.03	0.12	0.02	14
15	—	0.02	0.09	0.03	—	—	—	—	0.28	0.01	0.05	0.06	15
16	—	—	0.01	0.07	0.01	—	—	—	0.23	0.01	—	0.01	16
17	0.03	—	0.01	0.02	0.06	—	0.01	—	0.37	—	—	0.03	17
18	0.06	—	—	—	0.03	—	—	0.24	0.08	—	—	0.02	18
19	0.16	0.01	—	0.02	—	0.03	—	—	0.01	—	—	—	19
20	0.06	0.11	—	0.26	—	0.57	—	—	0.03	—	—	—	20
21	—	0.01	—	0.18	—	—	0.19	0.09	0.23	—	—	0.02	21
22	—	—	—	0.15	—	—	0.01	0.03	0.90	—	0.01	0.03	22
23	—	—	—	—	—	—	0.28	—	0.01	0.01	0.01	0.38	23
24	0.03	—	0.12	—	—	—	—	0.01	0.01	0.01	—	0.03	24
25	—	0.06	0.05	0.06	—	0.03	0.28	—	0.03	0.01	—	—	25
26	0.07	—	0.05	0.07	0.34	—	0.13	—	—	0.01	—	0.01	26
27	0.10	0.03	0.01	0.07	—	0.34	—	—	0.01	0.01	0.17	0.04	27
28	0.42	0.01	0.31	—	0.29	0.02	0.03	—	—	—	0.02	—	28
29	0.03	—	0.02	—	0.30	—	0.05	—	—	—	0.03	0.31	29
30	0.05	✕	—	0.01	0.01	0.06	0.02	0.01	0.21	—	0.03	0.22	30
31	0.01	✕	0.02	✕	—	✕	—	—	✕	0.03	✕	0.07	31
TOTAL	1.92	0.30	1.33	3.42	1.27	1.36	2.83	0.92	2.82	0.59	0.47	1.69	18.91 YEAR'S TOTAL. ~~18.92~~
Days with ·01 in. or more	18	11	19	24	12	11	19	11	18	12	11	22	188
Days with ·04 in. or more	12	2	12	19	8	5	15	6	12	1	3	9	104

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1204
CAMBRIDGE, P. S.
1912 – 20

FORM A.
BRITISH RAINFALL.

10 JAN 1913

12

Kept at Cambridge

in the County of Cam

by Julian Julian,

ng.

n

e .... in.

above Ground .... ft. .... in.

„ Sea Level .... ft.

IMPORTANT ... and the result entered to the previous day. If a ... to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·02	–	·09	·05	–	·16	·20	–	·08	1
2	–	·04	–	·02	–	·02	·37	–	·01	·01	–	·01	2
3	·17	·02	–	–	·04	·26	·01	·20	·02	·01	·01	·10	3
4	·06	–	·35	–	·06	·22	–	·07	·01	–	·26	·01	4
5	·06	·07	·17	–	–	·01	–	·09	–	–	·05	–	5
6	·26	·07	–	–	·02	·33	·74	·24	–	–	·03	–	6
7	·03	·01	–	–	·03	·42	·09	·22	–	–	–	–	7
8	·18	·09	·06	·03	–	·04	–	·06	·22	–	–	·02	8
9	·01	·05	·02	·07	–	·04	–	–	·01	–	–	·13	9
10	–	·01	–	·01	–	–	–	·08	·04	–	·10	·02	10
11	·12	·11	–	–	–	·01	–	·04	·08	–	·01	·04	11
12	·12	·04	·04	–	·05	·01	–	·06	·01	–	·07	–	12
13	·03	–	–	–	–	·06	–	–	–	–	·28	·03	13
14	–	–	·03	–	·04	·07	–	·04	·01	·03	·03	·02	14
15	–	·02	·20	–	·15	·19	–	·06	–	–	–	·07	15
16	·33	✓	·05	–	·03	·14	–	·06	–	·04	·04	–	16
17	·51	–	·21	–	–	·16	–	·07	–	–	–	·05	17
18	·05	–	·07	–	–	·01	·01	·19	–	–	·07	·13	18
19	·12	·09	·17	–	–	·02	·21	·38	–	–	·02	–	19
20	·03	·02	·09	–	·07	–	~~·21~~	·37	–	·23	–	–	20
21	·01	·03	·39	–	·41	–	·02	1·08	–	·18	·05	–	21
22	·48	·10	·03	–	·13	–	·03	·16	–	·03	–	·03	22
23	·49	·34	·39	–	·01	–	~~·03~~	·60	–	·01	·22	·14	23
24	·29	–	·02	–	–	–	·07	·15	·02	·01	·01	·06	24
25	·02	·01	–	–	–	·12	·02	·75	–	·01	·13	·26	25
26	–	·01	–	–	–	·02	·07	1·49	–	·36	·19	·25	26
27	–	–	–	–	·02	–	–	·01	–	·10	–	·19	27
28	–	·02	–	–	–	–	·04	·03	·08	·25	·09	·26	28
29	–	·02	–	·01	–	·22	·13	·38	·59	·21	·07	·02	29
30	·02	▨	–	–	·21	·02	–	·02	·52	·12	–	–	30
31	–	▨	·09	▨	·03	▨	·18	·22	▨	·04	▨	·02	31
Total	3·39	1·17	2·38	·16	1·30	2·48	2·04	7·12	1·78	1·84	1·73	1·94	YEAR'S TOTAL 27·33
Rain Days.	21	20	17	6	15	22	15	27	14	17	19	22	215

W. 7,500, XI. ·12

12

ng.

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at Cambridge Corporation Pumping Station.
in the County of Cambridgeshire 2
by Julian Julian, Borough Surveyor

Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·02	-	·09	·05	-	·16	·20	-	·08	1
2	-	·04	-	·02	-	·02	·37	-	·01	·01	-	·01	2
3	·17	·02	-	-	·04	·26	·01	·20	·02	·01	·01	·10	3
4	·06	-	·35	-	·06	·22	-	·07	·01	-	·26	·01	4
5	·06	·07	·17	-	-	·01	-	·09	-	-	·05	-	5
6	·26	·07	-	-	·02	·33	·74	·24	-	-	·03	-	6
7	·03	·01	-	-	·03	·42	·09	·22	-	-	-	-	7
8	·18	·09	·06	·03	-	·04	-	·06	·22	-	-	·02	8
9	·01	·05	·02	·07	-	·04	-	-	·01	-	-	·13	9
10	-	·01	-	·01	-	-	-	·08	·04	-	·10	·02	10
11	·12	·11	-	-	-	·01	-	·04	·08	-	·01	·04	11
12	·12	·04	·04	-	·05	·01	-	·06	·01	-	·07	-	12
13	·03	-	-	-	-	·06	-	-	-	-	·28	·03	13
14	-	-	·03	-	·04	·07	-	·04	·01	·03	·03	·02	14
15	-	·02	·20	-	·15	·19	-	·06	-	-	-	·07	15
16	·33	✓	·05	-	·03	·14	-	·06	-	·04	·04	-	16
17	·51	-	·21	-	-	·16	-	·07	-	-	-	·05	17
18	·05	-	·07	-	-	·01	·01	·19	-	-	·07	·13	18
19	·12	·09	·17	-	-	·02	·21	·38	-	-	·02	-	19
20	·03	·02	·09	-	·07	-	~~·21~~	·37	-	·23	-	-	20
21	·01	·03	·39	-	·41	-	·02	1·08	-	·18	·05	-	21
22	·48	·10	·03	-	·13	-	·03	·16	-	·03	-	·03	22
23	·49	·34	·39	-	·01	-	~~·03~~	·60	-	·01	·22	·14	23
24	·29	-	·02	-	-	-	·07	·15	·02	·01	·01	·06	24
25	·02	·01	-	-	-	·12	·02	·75	-	·01	·13	·26	25
26	-	·01	-	-	-	·02	·07	1·49	-	·36	·19	·25	26
27	-	-	-	-	·02	-	-	·01	-	·10	-	·19	27
28	-	·02	-	-	-	-	·04	·03	·08	·25	·09	·26	28
29	-	·02	-	·01	-	·22	·13	·38	·59	·21	·07	·02	29
30	·02		-	-	·21	·02	-	·02	·52	·12	-	-	30
31	-		·09		·03		·18	·22		·04		·02	31
													YEAR'S TOTAL
Total	3·39	1·17	2·38	·16	1·30	2·48	2·04	7·12	1·78	1·84	1·73	1·94	27·33
Rain Days.	21	20	17	6	15	22	15	27	14	17	19	22	215

W. 7,500, XI. ·12

Ex D.L.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Camb. Corporation Pumping Station

in the County of Cambridgeshire 2

by C. H. Copeland

Lat. 52°-12'-40" N. Long. 0°-8'-40" E.

Time of Observation 9 a.m.

Nearest Railway Station Barnwell (G.E.R.)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·12	·06	·10	·01	–	–	–	·36	–	·10	·02	1
2	·04	·13	–	–	·30	–	·15	–	·46	–	·04	·01	2
3	·01	·01	·12	–	·61	–	·01	–	·02	·05	·01	·06	3
4	·09	–	·01	·01	·07	–	·07	–	–	·13	·06	·10	4
5	·07	–	–	–	·01	–	·03	–	·05	·43	·04	·01	5
6	·01	·04	·07	–	·21	·25	·13	–	–	·03	·01	–	6
7	–	·06	·01	–	·04	–	·03	–	–	·35	·01	·01	7
8	–	–	–	·01	·14	·04	–	–	–	·03	·09	–	8
9	–	·20	·05	·01	·02	·08	·02	–	·03	–	·07	·05	9
10	·02	·01	·03	·02	–	·01	·08	·01	–	–	·33	–	10
11	·53	·01	–	·42	–	·02	–	·09	–	·03	·17	–	11
12	–	–	–	·02	·04	–	–	·02	–	·01	·06	–	12
13	·03	–	–	–	–	–	–	·04	–	–	·38	–	13
14	·02	–	·06	·03	–	–	·16	–	–	·26	·04	–	14
15	·13	·05	·20	·05	–	–	·15	–	·02	·02	·02	–	15
16	·06	–	·40	·11	–	–	–	–	·11	–	–	–	16
17	·11	·03	·08	·10	–	·93	·02	–	·01	–	–	·11	17
18	·01	–	·02	·09	–	·01	·04	–	·04	–	–	·03	18
19	·06	–	·05	·02	–	–	·06	–	·39	–	–	·07	19
20	·03	–	·07	·02	–	–	–	–	·02	·22	–	·01	20
21	–	–	·06	·01	·02	–	·04	–	–	·13	·25	–	21
22	·27	–	·17	–	–	–	·05	·06	·11	–	–	–	22
23	·02	–	·01	–	–	·04	·03	·12	·06	–	–	·04	23
24	–	–	–	–	–	·03	–	–	–	–	–	–	24
25	·01	–	–	·14	–	·03	·02	–	–	–	·01	·02	25
26	–	·04	·13	·01	–	–	·01	·02	–	·68	·01	·11	26
27	–	·05	·04	·04	·25	·05	–	·01	–	·05	·01	·01	27
28	·10	–	·06	·04	–	·01	–	–	–	·10	–	·03	28
29	·17		·12	·16	·21	–	–	·05	–	·02	–	·02	29
30	·18		–	·16	–	–	–	·12	–	·06	·17	·05	30
31	·01		–		–		–	·74		·07		–	31
Total	2·0~~7~~5	·75	1·82	1·54	1·93	1·50	1·10	1·28	1·68	2·97	1·88	·76	YEAR'S TOTAL 19·29
Rain Days.	23	12	21	21	13	12	18	11	13	18	20	18	200

W.7,000, XI. 13

226 A

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Camb. Corporation Pumping Station

in the County of Cambridgeshire 2

by C. H. Copeland

Lat. 52°-12'-40" N Long. 0°-8'-40" E
Time of Observation 9 a.m.
Nearest Railway Station Barnwell (G.E.R.)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·03	-	-	-	·10	·22	-	-	·11	·01	1
2	·01	-	-	·04	-	-	·02	·24	-	-	·07	·06	2
3	-	-	·10	-	·12	-	·32	·17	-	-	·12	-	3
4	·11	-	·02	·19	·07	-	-	·07	-	-	·25	·16	4
5	·03	-	·06	·11	·06	-	·18	·57	-	-	·02	-	5
6	-	·06	-	·01	·02	·06	·04	·05	-	-	·17	·07	6
7	-	·03	·30	·03	·15	·07	·05	-	-	-	·01	·37	7
8	·11	·07	·35	·01	·08	·59	·05	·12	-	-	-	-	8
9	·66	-	·45	·04	·04	·52	-	-	-	-	-	1·03	9
10	·53	·05	·01	·12	·05	-	-	-	·03	-	-	·03	10
11	-	·07	·30	·05	·01	·28	-	-	·05	-	·24	·10	11
12	·02	·02	·05	-	-	·03	·03	-	·35	-	·01	·13	12
13	-	·15	·16	-	-	-	-	-	·04	·17	·08	·28	13
14	-	·02	·17	-	-	-	·15	-	-	·51	·05	·82	14
15	·09	-	·26	-	-	-	·11	·05	·21	·01	·02	·11	15
16	·02	-	·07	-	-	-	·08	-	-	-	·02	-	16
17	·02	·29	-	-	-	-	·02	-	·20	-	-	·01	17
18	-	·04	·03	-	-	-	-	-	-	-	-	·23	18
19	-	·04	·07	-	-	·06	·04	-	-	-	·20	·03	19
20	-	·04	·34	-	-	·04	-	-	·03	-	-	·04	20
21	-	·18	·15	-	-	·38	-	·03	-	·03	·02	·11	21
22	-	·02	·02	·01	·24	-	·04	·05	-	·46	-	·03	22
23	-	·02	·06	-	·09	·03	·02	·01	-	·14	-	·03	23
24	-	-	-	·08	-	·03	·12	-	-	·13	·12	·02	24
25	·02	·02	·04	-	·01	-	-	·03	-	·36	·02	·03	25
26	-	-	·03	-	-	-	·02	·09	-	·02	·05	·34	26
27	·03	-	·01	-	-	-	·11	-	-	-	·04	·18	27
28	·01	·03	-	-	-	-	-	-	-	·05	·42	·85	28
29	-		·04	-	-	-	-	-	-	·24	·03	·02	29
30	-		·05	-	-	-	-	-	-	·04	·15	·05	30
31	-		-		·12		·05	-		·01		·07	31
Total	1·66	1·15	3·17	·69	1·06	2·09	1·55	1·70	·91	2·17	2·22	5·21	YEAR'S TOTAL 23·58 ✓
Rain Days.	13	17	25	11	13	11	19	13	7	13	22	27	191 ✓

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

[illegible] 1316

FORM A.
BRITISH RAINFALL.
4. 10. 1916

REGISTER OF RAINFALL IN 1915

Kept at Cambs Corporation Pumping Station

in the County of Cambridgeshire 2

by C H Copeland.

Lat. 52° 12' 40" N Long. 0° 8' 40" E.

Time of Observation 9 a m

Nearest Railway Station Barnwell (G E R)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·09	·02	–	·08	–	–	–	·16	–	·03	·11	1
2	·08	·07	·19	·03	–	·02	–	·40	–	–	·04	·05	2
3	·22	–	·10	·18	–	–	·02	·75	–	–	·02	·13	3
4	·14	–	·01	–	–	–	–	·02	–	·01	·04	·48	4
5	·03	·12	–	–	·12	–	–	·03	–	·04	·04	·17	5
6	·17	·02	·07	·13	–	–	1·10	·04	–	·03	–	·04	6
7	·08	·21	·05	–	–	–	·31	·13	–	–	–	·10	7
8	–	·16	·05	·03	–	–	·03	·01	–	–	·01	·01	8
9	–	·09	–	–	–	·03	–	–	–	–	·20	·54	9
10	·28	–	·06	–	–	–	–	–	–	–	·03	·04	10
11	·02	–	·04	–	·07	–	–	–	–	–	·68	·01	11
12	·10	–	·01	·23	·25	–	–	·49	–	·02	·83	·06	12
13	·04	·33	–	·01	1·05	–	–	–	–	–	·02	–	13
14	·04	·16	–	–	·02	–	·29	·07	·02	–	–	·29	14
15	·14	·03	–	–	·03	–	–	·01	–	–	·13	·09	15
16	–	·08	–	–	–	–	·45	·78	–	–	·08	–	16
17	–	·13	–	–	·06	–	·10	·52	–	–	·02	–	17
18	·02	·08	·19	–	·01	–	–	–	–	–	·08	–	18
19	–	·01	·02	–	–	–	·13	–	–	·02	·02	–	19
20	·25	–	–	·07	–	–	–	·03	–	·02	–	·32	20
21	·08	·02	–	–	–	–	·05	–	–	–	–	·05	21
22	·85	·02	·32	·03	–	–	·50	–	·03	–	–	·22	22
23	·03	·11	·05	·02	–	–	·04	–	·25	·09	–	·26	23
24	·01	·02	·17	–	–	·03	·11	–	·34	·01	–	·06	24
25	–	–	·03	·02	–	·35	·03	–	–	–	·02	·06	25
26	–	·05	–	–	–	·03	·03	–	–	–	·01	·15	26
27	–	·06	·01	–	–	·22	·17	–	–	·44	–	·02	27
28	–	·03	–	–	–	·42	·02	·04	·61	·10	–	–	28
29	–		–	–	–	·08	·05	·13	·02	–	·05	·10	29
30	·04		–	–	–	1·50	·07	–	–	·01	·01	–	30
31	·05		–		–		–	·06		·06		·07	31
Total	2·93	1·89	1·39	·75	1·69	2·68	3·50	3·51	1·43	·85	2·36	3·43	YEAR'S TOTAL 26·41
Rain Days.	21	21	17	10	9	9	18	16	7	12	20	24	184

W. 8,000, X. 15.

1394

cord pr month

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8. FEB 1917

Kept at Cambs Corporation Pumping Station
in the County of Cambridgeshire
by C H Copeland

Lat. 52° 12′ 40″ N Long. 0· 8′ 40 E
Time of Observation 9 a.m
Nearest Railway Station Barnwell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 28. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	–	·15	–	·08	·04	–	–	–	–	·26	–	1
2	·26	–	·05	–	·22	–	–	–	·04	·21	·01	–	2
3	–	·10	·02	–	–	–	·03	–	·13	·17	·14	–	3
4	·21	·10	·05	–	–	·29	–	–	·20	·04	·20	–	4
5	·01	·02	–	·04	·02	·12	·09	–	·01	·09	·18	·04	5
6	–	·10	·14	·26	–	·08	·09	–	–	·02	·17	–	6
7	·09	–	·18	·01	·22	·06	·24	–	–	·01	·29	·04	7
8	–	–	·03	–	·19	·02	–	–	–	–	·01	·13	8
9	–	–	·01	–	·17	·22	–	–	–	–	–	·06	9
10	–	·02	·20	·04	–	·07	·20	–	·01	–	–	·12	10
11	·04	·31	·06	·10	·04	·11	–	–	·02	–	–	·02	11
12	·01	·03	·02	·01	·26	·28	·06	·04	·03	·17	–	–	12
13	–	·33	·06	·06	·14	·13	·18	·09	–	·02	–	–	13
14	–	·50	·03	·04	·10	·02	–	·01	–	–	–	·18	14
15	–	·20	·25	·01	–	–	·07	·36	–	–	–	·01	15
16	–	·05	·09	·22	·04	–	·07	·07	–	·03	–	–	16
17	·04	·03	·02	·10	–	–	·20	·01	·21	·22	–	–	17
18	–	·08	·03	·05	–	–	·02	·06	·22	·03	·41	–	18
19	·04	–	·03	·19	–	–	–	·03	·15	·01	·75	·02	19
20	·17	–	·26	·04	–	–	–	·03	·01	–	·09	·16	20
21	·08	–	·63	–	–	–	·14	–	–	–	·03	·43	21
22	–	·11	·04	–	·14	·02	·01	–	–	–	–	·43	22
23	·01	·86	–	–	·01	·08	–	–	–	–	·07	·12	23
24	–	·09	–	–	–	·26	–	·04	–	·11	·03	·35	24
25	–	·18	·06	–	·03	–	–	·16	–	·07	·04	·04	25
26	–	·08	·05	–	–	·04	–	·13	–	–	·04	·01	26
27	·05	·29	·78	–	–	·02	–	·01	–	·10	–	–	27
28	–	·25	·38	–	–	·02	–	–	·03	–	–	·11	28
29	–	·11	·03	–	–	·10	–	1·01	·01	·18	–	·02	29
30	–	×	–	–	·02	·02	–	·27	–	·22	–	–	30
31	–	×	–	×	–	×	–	·02	×	·02	×	–	31
Total	1·00 1·00	3·84	3·65	1·17	1·68 1·68	2·09 2·[illegible]	1·40	2·34	1·07	1·72	2·72	2·29	YEAR'S TOTAL 24·88 24·88
Rain Days.	13	21	26	14	15	20	13	16	13	18	16	18	203

W. 8,000, VIII. 16

√ Eng 4 1238

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

5. JAN 1918

Kept at Cambridge Corporation Pumping Station

in the County of Cambridge

by C. H. Copeland

Lat. 52°12'40"N Long. 0°8'-40" E

Time of Observation 9 AM.

Nearest Railway Station Barnwell

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·02	–	·07	–	–	–	·71	·10	–	·13	–	1
2	·05	·04	–	·27	–	·04	–	·12	–	–	·03	–	2
3	–	–	–	·02	–	–	–	·28	–	·09	·13	–	3
4	–	·06	–	–	–	–	–	·04	–	·60	–	–	4
5	·22	·02	–	·20	–	–	–	·05	·01	·03	·13	–	5
6	·01	·01	–	·01	–	·09	–	–	·02	·05	·01	–	6
7	·22	·01	·02	–	–	–	–	–	–	·51	–	–	7
8	·12	–	·01	·09	–	–	1·31	·14	–	·21	·10	·05	8
9	·07	–	·07	·02	–	–	·01	·28	–	·02	·05	·09	9
10	·24	–	·13	·11	–	–	–	·06	–	·01	–	·02	10
11	·06	–	·46	·07	–	–	–	–	·01	·15	–	–	11
12	·08	·02	·03	·02	·04	–	–	·06	–	·23	·01	–	12
13	·18	·01	·03	–	–	·06	–	·05	·03	·05	·01	–	13
14	·01	·01	·01	·17	–	–	·01	·02	–	–	–	·03	14
15	·02	–	–	–	–	–	–	–	–	·02	–	·02	15
16	·02	·06	–	·24	–	·06	·04	–	–	·59	–	·15	16
17	–	·01	·01	·20	·59	–	·27	·06	·43	·23	–	·02	17
18	·04	·02	–	·06	–	·13	·29	·01	·69	–	–	·02	18
19	·02	·05	·14	–	·07	·02	–	–	·26	–	–	·02	19
20	–	·18	·09	–	·05	–	–	–	·01	–	·14	–	20
21	·02	·02	·09	–	–	–	–	–	–	–	·01	–	21
22	·02	–	·12	–	–	–	–	·02	·02	·08	–	–	22
23	–	·05	–	–	·19	–	–	·13	·03	·01	–	–	23
24	·03	·02	–	–	–	·14	·01	·04	–	·10	·05	·07	24
25	–	·03	·02	–	–	–	–	–	–	–	·02	·03	25
26	–	–	·06	–	–	·03	–	·14	·07	–	·39	·06	26
27	–	–	·02	–	–	–	–	·45	–	–	–	·01	27
28	–	·02	·15	–	–	·89	–	·10	–	·04	–	·06	28
29	–	×	·02	–	–	·46	1·06	·03	–	·17	–	·14	29
30	·02	×	·02	–	–	–	·69	·08	–	·01	–	·02	30
31	–	×	·35	×	–	×	·38	·07	×	–	×	·03	31
Total	1·45 ✓	·66 ✓	1·85 ✓	1·55 ✓	·94 ✓	1·92 ✓	4·07 ✓	2·94 ✓	1·68 ✓	3·20 ✓	1·21 ✓	·84 ✓	YEAR'S TOTAL 22·31 ✓
Rain Days.	19 ✓	19 ✓	20 ✓	14 ✓	5 ✓	10 ✓	10 ✓	22 ✓	12 ✓	20 ✓	14 ✓	17 ✓	182

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
1. 2. 19

Kept at The Pumping Station
in the County of Cambridge
by Cambridge Corporation

Lat. 52°-12′-40″ N Long. 0°-8′-40″ E
Time of Observation 9 A.M.
Nearest Railway Station Barnwell 5/8 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·01	·01	·08	–	–	·03	–	–	–	·04	·09	1
2	·02	·06	–	·14	–	–	–	·06	·03	·01	–	·14	2
3	·02	·03	·08	–	·39	–	–	·04	·12	–	·56	·02	3
4	–	·03	·04	–	–	–	–	·01	·50	–	·20	·03	4
5	–	–	–	–	·19	–	–	·09	·16	·05	·01	–	5
6	·04	·13	–	·14	·03	–	–	·01	·11	–	–	·03	6
7	·03	·11	–	·02	·01	·02	–	–	·05	·04	·06	–	7
8	–	·03	–	–	–	–	–	–	·09	–	·09	–	8
9	·03	·02	–	·02	–	·01	·24	–	·47	·19	·01	·02	9
10	·04	–	–	·03	–	–	·09	–	·02	–	–	·22	10
11	·01	–	–	·02	·11	–	·03	–	·15	·33	·01	·08	11
12	–	·19	–	–	·11	–	·07	–	·05	·06	–	·02	12
13	–	·02	–	·02	·44	–	·14	–	·09	–	–	·08	13
14	·20	–	–	–	–	·06	·08	–	·42	·30	–	·10	14
15	1·02	–	–	1·66	–	–	·32	–	·02	·01	·03	·04	15
16	·08	–	–	·68	–	–	–	·02	·94	–	·01	·01	16
17	·11	–	–	·15	–	–	·46	–	·01	–	–	·10	17
18	·48	–	–	–	–	·16	·12	–	·42	–	–	·28	18
19	·03	·05	·11	·03	–	·95	·23	–	–	·06	–	·05	19
20	·02	·07	·01	·04	–	·03	·08	–	·07	·08	·01	–	20
21	–	–	–	·01	–	–	·01	–	·65	·10	·01	·02	21
22	·03	–	–	·01	·38	–	·07	–	·12	–	–	·23	22
23	·07	–	–	–	·48	·03	·08	·04	·03	–	–	·01	23
24	–	·22	–	–	·02	–	·08	–	·06	–	·02	–	24
25	–	·01	–	–	–	·03	·01	·27	–	–	·10	–	25
26	–	–	–	–	–	–	·36	–	–	·03	·15	·13	26
27	–	–	–	·29	–	–	·03	·22	·06	–	·08	·03	27
28	·01	·05	·05	·04	–	–	–	·05	·01	–	·21	·11	28
29	·02		·02	–	–	–	–	–	1·38	–	·02	·01	29
30	–	X	·30	–	–	–	–	·03	·04	–	·14	·11	30
31	–	X	·10	X	–	X	–	–	X	·05	X	·12	31
Total	2·27	1·01	·72	3·38	2·16	1·29	2·53	·84	6·07	1·31	1·76	2·08	YEAR'S TOTAL 25·42
Rain Days.	19	15	9	17	10	8	19	11	26	13	19	25	191

W. 6,500, VII. 18. W W C

1172

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Corporation Pumping Station
in the County of Cambridge
by Mechanical Engineer (Mr C. Copeland)

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Barnwell Junction G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	·02	–	–	·04	–	·34	–	–	·04	·01	·78	1
2	·23	·01	·01	–	·03	–	·11	–	·12	–	·18	·44	2
3	·28	·01	·20	–	–	–	·06	–	·04	–	·15	·09	3
4	·11	–	·26	–	–	·08	·35	·02	–	–	·01	·18	4
5	·04	·16	·25	–	–	–	·17	–	·11	–	–	·15	5
6	·01	·03	·06	–	–	–	–	–	–	–	·09	–	6
7	–	–	·23	–	–	–	·02	–	–	–	·11	·01	7
8	·06	·01	·02	·07	–	–	–	–	–	–	·13	–	8
9	–	–	·04	·02	–	–	–	–	–	·03	·04	–	9
10	–	–	·14	·04	–	–	–	–	–	–	–	·02	10
11	·10	–	·16	·09	–	–	·50	–	–	–	·04	·04	11
12	·01	–	·17	·02	–	·07	·21	–	–	·04	·03	–	12
13	·09	–	·01	·09	–	–	–	–	–	–	–	–	13
14	·21	·01	–	·12	–	–	·04	–	–	–	–	–	14
15	·25	–	·06	·05	–	–	–	–	–	–	·02	·08	15
16	·03	·59	–	·02	–	–	–	·03	–	–	·09	·02	16
17	–	·74	·04	·03	–	–	–	–	–	–	·22	·02	17
18	–	·22	·02	–	–	–	–	·13	–	–	·04	·06	18
19	–	·13	·19	–	–	·20	·14	·15	·02	–	·06	·02	19
20	·36	·02	·03	–	–	·52	·56	·28	·01	–	·01	–	20
21	·40	·32	–	–	–	·03	·63	–	–	–	–	·12	21
22	–	·33	·02	–	–	–	·09	–	·14	–	·03	·38	22
23	–	·01	–	·01	·17	·07	·18	·05	·04	–	–	·06	23
24	·01	–	–	·14	·01	·16	·04	·01	–	·01	–	·01	24
25	·07	–	–	·04	·25	·02	–	·23	–	–	–	·10	25
26	·20	·41	·16	·09	–	–	–	·08	·08	–	–	·31	26
27	·64	·10	·01	1·06	–	–	–	·29	–	·02	–	·01	27
28	·01	·01	–	·23	–	–	·02	·78	–	·08	·06	·28	28
29	·07	–	–	·06	–	–	·02	·14	–	·15	·06	·08	29
30	–		·01	·23	–	·16	–	·02	–	·04	·10	·11	30
31	·04		–		–		·01	–		·03		·04	31
TOTAL	3·55	3·13	2·09	2·41	50 ~~·54~~	1·31	3·52	2·21	·56	·44	1·48	3·41	YEAR'S TOTAL 24·6[illegible]
Days with ·01 in. or more	22	18	21	18	5	9	18	13	8	9	20	24	185.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

JAN 1921

1115

Kept at Cambridge Corporation Pumping Station

in the County of Cambridgeshire.

by C. H. Copeland

Lat. 52°-12'-40"N Long. 0°-8'-40"E

Time of Observation 9 a.m.

Nearest Railway Station Barnwell (G.E.R).

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	.21	.08	-	.22	.03	-	.34	.03	.10	1
2	-	-	-	.05	-	-	-	.14	.11	.04	-	.04	2
3	-	.03	-	.19	-	.04	.26	-	.04	-	-	.02	3
4	-	-	.06	.12	-	-	.21	.12	.05	.01	-	.06	4
5	-	-	.04	.04	.07	-	.35	.04	.10	-	-	.04	5
6	-	-	.10	-	.08	-	.51	-	-	-	-	-	6
7	-	-	.07	.08	-	-	.10	-	-	-	-	.04	7
8	.12	-	-	.43	.01	-	.05	.04	-	-	-	-	8
9	.48	-	-	.49	-	-	-	.19	-	-	-	-	9
10	.10	.02	.11	.04	-	-	.03	-	-	-	.01	-	10
11	.23	-	.04	.42	.02	.02	.07	-	-	.01	-	.07	11
12	.14	-	.08	.08	-	.19	-	-	-	-	-	.10	12
13	.01	-	-	.12	-	.14	-	-	-	-	-	-	13
14	-	.01	.21	.15	-	.01	.06	-	.13	.06	.13	.02	14
15	-	.01	.16	.03	-	-	-	-	.23	.01	.03	.04	15
16	-	-	-	.08	-	-	-	-	.19	-	-	-	16
17	.03	-	-	.01	.07	-	.01	-	.35	-	-	.04	17
18	.06	-	-	-	.02	-	-	.24	.09	-	-	.02	18
19	.10	-	-	.04	-	.04	-	-	-	-	-	.01	19
20	.07	.13	-	.24	-	.49	-	-	.03	-	-	-	20
21	.01	-	-	.14	-	-	.20	.07	.24	-	-	.02	21
22	-	-	-	.13	-	-	-	.04	.45	-	.02	.04	22
23	-	.01	-	-	-	-	.24	-	-	-	.01	.43	23
24	.03	-	.13	-	-	-	-	-	-	.01	-	.03	24
25	-	.08	.03	.04	.01	.03	.37	-	.02	-	-	-	25
26	.07	-	.05	.05	.31	-	.19	-	-	-	-	-	26
27	.09	.03	-	.12	-	.32	-	-	-	-	.15	.04	27
28	.34	-	.33	-	.33	.01	.03	-	-	-	.03	-	28
29	.03	-	.03	-	.47	-	.06	-	-	-	.04	.30	29
30	.04	☒	-	.01	-	.05	.02	.01	.27	.04	.05	.15	30
31	.02	☒	.02	☒	-	☒	-	-	☒	.07	☒	.12	31
													YEAR'S TOTAL
TOTAL	2.00	.32	1.46	3.31	1.47	1.34	2.98	.92	2.60	.59	.50	1.73	19.22 ✓
Days with ·01 in. or more	18	8	15	24	11	11	18	10	14	9	10	21	169 ✓
Days with ·04 in. or more	12	2	12	21	7	7	14	8	12	5	4	15	119 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CAMBRIDGE

"BRENDON"

1911– 1920

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REG 11

Kept at Brendon 8 in.

ve Ground 1 ft. 2 in.

in the County of Camb Sea Level ft.

by W. B. Parsa 9 a.m

Name Cambridge

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14						.05	.01					1
2	.17		.01		.06		.01				.09	.11	2
3		.01		.04	.07					.16	.02	.02	3
4	.07	.03	.10							.05	.08	.19	4
5	.01	.01						.01		.03		.19	5
6	.22		.03	.08								.23	6
7	.02		.01							.02	.23	.23	7
8	.16		.14								.09	.05	8
9	.15		.01								.01		9
10	.02	.05	.06	.05							.07	.15	10
11	.26				.01						.36		11
12	.10		.35		.01				.05		.17	.01	12
13			.09		.03	.05			.19	.44	.02	.22	13
14		.02	.04		.60	.09						.31	14
15		.04	.23						.01	.02	.06	.01	15
16			.03			.32					.26	.05	16
17						.01					.05	.07	17
18		.15	.01			.06					.53	.03	18
19		.02			.03	.48			.09	.11	.26	.01	19
20		.01						.31	.12	.03		.43	20
21		.05						.24	.01	.29		.09	21
22	.08	.04	.17			.03	.01			.15		.41	22
23			.05			.88			.34			.13	23
24		.05	.02			.16				.37		.20	24
25		.04	.02	.05		.29	.24	.08				.01	25
26				.19			.04			.11	.05	.24	26
27		.20	.05	.01					.14		.02	.02	27
28		.12		.23		.02		.08			.12	.02	28
29				.11		.37	.25		.21	.25	.01		29
30				.01		.02			.02	.09		.02	30
31										.03		.01	31
Total	1.40	.84	1.42	.77	.81	2.69	.60	.73	1.18	2.15	2.50	3.46	TOTAL for year 18.55
No. of Rain Days.	12	15	18	9	7	13	6	6	10	15	19	27	157

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REG 11

Kept at Brendon Tenison Avenue
in the County of Cambridge 2
by W. B. Parsons

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Cambridge
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.14						.05	.01					1
2	.17		.01		.06		.01				.09	.11	2
3		.01		.04	.07					.16	.02	.02	3
4	.07	.03	.10							.05	.08	.19	4
5	.01	.01						.01		.03		.19	5
6	.22		.03	.08								.23	6
7	.02		.01							.02	.23	.23	7
8	.16		.14								.09	.05	8
9	.15		.01								.01		9
10	.02	.05	.06	.05							.07	.15	10
11	.26				.01						.36		11
12	.10		.35		.01				.05		.17	.01	12
13			.09		.03	.05			.19	.44	.02	.22	13
14		.02	.04		.60	.09						.31	14
15		.04	.23						.01	.02	.06	.01	15
16			.03			.32					.26	.05	16
17						.01					.05	.07	17
18		.15	.01			.06					.53	.03	18
19		.02			.03	.48			.09	.11	.26	.01	19
20		.01						.31	.12	.03		.43	20
21		.05						.24	.01	.29		.09	21
22	.08	.04	.17			.03	.01			.15		.41	22
23			.05			.88			.34			.13	23
24		.05	.02			.16				.37		.20	24
25		.04	.02	.05		.29	.24	.08				.01	25
26				.19			.04			.11	.05	.24	26
27		.20	.05	.01					.14		.02	.02	27
28		.12		.23		.02		.08			.12	.02	28
29				.11		.37	.25		.21	.25	.01		29
30				.01		.02			.02	.09		.02	30
31										.03		.01	31
Total	1.40	.84	1.42	.77	.81	2.69	.60	.73	1.18	2.15	2.50	3.46	TOTAL for year 18.55
No. of Rain Days.	12	15	18	9	7	13	6	6	10	15	19	27	157

W. 8,000, X. '11.

ex

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at Brendon, Tenison Avenue.
in the County of Cambridge 2
by W. B. Parsons J. P.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Cambridge.
Diameter of Rain Gauge ~~[illegible]~~ 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						.10			.15	.22		.07	1
2		.01		.03		.01	.41						2
3	.15				.05	.23		.24	.01			.12	3
4	.05		.37		.07	.30		.03			.24		4
5	.07	.05	.20					.10			.06		5
6	.22	.08			.02	.33	.67	.21				.01	6
7	.02				.02	.57	.11	.08					7
8	.17	.12	.06	.01		.03		.06	.21			.03	8
9	.01	.03	.02	.10		.05				.01		.18	9
10		.01						.07	.07		.12	.02	10
11	.11	.14						.11	.05			.04	11
12	.11	.02	.04		.05	.01		.10		.01	.06		12
13						.02	.03				.24	.01	13
14			.02		.04	.08		.03	.01			.01	14
15		.02	.13		.15	.20		.06				.08	15
16	.31		.06		.02	.07		.05		.03	.05		16
17	Snow. .49		.22			.16		.06				.05	17
18	.03		.07					.20			.08	.13	18
19	.12	.09	.22			.01	.20	.57			.02		19
20	.03	.01	.10		.04			.44		.33			20
21	.01	.01	.33		.44			.90		.18	.05		21
22	.44	.10			.12		.01	.17				.03	22
23	.47	.34	.31				.02	.66	.01		.21	.10	23
24	.22						.06	.18				.04	24
25						.11	.02	.71			.15	.29	25
26		.01					.12	1.85		.37	.19	.24	26
27							.01			.11		.12	27
28		.03		.01			.02	.02	.08	.24	.11	.28	28
29		.01				.23	.16	.33	.57	.19	.09		29
30	.02				.15	.02			.50	.10			30
31			.09		.02		.15	.21		.04		.03	31
Total	3,05	1.08	2.24	.15	1.19	2.53	1.99	7.44	1.66	1.83	1.67	1.88	YEAR'S TOTAL 26.41
Rain Days.	19	17	15	4	13	18	14	25	10	12	14	20	181

W. 7,500, XI. 12

Exe DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Brendon, Tenison Avenue,
in the County of Cambridge
by W. B. Parsons J.P.

2

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Cambridge
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.12	.07	.10					.31		.05		1
2	.05	.16			.16		.15		.50		.04	.01	2
3			.12		.65				.01	.05		.05	3
4	.09				.06		.07			.10	.05	.15	4
5	.07						.01		.02	.68	.02		5
6		.08	.09		.10	.34	.08			.04			6
7		.05			.03		.01	.01		.31	.01		7
8				.01	.18	.02				.01	.09		8
9		.20	.04	.01	.01	.09	.05		.02		.05	.04	9
10	.02		.01	.03			.10	.02			.34		10
11	.60			.41		.03		.16		.03	.19		11
12					.04			.01			.06		12
13		.02						.03			.42		13
14	.04		.07	.02			.22			.23	.03		14
15	.14	.02	.21	.08			.15						15
16	.07		.27	.12					.12				16
17	.09	.02	.12	.08		1.08	.02					.09	17
18			.04	.17			.01		.01			.04	18
19	.07		.03	.01			.09		.39			.04	19
20	.04		.04	.01						.25			20
21			.05				.04			.15	.25		21
22	.34		.17				.01	.09	.12				22
23			.01			.04	.02	.20	.03			.03	23
24						.02							24
25				.14			.01					.01	25
26		.03	.13					.01		.74	.02	.14	26
27	.01	.04	.02	.04	.24	.05				.07			27
28	.12		.09	.04						.08		Snow. .02	28
29	.17		.09	.16	.22			.06					29
30	.18			.14				.05		.07	.18	Snow. .03	30
31								.71		.06			31
Total	2.15	.74	1.67	1.57	1.69	1.67	1.04	1.35	1.53	2.87	1.80	.65	YEAR'S TOTAL 18.73
Rain Days.	17	10	19	17	10	8	16	11	10	15	15	12	160

W. 7,500, XI. 12

Ex L MCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Brendon. Tenison Avenue.
in the County of Cambridge. 2
by W. B. Parsons J. P.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Cambridge.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03				.05	.19			.08		1
2	.01			.05				.20			.06	.09	2
3			.12		.11		.32	.20			.11		3
4	.10		.01	.17		—		.07			.31	.18	4
5			.05	.13	.02	.02	.18	.49			.01		5
6		.08			.03	.06	.03	.04			.17	.08	6
7		.04	.30	.03	.14	.08	.07					.43	7
8	.12	.06	.30	.01	.08	.51	.03	.13			.01		8
9	.54		.47	.04	.02	.53						.94	9
10	.48	.06		.12	.06				.06			.01	10
11		.07	.33	.04	.01	.29			.01		.33	.10	11
12	.01	.01	.07			.01	.01		.43		.02	.13	12
13		.16	.14						.01	.25	.07	.24	13
14			.16				.17			.86	.06	.81	14
15	.07		.28				.09	.04	.16		.01	.11	15
16	.01		.10				.09				.01		16
17		.34							.13			.01	17
18		.03	.03								.01	.30	18
19		.03	.11			.02	.09				.22	.01	19
20		.04	.32			.06	—		.02			.06	20
21		.18	.14			.44		.03		.03		.12	21
22		.01	.05	.01	.30		.06	.05		.45			22
23		.01	.04		.07					.15	.01	.02	23
24	.01			.10		.02	.16	.01		.10	.12		24
25	.03		.06					.05		.38			25
26			.04				.05	.10		.02	.06	.41	26
27	.03						.01				.01	.13	27
28		.03								.06	.56	1.45	28
29	.01		.04		—					.24	.03		29
30			.05							.02	.17	.07	30
31					.15		.06					.06	31
Total	1.42	1.15	3.24	.70	.99	2.04	1.47	1.69	.82	2.56	2.44	5.76	YEAR'S TOTAL 24.19.
Rain Days.	12	15	23	10	11	11	16	13	7	11	22	22	173.

W.7,000, XI. 13

CX MZ

1313

FORM A.
BRITISH RAINFALL.

26 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Brendon Tenison Avenue
in the County of Cambridge. 2
by W. B. Parsons

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.32	.11	.01		.09				.09			.12	1
2	.05	.05	.14	.03		.02		.56		.01	.02	.04	2
3	.18		.09	.16			.03	.82			.01	.12	3
4	.16							.02			.02	.47	4
5	.03	.13			.09			.01		.02	.02	.19	5
6	.20		.06	.15			1.04	.02		.03		.03	6
7	.08	.24	.04				.26	.12				.09	7
8		.20	.01	.01			.01	.01					8
9		.05				.03					.20	.56	9
10	.33		.05								.02	.06	10
11	.02		.02		.04						.69		11
12	.11			.30	.24			.63		.02	.85	Snow .04	12
13	.03	.36			1.16								13
14		.15					.34	.04	.03			.38	14
15	.17				.01						Part Snow .23	.08	15
16		.10					.45	.14					16
17		.13			.06		.11	1.15			.02		17
18	.01	.08	Snow .23								.06		18
19			Snow .01				.12			.01			19
20	.23			.10				.02		.01		.35	20
21	.07				.01		.10					.03	21
22	.95	.04	.33	.01			.57		.02			.14	22
23	.01	Snow .12	.03			.02	.02		.25	.10		.17	23
24		Snow .01	.12			.01	.04		.21			.06	24
25			.01			.33	.02					.05	25
26		.06				.04	.04					.15	26
27		.08				.12	.18			.51			27
28		.02				.41	.02	.04	.58	.10			28
29					.01	.08	.01	.12			.05	.09	29
30	.05	X				.78	.03						30
31	.03	X		X		X		.04	X	.06	X	.08	31
Total	3.03	1.93	1.15	.76	1.71	1.84	3.39	3.74	1.18	.87	2.19	3.30	YEAR'S TOTAL 25.09 ✓
Rain Days.	19	17	14	7	9	10	18	15	6	10	12	21	158 ✓

W. 8,000. X. 15.

exd JS

1291

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8 JAN 191

Kept at Brendon, Tenison Avenue

in the County of Cambridge.

by W. B. Parsons.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Cambridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.10		.16	.03					.26		1
2	.26		.05		.21				.01	.21			2
3		.15	.01				.02		.17	.24	.16		3
4	.25	.07	.02			.27			.22	.03	.18		4
5				.01	.01	.10	.05			.11	.21	.02	5
6		Snow .09	Snow .19	.24		.05	.06				.20		6
7	.12		half Snow .11		.19	.11	.28			.01	.30	.04	7
8			.01		.15							.14	8
9					.14	.20						.02	9
10		.03	half-Snow .15	.04		.07	.29		.01			.08	10
11	.05	.27	.04	.11	.05	.11			.01				11
12	.02	.03			.34	.29	.04	.03	.02	.22			12
13		.32	.05	.07	.20	.14	.35	.07		.01			13
14		Snow .40	.02	.03	.08	.01						Snow .17	14
15		.20	.23	.02			.04	.47	.01				15
16		.08	.08	.21	.04		.11	.06		.02			16
17	.02	.03		.30			.19		.24	.26			17
18		.11	.01	.06				.09	.23	.03	.30		18
19	.02		.04	.24				.07	.14		.79	Snow .06	19
20	.14		.26	.02				.02			.08	.14	20
21			.69				.38					.41	21
22		.10	.01		.15	.01					.02	.44	22
23	.01	Snow .51				.08	.01	.01			.06	.14	23
24		Snow .12				.07		.02		.10	.01	.31	24
25		Snow .11	.07		.02			.22		.07	.02	.02	25
26		Snow .08	.05			.04		.03		.01	.01		26
27	.04	Snow .26	half-Snow .62			.01		.04	.02	.12			27
28		.18	.40			.02						.13	28
29		.11				.10		1.13		.20		.02	29
30		X				.01		.40		.24			30
31		X		X		X		.02	X	.02	X		31
Total	.95	3.25	3.21	1.35	1.74	1.72	1.82	2.68	1.08	1.90	2.60	2.14	YEAR'S TOTAL 24.44
Rain Days.	11	20	22	12	13	19	12	15	11	17	14	15	181

W. 8,000, VIII. 16

1235

V

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

5 JAN 1918

Kept at Brendon. Tenison Avenue.
in the County of Camb. at Cambridge
by W. B. Parsons

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.04				.86	.14		.15		1
2	.04	.04		.31		.05		.18			.03		2
3				.01				.41		.13	.09		3
4		.08						.02		.49			4
5	.17			.22				.01	.01	.04	.08		5
6									.01	.03			6
7	.20					.03				.48			7
8	.09			.09			1.40	.08		.23	.11	.05	8
9	.05		.09	.02				.35		.01	.03	.09	9
10	Snow .31	.01	.12	.12				.06		.01		.01	10
11	.03		.48	.10						.16			11
12	.07	.04	.04	.01	.05			.10		.24		.02	12
13	.19		.03	.01		.11		.05	.03	.13		.01	13
14				.17				.02					14
15	.02									.03		.02	15
16	.02	.06		.21		.04	.01			.63			16
17			.01	.21	.58		.27		.46	.17			17
18	.02	.03		.07		.12	.25	.05	.70				18
19		.06	.15		.25	.01			.28				19
20	.02	.19	.10		.09						.17		20
21		.01	Snow .07										21
22	.01		Snow .08					.02	.01	.08			22
23		.05			.20			.17	.02				23
24	.01	.01	.01			.18		.03		.10	.04	.07	24
25		.01	.03								.02	.01	25
26			.05			.01		.16	.07		.41	.03	26
27			.01				.01	.51					27
28		.02	.13			.91		.05		.02		.07	28
29						.53	1.31	.05		.18		.10	29
30	.02	X					.63	.07					30
31	.02	X	.40	X		X	.51	.08	X		X	.02	31
Total	1.29	.61	1.80	1.59	1.17	1.99	4.39	3.33	1.73	3.16	1.13	.50	YEAR'S TOTAL 22.69
Rain Days.	17	13	16	14	5	10	8	21	10	18	10	12	154

W. 8,000, IX. 17.

[illegible]

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

2.1.19

Kept at Brendon Tenison Avenue
in the County of Cambridge
by W. B. Parsons

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.06			.04		.03		.04	.06	1
2	.01	.07		.15				.05		.02		.17	2
3		.03	.05		.36			.09	.11		.64	.02	3
4		.02	.05					.02	.38	.01	.20	.02	4
5					.20			.09	.29	.08			5
6	.02	.11		.13				.01	.22			.02	6
7	Snow .14	.09		.02		.02			.04	.05	.09	.01	7
8		.02			.01				.16		.08		8
9	.04			.03		.01	.20		.45	.23		.07	9
10	.05			.03			.10		.03			.18	10
11				.01	.11		.03		.19	.32		.07	11
12		.17			.12		.05		.12	.06	.02	.01	12
13		.01		.01	.37		.10		.03			.11	13
14	.19					.08	.11		.35	.29		.09	14
15	Snow .84			1.59			.33		.15			.08	15
16	Snow .05			.67				.02	1.01				16
17	.11			.17		.01	.52		.02			.10	17
18	.48					.17	.13		.42			.28	18
19	.02	.06	.12	.04		.83	.18			.05		.04	19
20	.01	.04		.07		.04	.09		.08	.06	.01		20
21				.01			.01		.68	.12		.01	21
22	.02				.34		.08		.02		.01	.25	22
23					.68	.02	.11	.05	.04				23
24		.16							.06			.01	24
25	.04					.02		.31			.11		25
26							.32			.05	.24	.10	26
27				.25			.04	.18	.09		.11		27
28		.05	.04					.11			.23	.01	28
29			.03						1.48		.02	.10	29
30	.01	X	.34					.03	.06		.14	.12	30
31	.01	X	.14	X		X		.01	X	.06	X	.11	31
Total	2.04	.83	.77	3.24	2.19	1.20	2.44	.97	6.51	1.40	1.94	2.04	YEAR'S TOTAL 25.57
Rain Days.	16	12	7	15	8	9	17	12	25	13	14	24	172

W. 8,000, IX. 17.

E+R

1169

5 JAN [illegible]

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1929.

Kept at Brendon Tenison Avenue
in the County of Cambridge
by W. B. Parsons

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29	.02			.05		.32			.04		.85	1
2	.23		.02		.04		.05		.12	.01	.19	.55	2
3	.24		.23				.04		.03		.15	.07	3
4	.07		.23			.07	.20	.04				.20	4
5	.03	Snow .12	.25				.14		.14			.16	5
6			.06								.03		6
7	.01		.25								.09		7
8	.05		.03	.09							.09		8
9			.05	.03						.02	.02		9
10			.13	.05								.02	10
11	.11		.14	.09			.46				Snow .03	.05	11
12	.01		.14	.01		.06	.20			.04	Snow .03		12
13	.10			.08								.01	13
14	.23			.13			.01		.08	.01			14
15	.27	.01	.06	.04							Snow .03	.10	15
16	.03	.60		.04				.02			.09	.02	16
17		Part Snow .86	.02	.01							.22	.01	17
18		.10	.02					.14			.03	.06	18
19		.14	.21			.06	.12	.14	.02		.06	.01	19
20	.38	.01	.01			.73	.55	.28	.01			.01	20
21	.40	.29				.01	.49					.14	21
22		.40	Snow .03				.20		.16		.04	.43	22
23					.02	.06	.17	.05	.05			.07	23
24				.15		.20	.02			.01			24
25	.07			.05	.14	.01		.17	~~[illegible]~~			.05	25
26	.16	.32	.22	.12				.13	.~~13~~06	~~.06~~		.28	26
27	Snow .66	.08		Snow .84				.11		.01		.01	27
28				.18			.01	.90		.08	.06	.28	28
29	.04			.04			.01	.15		.16	.06	.06	29
30		╳		.24		.18		.02		.03	.12	.10	30
31	.01	╳	.01	╳		╳	.01		╳	.02	╳	.05	31
TOTAL	3.39	2.9,5	21,1	2.19	.25	1.38	3.00	2.15	.67	.43	1.34	3.59	YEAR'S TOTAL 23.45
Days with ·01 in. or more	20	12	19	17	4	9	17	12	9	11	17	24	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1112

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

14 JAN 1921

Kept at 22 Tenison Avenue

in the County of Cambridge

by W. B. Parsons

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Cambridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.31	.07		.22	.04		.51		.11	1
2				.15				.12	.12	.01		.02	2
3		.02		.15		.04	.21		.06				3
4			.07	.17			.09	.14	.03	.02		.07	4
5			.04	.04	.08		.64	.01	.12			.14	5
6			.12		.06		.61						6
7			.10	.08			.12				.01	.03	7
8	.16			.35			.04	.05					8
9	.39			.50				.17					9
10	.08	.02	.11	.02			.04				.01		10
11	.37		.07	.39	.02		.06					Snow. .07	11
12	.11		.05	.11		.14						Snow .11	12
13			.01	.14		.08							13
14	.01		.19	.15		.01	.05		.13	.06	.15		14
15	.01	.01	Snow & Rain .34	.03					.20	.01	.08	Snow. .03	15
16				.05					.33		.01		16
17	.03				.07		.01		.36			.06	17
18	.08				.02			.26	.13			.02	18
19	.15			.03		.02							19
20	.07	.13		.29		.58			.02				20
21				.20			.28	.09	.30			.02	21
22				.15				.02	.78		.01	.04	22
23							.28					.36	23
24	.03		.14									.04	24
25		.06	.02	.05	.01	.03	.21		.02				25
26	.09		.03	.07	1.04		.22					.01	26
27	.11	.05		.07		.38				.01	.17	.04	27
28	.37		.18		.18		.03				.02		28
29	.03		.13		.32		.06				.05	.31	29
30	.04			.02		.08	.03	.01	.21		.01	.19	30
31	.02		.01							.08		.12	31
Total	2.15	.29	1.61	3.52	1.87	1.33	3.19	.91	2.81	.70	.52	1.78	Year's Total 20.68
Days with ·01 in. or more	18	6	16	23	10	9	18	10	14	7	10	19	160
Days with ·04 in. or more	~~15~~ 12	3	12	~~20~~ 19	7	6	~~18~~ 15	7	~~12~~ 11	3	4	13	112

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

249

CHATTERIS
AYLESBY HSE
CAMBRIDGE
1911 - 1920

RE

Kept at Chatteris,

in the County of Cam

by A. H. Ruston

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOT … the result entered to the previous day. If an Ob… ersal rule, he is earnestly requested to add the rea… r in the space provided for it at the end of thi… ent of rain, the selection and placi… ish Rainfall Organization are given in … pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·08					1
2	·39		·02		·10						·08	·15	2
3		·04		·10	·16			·04		·03	·01	·07	3
4			·15	·13					·06	·01	·15	·16	4
5				·02				·10		·12	·02		5
6	·38		·05							·02		·40	6
7	·02			·03							·21	·31	7
8	·27		·11						·26		·13	·05	8
9	·15			·03						·02	·02	·02	9
10	·03	·08	·10								·08	·10	10
11	·24										·42		11
12	·16		·40		·09				·03		·14		12
13			·13		·02	·06			·24	·05	·02	·30	13
14		·03	·10		·49	·07						·40	14
15		·05	·17							·03	·07	·01	15
16			·01			·09					·32	·08	16
17						·01					·03	·10	17
18		·10				·07					·54	·02	18
19					·02	·12		·03	·16	·09	·19		19
20								·19	·56			·50	20
21		·18				·06		1·30	·07	·30		·12	21
22	·07		·16					·20		·42		·42	22
23		·06	·08		·04	·85	·07		·42			·19	23
24		·06	·07			·20				·24		·10	24
25	·01	·08	·03	·10		·11		·21		·09		·04	25
26				·20		·01	·02	·02		·22	·09	·28	26
27		·28	·10	·07					·16	·03		·04	27
28		·12		·17				·23			·09	·04	28
29				·08		·28	·27	·02	·28	·28		·01	29
30				·05	·05				·03	·10			30
31													31
Total	1·72	1·08	1·68	·98	·97	1·93	·36	2·42	2·27	2·05	2·61	3·91	TOTAL for year 21·98
No. of Rain Days	10	11	15	11	8	12	3	11	11	16	18	24	150

9,000, IX. '10.

8L 249

RE

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Chatteris, Aylesby House
in the County of Cambs 2
by A. H. Ruston

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·08					1
2	·39		·02		·10						·08	·15	2
3		·04		·10	·16			·04		·03	·01	·07	3
4			·15	·13					·06	·01	·15	·16	4
5				·02				·10		·12	·02		5
6	·38		·05							·02		·40	6
7	·02			·03							·21	·31	7
8	·27		·11						·26		·13	·05	8
9	·15			·03						·02	·02	·02	9
10	·03	·08	·10								·08	·10	10
11	·24										·42		11
12	·16		·40		·09				03		·14		12
13			·13		·02	·06			·24	·05	·02	·30	13
14		·03	·10		·49	·07						·40	14
15		·05	·17							·03	·07	·01	15
16			·01			·09					·32	·08	16
17						·01					·03	·10	17
18		·10				·07					·54	·02	18
19					·02	·12		·03	·16	·09	·19		19
20								·19	·56			·50	20
21		·18				·06		1·30	·07	·30		·12	21
22	·07		·16					·20		·42		·42	22
23		·06	·08		·04	·85	·07		·42			·19	23
24		·06	·07			·20				·24		·10	24
25	·01	·08	·03	·10		·11		·21		·09		·04	25
26				·20		·01	·02	·02		·22	·09	·28	26
27		·28	·10	·07					·16	·03		·04	27
28		·12		·17				·23			·09	·04	28
29				·08		·28	·27	·02	·28	·28		·01	29
30				·05	·05				·03	·10			30
31													31
Total	1·72	1·08	1·68	·98	·97	1·93	·36	2·42	2·27	2·05	2·61	3·91	TOTAL for year 21·98
No. of Rain Days	10	11	15	11	8	12	3	11	11	16	18	24	150

9,000, IX. '10.

DL

242

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

Ex. Hob

REGISTER OF RAINFALL IN 1912

Kept at Chatteris, Aylesby House

in the County of Cambridgeshire 2

by A. H. Ruston

RAIN GAUGE	Pattern
	Diameter of top ...... in.
	Height of top above Ground ...... ft. ...... in.
	,, ,, ,, Sea Level ...... ft.

Time of Observation

Nearest Railway Station { Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		—						.02	.09			.15	1
2				.04		.30	.34						2
3	.17	.10			.03	.02	.01	.21	.04			.15	3
4	.05		.39	—	.07	.92		.04			.37		4
5		.12	.24			.36		.08			.03		5
6	.44	.11			.05	.06	.81	.32				.05	6
7					.04	.05		.03					7
8	.28	.16	.11			2.01	.09	.18	.07			.01	8
9		.02	.02	.05		.11						.15	9
10						.70		.04	.10		.14		10
11	.12	.03				–		.03	.06			.17	11
12	.14	.05	.06		.03	–					.14	.01	12
13	.02	.02				.04					.30		13
14	.02				.04	.03		.03	.02	.04			14
15		.02	.15		.36	.20		.04					15
16	.30		.05		.09	.11		.10			.05		16
17	.28		.20			.16						.17	17
18	.08		.09				.04	.19			.04		18
19	.18	.07	.06				.33	.71		.14	.04		19
20	.09		.09		.03		.12	.40		.21			20
21			.15		.36			.74		.22	.08		21
22	.30	.07			.17		1.43	.28				.05	22
23	.26	.37	.22		.01			.66			.12	.17	23
24	.37		.01			.12	.13	.19				.06	24
25	.02					.09	.02	.63			.19	.11	25
26						.02	.07	2.27		.50	.26	.41	26
27		.02			.05					.20		.23	27
28		.02						.25	.01	.23	.21	.42	28
29						.05	.21		.62	.30	.05		29
30					.33	.02	.01		.32	.10	—		30
31			.15		.06		.29	.22					31
Total	3.12	1.18	1.99	.09	1.72	5.37	3.90	7.66	1.33	1.94	2.02	2.31	TOTAL for year 32.63
No. of Rain Days.	17	14	15	2	15	19	14	23	9	9	14	15	166

82.

247

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Chatteris, Aylesby House

in the County of Cambridgeshire

by A. H. Ruston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·09	·09	·07					·54		·03		1
2		·10	·02		·20		·13		·08				2
3			·23		·66				·03	·36		·03	3
4	·23		·02		·08	·02	·06			·11	·12	·27	4
5										·17		·06	5
6		·03			·42	·16				·11			6
7		·03			·15	·05				·40		·02	7
8				·03	·28	·03				·02	·10		8
9		·26	·04		·02	·12					·07		9
10				·07	·04		·08	·21			·32		10
11	·97			·40	·04			·84			·09	·01	11
12					·02			·03			·14		12
13								·04			·35		13
14	·08	·05	·14	·04			·11			·18	·02		14
15	·11	·03	·12	·17			·06		·38				15
16	·04		·70	·14					·12				16
17	·12	·07	·12	·10		·44	·08					·02	17
18			·13	·03			·06						18
19	·05		·05			·09	·04		·20			·05	19
20	·05		·07			·07				·20			20
21	·04		·04	·04	·05		·08			·06	·30		21
22	·17		·12				·04		·16				22
23						·04	·04	·09	·05				23
24	·06			·02		·07							24
25				·11								·02	25
26			·13	·02						·68		·10	26
27		·06		·01	·01	·06							27
28	·16		·23	·06						·16		·08	28
29	·15		·15	·40	·18			·11				·05	29
30	·20			·18				·02		·16	·17		30
31					·01			·71		·04			31
													YEAR'S TOTAL
Total	2·43	·72	2·40	1·89	2·16	1·15	·78	2·05	1·56	2·65	1·71	·71	2021
Rain Days.	14	9	17	17	14	11	11	8	8	13	11	11	144

W. 7,500, XI. 12

cwd pr auth 25·11·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

Kept at Aylesby House Chatteris
in the County of Cambridge 2
by A. Harold Ruston

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chatteris
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·22	·68			·10		1
2							·03	·14			·05	·10	2
3			·11		15			·03			·07		3
4	·15		[illegible]	·22	·08		·30	·28			·36	·14	4
5			·07	·03	·05			·03					5
6		·03				·05	·17	·01			·30	·02	6
7		·05	·36			·27						·09	7
8	·15	·02	·22	·06	·07	·75		·15					8
9	·62		·30		·07	·78		[illegible]	·30			·16	9
10	·54	·14			·03								10
11		·04	·28	·10	·09	·15			14		28	·23	11
12			·07				·15		·25			·25	12
13		·09	·16							·25	·08	·28	13
14			·10				·10			·72	·14	·60	14
15		·02	18						·07		·07	·24	15
16			·03				·02		·05		·05		16
17	·01	·24							·20			·04	17
18			·05									·50	18
19		·05	·14			22	·01				·22		19
20		·04	·40			·03			·03				20
21	·02	·12	·23			·01		·12		·23	·05	·26	21
22			·06		·13		·03	·20		·05			22
23					·08		·01			·20			23
24			·18	·07			·06			·40	14		24
25		·02								·02			25
26							·04	·12			·14	·50	26
27	·02										·03	·15	27
28		·03	·04							·15	·14	1·55	28
29		×			·03					·20			29
30		×								·01	·16	·18	30
31		×		×	·08	×	·08		×		×	·10	31
													YEAR'S TOTAL
Total	1·51	·91	2·98	·48	·86	2·26	1·22	1·76	1·04	2·23	2·38	5·39	~~22·92~~
Rain Days.	7	13	18	5	11	8	13	10	7	10	17	18	137

23·07

W. 8,000. X. 14.

8L

Cort. for with 1.3.16

1336
~~223~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Chatteris, Aylesby House
in the County of Cambridgeshire ×188 2
by A. H. Ruston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·14	·05		·25						·20	·10	1
2	·06	·11	·20			·04		·59	·02		·12	·03	2
3	·21	·06	·15	·11				·68	·12		·04	·21	3
4	·23						·20	·06				·53	4
5					·05			·03			·05	·23	5
6	·20	·08	·08	·09			1·56	·10		·12			6
7		·23	·13		·26		·10	·15				·19	7
8		·14						·02					8
9		·03									·14	·41	9
10	·23		·12				·02	·34					10
11		·12	·01		·07		·03				·49	·08	11
12	·07			·21	·41			·03			1·45		12
13	·02	·35			·95			·02					13
14		·12					·01		·04			·22	14
15	·17				·07			·04			·12	·08	15
16		·20					·60	·02					16
17		·10					·08					·05	17
18	·05	·02	·22				·01				·04		18
19		·01					·29						19
20	·26			·01								·38	20
21	·08	·02					·06			·04			21
22	·70		·23				·52		·02			·32	22
23							·04		·17	·14		·34	23
24							·01		·35			·04	24
25						·52	·03			·03		·05	25
26		·19	·09			·02	·05					·16	26
27						·30				·45			27
28						·10	·17		·31	·60			28
29						·04	·01	·15			·11	·20	29
30	·10	✕				·21	·01						30
31	·11	✕		✕		✕		·12	✕	·11	✕	·12	31
Total	2·75	1·92	1·28	42 ~~·32~~	2·06	1·23	3·80	2·35	1·03	1·49	2·76	3·74	YEAR'S TOTAL 24·83 ~~24·73~~
Rain Days.	15	16	10	4	7	7	19	14	7	7	10	19	135

W. 8,000. X. 14.

cw by C.H.

1312

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Aylesby House Chatteris
in the County of Cambridge
by A. Harold Ruston Esq.

Lat. 22·22 N. Long. 0·0 43° East
Time of Observation 9 a.m.
Nearest Railway Station Station St Chatteris
Diameter of Funnel of Rain Gauge 8 in.
Height ~~of top of Gauge~~ above Ground ft. 6 in.
" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·03				·6		·4		·33		1
2	·38				·28	·03	·18			·37	·15		2
3		·19					·11		·50				3
4	·30	·11				·11			·25		·44	·15	4
5						·18				·9	·30		5
6			·22	·23			·10					·7	6
7			·05		·25		·10					·21	7
8			·09		·11	·29							8
9			·16		·22	·02						·15	9
10		·44				·29	·18						10
11	·11		·10	·19	·13	·21							11
12	·02	·26			·45	·60		·7					12
13		·64			·19			·9					13
14		20			·11								14
15			·22	·18								{·18}	15
16				·14						·41		~~·81~~	16
17				·05			·38		·36	·3		~~·56~~	17
18		·22	·11	·13				·39	·20		·63	~~·19~~	18
19		·05	·03						·40		·52	·~~22~~ 30	19
20	·18		·18		·13			·10			·14	·81	20
21			·48				·65	·16				·56	21
22		·12										·19	22
23		·36				·30					·8	·22	23
24		·15								·14	·2		24
25		·20	·12			·03							25
26													26
27		·37	·69					·24					27
28		·25	·94			·06			·16			·16	28
29								1·56		·37			29
30		✕						·33		·16			30
31		✕		✕		✕			✕		✕		31
Total	1·02	3·56	3·25 3·36	·92	1·87	2·12	1·68	2·94	1·91	1·53	2·61	3·00 3·00	YEAR'S TOTAL 26·56 26·56
Rain Days.	6	14	14	6	9	11	8	8	7	7	9	11	~~102~~

W. 8,000, VIII. 16

W D L endby C R

1252

FORM A.

BRITISH RAINFALL. 2 JAN 1919

REGISTER OF RAINFALL IN 1917

Kept at Aylesby House Chatteris

in the County of Cambridge

by A. Harold Ruston Esq.

Lat. 22·22° N. Long. 0·043° East

Time of Observation 9 a.m.

Nearest Railway Station Station Street Chatteris

Diameter of Funnel of Rain Gauge 8 in.

Height ~~of top of Gauge~~ above Ground 1 ft. 7 in.

" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								1·35	·30				1
2				·44		·9		·21					2
3								48		·87			3
4													4
5	·23			·15		·20		·1					5
6											·22		6
7	·31							·3		·51			7
8	·23			·18			·73	·12		·21			8
9			·11	·10	·04			·13		~~·16~~	·16		9
10	·41		·21					·15		~~·1~~	.01		10
11			·31							30			11
12										38		·7	12
13	·17		·18					·14		·03 30			13
14	·26												14
15	·5				·56			29		79			15
16				·21		·15	·24			29		·11	16
17			·10	·26		·98			·41				17
18	·3				·03				·93				18
19		·17			·18		28	·[illegible]	·20		·[illegible]		19
20		·24	·27					·7	·10		·20		20
21					·13	·15							21
22			·12		·15		·2			·15			22
23									·11				23
24					~~·25~~	·25				·9		·10	24
25													25
26								·40	·11		·48		26
27			·12		~~·10~~	·10	·46	·60					27
28		·12	·12		~~·54~~	·54	~~·60~~		~~·5~~	·05			28
29					~~·34~~	·34 ~~1·11~~	1·11		~~·29~~	·27		19	29
30		X					·23	·11					30
31		X		X		X	·29	·20	X		X		31
Total	1·69	·53.	1·54	1·28	1·09	2·80	2·90 ~~4·29~~	4·27 ~~2·16~~	2·16 ~~3·74~~	3·94 ~~7·04~~	1·07	·47	YEAR'S TOTAL 23·76
Rain Days.	8	3	9	6	6	9	7 ~~15~~	15	7 ~~12~~	12	5	4	~~91~~

W. 8.000, IX. 17.

35

[illegible] 25.III.19

[illegible] E.F.E.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4.1.19

Kept at Aylesby House Chatteris
in the County of Cambridge
by A Harold Ruston

Lat. 52·22° Long. 0·043° east
Time of Observation 9 am
Nearest Railway Station Chatteris
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level thirty two ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				25							·18	·20	1
2								·13				·40	2
3	·5	·12						31		·7			3
4		·2	·22						59		·70		4
5									57		29		5
6		·15		23	46					20	14		6
7		·12		9									7
8	·12												8
9		·6					·34		23	22			9
10							·24					·29	10
11					28		·19			50		20	11
12		19			25		·14			4			12
13					26		·24						13
14	·25						·35		·97				14
15	85			1·32					11				15
16				49			57		1·13			15	16
17	·54			9	11		13					14	17
18	·4					·21			·21			50	18
19			·12							21			19
20							12			14			20
21	6								·57				21
22	9				24		24		4			32	22
23					47								23
24		·35					8						24
25							30	20			20 *		25
26													26
27								26			30	33	27
28									1·30		19		28
29													29
30		X											30
31		X	·35	X		X			X		X	·13	31
Total	2·00	1·01	·69	2·47	2·07	·21	2·85	·90	5·72	1·38	2·00	2·66	YEAR'S TOTAL ~~21·96~~ 23·96
Rain Days.	8	7	3	6	7	1	12	4	10	7	7	10	92 82

W, 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Aylesby House Chatteris
in the County of Cambridge
by A. Harold Ruston

Lat 22·22 North Long 0·043 East
Time of Observation 9. a. m.
Nearest Railway Station Chatteris
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·08				·15	·80	1
2	·15								·35		·22	·41	2
3	·25										·17		3
4	·60		·30			·03	·06	·05			·01	·39	4
5	·24		·31				·04		·60				5
6												·07	6
7			·25								·12	·02	7
8											·08		8
9													9
10			·30										10
11	·19		·14	·15			·70			·20			11
12						·13	·08			·08			12
13				·50		·35							13
14	·48						·11						14
15		·93	·46									·25	15
16		·30									·30		16
17											·46		17
18								·14	·20			·15	18
19		·37	·62				·10	·17			·03	·02	19
20	·52						·58	·35	·18		·05		20
21							·53					·17	21
22		·46					·07		·38		·03	·47	22
23				·40		·16						·02	23
24						·14	·12			·12		·03	24
25	·40				·58			·22					25
26		·34							·13			·43	26
27				·12									27
28	·84			·95				·88		·18		·30	28
29								·17		·18	·10	·22	29
30				·36		·31					·24	·18	30
31												·10	31
TOTAL	3·67	2·40	2·38	2·48	·58	1·12	2·47	1·98	1·84	·76	1·96	4·03	YEAR'S TOTAL 25·67
Days with ·01 in. or more	9	5	7	6	1	6	11	7	6	5	13	17	93

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1124

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Aylesby House Chatteris

in the County of Cambridge

by A. Harold Ruston

Lat. 52·22° Long. 0·043° East

Time of Observation 9 a.m.

Nearest Railway Station Chatteris

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·22			·71		·11	1
2					·17		·04	·12				·03	2
3				·59		·04	·28		·12	·07			3
4			·15	·19				·22	·09	·13			4
5			·04		·23		·60	·14	·09			·11	5
6			·09				·36		·13				6
7													7
8	·12			·45			·12						8
9	·50			·26				·29					9
10	·08		·15	·06			·04						10
11	·28			·10	·15								11
12				·31								·20	12
13			·06	·05		·24					·06		13
14		·15	·33	·14		·02	·08		·21	·02	·16	·10	14
15	·10		·28	·10					·10		·06		15
16									·35			·08	16
17				·11			·05		·14				17
18	·05						·02	·29	·20			·08	18
19				·11									19
20	·20	·32		·35		·67							20
21							·03	·13	·27				21
22				·17					·14				22
23												·42	23
24			·20				·33					·08	24
25		·07		·04	·66		·26						25
26					·15	·03							26
27	·12			·18		·32	·04				·17	·15	27
28	·37		·15		·25		·05					·18	28
29	·03		·11		·28		·05					·42	29
30		✕					·04		·18		·17	·16	30
31	·06	✕		✕		✕			✕	·25	✕	·15	31
TOTAL	1·91	·54	1·56	3·21	1·89	1·32	2·61	1·19	2·02	1·18	·62	2·27	YEAR'S TOTAL 20·32
Days with ·01 in. or more	11	3	10	16	7	6	17	6	12	5	5	14	~~112~~
Days with ·04 in. or more	10	3	10	16	7	4	15	6	12	4	5	13	105

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

84

250

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

REGI 1

CAMBRIDGE.

CHATTERIS.

"THE PRIORY"

1911 – 1920

Kept at Chatteris,
in the County of Cambs
by H. F. Fryer

in.
Ground ft. in.
Sea Level ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·07					1
2	·36				·09						·06	·12	2
3				·08	·15			·03		·10		·10	3
4	·03	·04	·13	·13					·05		·16	·16	4
5		·03						·08		·10		·15	5
6	·36		·05							·03		·28	6
7											·21	·34	7
8	·25		·11						·25		·13	·06	8
9	·15			·06									9
10	·02	·08	·09						·02		·07	·11	10
11	·25										·42		11
12	·19		·39		·08						·14		12
13			·17						·24	·05		·27	13
14		·02	·06		·49	·11						·38	14
15		·05	·19							·02	·08		15
16						·08					·33	·08	16
17											·02	·10	17
18		·10				·10					·52	·02	18
19						·13			·16	·08	·20		19
20								·15	·50	·02		·50	20
21		·17				·08		1·22	·05	·27		·16	21
22	·05		·15	·02				·19		·40		·40	22
23		·07	·08		·03	·84	·06		·40			·18	23
24		·05	·05			·19				·23		·12	24
25		·10		·08		·13		·22		·09			25
26			·03	·20			·02	·02		·20	·07	·31	26
27		·27	·09	·07					·16	·02		·04	27
28		·13		·16				·23			·09		28
29				·08		·27	·25		·28	·28			29
30				·04	·05				·02	·08			30
31													31
Total	1·66	1·11	1·59	·92	·89	1·93	·33	2·21	2·13	1·97	2·50	3·88	TOTAL for year 21·12
No. of Rain Days	9	12	13	10	6	9	3	9	11	15	14	20	131

9,000, IX. '10.

84

REGI

250

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Chatteris, The Priory

in the County of Cambs 2

by H. F. Fryer

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.07					1
2	.36				.09						.06	.12	2
3				.08	.15			.03		.10		.10	3
4	.03	.04	.13	.13					.05		.16	.16	4
5		.03						.08		.10		.15	5
6	.36		.05							.03		.28	6
7											.21	.34	7
8	.25		.11						.25		.13	.06	8
9	.15			.06									9
10	.02	.08	.09						.02		.07	.11	10
11	.25										.42		11
12	.19		.39		.08						.14		12
13			.17						.24	.05		.27	13
14		.02	.06		.49	.11						.38	14
15		.05	.19							.02	.08		15
16						.08					.33	.08	16
17											.02	.10	17
18		.10				.10					.52	.02	18
19						.13			.16	.08	.20		19
20								.15	.50	.02		.50	20
21		.17				.08		1.22	.05	.27		.16	21
22	.05		.15	.02				.19		.40		.40	22
23		.07	.08		.03	.84	.06		.40			.18	23
24		.05	.05			.19				.23		.12	24
25		.10		.08		.13		.22		.09			25
26			.03	.20			.02	.02		.20	.07	.31	26
27		.27	.09	.07					.16	.02		.04	27
28		.13		.16				.23			.09		28
29				.08		.27	.25		.28	.28			29
30				.04	.05				.02	.08			30
31													31
Total	1.66	1.11	1.59	.92	.89	1.93	.33	2.21	2.13	1.97	2.50	3.88	TOTAL for year 21.12
No. of Rain Days	9	12	13	10	6	9	3	9	11	15	14	20	131

9,000, IX. '10.

DL ✓ Corr per auth 7.V.13 W. Hob 2/11

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Chatteris, The Priory

in the County of Cambridgeshire 2

by H. F. Fryer

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						27			·10	·01		·14	1
2				·04		·02	·32						2
3	·18	·12			·02	·84	·02	·21	·03			·14	3
4	06	·14	·55		·05	·39		·05			·33		4
5	·04		·22			·08		·08				·03	5
6	·40	·11			·06	·05	77	·32			06		6
7						1·83							7
8	·28	·13	·10			·11	·11	·22	·11				8
9		·05		·05		·77						·16	9
10								·08	·13	·01	·15		10
11	·12	·02						·03	·08			·18	11
12	·14		·07		·04						·12		12
13	·02					·04					·30	·02	13
14	·02				·04	·03		·02	·02		·02		14
15		·02	·16		·33	·20		·04				·06	15
16	·29		·05		·10	·09		·11		·05	·02		16
17	·36		·20			·15		·08				·11	17
18			·08				·02	·16		·02	·03		18
19	·26	·08	·05				·32	·74		·07	·04		19
20	·09		·05		·03		·12	·37		·20			20
21			·18		·35			·69		·21	·09		21
22	·29	·07					1·38	·28		·03		·02	22
23	·26	·35	·22					·66			·13	·16	23
24	·37					·12	·22	·17				·08	24
25						·09	·02	·63			·18	·26	25
26						·02	·08	2·27		·47	·25	·32	26
27					·05					·22		·19	27
28		·03						·24	·02	·23	(·20)	·41	28
29						·04	·20	·04	·58	·29	·05		29
30					·33				·32	·11			30
31			·13		·06		·30	·17		·02			31
Total	3·18	1·12	2·06	·09	1·46	5·14 ~~5·04~~	3·88	7·66	1·39	1·94	(1·97) (1·97)	2·28	TOTAL for year 32·17 ~~31·97~~
No. of Rain Days	16	11	13	2	12	18	13	23	9	14	15	15	161

9,000, IX. '10.

82

2/21

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Priory, Chatteris

in the County of Cambridgeshire 2

by H. F. Fryer

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·08	·09		·22				·56				1
2		·11	·02		·68		·14		·07				2
3	·03		·22		·07				·03	·13	·03	·04	3
4	·20					·02	·04			·18	·08	·29	4
5		·02			·42					·17		·04	5
6	·02				·15	·16				·06			6
7					·26	·05				·45		·02	7
8		·02		·02	·02	·04					·10		8
9		·26	·03	·02		·11					·07		9
10				·06			·07	·21	·03		·33		10
11	·88			·40				·83			·08	·01	11
12								·02			·14		12
13											·35		13
14	·13	·04	·14	·04			·10			·18			14
15	·10	·04	·13	·16			·06		·29				15
16	·04		·67						·12				16
17	·10	·07	·14	·09		·41	·07				·02	·02	17
18			·12	·03		·02	·07						18
19			·06			·08	·03		·19			·06	19
20	·05		·07	·03		·09				·18			20
21	·07		·05		·03		·08			·05	·30		21
22	·20		·14			·05	·04	·05	·16				22
23						·07	·05	·04	·06				23
24	·07					·02							24
25				·12			·02				·02	·05	25
26			·12	·02		·07				·67		·12	26
27		·06								·03			27
28	·16		·25							·14			28
29	·16		·14	·40	·18			·11				·07	29
30	·21			·18				·03		·16	·12	·04	30
31					·02			·69		·05			31
													YEAR'S TOTAL
Total	2·42	·70	2·39	1·57	2·05	1·19	·77	1·98	1·51	2·45	1·64	·76	19·43
Rain Days.	15	9	16	13	10	13	12	8	9	13	12	11	141

W. 7,500, XI. 12

8L

[illegible] 26·1·15 W 9/1/15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

23 JAN 1915

241
2/11

Kept at The Priory Chatteris

in the County of Cambridgeshire 2

by H. F. Fryer

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·03			·26	·70			10		1
2	·03						·03	·18			~~·08~~ ·05	·10	2
3			·12	·02	·15						·09		3
4	·16			·19				·28			·35	·15	4
5			·08	·04	·07		·16						5
6		·06			·05	·05	·16				·27	·02	6
7		·06	·37	·02		·27	·03					·08	7
8	·16	·02	·21	·06	·07	·67	·10	·15		·02			8
9	·68		·26		·05	·75			·26			·15	9
10	·44	·15		·04	·04			·02	·10				10
11		·05	·29		·09	·15			·05		·27	·22	11
12			·05				·15		·25		·02	·22	12
13		·11	·17							·24		·26	13
14			·13				·11			·74	12	·57	14
15	·03	·03	·13					·03	·07		·07	·22	15
16	·02		·04						·05		·05		16
17		·24							·20			·05	17
18			·04								·02	·51	18
19		·06	·13			·18					·17		19
20			·36			·04	·02		·03				20
21		·13	·21			·03		·09		·05	·04	·24	21
22			·06		·12		·03	·20		·24			22
23			·05		·08		·02			·05			23
24	·02			·07		·02	·06			·18	·13		24
25		·02					·03	·04		·38		·12	25
26			·19		·02		·03	·09		·03	(·13)	·34	26
27	·02		·03									·15	27
28		(·04)								·17	·12	1·40	28
29			·03		(·02)					·18	·06		29
30										·04	·10	·18	30
31					·08		·08					·09	31
													YEAR'S TOTAL
Total	1·56	·97	2·95	·47	~~·82~~ ·84	2·16	1·27	1·78	1·01	2·32	2·16	5·07	22·56
Rain Days.	9	12	20	8	~~11~~ 12	9	15	10	8	12	~~17~~ 18	19	152

W.7,000, XI. 13

DL.

Corr forward 1. 3. 16

1337
2/11

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at The Priory, Chatteris

in the County of Cambridgeshire 2 WDL

by H. F. Fryer

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·24	·14			·20						·16	·10	1
2	·05	·09	·24	·02		·03		·62	·02		·10		2
3	·22		·13	·10			·06	·67	·11				3
4	·20						·16	·05		·03		·48	4
5	·02	·06			·05			·04		·03		·23	5
6	·13	·06	·08	·09			1·50	·07		·03			6
7	·05	·04	·14		·32		·12	·15				·15	7
8		·36	·03	·02				·02					8
9		·03				·02				·02	·10	·40	9
10			·10				·02	·34					10
11	·22		·02				·05				·45		11
12	·07			·20	·22			·02			1·41		12
13	·02	·32			·50			·02					13
14									·05			·28	14
15	·16				·07			·03			·20	·08	15
16		·20					·55	·03					16
17		·10					·07						17
18		·03	·18								·10		18
19							·24						19
20	·29			·02								·35	20
21	·08	·03					·07		·02	·03		·03	21
22	·53		·21				·47					·25	22
23		·15				·02	·04		·16	·13		·32	23
24			·07						·35	·02		·06	24
25						·48	·05			·02		·05	25
26		·06				·02	·05					·15	26
27						·26	·16			·45			27
28						·13		·03	·29	·60			28
29						·05	·02	·13			·15	·20	29
30	·10	X				·20							30
31	·04	X		X		X		·11	X	·10	X	·11	31
Total	2·42	1·67	1·20	·45	1·36	1·21	3·63	2·33	1·00	1·46	2·67 ·57	3·24	YEAR'S TOTAL 22·64 22·64
Rain Days.	16	14	10	6	6	9	16	15	7	11	8	16	134

W. 8,000. X. 14.

JL ✓ ~~W~~ J L [illegible]

1313
2/10

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Priory, Chatteris
in the County of Cambridgeshire
by H. F. Fryer

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·09						1
2	·35		·03		·22		·10			·07			2
3		·12					·13		·50	·22	·07		3
4	·27	·10	·25			·10			·19	·11	·19		4
5		·02	·06	·02		·20					·27		5
6		·06		·20			·06				·23		6
7	·05				·18		·15				·12	·11	7
8			·11		·20	·40				·07		12	8
9						·03						·06	9
10				·05		·26	·21						10
11	·06	·36	·18	·13	·10	·16							11
12					·40	·41		·06					12
13			·05		·14	·05							13
14		·45			·10	·03				·10			14
15		·23	·20					·07	·07				15
16			·08	·18			·11						16
17	·05	·05		·12			·20	·31	·22	·26			17
18				·05					·20		·56		18
19			·05	·12					·34		·41		19
20	(·20)		·15					·19			·15	·50	20
21	·02		·45				·70					·84	21
22		·15			·10							·44	22
23		·36				·30						·24	23
24		·18								·17		·20	24
25		·25	·10					·15			·10		25
26		·14						·06	·20				26
27	·04	·10	·68					·14					27
28		·53	·92									·20	28
29		·05	·17			(·06)		1·22		·19			29
30		✕						·40		·22			30
31		✕		✕		✕			✕	·30	✕		31
													YEAR'S TOTAL
Total	1·04	3·15	3·48	·87	1·44	2·00 ✓	1·75	2·60	1·70	1·71	2·10	2·71	24·55 ✓
Rain Days.	8	16	15	8	8	11 ✓	9	9	7	10	9	9	118

W. 8,000. X. 15.

DL

1253
2/10

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at The Priory, Chatteris

in the County of Cambridgeshire

by H. F. Fryer

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								1·20			·04		1
2				·15		·10		·16	·26				2
3				·12				·40					3
4										·80			4
5	·20			·11				·05			·07		5
6											·08		6
7	·31					·20	·50	·05		·60		·10	7
8	·21			·24			·20	·10		·20	·12		8
9	·05							·10			·05		9
10			·31					·15		·06			10
11	·32		·30	·14						·21			11
12	·05		·10		·05					·32			12
13	·10					·03	·03	·11				·05	13
14	·15		·06	·05									14
15								·28					15
16				·11		·19	·20			·70		·12	16
17			·12	·12	·55	·80			·40	·21			17
18				·09	·05	·10	·26		·70				18
19		·30	·20						·40				19
20		·24	·11		·20				·10		·20		20
21						·10							21
22					·09					·10			22
23			·10		·17			·06	·10			·10	23
24						·20				·06			24
25													25
26								·36	·10		·50		26
27						·10		·50					27
28		·12	·20			·20		·05					28
29						·60	1·10			·27			29
30		X					·20	·12				·20	30
31		X	·10	X		X	·21	·20	X		X		31
Total	1·39	·66	1·60	1·13	1·11	2·62	2·70	3·89	2·06	3·53	1·06	·57	YEAR'S TOTAL 22·32
Rain Days.	8	3	10	9	6	11	8	16	8	11	7	5	~~101~~

W. 8,000, VIII. 16

3·27

Dl 28-IV-19

36

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

23·1·19

Kept at The Priory, Chatteris

in the County of Cambridgeshire

by H. F. Fryer

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·02	·15	1
2				·28				·15		·03	·06	·11	2
3		·10	·05	·08	·34			·24	·04		·53		3
4		·03		·02					·47		·31	·02	4
5		·04			·10			·14	·58	·09			5
6				·09					·05				6
7		·09		·07						·02	·09		7
8		·10							·09		·08		8
9				·02		·05	·12		·36	·22		·04	9
10				·01			·22			·02		·19	10
11				·03	·15		·17		·08	·27		(·22)	11
12				·01	·21		·15		·09	·10			12
13		·15			·24				·07				13
14	·32			·05			·22		·10	·09		·05	14
15	}			1·15			·32		·34				15
16	·90			·44					1·16		(·08)		16
17				·08	·10		·47					·21	17
18	·20			·01		·06	·09		·17			·45	18
19	·29			·04		·04						·04	19
20			·09	·04		·05	·02		·07	·17			20
21	·13						·13		·38				21
22		·10			·22		·05		·08			·24	22
23					·27		·19		·04				23
24		·22			·10		·04		·03		·06		24
25				·01		·03	·08	·22			·15		25
26							·28		·02		·23	·12	26
27						·02	·02	·19			·18		27
28		·09	·10					·06					28
29								·02	1·09		·15		29
30		X	·27						·06		·14	·04	30
31		X		X		X			X	·05	X	·02	31
Total	1·84	·92	·51	2·43	1·73	·25	2·57	1·02	5·37 ~~4·37~~	1·01 ~~1·07~~	2·05 ~~2·08~~	1·90	YEAR'S TOTAL 21·60 ~~20·69~~
Rain Days.	5	9	4	17	9	6	16	7	21	10	13	13	136

W. 8,000, VIII. 16

1183

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at The Priory, Chatteris

in the County of Cambridgeshire

by H. F. Fryer

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31				·03		·03			·06	·08	·63	1
2	·12		·01				·17			·01	·15	·51	2
3	·59		·19			·05	·06		·33		·13		3
4	·11		·12				·04	·04	·06		·02	·31	4
5	·09						·03	·06	·62			·07	5
6			·03								·02		6
7			·20										7
8			·02								·07		8
9			·21			·06							9
10			·12							·03			10
11	·01		·19	·14			·68					·09	11
12	·03						·09			·12			12
13	·18			·23									13
14	·24			·17			·08		·04				14
15		·72	·25	·11								·18	15
16		·67	·04								·30		16
17		·41		·05							·36		17
18		·02	·47					·10				·11	18
19		·19	·04				·11	·18	·18		·03	·02	19
20	·44		·07			·44	·52	·34	·06				20
21	·34	·42				·08	·48				·06	·15	21
22		·11				·07	·09		·33			·46	22
23							·12			·05		·10	23
24				·23		·15		·02		·06		·06	24
25			·12		·55	·04		·20					25
26	·11	·03		·10					·08			·24	26
27		·16		·58								·11	27
28				·32				·79	·02	·13		·18	28
29						·03	·02	·18		·15	·16	·19	29
30		✕		·25		·23				·03	·12	·16	30
31		✕		✕		✕			✕	·02	✕	·03	31
Total	2·57	2·73	2·08	2·18	·58	1·15	2·52	1·91	1·72	·66	1·50	3·60	YEAR'S TOTAL 23·20 ~~129~~
Rain Days.	12	9	15	10	2	9	14	9	9	10	12	18	~~129~~

W. 8,000, IX. 17.

2/203 cwd by me stats -RHF- 1125

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 MAR 1921

REGISTER OF RAINFALL IN 1920.

Kept at Chatteris, The Priory
in the County of Cambridgeshire
by H. L. Fryer

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·05	·08		·19			·69			1
2							·05	·11	·11			·03	2
3				·47		·03	·22		·07	·04		·02	3
4			·13	·14			·04	·21	·08	·12		·03	4
5			·04		·17		·50	·09	·12			·04	5
6			·06		·09		·33						6
7							·08					·06	7
8	·22	·02		·38	·02								8
9	·39			·24				·23					9
10			·14									·05	10
11	·25		·05	·25	·09		·03				·03		11
12	·08			·16		·02		·03				·17	12
13			(·04)	·04		·22			·04				13
14		·09	·31	·09		·01	·06		·11	·01	·12		14
15		·02	·22	·08					·05		·04		15
16				·02					·56				16
17				·06			·03		·11			·05	17
18								·26	·21			·11	18
19	·15	·03		·07				·05				·02	19
20	·06	·25		·27		·57			·24				20
21							·02	·08					21
22				·14					·16				22
23							·29					·38	23
24			·19				(·26) ·04					·06	24
25		·08	·05	·03		·02	·02						25
26	·05			·05	·71		·01						26
27	·11			·12	·12	·31	·05				·12	·13	27
28	·31		·08		·29		·03					·16	28
29	·03		·16		·25						·04	·36	29
30				·05					·17		·10	·14	30
31	·04									·19		·12	31
TOTAL	1·69	·49	1·47	2·71 ~~2·51~~	1·72 ~~2·72~~	1·18	2·25	1·06	2·03	1·05	·45	1·93	YEAR'S TOTAL 18·93 ~~18·83~~ 3·460
Days with ·01 in. or more	11	6	12 ~~12~~ 11	19	9	7	18 ~~16~~ 17	8	13	5	6	17	131 ~~129~~

·04 10 3 12 11 10 17 8 3 12 14 7 13 4 5 13 104 107

(14283). Wt.21958—215 7500. 10/19. Gp.132 A.&E.W.

Slip made 4/3/15

REGISTE

CAMBRIDGESHIRE

CAMBRIDGE.

1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Cambridge … am

… ambridge

in the County of Cambri… 5 in.

by Charles Hankin… Ground 1 ft. 1 in.

Sea Level ft.

IMPORTANT NOTE.—R… the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04				·02	·05			·10		1
2				·04			·03	·31			·06	·10	2
3							·46	·16			·13		3
4			·15	·13	·10						·31	·14	4
5	·04				·07		·16						5
6			·06	·13		·02	·03	·48			·19	·06	6
7	·27	·12		·05	·35	·09	·11	·03			·01	·45	7
8		·04	·32	·02	·05		·04	·14					8
9	·03	·08	·37	·12	·06	·51						·90	9
10			·50		·05	·50							10
11	1·24			·15	·01	·32			·10		·33	·12	11
12		·14	·30				·02		·48			·16	12
13			·15						·02	·27	·06	·18	13
14		·18	·08							·55		·78	14
15			·17				·21	·04	·07		·06	·12	15
16			·30				·11				·03		16
17	·12		·13						·11				17
18		·33										·30	18
19		·07	·04			·02	·07				·23		19
20			·47						·02		·02	·11	20
21		·10	·16			·48		·04				·13	21
22		·21	·03	· ~~[illegible]~~	·24		·04			·02			22
23			·07	· ~~08~~	·08			·03		·40	·01	·02	23
24				·11 ~~11~~			·11			·25	·11		24
25						·03	·02			·35			25
26			·10				·02	·15			·07	·24	26
27			·04				·05			·02	·02	·25	27
28			·02							·06	·50	1·50	28
29										·33			29
30		✕								·03	·18	·10	30
31		✕	·09	✕	·16	✕	·02		✕	·01	✕	·07	31
Total	1·70 ✓	1·27 ✓	3·59 ✓	·75	1·17 ✓	1·97 ✓	1·52 ✓	1·43 ✓	·80 ✓	2·29 ✓	2·42 ✓	5·73	YEAR'S TOTAL 24·64 ✓
Rain Days.	5	9	21	8	10	8	17	10	6	11	18	19	142

W. 8,000. X. 14.

Slip made 1/3/16

REGIST

FORM A.
BRITISH RAINFALL
4 JAN 1915

Kept at Cambridge

in the County of Cambridge

by Charles Hankins

2

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Cambridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04				·02	·05			·10		1
2				·04			·03	·31			·06	·10	2
3							·46	·16			·13		3
4			·15	·13	·10						·31	·14	4
5	·04				·07		·16						5
6			·06	·13		·02	·03	·48			·19	·06	6
7	·27	·12		·05	·35	·09	·11	·03			·01	·45	7
8		·04	·32	·02	·05		·04	·14					8
9	·03	·08	·37	·12	·06	·51						·90	9
10			·50		·05	·50							10
11	1·24			·15	·01	·32			·10		·33	·12	11
12		·14	·30				·02		·48			·16	12
13			·15						·02	·27	·06	·18	13
14		·18	·08							·55		·78	14
15			·17				·21	·04	·07		·06	·12	15
16			·30				·11				·03		16
17	·12		·13						·11				17
18		·33										·30	18
19		·07	·04			·02	·07				·23		19
20			·47						·02		·02	·11	20
21		·10	·16			·48		·04				·13	21
22		·21	·03	·~~11~~	·24		·04			·02			22
23			·07	·~~08~~	·08			·03		·40	·01	·02	23
24				11 ~~11~~			·11			·25	·11		24
25						·03	·02			·35			25
26			·10				·02	·15			·07	·24	26
27			·04				·05			·02	·02	·25	27
28			·02							·06	·50	1·50	28
29										·33			29
30		X								·03	·18	·10	30
31		X	·09	X	·16	X	·02		X	·01	X	·07	31
Total	1·70 ✓	1·27 ✓	3·59 ✓	·75	1·17 ✓	1·97	1·52 ✓	1·43 ✓	·80 ✓	2·29 ✓	2·42 ✓	5·73	YEAR'S TOTAL 24·64 ✓
Rain Days.	5	9	21	8	10	8	17	10	6	11	18	19	142

W. 8,000. X. 14.

REC

1202.

—

CAMBRIDGE CORPORATION
STOREYARD
1912 – 20

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at Cambridge

in the County of Cam

by Julian Julian ,

in.

e Ground ft. in.

Sea Level ft.

IMPORTANT NO the result entered to the previous day. If an ersal rule, he is earnestly requested to add the re r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·02	–	·05	·06	–	·14	·21	–	·07	1
2	–	·02	–	·01	–	–	·38	–	–	–	–	–	2
3	·14	–	–	–	·03	·22	–	·27	–	–	–	·11	3
4	·03	–	·34	–	·05	·20	–	–	–	–	·27	–	4
5	·03	·05	·18	–	–	–	–	·10	–	–	·05	–	5
6	·24	·07	–	–	·01	·33	·71	·21	–	–	·01	–	6
7	·01	–	–	–	·01	·50	·07	·12	–	–	–	·01	7
8	·19	·11	·05	·01	–	·03	–	·05	·24	–	–	·02	8
9	–	·02	·01	·09	–	·03	–	–	–	–	–	·17	9
10	–	·01	–	–	–	–	–	·60	·03	–	·11	·01	10
11	·10	·10	–	–	–	–	–	·20	·07	–	–	·03	11
12	·10	·02	·04	–	·03	–	–	·08	–	–	·09	–	12
13	–	–	–	–	–	·02	–	–	–	–	·28	–	13
14	–	–	·01	–	·04	·06	–	·03	·01	·01	·01	·01	14
15	–	·01	·15	–	·16	·21	–	·06	–	–	–	·07	15
16	·28	–	·05	–	·04	·11	–	·05	–	·03	·03	–	16
17	·48	–	·20	–	–	·16	–	·05	–	–	–	·05	17
18	·03	–	·06	–	–	–	·01	·14	–	–	·07	·14	18
19	·12	·08	·24	–	–	–	·20	·58	–	–	·01	–	19
20	·02	–	·11	–	·04	–	–	·44	–	·39	–	–	20
21	·01	·01	·36	–	·40	–	–	·88	–	·18	·05	–	21
22	·46	·09	–	–	·11	–	·01	·16	–	·01	–	·02	22
23	·47	·32	·28	–	–	–	–	·68	·01	–	·21	·10	23
24	·21	–	–	–	–	–	·06	·21	–	–	–	·04	24
25	–	–	–	–	–	·11	·02	·72	–	–	·14	·25	25
26	–	–	–	–	–	–	·08	1·84	–	·38	·19	·27	26
27	–	–	–	–	–	–	–	–	–	·10	–	·17	27
28	–	·02	–	–	–	–	·01	·01	·08	·25	·09	·28	28
29	–	–	–	·01	–	·23	·15	·34	·60	·19	·07	–	29
30	·02	▨	–	–	·16	·01	–	–	·52	–	–	–	30
31	–	▨	·08	▨	·01	▨	·14	·21	▨	·04	▨	·02	31
Total	2·94	·93	2·16	·14	1·09	2·27	1·90	8·03	1·70	1·71	1·68	1·84	YEAR'S TOTAL 26·39
Rain Days.	18	14	15	5	13	15	13	24	9	11	16	19	172

W. 7,500, XI. ·12

REC

FORM A.
BRITISH RAINFALL.
10 JAN 1913

Kept at Cambridge Corporation Storeyard

in the County of Cambridgeshire 2

by Julian Julian, Borough Surveyor.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·02	–	·05	·06	–	·14	·21	–	·07	1
2	–	·02	–	·01	–	–	·38	–	–	–	–	–	2
3	·14	–	–	–	·03	·22	–	·27	–	–	–	·11	3
4	·03	–	·34	–	·05	·20	–	–	–	–	·27	–	4
5	·03	·05	·18	–	–	–	–	·10	–	–	·05	–	5
6	·24	·07	–	–	·01	·33	·71	·21	–	–	·01	–	6
7	·01	–	–	–	·01	·50	·07	·12	–	–	–	·01	7
8	·19	·11	·05	·01	–	·03	–	·05	·24	–	–	·02	8
9	–	·02	·01	·09	–	·03	–	–	–	–	–	·17	9
10	–	·01	–	–	–	–	–	·60	·03	–	·11	·01	10
11	·10	·10	–	–	–	–	–	·20	·07	–	–	·03	11
12	·10	·02	·04	–	·03	–	–	·08	–	–	·09	–	12
13	–	–	–	–	–	·02	–	–	–	–	·28	–	13
14	–	–	·01	–	·04	·06	–	·03	·01	·01	·01	·01	14
15	–	·01	·15	–	·16	·21	–	·06	–	–	–	·07	15
16	·28	–	·05	–	·04	·11	–	·05	–	·03	·03	–	16
17	·48	–	·20	–	–	·16	–	·05	–	–	–	·05	17
18	·03	–	·06	–	–	–	·01	·14	–	–	·07	·14	18
19	·12	·08	·24	–	–	–	·20	·58	–	–	·01	–	19
20	·02	–	·11	–	·04	–	–	·44	–	·39	–	–	20
21	·01	·01	·36	–	·40	–	–	·88	–	·18	·05	–	21
22	·46	·09	–	–	·11	–	·01	·16	–	·01	–	·02	22
23	·47	·32	·28	–	–	–	–	·68	·01	–	·21	·10	23
24	·21	–	–	–	–	–	·06	·21	–	–	–	·04	24
25	–	–	–	–	–	·11	·02	·72	–	–	·14	·25	25
26	–	–	–	–	–	–	·08	1·84	–	·38	·19	·27	26
27	–	–	–	–	–	–	–	–	–	·10	–	·17	27
28	–	·02	–	–	–	–	·01	·01	·08	·25	·09	·28	28
29	–	–	–	·01	–	·23	·15	·34	·60	·19	·07	–	29
30	·02		–	–	·16	·01	–	–	·52	–	–	–	30
31	–		·08		·01		·14	·21		·04		·02	31
Total	2·94	·93	2·16	·14	1·09	2·27	1·90	8·03	1·70	1·71	1·68	1·84	YEAR'S TOTAL 26·39
Rain Days.	18	14	15	5	13	15	13	24	9	11	16	19	172

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Cambridge Corporation Storeyard

2

in the County of Cambridgeshire

by G. J. Golding

Lat. 52°-12'-0" N. Long. 0°-8'-30" E.
Time of Observation 9 a.m.
Nearest Railway Station Cambridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·10	·06	·10	-	-	-	-	·24	-	·04	·01	1
2	·05	·14	-	-	·16	-	·13	-	·50	-	·03	-	2
3	-	-	·10	-	·64	-	-	-	-	-	-	·04	3
4	·08	-	-	-	·05	-	·03	-	-	·11	·05	·12	4
5	·06	-	-	-	-	-	-	-	·02	·70	·01	-	5
6	-	·10	·08	-	·12	·24	·13	-	-	·02	-	-	6
7	-	·05	-	-	·03	-	·01	-	-	·31	·01	-	7
8	-	-	-	-	·16	·02	-	-	-	-	·08	-	8
9	-	·20	·03	·01	-	·08	-	-	·01	-	·05	·03	9
10	-	-	·01	·02	-	-	·08	·01	-	-	·33	-	10
11	·63	-	-	·40	-	·01	-	·13	-	·02	·19	-	11
12	-	-	-	-	·02	-	-	·01	-	-	·05	-	12
13	·02	-	-	-	-	-	-	·02	-	-	·41	-	13
14	·02	-	·04	·01	-	-	·22	-	-	·21	·03	-	14
15	·14	·02	·22	·06	-	-	·13	-	-	-	-	-	15
16	·05	-	·21	·11	-	-	-	-	·11	-	-	-	16
17	·08	·02	·11	·08	-	·80	·01	-	-	-	-	·05	17
18	-	-	·02	·14	-	-	-	-	-	-	-	·02	18
19	·05	-	·05	·02	·02	-	·06	-	·34	-	-	·05	19
20	·02	-	·05	·01	-	-	-	-	·01	·25	-	-	20
21	-	-	·04	-	·02	-	·03	-	-	·12	·23	-	21
22	·35	-	·15	-	-	-	·03	·09	·10	-	-	-	22
23	-	-	-	-	-	·02	·02	·14	·04	-	-	·02	23
24	-	-	-	-	-	·04	-	-	-	-	-	-	24
25	-	-	-	·14	-	-	·01	-	-	-	-	-	25
26	-	·02	·12	-	-	-	-	·01	-	·68	-	·12	26
27	-	·04	·01	·02	·19	·05	-	-	-	·05	-	-	27
28	·10	-	·08	·03	-	-	-	-	-	·09	-	·02	28
29	·16		·09	·16	·22	-	-	·05	-	-	-	-	29
30	·18		-	·14	-	-	-	·04	-	·06	·19	·03	30
31	-		-		-		-	·68		·06		-	31
Total	2·04	·69	1·50	1·45	1·63	1·29	·89	1·18	1·40	2·68	1·70	·51	YEAR'S TOTAL 16·96
Rain Days.	16	9	18	16	11	8	13	10	9	13	14	11	148

W.7,000, XI. 13

ExLMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Cambridge Corporation Storeyard

2

in the County of Cambridgeshire

by G. J. Golding

Lat. 52°-12'-0"N Long. 0°-8'-30"E

Time of Observation 9 a.m.

Nearest Railway Station Cambridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·02	-	-	-	·05	·19	-	-	·08	-	1
2	-	-	-	·02	-	-	·01	·19	-	-	·05	·09	2
3	-	-	·11	-	·11	-	·38	·20	-	-	·10	-	3
4	·10	-	·01	·17	-	-	-	·06	-	-	·28	·16	4
5	-	-	·05	·11	·02	·02	·15	·43	-	-	·01	-	5
6	-	·06	-	-	·02	·04	·02	·04	-	-	·15	·07	6
7	-	·02	·29	·02	·13	·06	·06	-	-	-	·01	·40	7
8	·10	·06	·28	-	·09	·56	·02	·11	-	-	-	-	8
9	·56	-	·44	·04	·01	·48	-	-	-	-	-	·90	9
10	·45	·06	-	·11	·05	-	-	-	·05	·01	-	·02	10
11	-	·07	·31	·03	-	·26	-	-	-	-	·31	·10	11
12	·01	·01	·05	-	-	-	·02	-	·39	-	-	·13	12
13	-	·15	·12	-	-	-	-	-	-	·19	·08	·22	13
14	-	-	·17	-	-	-	·16	-	-	·64	·06	·77	14
15	·05	-	·25	-	-	-	·06	·03	·16	-	-	·10	15
16	-	-	·05	-	-	-	·07	-	-	-	-	-	16
17	·01	·34	-	-	-	-	-	-	·15	-	-	-	17
18	-	·03	·01	-	-	-	-	-	-	-	-	·28	18
19	-	·02	·10	-	-	·02	·08	-	-	-	·20	·01	19
20	-	·03	·29	-	-	·04	-	-	·02	-	-	·05	20
21	-	·17	·12	-	-	·45	-	-	-	·03	-	·11	21
22	-	-	·05	-	·25	-	·05	·07	-	·44	-	-	22
23	-	·01	·04	-	·06	-	-	-	-	·13	-	·01	23
24	-	-	-	·08	-	·01	·12	-	-	·10	·12	-	24
25	·02	-	·05	-	-	-	-	·04	-	·35	-	·05	25
26	-	-	·03	-	-	-	·01	·08	-	·02	·05	·35	26
27	·02	-	·01	-	-	-	·09	-	-	-	·01	·12	27
28	-	·02	-	-	-	-	-	-	-	·05	·53	1·40	28
29	-		·03	-	-	-	-	-	-	·21	·02	-	29
30	-	X	·04	-	-	-	-	-	-	·02	·15	·05	30
31	-	X	-	X	·12	X	·06	-	X	-	X	·06	31
Total	1·32	1·05	2·92	·58	·86	1·94	1·41	1·44	·77	2·19	2·21	5·45	YEAR'S TOTAL 22·14
Rain Days.	9	14	24	8	10	10	14	11	5	12	17	22	159

W. 8,000. X. 14.

est 93

1312

FORM A.
BRITISH RAINFALL.
4 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Cambridge Corporation Storeyard

in the County of Cambridgeshire 2

by G J Golding

Lat 52°-12'-0" N Long. 0°-8'-30" E
Time of Observation 9 a m
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·10	·01	–	·09	–	–	–	·09	–	·01	·11	1
2	·05	·05	·19	·03	–	·02	–	·50	–	–	·02	·04	2
3	·19	–	·07	·15	–	–	·01	·92	–	·01	·01	·12	3
4	·14	–	–	–	–	–	–	·02	–	–	·02	·45	4
5	·03	·13	–	–	·08	–	–	·02	–	–	·02	·17	5
6	·18	·01	·08	·15	–	–	·92	·02	–	·02	–	·02	6
7	·08	·22	·04	–	–	–	·28	·13	–	·02	–	·09	7
8	–	·18	·02	·02	–	–	·01	·01	–	–	·01	–	8
9	–	·06	–	–	–	·02	–	–	–	–	·17	·53	9
10	·30	–	·05	–	–	–	–	–	–	–	·03	·05	10
11	·03	–	·04	–	·05	–	–	–	–	–	·67	–	11
12	·11	·01	–	·28	·26	–	–	·47	–	·02	·82	·04	12
13	·03	·34	–	–	1·13	–	–	–	–	–	–	–	13
14	–	·13	–	–	·01	–	·35	·05	·03	–	–	·30	14
15	·17	·03	–	–	·02	–	–	–	–	–	·19	·07	15
16	–	·09	–	–	–	–	·47	·35	–	–	–	–	16
17	·02	·14	–	–	·06	–	·10	·85	–	–	·01	–	17
18	–	·09	·21	–	–	–	–	–	–	–	·06	–	18
19	–	–	·02	–	–	–	·12	–	–	·02	–	–	19
20	·22	–	–	·10	–	–	–	·03	–	·02	–	·32	20
21	·06	–	–	–	·01	–	·04	–	–	–	–	·02	21
22	·81	·04	·30	·02	–	–	·51	–	·03	–	–	·14	22
23	·01	·14	·03	–	–	·01	·04	–	·29	·09	–	·17	23
24	–	·01	·15	–	–	·01	·04	–	·25	·01	–	·06	24
25	–	–	·02	–	–	·41	·01	–	–	–	–	·05	25
26	–	·05	–	–	–	·03	·03	–	–	–	–	·14	26
27	–	·08	–	–	–	·16	·19	–	–	·50	–	–	27
28	–	·04	–	–	–	·44	·02	·03	·60	·08	–	–	28
29	–	×	–	–	·01	·07	–	·12	–	–	·04	·08	29
30	·03	×	–	–	–	·65	·06	–	–	–	–	–	30
31	·03	×	–	×	–	×	–	·05	×	·06	×	·07	31
Total	2·79	1·94	1·23	·75	1·72	1·82	3·20	3·57	1·29	·85	2·08	3·04	YEAR'S TOTAL 24·28
Rain Days.	19	20	14	7	10	10	17	15	6	11	14	21	164

W. 8,000. X. 15.

~~W~~ 8L

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8. FEB 1917

Kept at Cambridge Corporation Storeyard
in the County of Cambridgeshire
by G. J. Golding

Lat. 52′12′0N Long. 0·8·30E
Time of Observation 9 a.m.
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	–	·10	–	·13	·02	–	–	·01	–	·23	–	1
2	·25	–	·04	–	·22	–	–	–	·03	·20	–	–	2
3	–	·13	·01	–	–	–	–	–	·13	·22	·15	–	3
4	·24	·09	·02	–	–	·26	·02	–	·19	·02	·19	–	4
5	–	·01	–	·01	·01	·11	–	–	–	·10	·22	·02	5
6	–	·10	·21	·23	–	·09	·05	–	–	–	·20	[illegible]	6
7	·09	–	·13	–	·20	·04	·10	–	–	·01	·31	·04	7
8	–	–	·01	–	·14	–	·24	–	–	–	·01	·13	8
9	–	–	–	–	·14	·20	–	–	–	–	–	·06	9
10	–	·03	·16	·04	–	·13	–	–	·01	–	–	·06	10
11	·04	·25	·04	·10	·05	·11	·33	·03	·01	–	–	·01	11
12	·01	·04	–	–	·31	·29	–	–	·01	·18	–	–	12
13	–	·34	·05	·05	·16	·10	·04	(·03)	–	·01	–	–	13
14	–	·45	·01	·03	·06	·02	·30	·07	–	–	–	·20	14
15	–	·21	·27	·01	–	–	–	–	·01	–	–	–	15
16	–	·09	·07	·19	·04	–	·06	·43	–	·03	–	–	16
17	·02	·02	–	·23	–	–	·06	·06	·20	·22	–	–	17
18	–	·09	·02	·04	–	–	·20	–	·23	·02	·40	–	18
19	·02	·01	·03	·19	–	–	–	·05	·14	–	·73	·03	19
20	·13	–	·25	·01	–	–	–	·07	–	–	·07	·14	20
21	·01	–	·65	–	–	–	·51	·01	–	–	–	·41	21
22	–	·11	·01	–	·15	·01	–	–	–	–	–	·44	22
23	·01	1·01	–	–	–	·08	–	–	–	–	·07	·12	23
24	–	·11	–	–	–	·14	–	–	–	·08	·02	·30	24
25	–	·14	·06	–	·02	–	–	·03	–	·07	·04	·03	25
26	–	·11	·06	–	–	·04	–	·15	–	–	·03	–	26
27	·04	·27	·74	–	–	·01	–	·04	·01	·12	–	–	27
28	–	·24	·35	–	–	·01	–	·01	·01	–	–	·12	28
29	·01	·10	–	–	–	·01	–	1·08	–	·16	–	·02	29
30	–	×	–	–	–	·09	–	·29	–	·25	–	–	30
31	–	×	–	×	–	×	–	·02	×	·02	×	·01	31
Total	·90	3·95	3·29	1·13	1·63	1·76	1·91	2·35 ✓	·99	1·71	2·67	2·14	YEAR'S TOTAL 24·43 ✓
Rain Days.	13.	22	22	12	13	19	11	15	13	16	14	17	187 ✓

W. 8,000, VIII. 16

✓ End

1234

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

5. JAN 1918

Kept at Cambridge Corporation Storeyard
in the County of Cambridge
by G. J. Golding

Lat. 52·12·0 N Long. 0·8·30 E
Time of Observation 9 A M
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·03	–	·06	–	–	–	·90	·13	–	·15	–	1
2	·03	·02	–	·27	–	–	–	·15	–	–	·02	–	2
3	–	–	–	·02	–	–	–	·33	–	·11	·10	–	3
4	–	·07	–	–	–	–	–	·01	–	·59	–	–	4
5	·16	·01	–	·20	–	–	–	·02	·01	·03	·09	–	5
6	–	–	–	–	–	·06	–	–	·01	·06	·01	–	6
7	·19	–	·02	–	–	–	–	–	–	·49	–	–	7
8	·08	–	–	·09	–	–	1·34	·10	–	·23	·08	·06	8
9	·06	–	·09	·03	–	–	–	·44	–	–	·03	·09	9
10	·41	·01	·12	·12	–	–	–	·05	–	·01	–	–	10
11	·05	–	·48	·08	–	–	–	–	–	·15	–	–	11
12	·07	·03	·03	·01	·03	–	–	·08	–	·23	–	·02	12
13	·16	–	·02	·01	–	·11	–	·05	–	·10	–	–	13
14	·01	–	·01	·16	–	–	–	·02	–	–	–	–	14
15	·01	–	–	–	–	–	–	–	–	·02	–	·02	15
16	·02	·06	–	·24	–	·04	·01	–	–	·60	–	·11	16
17	·01	–	·01	·20	·59	–	·32	–	·43	·18	–	–	17
18	·02	·02	–	·06	–	·12	·20	–	·65	–	–	–	18
19	·01	·04	·13	–	·24	·01	–	–	·22	–	–	–	19
20	·02	·19	·10	–	·06	–	–	–	–	–	·15	–	20
21	·01	·01	·07	–	–	–	–	–	–	–	–	–	21
22	–	–	·10	–	–	–	–	·03	·01	·08	–	–	22
23	–	·03	–	–	·20	–	–	·14	·02	–	–	·04	23
24	·03	·01	–	–	–	·17	·01	·02	–	·11	·05	·05	24
25	–	·01	·02	–	–	–	–	–	–	–	·01	·03	25
26	–	–	·06	–	–	·01	–	·17	·07	–	·40	·08	26
27	–	–	·01	–	–	–	·01	·46	–	–	–	·02	27
28	–	·02	·12	–	–	·78	–	·06	–	·02	–	·04	28
29	–		–	–	–	·41	1·24	·04	–	·18	–	·11	29
30	·03		·02	–	–	–	·70	·06	–	–	–	·01	30
31	·03		·34		–		·40	·08		–		·02	31
Total	1·41	·56	1·75	1·55	1·12	1·71	4·23	3·21	1·55	3·19	1·09	·70	YEAR'S TOTAL 22·07
Rain Days.	20	15	18	14	5	~~7~~ 9	9	20	9	17	11	14	~~159~~ 161

W. 8,000, IX. 17.

20

FORM A.
BRITISH RAINFALL

1. 2. 19

Ex DL

REGISTER OF RAINFALL IN 1918

Kept at Storeyard

in the County of Cambridge

by Cambridge Corporation

Lat. 52°-12′-0″ N Long. 0°-8′-30″ E

Time of Observation 9 A.M.

Nearest Railway Station Cambridge ½ mile S.W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·06	-	-	·06	-	-	-	·05	·06	1
2	·02	·07	-	·15	-	-	-	·05	·03	·01	-	·15	2
3	-	·02	·06	-	·45	-	-	·05	·13	-	·66	·01	3
4	-	·03	·05	-	-	-	-	·01	·52	·01	·20	·02	4
5	-	-	-	-	·16	-	-	·09	·18	·04	-	-	5
6	·02	·10	-	·14	·01	-	-	·01	·17	-	-	·02	6
7	·12	·07	-	·02	-	·02	-	-	·04	·05	·07	·01	7
8	-	·02	-	-	-	-	-	-	·14	-	·08	-	8
9	·03	·01	-	·04	-	·01	·22	-	·48	·20	-	·02	9
10	·05	-	-	·03	-	-	·09	-	·02	-	-	·23	10
11	-	-	-	·01	·14	-	·03	-	·15	·33	·02	·07	11
12	-	·14	-	-	·13	-	·05	-	·09	·06	-	-	12
13	-	·01	-	·10	·33	-	·15	-	·11	-	-	·01	13
14	·20	-	-	-	-	·06	·05	-	·42	·28	-	·07	14
15	1·36	-	-	1·67	-	-	·35	-	·03	-	-	·09	15
16	·12	-	-	·62	-	-	-	·01	·99	-	-	-	16
17	·10	-	-	·18	-	·01	·62	-	·01	-	-	·10	17
18	·48	-	-	-	-	·15	·13	-	-	-	-	·27	18
19	·03	·05	·11	·05	-	·75	·17	-	-	·05	-	·05	19
20	·01	·05	-	·06	-	·04	·09	-	·07	·06	-	-	20
21	-	-	-	·01	-	-	·01	-	·65	·10	-	-	21
22	·02	-	-	-	·44	·02	·07	-	·02	-	-	·27	22
23	·05	-	-	-	·55	-	·09	·04	·03	-	-	-	23
24	-	·17	-	·01	-	-	-	-	·05	-	·03	-	24
25	-	-	-	-	-	·02	-	·27	-	-	·11	-	25
26	-	-	-	-	-	-	·30	-	-	·05	·25	·09	26
27	-	-	-	·26	-	-	·03	·23	·09	-	·09	·02	27
28	-	·05	·03	·01	-	-	-	·04	-	-	·22	·11	28
29	-		·03	-	-	-	-	-	1·50	-	·02	·01	29
30	-	X	·06	-	-	-	-	·02	·04	-	·13	·11	30
31	-	X	·09	X	-	X	-	-	X	·06	X	·09	31
Total	2·61	·79	·43	3·42	2·21	1·08	2·51	·82	5·96	1·30	1·93	1·86	YEAR'S TOTAL 24·92
Rain Days	14	13	7	17	8	9	17	11	24	13	13	22	168

E+R

1168

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Corporation Storeyard
in the County of Cambridge
by Storekeeper (Mr. G. J. Golding)

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Cambridge G.E.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, ,, ,, ,, Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·02	-	-	·07	-	·25	-	-	·05	·02	·83	1
2	·23	-	·02	-	·02	-	·08	-	·13	-	·19	·58	2
3	·25	-	·22	-	-	-	·04	-	·04	-	·13	·06	3
4	·07	-	·25	-	-	·08	·27	·03	-	-	-	·18	4
5	·04	·19	·23	-	-	-	·07	-	·16	-	-	·14	5
6	-	-	-	-	-	-	-	-	-	-	·04	-	6
7	·01	-	·24	-	-	-	·01	-	-	-	·10	-	7
8	·05	-	·04	-	-	-	-	-	-	-	·10	-	8
9	-	-	·03	·08	-	-	-	-	-	·03	·03	-	9
10	-	-	·13	·02	-	-	-	-	-	-	·01	·02	10
11	·11	-	·15	·04	-	-	·53	-	-	-	·04	·05	11
12	-	-	·15	-	-	·06	·16	-	-	·05	·02	-	12
13	·10	-	-	·09	-	-	-	-	-	·01	-	-	13
14	·21	-	-	·09	-	-	·02	-	·08	-	-	-	14
15	·27	-	·05	·04	-	-	-	-	-	-	·03	·08	15
16	·03	·61	-	·03	-	-	-	·03	-	-	·09	·02	16
17	-	·77	·04	·01	-	-	-	-	-	-	·19	·01	17
18	-	·14	·02	-	-	-	-	·13	-	-	·03	·05	18
19	-	·14	·21	-	-	·23	·12	·14	·02	-	·05	·01	19
20	·38	·01	·02	-	-	·45	·60	·29	·01	-	-	·04	20
21	-	·29	·01	-	-	-	·65	-	-	-	-	·10	21
22	-	·41	·02	-	-	-	·10	-	·14	-	·03	·40	22
23	-	-	-	·01	·06	·07	·17	·05	·04	-	-	·05	23
24	-	-	-	·15	-	·18	·02	-	-	·01	-	-	24
25	·07	-	-	·06	·20	·03	-	·25	-	-	-	·05	25
26	·16	·34	·21	·05	-	-	-	·06	-	-	-	·28	26
27	·92	·08	-	·94	-	-	-	·31	-	·02	-	·01	27
28	-	-	-	·20	-	-	·01	·67	-	·08	·06	·27	28
29	·04	-	-	·05	-	-	·01	·15	-	·16	·06	·12	29
30	-	X	·01	·26	-	·18	-	·01	-	·03	·11	·10	30
31	·03	X	-	X	-	X	·02	-	X	-	X	·05	31
TOTAL	3·27	3·00	2·05	2·12	·35	1·28	3·13	2·12	·62	·44	1·33	3·50	YEAR'S TOTAL 23·21
Days with ·01 in. or more	18	11	19	16	4	8	18	12	8	9	19	23	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

11 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Cambridge Corporation Storeyard.
in the County of Cambridgeshire
by G. J. Golding.

Lat. 52°-12′-0″N. Long. 0°-8′-30″E.
Time of Observation 9 am.
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
„ „ „ „ Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·30	·05	-	·18	·04	-	·33	·02	·10	1
2	-	-	-	·10	-	-	-	·11	·11	·01	-	·02	2
3	-	·02	-	·21	-	·03	·21	-	·05	-	-	-	3
4	-	-	·06	·12	-	-	·24	·12	·06	·01	-	·06	4
5	-	-	·03	·07	·06	-	·44	·02	·09	-	-	·04	5
6	-	-	·12	-	·05	-	·59	-	-	-	-	-	6
7	-	-	·08	·08	-	-	·10	-	-	-	-	·03	7
8	·15	-	-	·36	-	-	·04	·06	-	-	-	-	8
9	·37	-	-	·51	-	-	-	·13	-	-	-	-	9
10	·08	·01	·11	·04	-	-	·03	-	-	-	·01	-	10
11	·31	-	·07	·40	·02	·02	·06	-	-	-	-	·07	11
12	·11	-	·05	·07	-	·13	-	-	-	-	-	·11	12
13	-	-	·01	·11	-	·09	-	-	-	-	-	-	13
14	-	-	·18	·14	-	·01	·05	-	·11	·06	·12	·02	14
15	-	-	·29	·01	-	-	-	-	·28	·01	·08	·04	15
16	·03	-	-	·04	-	-	-	-	·20	-	-	·01	16
17	·03	-	-	-	·07	-	-	-	·34	-	-	·04	17
18	·07	-	-	-	·01	-	-	·23	·12	-	-	·02	18
19	·17	-	-	·03	-	·04	-	-	-	-	-	-	19
20	·06	·10	-	·27	-	·53	-	-	·04	-	-	-	20
21	-	-	-	·14	-	-	·29	·08	·28	-	-	·01	21
22	-	-	-	·14	-	-	-	·03	·74	-	-	·04	22
23	-	-	-	-	-	-	·27	-	-	-	-	·38	23
24	·03	-	·13	-	-	-	-	·01	·01	-	-	·02	24
25	-	·06	·02	·04	·01	·02	·26	-	·02	-	-	-	25
26	·07	-	·03	·05	·31	-	·13	-	-	-	-	-	26
27	·10	·05	-	·06	-	·35	-	-	-	-	·16	·04	27
28	·33	-	·33	-	·23	·01	·04	-	-	-	·02	-	28
29	·03	-	·02	-	·39	-	·05	-	-	-	·04	·30	29
30	·03	×	-	·01	-	·06	·02	·01	·20	-	·04	·18	30
31	·01	×	·01	×	-	×	-	-	×	·08	×	·11	31
Total	1·98	·24	1·54	3·30	1·20	1·29	3·00	·84	2·65	·50	·49	1·64	Year's Total 18·67
Days with ·01 in. or more	17	5	16	23	10	11	17	11	15	6	8	20	159
Days with ·04 in. or more	11	3	10	20	7	6	15	7	13	3	5	13	113

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

87

CAMBRIDGE

HARVEY RD TO 1/9/1912
HILLS RD FROM 2/9/1912

CAMBRIDGE

1911 - 1920

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

RE

Kept at 3 Harvey ... in.

in the County of C ... round 5 ft. 5 in.

by Smith Nutt ... a Level 45 ft.

me

stance Direction

IMPORTANT NOTE ... he result entered to the previous day. If an Ob ... rsal rule, he is earnestly requested to add the read ... in the space provided for it at the end of this ... nt of rain, the selection and placing ... sh Rainfall Organization are given in " ... plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22			·01			·05	·02					1
2	·20		·02		·06		·03	·02			·09	·10	2
3		·02		·05	·07					·18	·02	·03	3
4	·07	·04	·10	·08						·06	·08	·19	4
5	·02	·02		·03				·03		·04		·17	5
6	·22		·03							·01	·01	·21	6
7	·02									·04	·21	·22	7
8	·15		·14							·02	·09	·05	8
9	·16		·01	·06							·01		9
10	·02		·06								·09	·12	10
11	·28				·02						·36		11
12	·11		·35		·02				·09	·01	·16	·01	12
13			·10		·02	·06			·18	·46	·03	·22	13
14		·06	·05		·56	·13						·29	14
15		·04	·28						·02	·04	·07	·01	15
16			·04			·30				·01	·25	·05	16
17	·01					·02					·05	·07	17
18		·14				·04					·61	·04	18
19	·01	·02			·03	·57			·11	·10	·29	·02	19
20		·02	·01					·30	·13	·03		·44	20
21	·02	·05						·21	·01	·29		·11	21
22	·06		·17			·03				·13		·44	22
23	·01	·04	·06			·88	·02				·02	·12	23
24		·05	·02			·15	·01		·35	·36		·19	24
25		·05	·03	·05		·21	·24	·10			·01	·01	25
26				·18			·04				·04	·22	26
27		·18	·06	·03					·16	·10	·02	·03	27
28		·10		·22		·03		·08			·10	·03	28
29	·01		·01	·09		·36	·22		·22	·25	·02		29
30				·02		·02			·03	·08		·02	30
31										·04		·02	31
Total	1·59	·83	1·54	·82	·78	2·80	·61	·76	1·30	2·25	2·63	3·43	TOTAL for year 19·34
No. of Rain Days	17	14	18	11	7	13	7	7	10	19	22	27	172

9,000, IX. '10.

87
2

231

23 JAN 1912

FORM A2.
BRITISH RAINFALL.

RE

Kept at 3 Harvey Road

in the County of Cambs 2

by Smith Nutter

Rain Gauge
Diameter of top 8 in.
Height of top above Ground 5 ft. 5 in.
" " " Sea Level 45 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22			·01			·05	·02					1
2	·20		·02		·06		·03	·02			·09	·10	2
3		·02		·05	·07					·18	·02	·03	3
4	·07	·04	·10	·08						·06	·08	·19	4
5	·02	·02		·03				·03		·04		·17	5
6	·22		·03							·01	·01	·21	6
7	·02									·04	·21	·22	7
8	·15		·14							·02	·09	·05	8
9	·16		·01	·06							·01		9
10	·02		·06								·09	·12	10
11	·28				·02						·36		11
12	·11		·35		·02				·09	·01	·16	·01	12
13			·10		·02	·06			·18	·46	·03	·22	13
14		·06	·05		·56	·13						·29	14
15		·04	·28						·02	·04	·07	·01	15
16			·04			·30				·01	·25	·05	16
17	·01					·02					·05	·07	17
18		·14				·04					·61	·04	18
19	·01	·02			·03	·57			·11	·10	29	·02	19
20		·02	·01					·30	·13	·03		·44	20
21	·02	·05						·21	·01	·29		·11	21
22	·06		·17			·03				·13		·44	22
23	·01	·04	·06			·88	·02				·02	·12	23
24		·05	·02			·15	·01		·35	·36		·19	24
25		·05	·03	·05		·21	·24	·10			·01	·01	25
26				·18			·04				·04	·22	26
27		·18	·06	·03					·16	·10	·02	·03	27
28		·10		·22		·03		·08			·10	·03	28
29	·01		·01	·09		·36	·22		·22	·25	·02		29
30				·02		·02			·03	·08		·02	30
31										·04		·02	31
Total	1·59	·83	1·54	·82	·78	2·80	·61	·76	1·30	2·25	2·63	3·43	TOTAL for year 19·34
No. of Rain Days	17	14	18	11	7	13	7	7	10	19	22	27	172

9,000, IX. '10.

8L //

Ex J.C.

225

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Cambridge

Kept at 3. Harvey Road to Sep 1.
Hills Road from Sep 2
in the County of Cambridgeshire
by Smith Nutter

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " " Sea Level	ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·07	·07		·15	·24		·08	1
2		·03		·03		·01	·39					·02	2
3	·14				·05	·24		·24				·12	3
4	·05		·34		·06	·29		·04			·27		4
5	·08	·05	·19					·09			·06		5
6	·20	·07			·02	·30	·67	·22			·01	·04	6
7	·02				·03	·57	·10	·09				·02	7
8	·15	·11	·06			·04		·06	·24		·01	·04	8
9		·03		·10		·07						·19	9
10		·02						·08	·04	·02	·13	·03	10
11	·11	·13	·02			·01		·04	·08			·04	11
12	·10	·02	·05		·05	·01		·09			·10		12
13	·01					·04	·04				·26	·03	13
14					·05	·07		·05	·02	·03	·01	·03	14
15		·03	·15		·11	·21		·06			·02	·10	15
16	·32		·06		·04	·10		·05		·04	·07		16
17	·56		·20			·16		·07				·07	17
18	·04		·08				·02	·20		·02	·06	·15	18
19	·12		·21			·01	·22	·54			·03		19
20	·03	·08	·11		·05		·01	·42		·33			20
21	·02	·02	·31		·45			·87		·20	·05		21
22	·46	·09			·09		·02	·19		·02		·04	22
23	·49	·32	·28		·01		·01	·65	·02		·23	·10	23
24	·22					·01	·07	·20					24
25						·12	·02	·72		·01	·19	·46	25
26						·01	·13	1·79		·41	·30	·20	26
27					·01		·02			·11		·17	27
28		·05		·01			·03	·03	·09	·24	·12	·32	28
29				·01		·26	·15	·40	·64	·22	·12		29
30	·03				·15	·02			·52	·12			30
31			·10		·02		·16	·21		·06		·03	31
Total	3·15	1·05	2·16	·15	1·19	2·62	2·13	7·40	(1·80)	2·07	2·04	2·28	TOTAL for year ~~28·04~~
No. of Rain Days.	19	14	14	4	15	21	17	25	9	15	18	21	~~192~~

W. 8,000, X. '11.

88

68 M

230

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Hills Road, Elstow

in the County of Cambridgeshire

by S. Nutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·13	·07	·11					·47		·05	·02	1
2	·06	·15			·31		·15		·28		·03	·01	2
3			·13		·68				·02			·03	3
4	·08				·06		·09			·09	·05	·21	4
5							·01		·03	·67	·03		5
6	·07	·04	·10		·11	·31	·08			·03			6
7		·06			·04			·02		·30	·03		7
8				·02	·19	·06	·03			·01	·10		8
9		·20	·05	·02		·13	·07		·03		·05	·06	9
10			·02	·04			·10	·04			·33		10
11	·76			·42		·03		·80		·03	·25		11
12		·02			·04			·03		·01	·07		12
13	·03	·02						·03			·41		13
14	·04		·11	·03			·45			·24	·04		14
15	·17	·03	·23	·09			·16						15
16	·08		·30	·08					·12				16
17	·08	·04	·12	·08		1·38	·03				·02	·08	17
18	·02		·03	·13			·09				·01	·04	18
19	·07		·04				·08		·29			·06	19
20	·06		·05	·03	·02				·01	·31			20
21			·07				·04			·13	·24		21
22	·34		·15				·03	·10	·12				22
23							·03	·10	·03		·02		23
24	·02					·06	·02						24
25		·01		·17									25
26		·03	·13					·03		·74	·02	·20	26
27	·02	·05	·03	·04	·26	·06				·07			27
28	·12	·01	·11	·04						·09		·03	28
29	·16		·10	·15	·24			·05		·02			29
30	·19			·14				·05		·09	·17	·04	30
31								·64		·08			31
													YEAR'S TOTAL
Total	2·44	·79	1·84	1·59	1·95	2·03	1·46	1·89	1·40	2·91	1·92	·78	21·00
Rain Days.	19	13	18	16	10	7	16	11	10	16	18	11	165

W. 7,500, XI. 12

82

ex MS

223

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at Elstow, Hills Road Cambridge

in the County of Cambridgeshire 2

by S. Nutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02				·05	·17			·09		1
2	·03		·02	·04			·03	·14			·07	·11	2
3			·13	·02	·11		·41	·15	—		·12		3
4	·12		·03	·13				·08			·31	·17	4
5			·06	·14	·08	·04	·15	·45					5
6		·07			·05	·06	·03	·04			·19	·08	6
7		·05	·30	·06	·34	·04	·14					·45	7
8	·12	·08	·34	·03	·09	·49	·02	·14					8
9	·55		·45	·13	·03	·50				·01		·90	9
10	·50	·08	·27	·13	·06				·08		—	·03	10
11		·08		·03	·02	·28	—				·34	·12	11
12	·03	·02	·07			·02	·02		·42	·03	·03	·15	12
13		·15	·15						·02	·28	·06	·21	13
14			·17				·15			·49	·07	·75	14
15	·08		·29				·04		·06		·02	·11	15
16	·02		·10				·08				·02		16
17		·34	·02						·11			·02	17
18			·03								·02	·30	18
19		·05	·12			·03	·05		—		·21		19
20		·07	·30			·06			·04		·02	·08	20
21	·02	·21	·14			·53		·03		·03		·15	21
22			·03	·02	·27		·05	·06		·41		·01	22
23			·06		·07			—		·13		·02	23
24	·01	·01		·11		·05	·10	·02		·11	·12		24
25	·03		·09				·02	·07		·34		·06	25
26			·05				·03	·10		·03	·07	·27	26
27	·04		·03				·04		—		·02	·11	27
28	·01	·04								·06	·52	1·52	28
29	·02		·05							·23	·05		29
30			·06	—						·03	·15	·07	30
31					·15		·07					·07	31
Total	1·58	1·25	3·38	·84	1·27	2·10	1·48	1·45	·73	2·18	2·50	5·76	YEAR'S TOTAL 2452
Rain Days.	14	13	26	11	11	11	18	12	6	13	20	23	178

W.7,000, XI. 13

82

1308
~~216~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Hills Road, South
in the County of Cambridgeshire
by S. Nutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·11	·02		·11				·09			·12	1
2	·07	·07	·22	·06		·03		·62			·03	·05	2
3	·21		·07	·16			·03	·71	·01		·03	·13	3
4	·15							·03		·05	·03	·42	4
5	·04	·15			·01			·03		·06	·02	·20	5
6	·21		·07	·21			·95	·04		·03		·03	6
7	·08	·17	·05				·32	·14				·12	7
8		·21	·04				·01	·01			·01		8
9		·05				·04				·02	·17	·61	9
10	·38		·05					·02			·04	·06	10
11	·03		·05		·03					·01	·71		11
12	·12	·02		·32	·30			·37		·06	·75	·05	12
13	·03	·38			1·11								13
14		·16					·37	·04	·05			·36	14
15	·16	·03			·03			·03			·22	·05	15
16		·10					·42	·12					16
17	·03	·15			·09		·13	·86					17
18	·01	·10	·30		·01						·09		18
19			·03				·11			·02			19
20	·28			·10				·03		·03		·36	20
21	·08	·04			·04		·06			·01		·05	21
22	·81	·02	·34				·53					·14	22
23	·02	·14	·06	·04		·04	·06		·33	·11	·02	·19	23
24		·03	·13			·02	·03		·21			·06	24
25			·02			·39	·02			·02		·06	25
26	·02	·06	·01			·05						·17	26
27		·10				·15	·21			·50		·02	27
28		·04				·26	·04	·06	·58	·07			28
29					·02	·12	·07	·13			·06	·09	29
30	·05	✕				·72		·01	·01		·01	·01	30
31	·04	✕		✕		✕		·08	✕	·08	✕	·08	31
													YEAR'S TOTAL
Total	3·12	2·13	1·46	·89	1·75	1·82	3·36	3·33	1·28	1·07	2·19	3·43	25·83
Rain Days.	21	20	15	6	10	10	16	18	7	14	14	23	174

W. 8,000. X. 14.

82 Exe 82 1287 ~~200~~

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Hills Road

in the County of Cambridgeshire

by Smith Nutter

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·11		·12	·05					·27		1
2	·28		·05		·19				·03	·23			2
3		·16	·03				·02		·17	·22	·18		3
4	·29	·10	·03			·26			·22	·05	·21		4
5	·01		·02	·02	·02	·10	·07			·09	·24	·04	5
6		·10	·21	·24		·06	·06			·02	·21	·01	6
7	·12		·15		·29	·05	·39			·03	·37	·06	7
8	·01		·01		·17						·01	·16	8
9	·02		·03		·14	·13						·06	9
10		·05	·19	·06		·06	·18					·08	10
11	·06	·26	·05	·13	·07	·11	·07		·02		·01	·02	11
12	·02	·02	·02		·36	·27		·05	·03	·24	·02		12
13		·36	·05	·06	·19	·18	·52	·10		·02			13
14		·54	·03	·05	·08	·03		·01		·04		·21	14
15		·20	·22	·01			·05	·33	·02			·03	15
16		·10	·08	·19	·05		·11	·07		·03			16
17	·04	·04		·24			·23		·22	·25			17
18	·01	·11	·03	·06				·09	·25	·03	·37		18
19	·03	·02	·05	·32				·08	·23		·84		19
20	·14		·31	·04				·05			·06	·21	20
21			·60				·45				·02	·40	21
22		·13	·03		·15	·02						·47	22
23	·01	·67				·11					·06	·13	23
24		·08				·12		·05		·10	·03	·34	24
25		·15	·10		·04			·17		·08	·05	·04	25
26		·08	·08			·05		·05		·01	·03		26
27	·06	·30	·78			·01		·07	·03	·12			27
28		·25	·57			·03			·02			·13	28
29	·01	·10				·09		1·09		·17		·04	29
30		X			·03	·02		·36		·25			30
31		X		X		X		·03	X	·03	X	·01	31
													YEAR'S TOTAL
Total	1·13	3·82	3·83	1·42	1·90	1·75	2·15	2·60	1·24	2·01	2·98	2·44	27·27
Rain Days.	16	21	25	12	14	19	11	15	11	19	17	18	198

W. 8,000. X. 15.

Dl

1231
~~186~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Hills Road, South
in the County of Cambridgeshire
by S. Nutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·07				·97	·20		·15		1
2	·05	·04		·25		·03		·20		·14	·05		2
3				·03				·41		·57	·09		3
4		·08						·05					4
5	·23			·20				·02	·02	·04	·05		5
6						·02			·03	·07	·02		6
7	·20		·03			·03				·39		·02	7
8	·09			·12			1·39	·11		·24	·11	·07	8
9	·06		·10	·04				·21		·04	·05	·09	9
10	·27	·02	·13	·14				·05				·02	10
11	·07	·02	·53	·07					·01	·15			11
12	·08	·02	·02	·03	·04			·07		·23		·04	12
13	·15		·04	·01		·17	·01	·06	·03	·09	·01	·02	13
14	·03		·02	·27				·03		·01	·01	·02	14
15	·03									·03		·02	15
16	·03	·07		·28	·02	·04	·03			·62	·01	(·01)	16
17	·01	·01	·01	·19	·59		·23		·39	·20			17
18	·04	·03		·08		·12	·29	·05	·56				18
19	·03	·06	·19		·41	·04			·21		·01		19
20	·02	·23	·10		·11			·01	·02				20
21		·03	·09								·18		21
22	·03		·13					·03	·02	·10			22
23		·05			·19			·16	·03			·05	23
24	·04	·02				·17		·04		·12	·07	·04	24
25		·03	·04								·02	·05	25
26			·07			·02		·17	·06		·46	·07	26
27			·02				·02	·49				·04	27
28		·03	·13			·86		·08		·04		·05	28
29					·03	·54	1·44	·09		·20		·11	29
30	·04	✕	·09				·68	·11				·02	30
31	·04	✕	·33	✕		✕	·40	·08	✕		✕	·03	31
Total	1·54	·77	2·07	1·78	1·39	2·04	4·49	3·49	1·58	3·28	1·29	·77	YEAR'S TOTAL 24·49
Rain Days.	20	16	18	14	7	11	9	22	12	18	15	18	180

W. 8,000, VIII. 16

81

~~479~~ 17

REGISTER [illegible] OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

30. 1. 19

Kept at Hills Road South
in the County of Cambridgeshire
by Smith Nutter

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·02		·03			·04				·06		1
2		·09		·14				·05	·03	·02	·01	·18	2
3		·04	·06		·45			·04	·11		·62	·02	3
4		·02	·05					·02	·54	·03	·21	·03	4
5					·17			·11	·21	·06	·01		5
6	·04	·14		·14				·01	·20		·01	·04	6
7	·16	·08		·02	·01	·03			·05	·06	·09	·02	7
8									·15	·02	·09		8
9	·05	·02		·04		·02	·23		·39	·21		·07	9
10	·07			·04			·13		·02		·02	·18	10
11				·02	·13		·05		·13	·31	·04	·08	11
12		·16			·14		·09		·08	·07		·02	12
13		·03		·03	·35		·02		·09			·15	13
14	·19			·02		·10	·07		·30	·24		·08	14
15	·90			1·65			·46		·10			·07	15
16	·07			·55				·03	·92				16
17	·11			·16		·02	·69		·03			·09	17
18	·47					·13	·18		·46			·37	18
19	·03	·06	·14	·05		·32	·17			·08		·07	19
20	·02	·03		·07		·07	·10		·07	·08	·02	·02	20
21	·02			·03			·01		·68	·14		·02	21
22	·02			·02	·35		·08		·04		·02	·25	22
23	·07				·65	·03	·13	·05	·05	·01		·02	23
24		·17			·02	·01	·03		·07		·05		24
25						·02	·04	·21			·08	·01	25
26							·27		·07	·06	·20	·10	26
27				·24			·03	·19			·12	·02	27
28	·02	·07	·05	·01				·10			·21	·10	28
29	·02		·03						1·56		·03		29
30		X	·37					·05	·05		·15	·12	30
31		X	·08	X		X		·04	X	·05	X	·08	31
Total	2·29	·93	·78	3·26	2·27	·75	2·82	·90	6·40	1·44	2·04	2·21	YEAR'S TOTAL 26·09
Rain Days.	17	13	7	18	9	10	19	12	25	15	19	25	189

W. 8,000, IX. 17.

8h 1165

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Hills Road, South

in the County of Cambridgeshire

by Smith Nutter

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·04			·07	·02	·26			·07	·01	·91	1
2	·22		·03		·04		·09		·15	·04	·22	·54	2
3	·24		·25				·06	·04	·06		·14	·09	3
4	·08		·23			·09	·12				·01	·18	4
5	·04	·21	·26				·21		·21		·02	·15	5
6			·08								·06		6
7	·02		·31								·11	·02	7
8	·06		·05	·08							·12		8
9			·05	·09						·04	·05	·02	9
10	·02		·15	·06							·02	·04	10
11	·10		·14	·11			·48				·05	·05	11
12	·02		·13	·01		·06	·18		·01	·05	·04		12
13	·11		·01	·09					·02			·02	13
14	·20	·02		·13			·05		·08	·04			14
15	·28		·07	·07							·04	·10	15
16	·05	·62						·02			·08	·04	16
17		·80	·04	·07							·23	·02	17
18		·12	·03					·14	·02		·06	·07	18
19	·02	·13	·25			·19	·12	·18	·05		·03	·03	19
20	·25	·04	·04			·60	·56	·29	·02			·02	20
21	·58	·29	·02			·01	·51				·02	·12	21
22		·36	·03				·16		·18		·05	·50	22
23				·01		·06	·20	·06	·07		·01	·08	23
24				·14	·01	·23	·03	·18		·02	·02	·02	24
25	·07			·06	·15	·03						·07	25
26	·20	·38	·28	·14				·14	·10			·22	26
27	·65	·11		1·03				·17		·03		·02	27
28				·22			·02	·77		·10	·07	·28	28
29	·06			·06			·03	·14		·17	·07	·06	29
30		X	·02	·27		·22		·03		·05	·13	·11	30
31	·03	X	·02	X		X	·02		X	·07	X	·06	31
Total	3·52	3·12	2·49	2·64	·27	1·51	3·10	2·16	·97	·68	1·66	3·84	YEAR'S TOTAL 25·96
Rain Days.	22	12	22	17	4	10	17	12	12	11	24	27	190

W, 6,500, VII. 18. w w o

201 1108

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

4 MAR 1921

COPY BY B.R.O.

Kept at Cambridge, Hills Road, South
in the County of Cambridgeshire
by S. Nutter

Lat.............. Long..............
Time of Observation..............
Nearest Railway Station..............
Diameter of Funnel of Rain Gauge..............in.
Height of top of Gauge above Ground..............ft..............in.
" " " " Sea Level..............ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan: 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·28	·06		·20	·17		·44	·02	·12	1
2				·27				·11	·11	·03		·03	2
3		·03		·33	·01	·05	·22		·09	·02		·03	3
4			·05	·18			·17	·12	·04	·02		·08	4
5			·07	·06	·10		·57	·04	·11			·05	5
6			·16		·08		·46						6
7	·01		·11	·10			·11					·04	7
8	·19	·02		·36	·02		·04	·07					8
9	·40			·47				·14					9
10	·10	·04	·11	·04			·06					·03	10
11	·36	·01	·08	·41	·03	·01	·08				·02	·06	11
12	·12		·06	·08		·08						·09	12
13	·02	·02	·02	·13		·08			·06		·02		13
14	·02	·01	·17	·14		·03	·08		·12	·06	·12	·03	14
15	·01	·02	·32	·04					·20	·04	·08	·05	15
16				·05					·29	·01	·04	·02	16
17	·05				·08		·02		·31			·04	17
18	·09				·02			·26	·06		·01	·04	18
19	·15	·01		·04		·02							19
20	·08	·14		·28		·57			·04				20
21				·25			·41	·09	·34			·02	21
22				·16				·03	·31			·06	22
23							·25					·33	23
24	·05		·12						·02		·01	·03	24
25	·01	·07	·03	·06		·03	·29		·03		·02		25
26	·08		·08	·07	1·98		·16					·02	26
27	·11	·07		·11		·35				·02	·16	·05	27
28	·33		·27		·19	·02	·06				·02		28
29	·03		·07		·50		·06				·07	·34	29
30	·06			·03	·04	·06	·05	·02	·19		·06	·24	30
31			·02							·08		·06	31
TOTAL	2·27	·44	1·74	3·94	3·11	1·30	3·29	1·05	2·32	·72	·65	1·86	YEAR'S TOTAL 22·69
Days with ·01 in. or more	20	11	16	23	12	11	18	10	16	9	13	23	182
·04	14	4	13	22	8	6	17	8	14	4	6	15	131

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CHERRYHINTON

PUMPING STA

CAMBRIDGE

1911 – 1920

FORM A2.
BRITISH RAINFALL.
9 JAN 1912

REGI

Kept at Cherryhinton
Statio
in the County of Can
by Wm Wlk

in.
und —— ft. 12 in.
Level 35 ft.
me Cambridge
stance 1 mile Direction N.W.

IMPORTANT NOTE. previous day. If an Obser requested to add the reading for it at the end of this the selection and placing Organization are given in " Dr. H. R. Mill, 62, Camden Square, London, N.W.

e result entered to the sal rule, he is earnestly in the space provided nt of rain, sh Rainfall plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15			·01			·04	·01					1
2	·23	·02	·02		06		·01	·01			·07	·07	2
3	·02	·02		05	·07	·03				·15	·02	·02	3
4	·05	·02	·12	·12						·03	·05	·17	4
5	02	·01		·04				·02		·04		·20	5
6	·18		·03	·01								·23	6
7	·03		·01							·02	·18	·25	7
8	·16		·14								·10	·09	8
9	·18		·01	·03									9
10	·02	·04	·03								·08	·15	10
11	·26		·01		·02						·35		11
12	·09		·39		·01				·06	·02	·12	·02	12
13			·09		·03	·04			·15	·34	·02	20	13
14		·02	·05		·59	·10				·01		·34	14
15		·04	·35						·02	·04	·05	·01	15
16			·04			·41				02	·21	·04	16
17			·01			·02				·01	·03	·05	17
18		·11				·09					55		18
19	·01	·01			·03	·56			·06	·11	·30	·02	19
20		·01	·01					·30	·18	·02		·41	20
21	·01	·03						·23		·22		·12	21
22	·04	·01	·16			·02				·17	·02	·45	22
23	02	·03	·07			·82			·32			·10	23
24		·04	·02			·10				·32		·16	24
25		·03	04	·03		·40	·19						25
26			·01	·17		·01	·02			·10	·04	·24	26
27		·19	·07	·07					·15		·03	·03	27
28		·09		24		·04		·07			·09	·01	28
29			·01	·12		·25	·25		·20	·24	·01		29
30				·01		·02			·03	·07		·01	30
31			·01							·04		·02	31
Total	1·47	·72	1·70	·90	·81	2·91	·51	·64	1·17	1·97	2·32	3·41	TOTAL for year 18·53
No. of Rain Days.	16	·17	23	·12	7	15	5	6	9	19	19	25	173

W. 8,000, X. '11.

REGI

FORM A2.
BRITISH RAINFALL.
9 JAN 1912

Kept at Cherryhinton Pumping Station Cambridge
in the County of Cambridgeshire 2
by Wm W. Kay

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 12 in.
„ „ „ Sea Level 35 ft.
Time of Observation 9 am
Nearest Railway Station
Name Cambridge
Distance 1 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15			·01			·04	·01					1
2	·23	·02	·02		06		·01	·01			·07	·07	2
3	·02	·02		05	·07	·03				·15	·02	·02	3
4	·05	·02	·12	·12						·03	·05	·17	4
5	02	·01		·04				·02		·04		·20	5
6	·18		·03	·01								·23	6
7	·03		·01							·02	·18	·25	7
8	·16		·14								·10	·09	8
9	·18		·01	·03									9
10	·02	·04	·03								·08	·15	10
11	·26		·01		·02						·35		11
12	·09		·39		·01				·06	·02	·12	·02	12
13			·09		·03	·04			·15	·34	·02	20	13
14		·02	·05		·59	·10				·01		·34	14
15		·04	·35						·02	·04	·05	·01	15
16			·04			·41				02	·21	·04	16
17			·01			·02				·01	·03	·05	17
18		·11				·09					55		18
19	·01	·01			·03	·56			·06	·11	·30	·02	19
20		·01	·01					·30	·18	·02		·41	20
21	·01	·03						·23		·22		·12	21
22	·04	·01	·16			·02				·17	·02	·45	22
23	02	·03	·07			·82			·32			·10	23
24		·04	·02			·10				·32		·16	24
25		·03	04	·03		·40	·19						25
26			·01	·17		·01	·02			·10	·04	·24	26
27		·19	·07	·07					·15		·03	·03	27
28		·09		24		·04		·07			·09	·01	28
29			·01	·12		·25	·25		·20	·24	·01		29
30				·01		·02			·03	·07		·01	30
31			·01							·04		·02	31
Total	1·47	·72	1·70	·90	·81	2·91	·51	·64	1·17	1·97	2·32	3·41	TOTAL for year 18·53
No. of Rain Days.	16	·17	23	·12	7	15	5	6	9	19	19	25	173

W. 8,000, X. '11.

88 ✓ Ex. S.C.

224

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Cherryhinton Pumping Station

in the County of Cambridge V

by W. W. Gray

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
„ „ „ Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·02		·03	·05		·13	·22		·09	1
2				·02		·01	·40					·02	2
3	·15				·05	·20	·01	·22	·01			·10	3
4	·05		·29		·05	·24		·05			·25	·02	4
5	·05	·02	·17			·01		·07			·05	·01	5
6	·23	·11			·01	·40	·56	·24			·02	·05	6
7	·02				·01	·62	·10	·05					7
8	·21	·10	·06			·04		·05	·20		·01	·02	8
9	·01	·03	·02	·10		·03						·16	9
10		·02						·08			·11	·02	10
11	·10	·12						·04	·09		·01		11
12	·11	·02	·03		·03	·01		·02			·09		12
13	·02	·01				·03	·01				·28		13
14			·01		·03	·08		·02			·02	·02	14
15		·02	·13		·15	·22		·04			·01	·09	15
16	·22		·05		·03	·17		·05		·08	·05		16
17	·28		·18			·15		·05			·01	·08	17
18	·10		·08					·09			·08	·18	18
19	·10	·07	·18				·20	·45		·02	·02	·01	19
20	·01	·01	·12					·38		·26			20
21	·02	·16	·27		·35			·82		·18	·05		21
22	·42	·07	·01		·08		·01	·15		·01	·01	·02	22
23	·50	·30	·25		·01			·61	·02		·20	·09	23
24	·20	·02					·06	·15				·04	24
25						·09		·63			·15	·32	25
26						·03	·07	1·62		·34	·25	·25	26
27										·08		·15	27
28		·02					·01	·02	·08	·20	·11	·32	28
29							·11	·28	·53	·21	·08	·02	29
30	·02				·22	·10		·03	·44	·11			30
31			·05		·01		·10	·20		·05		·02	31
Total	2·83	1·10	1·90	·14	1·03	2·46	1·69	6·41	1·50	1·76	1·86	2·10	TOTAL for year 24·78
No. of Rain Days.	21	16	16	3	13	18	13	26	8	12	21	23	190

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
10 JAN 1914

Kept at Cherryhinton Pumping Station
in the County of Cambridge 2 E+B
by Wm. W. Gray

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Cambridge
Diameter of Rain Gauge 5 ins
Height of top of Gauge above Ground — ft. 12 ins
" " " " Sea Level 35·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·12	·07	·03					·51		·04	·02	1
2	·08	·12			·26		·15		·30				2
3	·01		·11		·65							·02	3
4	·07				·05	·01	·07			·12	·07	·15	4
5	·05								·02	·72	·02		5
6		·02	·08		·20	·30	·06			·04			6
7		·03			·05		·01	·01		·32	·02		7
8				·01	·20						·08	·01	8
9		·20	·03	·01	·02	·10	·03				·05	·05	9
10			·02	·02			·09	·01			·27		10
11	·70			·40				·60			·24		11
12		·02			·03			·02			·06		12
13	·05							·02			·37		13
14	·03	·02	·10	·02			·50			·25	·03		14
15	·18	·03	·18	·05			·15						15
16	·08		·24	·08					·15				16
17	·08	·01	·13	·07		·90	·02					·07	17
18			·02	·12			·06			·01			18
19	·09		·03	·01			·08		·28			·10	19
20	·05		·04	·02						·32			20
21			·06				·03		·01	·15	·24		21
22	·35		·11				·03	·04	·10				22
23			·02					·15	·03				23
24	·01			·01		·06		·01					24
25	·01	·03		·11			·02					·06	25
26			·14					·02		·73	·01		26
27		·07	·02		·19	·05				·08			27
28	·12		·09	·04						·08		·03	28
29	·15		·10	·15	·24			·05		·02	·01		29
30	·15			·13				·04		·07	·17	·05	30
31	·01							·59		·07			31
Total	2·32	·67	1·59	1·28	1·89	1·42	1·30	1·56	1·40	2·98	1·68	·56	YEAR'S TOTAL 18·65
Rain Days.	20	11	19	17	10	6	14	12	8	14	15	10	156

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Cherryhinton Pumping Station

in the County of Cambridgeshire 2

by W. W. Gray

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01				·02	·18			·08		1
2	·01			·03			·03	·12			·06	·09	2
3	·01		·12		·09		·51	·13			·15		3
4	·11			·15	·01			·10			·30	·15	4
5			·05	·15	·07	·02	·14	·31			·01		5
6		·08			·03	·05	·04	·03			·20	·07	6
7		·03	·30	·06	·26	·04	·08					·38	7
8	·10	·07	·35	·02	·09	·51		·12			·01	·01	8
9	·54		·45	·20	·03	·52						·94	9
10	·52	·06	·01	·11	·04				·05			·03	10
11		·06	·25		·01	·29					·28	·10	11
12	·03	·01	·06			·01	·02		·46		·01	·12	12
13		·13	·12						·01	·24	·07	·20	13
14			·15				·20			·50	·05	·64	14
15	·08		·26				·08		·05		·02	·10	15
16	·01		·08				·08				·02		16
17		·29	·01						·06			·02	17
18		·04	·02									·27	18
19		·02	·15			·05					·23	·02	19
20		·05	·30			·05			·03		·02	·07	20
21		·18	·15			·19		·04		·02	·02	·13	21
22		·01	·03	·01	·22		·08	·05		·40		·01	22
23		·01	·04							·25			23
24		·01	·01	·08		·03	·12	·02		·10	·11		24
25	·06		·08				·02	·04		·32	·01	·05	25
26			·03				·02	·10		·02	·05	·34	26
27	·02		·01				·05				·01	·10	27
28	·01	·03								·06	·50	1·33	28
29	·01		·03							·21	·02	·01	29
30			·04							·03	·11	·05	30
31					·15		·05			·01		·08	31
Total	1·51	1·08	3·11	·81	1·00	1·76	1·54	1·24	·66	2·16	2·34	5·31	YEAR'S TOTAL 22·52
Rain Days.	13	16	26	9	11	11	16	12	6	12	23	25	180

W.7,000, XI. 13

82 /

1306
~~215~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Cherryhinton Pumping Station
in the County of Cambridgeshire 2
by W. W. Gray

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.25	.09	.01		.10				.08			.10	1
2	.09	.04	.20	.07		.01		.43				.05	2
3	.19		.06	.13			.02	.90	.07		.03	.13	3
4	.14							.02		.08		.43	4
5	.03	.13			.01			.02		.05		.19	5
6	.19	.02	.08	.20			.78	.01		.03		.02	6
7	.07	.24	.05				.34	.05		.01		.10	7
8	.01	.18	.01	.02			.01	.01					8
9		.07				.02					.19	.60	9
10	.34		.04					.02			.03	.05	10
11	.03		.04		.02						.70		11
12	.10			.31	.29			.25	—	.07	.73	.05	12
13	.03	.38			1.19								13
14		.19			.01		.35	.03	.03			.30	14
15	.15	.02			.02			.01			.20	.05	15
16		.11					.40	.12				.02	16
17	02	.13			.08		.12	.85				.01	17
18	.01	.10	.27		.02						.12		18
19			.02		.01		09			.02			19
20	.23			.10				.02		.02		.32	20
21	.07	.02			.02		.05			.02		.04	21
22	80	.02	.35	.02			.49					.13	22
23	.01	.15	.05			.01	.04		38	.10		.19	23
24			.15			.02	01		22			.04	24
25			.02			.40	.05		.01	.01		.05	25
26		.04				.03	04					.15	26
27		.09				.25	.20			.50		.02	27
28		.03				.28	.03	.04	61	.08			28
29					.01	.10	.05	.13		.01	.10	.10	29
30	.03	×				90	02				.02	.02	30
31	.03	×		×		×		09	×	.08	×	.07	31 ✓
													YEAR'S TOTAL
Total	2.82	2.05	1.35	.85	1.78	2.02	3.09	3.00	1.40	1.08	2.12	3.23	24.79 ✓
Rain Days.	21	19	14	7	12	10	18	17	7	14	9	25	173

W. 8,000. X. 14.

exd JG.

1285

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

9 JAN 1917

Kept at Cherryhinton Pumping Station

in the County of Cambridge

by Wm W. Gray

Lat. Long.

Time of Observation 9am

Nearest Railway Station Cambridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. = in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·10		·15	·02			·01		·22		1
2	·25	·04	·04		·20				·03	·25	·02		2
3		18	·02		·01				·25	27	·19		3
4	·23	·10	·02			·20			·22	·04	·24		4
5	·01	·02	·02	·02	·01	·08	·07		·01	·10	·22		5
6		·08	·12	·24		·03	·05			·01	·20		6
7	·09		20	·02	·26	·05	·30			·02	·34	·09	7
8			·02		·16							·18	8
9	·02		·02		·12	·10						·08	9
10		·05	·20	·03		·08	·20	·01				·10	10
11	·03	25	·05	·11	·06	·10			·01			·04	11
12	·03	·02	·02		·33	·30	·05	·05	·02	·20			12
13		·35	·02	·05	·18	·22	·55	·09		·01			13
14		·50	·02	·03	·08	·02	·01	·01		·04		·22	14
15		·18	·21	·02			·04	28	·01			·03	15
16		·09	·08	·17	·08		·07	·08		·02		·01	16
17	·03	·02		25			·20	·01	·20	38			17
18		·10	·03	·05				·05	20	·03	·43		18
19	·02		·04	30				·10	·28		·72	·05	19
20	·10	·02	·29	·03				·03	·01		·09	·20	20
21			·74	·01			·84				·01	·40	21
22		·13	03		·15					·02		·46	22
23		·60	·01			·11					·06	·12	23
24		·04	·01			·08		·03		·12	·02	·35	24
25		·20	·02					·15		07	·04	03	25
26	·01	·08	·06			·04		04		·02	·02		26
27	·05	·25	·88			·02		05		·10			27
28		·35	·45			·02						·14	28
29		·10				·10		1·22		·15		·03	29
30		X			·02	·01		·35		·25			30
31		X		X		X		·02	X	02	X	·02	31
Total	·88	3·75	3·72	1·33	1·81	1·58	2·38	2·57	1·25	2·12	2·82	2·55	YEAR'S TOTAL 26·76
Rain Days.	13	23	27	14	14	18	11	17	12	20	15	18	202

W. 8,000, VIII. 16

1230

FORM A.
BRITISH RAINFALL.
8. JAN 1918

Ex'd

REGISTER OF RAINFALL IN 1917

✓

Kept at Cherryhinton Pumping Station
in the County of Cambridge
by Wm W. Gray

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.03		.05				.92	.15		.15		1
2	.02			.29		.02		.21			.02		2
3				.02				.41		.10	.10		3
4		.08						.04		.66			4
5	.25			.18				.01	.01	.03	.04		5
6						.06			.01	.06	.01	.02	6
7	.20					.03				.45			7
8	.10			.11			1.27	.21		.27	.11	.07	8
9	.04		.11	.02			.01	.16		.02	.03	.09	9
10	.34	.02		.12				.04		.01		.01	10
11	.03	.02	.50	.07						.16			11
12	.10	.02	.04	.02	.04			.06		.24		.04	12
13	.12		.03			.13		.05	.02	.12		.08	13
14	.02	.01		.17				.03					14
15	.15									.03		.02	15
16	.03	.07		.24			.01			.67		.13	16
17	.05	.03		.19	.59	.03	.18		.37	.19			17
18	.02	.04		.08			.33	.03	.57				18
19	.03	.22	.12		.31	.10			.24				19
20	.03	.02	.08		.07	.03			.01		.16		20
21	.02		.06										21
22		.03	.13					.03	.01	.08			22
23					.15			.17	.02			.08	23
24	.04	.01				.15		.02		.10	.04	.04	24
25		.02	.03									.03	25
26			.05			.02		.17	.05		.42	.05	26
27			.02				.01	.46					27
28		.02	.11			.74		.06		.04		.08	28
29						.49	1.27	.06		.17		.12	29
30		X	.05				.74	.11				.02	30
31	.03	X	.40	X		X	.40	.08	X		X	.03	31
Total	1.62	.64	1.73	1.56	1.16	1.80	4.22	3.33	1.46	3.40	1.08	.91	YEAR'S TOTAL 22.91
Rain Days.	19	15	14	13	5	11	9	21	11	18	10	16	162

W. 8,000, IX. 17.

E+W. E.F.E.

16

FORM A.
BRITISH RAINFALL.
6 . 1 . 19

REGISTER OF RAINFALL IN 1918.

Kept at Cherryhinton Pumping Station

in the County of Cambridgeshire

by Wm. W. Gray C.E.

Lat. Long.

Time of Observation 9 a m.

Nearest Railway Station Cambridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3.5 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04		·05			·06				·06	·09	1
2	·03	·08		·02				·04		·01	·01	·14	2
3		·03	·05	·10	·39			·08	·11		·65	·02	3
4		·03	·05					·02	·58	·01	·19	·02	4
5					·18			·12	·27	·05			5
6	·03	·12		·12					·18			·03	6
7	·10	·05		·03	·01	·02			·04	·06	·09	·02	7
8		·02							·15		·10		8
9	·03	·01		·04		·01	·18		·39	·24		·03	9
10	·04			·03			·15		·01			·21	10
11				·01	·10		·01		·11	·29	·03	·07	11
12		·14	·01		·12		·10		·12	·06			12
13		·01		·02	·40		·01		·04			·13	13
14	·17					·09	·07		·26	·24	·02	·08	14
15	·95			1·68			·46		·16			·06	15
16	·09			·64				·02	·87		·02	·01	16
17	·11			·14			·65		·02			·09	17
18	·42			·01		·13	·17		·51			·36	18
19	·03	·05	·13	·05		·21	·16			·07		·05	19
20	·01	·03		·06		·05	·10		·06	·07	·02		20
21				·03			·01		·66	·12			21
22	·02			·01	·23		·06		·03		·04	·29	22
23	·05			·01	·26	·02	·13	·04	·03		·01		23
24		·15			·03		·02		·06	·02	·04		24
25			·02			·02	·03	·20			·11	·02	25
26							·34			·06	·20	·08	26
27				·25		·01	·02	·18	·08		·10	·02	27
28		·05	·03	·01				·11			·23	·09	28
29		X	·03						1·61		·02	·02	29
30		X						·04	·06		·13	·15	30
31		X	·38	X		X		·03	X	·04	X	·07	31
Total	2·08	·81	·70	3·31	1·72	·56	2·73	·88	6·41	1·34	2·07	2·15	YEAR'S TOTAL 24·76
Rain Days.	14	14	8	20	9	9	19	11	24	14	19	24	185

W, 6,500, VII. 18. W W C

1164

5 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Cherryhinton Pumping Station
in the County of Cambridgeshire
by Wm. W. Gray C. E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3.5 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21	·05	·01		·06		·30	·01		·06		·80	1
2	·21		·03		·04		·16		·13	·02	·21	·63	2
3	·24		·25				·07		·04		·16	·07	3
4	·08		·25			·08	·19	·03	·20			·16	4
5	·03	·26	·28				·18					·15	5
6			·05							·01	·04		6
7	·02		·28								·12	·02	7
8	·06		·04	·08							·12		8
9			·05	·04						·02	·04		9
10			·13	·04								·02	10
11	·11		·14	·09			·47				·06	·07	11
12	·01		·12	·02		·05	·18			·06	·04		12
13	·10			·07			·02		·02			·01	13
14	·21	·02		·14					·07				14
15	·26		·08	·05							·05	·08	15
16	·04	·60		·03							·08	·04	16
17		·84	·05	·02							·21		17
18		·10	·03					·12			·04	·07	18
19	·02	·10	·28			·13	·18	·17	·04		·04	·02	19
20	·25	·04	·03			·60	·57	·29					20
21	·60	·30	·01				·50				·01	·13	21
22		·35	·01				·20		·18		·03	·46	22
23						·06	·17	·06	·06			·07	23
24		·01		·12		·18	·03			·03	·01		24
25	·07			·06	·16			·09				·05	25
26	·18	·40	·23	·10			·01	·19	·09			·23	26
27	Snow. ·75	·10		·92				·10		·02	·01		27
28		·01		·27			·01	·80		·09	·07	·27	28
29	·05			·07			·02	·13		·19	·10	·06	29
30				·24		·18		·03		·03	·11	·10	30
31							·01			·05		·05	31
TOTAL	3·50	3·18	2·35	2·36	·26	1·28	3·27	2·02	·83	·58	1·55	3·56	YEAR'S TOTAL 24·74
Days with ·01 in. or more	20	14	20	17	3	7	18	12	9	11	20	22	173
Days with ·04 in.	16	11	14	14	3	7	12	9	8	5	16	18	133

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1187

E 4 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cherryhinton Pumping Station

in the County of Cambridgeshire

by Wm W. Gray C.E.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Cambridge

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 5 ft. in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·25	·04		·15	·10		·30	·02	·10	1
2				·23				·11	·11	·05		·02	2
3		·03		·25		·03	·26	·01	·08	·01		·02	3
4			·05	·16			·15	·11	·03	·02		·10	4
5			·05	·06	·09		·58	·03	·11			·05	5
6			·09		·07		·42					·01	6
7			·09	·08			·10					·03	7
8	·15			·35			·03	·09			·02		8
9	·41			·42				·16					9
10	·06	·04	·10	·03			·04				·02	·05	10
11	·35		·07	·40	·02	·03	·07				·01	·08	11
12	·11		·09	·10		·12					·01	·10	12
13			·01	·09		·08			·04		·02		13
14			·17	·11		·02	·07		·10	·05	·10		14
15	·02	·02	·34	·03					·12	·03	·06	·08	15
16				·03					·35	·01	·02	·02	16
17	·03				·06		·01		·30		·01		17
18	·07							·25	·09		·01	·05	18
19	·19			·04		·03		·01			·01	·01	19
20	·06	·15		·30		·57			·03			·01	20
21				·24			·30		·38			·02	21
22				·15				·08	·30			·05	22
23							·22	·03				·35	23
24			·09				·01		·01			·04	24
25	·04	·09	·03	·06		·03	·25	·01	·03	·02	·05		25
26	·07		·07	·07	1·40		·20			·02		·02	26
27	·10	·07		·07		·30	·02		·01	·02	·13	·03	27
28	·32		·24		·15		·03			·02	·01		28
29			·14		·55		·05			·01	·05	·30	29
30	·04			·02	·02	·04	·04	·01	·20		·05	·20	30
31	·02		·02				·01			·08		·10	31
													YEAR'S TOTAL
TOTAL	2·04	·40	1·65	3·54	2·40	1·25	3·01	1·00	2·29	·64	·60	1·84	20·66
Days with ·01 in. or more	16	6	16	23	9	10	21	13	17	13	17	24	185
Days with ·04 in. or more	13	4	13	19	7	5	15	7	12	4	5	14	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

240

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

RE 11

Kept at Coningt

in the County of Ca

by Philip T.

8 in.

ve Ground ft. 5 in.

Sea Level 50 ft.

Name

Distance Direction

CONINGTON HALL
CAMBRIDGE
1911 – 1915

IMPORTANT NOT d the result entered to the previous day. If an O iversal rule, he is earnestly requested to add the rea year in the space provided for it at the end of th ment of rain, the selection and plac ritish Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·03				·02				·01	1
2	·14			·01	·06		·02	·03			·09	·10	2
3		·03		·03	·13	·12				·06	·01	·06	3
4	·04	·02	·13	·13					·025	·03	·17	·18	4
5								·05		·07	·06	·15	5
6	·36		·01	·01							·02	·27	6
7	·03	·01		·01						·08	·26	·37	7
8	·20		·13							·01	·08	·03	8
9	·19		·02	·04							·02	·06	9
10	·01	·06	·09	·01							·07	·08	10
11	·25				·02						·45		11
12	·18		·37		·09				·04	·17	·23	·01	12
13			·08		·35	·03			·28	·16		·20	13
14		·01	·06			·04						·33	14
15		·03	·18							·03	·11		15
16			·07			·07				·01	·31	·05	16
17						·01				·01	·01	·10	17
18		·10			·03	·24					·46	·03	18
19		·01				·28			·25	·05	·39	·03	19
20		·01	·03			·03		·25	·11	·02	·01	·53	20
21		·04						·31		·34		·15	21
22	·07		·14	·01		·04		·05		·17	·01	·41	22
23		·02	·06			·88	·11		·33			·18	23
24		·05	·04			·25				·30		·10	24
25		·08	·02	·06		·31						·01	25
26				·28	·02	·01	·01	·05		·13	·06	·21	26
27		·21	·09	·03				·02	·17		·01	·02	27
28		·12		·24				·22		·01	·08	·02	28
29	·01			·03		·38	·08		·25	·25	·01		29
30				·03		·03			·01	·08		·01	30
31			·01		·26					·05			31
Total	1·52	·80	1·53	·95	·96	2·72	·22	1·00	1·46	2·03	2·92	3·70	TOTAL for year 19·815
No. of Rain Days	12	15	17	15	8	15	4	9	8	20	22	27	172

9,000, IX. '10.

8L

R 1

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Conington Hall

in the County of Cambs 2

by Philip T. Gardner

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground ft. 5 in.
" " " Sea Level 50 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·03				·03				·01	1
2	·14			·01	·06		·02	·03			·09	·10	2
3		·03		·03	·13	·12				·06	·01	·06	3
4	·04	·02	·13	·13					·025	·03	·17	·18	4
5								·05		·07	·06	·15	5
6	·36		·01	·01							·02	·27	6
7	·03	·01		·01						·08	·26	·37	7
8	·20		·13							·01	·08	·03	8
9	·19		·02	·04							·02	·06	9
10	·01	·06	·09	·01							·07	·08	10
11	·25				·02						·45		11
12	·18		·37		·09				·04	·17	·23	·01	12
13			·08		·35	·03			·28	·16		·20	13
14		·01	·06			·04						·33	14
15		·03	·18							·03	·11		15
16			·07			·07				·01	·31	·05	16
17						·01				·01	·01	·10	17
18		·10			·03	·24					·46	·03	18
19		·01				·28			·25	·05	·39	·03	19
20		·01	·03			·03		·25	·11	·02	·01	·53	20
21		·04						·31		·34		·15	21
22	·07		·14	·01		·04		·05		·17	·01	·41	22
23		·02	·06			·88	·11		·33			·18	23
24		·05	·04			·25				·30		·10	24
25		·08	·02	·06		·31						·01	25
26				·28	·02	·01	·01	·05		·13	·06	·21	26
27		·21	·09	·03				·02	·17		·01	·02	27
28		·12		·24				·22		·01	·08	·02	28
29	·01			·03		·38	·08		·25	·25	·01		29
30				·03		·03			·01	·08		·01	30
31			·01		·26					·05			31
Total	1·52	·80	1·53	·95	·96	2·72	·22	1·00	1·465	2·03	2·92	3·70	TOTAL for year 19·815
No. of Rain Days	12	15	17	15	8	15	4	9	8	20	22	27	172

9,000, IX. '10.

Dl ✓ Esc. 786 233

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Conington Hall

in the County of Cambridgeshire 2

by P. T. Gardner

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station: Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01		·21	·02		·13	·11	·01	·12	1
2				·03	·03	·01	·39					·04	2
3	·17	·13			·07	·65	·16	·35	·03	·06		·11	3
4	·04		·60		·05	·37		·08			·30	·01	4
5	·06	·18	·20			·08		·07			·04		5
6	·37	·08	·01		·05		·63	·51				·05	6
7	·04				·03	·88	·06	·04				·01	7
8	·28	·25	·16	·04		·04		·10	·23		·01		8
9	·01	·04	·01	·10		·38						·19	9
10		·01						·18	·02	·02	·12	·01	10
11	·24	·06							·06			·20	11
12	·14	·15	·06		·01						·09		12
13	·01	·01				·01	·03				·25		13
14	·03				·06	·13		·07		·01	·01		14
15		·02	·11		·48	·27		·05				·12	15
16	·40		·05		·11	·05		·03		·05	·03		16
17	·66		·20		·01			·08				·13	17
18	·03		·13			·16	·01	·12			·03	·15	18
19	·16	·10	·16				·22	·64		·02			19
20	·05		·09		·30		·02	·50	·01	·32	·01		20
21	·01		·18		·67			1·28		·33	·06		21
22	·47	·09	·01		·17		·25	·22		·02		·08	22
23	·38	·77	·26		·01		·15	·56			·19	·17	23
24	·33	·01				·01	·05	·30				·06	24
25	·01					·07	·05	·65		·01	·18	·30	25
26		·01				·04	·29	1·61		·35	·19	·31	26
27					·01	·03				·24		·18	27
28								·11	·11	·36		·45	28
29		·02				·08	·31	·10	·75	·25	·20		29
30	·03				·36	·03			·47	·21	·13		30
31			·15		·01		·30	·22		·02			31
Total	3·92	1·93	2·38	·18	2·43	3·50	2·94	7·87	1·81	2·38	1·85	2·69	TOTAL for year 33.88
No. of Rain Days.	22	16	16	4	17	19	16	23	9	16	17	19	194

W. 8,000, X. '11.

82

235

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Conington Hall

in the County of Cambridgeshire 2

by P. T. Gardner

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·11	·10	·12		·03			1·14		·04	·03	1
2	·03	·16	·02		·07		·30		·17				2
3	·04		·20		·76				·02	·23	·01	·03	3
4	·15				·08	·01	·15			·20	·05	·11	4
5	·03	·01					·01			·50	·02		5
6		·02	·02		·28	·42	·15			·17			6
7		·04			·06		·10			·43	·04		7
8			·03		·22	·14				·01	·12		8
9	·01	·21	·04	·02	·02	·11	·02	·01	·03		·06	·03	9
10	·03			·02	·02		·08	·03			·34		10
11	·87			·41	·13	·02		·13		·02	·17		11
12				·01	·07			·03			·13		12
13	·03	·02	·01					·01	·02	·01	·46		13
14	·06		·10	·05			·54			·17	·06		14
15	·09	·03	·08	·13			·10						15
16	·06		·63	·17					·07				16
17	·08	·03	·13	·19		·55	·02			·01		·06	17
18	·01		·06	·04			·01	·01	·71			·03	18
19	·11		·07					·01	·34			·04	19
20	·16		·13	·02			·08			·20			20
21			·14				·07			·08	·24		21
22	·35		·15		·08		·01	·03	·13				22
23			·03			·05	·02	·02	·03	·01		·04	23
24			·01	·02		·02		·02		·01		·01	24
25				·13			·02				·03	·02	25
26	·01	·03	·20	·04				·03		·77	·02	·12	26
27		·02	·03	·02	·08	·02				·03			27
28	·21		·22	·07						·15	·02		28
29	·10		·15	·43	·24			·08		·02	·01	·05	29
30	·22		·01	·09				·14	·01	·14	·19	·02	30
31					·04			·65		·03			31
Total	2·68	·68	2·56	1·98	2·15	1·37	1·68	1·20	2·67	3·19	2·01	·59	YEAR'S TOTAL 2276
Rain Days.	21	11	23	18	14	10	16	14	11	20	18	13	189

W. 7,500, XI. 12

88 ✓

231

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Conington

in the County of Cambridgeshire

by P. T. Gardner

2

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·33	·62		·01	·10	·02	1
2								·04			·06	·11	2
3	·02	·01	·12				·34	·13			·32		3
4	·08	·02	·02	·22	·04			·09			·53	·14	4
5	·01		·03	·07		·02	·30	·04			·01		5
6		·06		·07	·06	·03	·15	·02			·11	·10	6
7		·07	·33	·03	·12	·25	·07					·20	7
8	·09	·05	·25	·01	·20	·91	·03	·14					8
9	·65		·43		·04	·86						·52	9
10	·24	·12	·01	·06	·04				·07				10
11		·05	·39	·04	·06	·30			·02		·24	·29	11
12	·01	·02	·08				·23		·55		·03	·25	12
13	·01	·17	·13						·02	·25	·17	·21	13
14			·17				·02			1·16	·07	·41	14
15	·03		·27				·04	·03	·14		·02	·20	15
16	·05		·03				·12		·05		·05	·01	16
17		·30							·05			·07	17
18		·01									·01	·39	18
19	·01	·03	·27			·58	·30				·20		19
20		·07	·37									·15	20
21	·01	·27	·18			·14		·05		·05	·03	·25	21
22		·01	·04		·17		·08	·05		·23			22
23		·03	·06	·01	·09				—	·09	·14	·03	23
24							·12			·27		·01	24
25	·02		·01	·11				·08		·40		·08	25
26	·01		·06					·21		·02	·13	·42	26
27	·04						·03				·03	·16	27
28		·05			·01					·18	·37	1·26	28
29			·11		—					·23	·02		29
30			·04							·04	·15	·26	30
31					·17		·06					·10	31
Total	1·28	1·34	3·40	·62	1·00	3·09	2·22	1·50	·90	2·93	2·79	5·64	YEAR'S TOTAL 26·70
Rain Days.	15	17	22	9	11	8	15	12	7	12	21	24	173

W.7,000, XI. 13

82

1322
~~224~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Conington
in the County of Cambridgeshire Ouse Di. 2
by P. T. Gardner

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32	·13	·02		09				·07		·13	13	1
2	·19	·17	·25	·10		·02		·88	·03	·05	·08	·05	2
3	·33		·05	·24			·05	·78	13		·03	·13	3
4	·34						·74	·02			·02	·54	4
5	·03	·13						·02		·03		·21	5
6	·22	·07	·04	·13			1·17	·08		·02		·02	6
7	·05	·29	·11				·07	·16				·17	7
8		·29	·01					·01			·01		8
9	·02	·03				·01		·01		·02	·30	·55	9
10	·28		·06				·01	·18			·03	·03	10
11	·01		·02		·05		·06				·85		11
12	·09	·02		·33	·38			·02			1·26	·09	12
13	·03	·38			1·38								13
14		·01					·03	·04	·02			·49	14
15	·18				·03			·05			·38	·13	15
16		·20					·62	·17				·09	16
17		·18			·03		·15	·03			·02		17
18	·02	·03	·29								·06		18
19		·05	·02				·32			02			19
20	32			·11				·02		·03		·35	20
21	·08	·01					05			·05		·05	21
22	·73		·41				·67		·02			·18	22
23	·03	·12	·06	·02		·05	·59		·15	·19		·16	23
24		·03	·18			·01	·25		·30			·08	24
25		·01	·01	·01		·32				·07		·19	25
26	·02	·13				03	·09					·21	26
27						·10	·09			·46		·02	27
28		·08				·22	·02	·02	·65	·09	·02		28
29						·14	·03	·16			·13	·23	29
30	·07	X				·28	·10				·02		30
31	·03	X		X		X		·10	X	·16	X	·14	31
Total	3·39	2·36	1·52	·94	1·96	1·18	5·11	2·75	1·37	1·19	3·34	4·24	YEAR'S TOTAL 29·35
Rain Days.	21	20	14	7	6	10	19	18	8	12	15	23	173

W. 8,000. X. 14.

DL

241

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

1212

REG

COTTENHAM

BERNARD HSE

CAMBRIDGE

1911 - 1920

Kept at Cottenham ...... in.

in the County of Cam ...... round ...... ft. ...... in.

by A. Bull ...... a Level ...... ft.

me ......

stance ...... Direction ......

IMPORTANT NOTE.- he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this t of rain, the selection and placing h Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05						·03			·02	·11		1
2	·23						·03						2
3							·01	·02			·04	·09	3
4		·02		·08	·11					·06		·01	4
5	·27	·06	·10	·19					·02	·04	·18	·26	5
6	·02							·02		·03	·04	·20	6
7	·31		·04							·08	·04		7
8			—								·26	·31	8
9	·23		·12								·08		9
10	·13											·01	10
11	·01	—	·09	}							·16	·13	11
12	·24		·38	·11 }							·37		12
13	·08					·05			·05	·35	·22	·01	13
14			·08		·01	·05			·26	·26	·02	·22	14
15		·03	·07		·59	·19			·02			·31	15
16		·03	·17							·02			16
17			·07			·27				·01	·29	·06	17
18	·02										·03	·08	18
19		·09			·05	·24	·01				·49		19
20		·01				·43			·09	·09	·36	·02	20
21								·52	·12	·02		·44	21
22		·05						·78				·08	22
23	·06		·25			·04		·06		·24		·42	23
24		·03	·09			·81	·04		·37			·22	24
25		·05	·02			·20				·30		·13	25
26	·01	·05		·08		·33	·14			·06			26
27		·21		·18		·01	·04			·12	·07	·21	27
28			·09	·04					·15		·02	·02	28
29				·20				·15			·07	·05	29
30				·05		·45	·12		·30	·24	·01		30
31	–	·09	–	–	~~·04~~	·03	–	–	~~·02~~	·19 ·11	–	·02 (–)	31
Total	~~1·66~~ 1·61	~~·63~~ ·72	1·57	·93	·80	3·10 ~~3·0[illegible]~~ 3·10	~~·40~~ ·39	1·55	~~1·40~~ 1·40	~~2·[illegible]~~ 2·13	~~2·86~~ 2·75	3·30 3·30	TOTAL for year 20·25
No. of Rain Days	12	12	13	9	5	13 ~~14~~	7	6	10	17	18	22	145

9,000, IX. '10.

DL

241

23 JAN 1912

FORM A2.
BRITISH RAINFALL.

1212

REC

Kept at Cottenham, Bernard House

in the County of Cambs 2

by A. Bull

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05						·03			·02	·11		1
2	·23						·03						2
3							·01	·02			·04	·09	3
4		·02		·08	·11					·06		·01	4
5	·27	·06	·10	·19					·02	·04	·18	·26	5
6	·02							·02		·03	·04	·20	6
7	·31		·04							·08	·04		7
8											·26	·31	8
9	·23		·12								·08		9
10	·13											·01	10
11	·01		·09	}							·16	·13	11
12	·24		·38	·11 }							·37		12
13	·08					·05			·05	·35	·22	·01	13
14			·08		·01	·05			·26	·26	·02	·22	14
15		·03	·07		·59	·19			·02			·31	15
16		·03	·17							·02			16
17			·07			·27				·01	·29	·06	17
18	·02										·03	·08	18
19		·09			·05	·24	·01				·49		19
20		·01				·43			·09	·09	·36	·02	20
21								·52	·12	·02		·44	21
22		·05						·78				·08	22
23	·06		·25			·04		·06		·24		·42	23
24		·03	·09			·81	·04		·37			·22	24
25		·05	·02			·20				·30		·13	25
26	·01	·05		·08		·33	·14			·06			26
27		·21		·18		·01	·04			·12	·07	·21	27
28			·09	·04					·15		·02	·02	28
29				·20				·15			·07	·05	29
30				·05		·45	·12		·30	·24	·01		30
31										·19		·02	31
	–	·09	–	–	·04	·03	–	–	·02	·11	–	(–)	
Total	~~·66~~ 1·61	~~·63~~ ·72	1·57	·93	·80	3·10 ~~3·07~~ 3·10	~~·42~~ ·39	1·55	~~1·42~~ 1·40	2·13	~~2·06~~ 2·75	3·30 3·30	TOTAL for year 20·25
No. of Rain Days	12	17	13	9	5	13	7	6	10	17	18	22	145

9,000, IX. '10.

Section A **for the entry of Daily Observations**

Station No. 1212

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 196 11

Kept at Cottenham

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Copy

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1							·03							1
2	·23						·01	·02			·04	·09		2
3		·02		·08	·11					·06				3
4	·27	·06	·10	·19					·02	·04	·18	·01		4
5	·02							·02		·03	·04	·26		5
6	·31		·04							·08	·04	·20		6
7											·26	·31		7
8	·23		·12								·08			8
9	·13		·05									·01		9
10	·01		·04								·16	·13		10
11	·24			·11							·37			11
12	·08		·38			·05			·05	·35	·22	·01		12
13					·01	·05			·26	·26	·02	·22		13
14		·03	·08		·59	·19			·02			·31		14
15		·03	·07							·02				15
16			·17			·27				·01	·29	·06		16
17	·02		·07								·03	·08		17
18		·09			·05	·24	·01				·49			18
19		·01				·43			·09	·09	·36	·02		19
20								·52	·12	·02		·44		20
21		·05						·78				·08		21
22	·06	–	·25			·04		·06		·24		·42		22
23		[illegible]	·09			·81			·37			·22		23
24		·03	·02			·20	·04			·30		·13		24
25	·01	·05		·08		·33				·06				25
26		·05		·18		·01	·14			·12	·07	·21		26
27		·21	·09	·04			·04		·15		·02	·02		27
28		·09		·20				·15			·07	·05		28
29		X				·45	·12		·30	·24	·01			29
30		X		·05	·04	·03			·02	·10		·02		30
31		X		X		X			X	·11	X			31
TOTAL	1·61	·72	1·57	·93	·80	3·10	·39	1·55	1·40	2·13	2·75	3·30	Year's Total 20·25	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

cwd for auth 11-11-13 wt. [illegible] 234

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Cottenham, Bernard House

in the County of Cambridgeshire 2

by A. Bull

RAIN GAUGE { Pattern .... Diameter of top .... in. Height of top above Ground .... ft. .... in. 1212
„ „ „ Sea Level .... ft.

Time of Observation ....

Nearest Railway Station { Name .... Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·14	·01		·13	·06		·12	1
2		·02				·16	·34	·26		·02			2
3	·13	·03			·02	·42	·01	·04	·05	·03		·16	3
4	·05		·45		·06	·14		·13			·33		4
5	·04	·11	·25		·04	·02		·29			·06		5
6	35	·08			·02	·06	·64	·03					6
7	·01				·03	·67	·11	·13				·01	7
8	·21	·12	·07			·03		·12	·22	·02			8
9	·01		·02	·08		·11						·17	9
10	—	·02						·05		·02	·08		10
11	·14	·03							·10			·08	11
12	·14	·05			·03						·11	·01	12
13			·04			·08	·05				·29		13
14			·01		·07	·27		·06		·04			14
15		·02	·10		·25	·25		·06			·01	·13	15
16	·39		·05		·05	·11		·04			·02	·10	16
17	·47		·23			·16		·06				·03	17
18	·03		·15					·19		·03	·05		18
19	·14		·16				·29	·42			·01		19
20	·05		·05					·30		·31	·07		20
21			·47		·38			1·18		·21			21
22	·50	·16	·04		·21			·20	·06			·05	22
23	·38	·63	·24				·35	·76		·02			23
24	·27							·23		·01		·13	24
25						·16	·03	1·00			·18	·22	25
26							·09	2·32		·38	·18	·23	26
27							·06			·23		·21	27
28		·03		·02			·06	·06	·02	·33	·11	·56	28
29							·11	·16	·61	·14	·05		29
30	·05	X			·20	·02		·02	·49	·17			30
31		X	·09	X	·01	X	·20	·18	X	·02	X		31
Total	3·36	1·30	2·42	·10	1·37	2·80	2·35	8·29	1·68	2·04	1·55	2·21 2·27	TOTAL for year 29·47
No. of Rain Days.	17	12	16	2	13	16	14	25	8	17	14	15	169

W. 8,000, X. '11.

88 cond for auth 27.11.14

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
27 JAN 1914
239
12.12

Kept at Cottenham, Bernard House
in the County of Cambridgeshire 7
by A. Bull

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·12	·09	·09					·53		·07	·02	1
2	·04	·15	·16		·84		·14		·20				2
3					·58					·07		·05	3
4	·17				·03		·07			·19	·04	·11	4
5	·06					·04				·48	·02		5
6			·02		·28	·15				·06			6
7		·02								·39			7
8			·02		·20	·39					·11		8
9		·25	·03		·01	·14					·06		9
10							·08	·03			·35		10
11	·56			·45				·61			·21		11
12					·11			·01			·09		12
13								·05			·35		13
14.	·06		·08	·04						·21			14
15	·15	·07	·16	·13			·14		·16		·04		15
16	·08		·37	·20					·17			·06	16
17	·17	·03	·10	·13		1·09						·21	17
18			·11	·05			·01		·28			·02	18
19	·07		·09				·05		·38			·05	19
20	·02		·18						·03	·23	·20		20
21			·12		·10	·05				·10			21
22	·29		·13				·04	·08	·09		·02		22
23			·01				·04	·06	·11			·05	23
24	·02			·02									24
25				·12		·04	·02						25
26			·13	·01	·05					·71	·01	·14	26
27		·03		·04		·05				·10			27
28	·16	·05	·09	·04						·07			28
29	·16	×	·13	·19	·25			·08					29
30	·17	×		·15				·10		·06	·17		30
31		×		×		×		1·07	×	·05	×	·01	31
Total	2·21	·72	~~2·92~~ 2·02	1·66	2·45	1·95	·59	2·09	1·95	2·72	1·74	·72	YEAR'S TOTAL 20·82
Rain Days.	16	8	18	14	10	8	9	9	9	13	13	10	137

W. 7,500, XI. 12

82 cod pr auth 27·11·14

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL
FORM A.
27 JAN 1914
239
12.12

Kept at Cottenham, Bernard House

in the County of Cambridgeshire 2

by A. Bull

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·12	·09	·09					·53		·07	·02	1
2	·04	·15	·16		·84		·14		·20				2
3					·58					·07		·05	3
4	·17				·03		·07			·19	·04	·11	4
5	·06					·04				·48	·02		5
6			·02		·28	·15				·06			6
7		·02								·39			7
8			·02		·20	·39					·11		8
9		·25	·03		·01	·14					·06		9
10							·08	·03			·35		10
11	·56			·45				·61			·21		11
12					·11			·01			·09		12
13								·05			·35		13
14.	·06		·08	·04						·21			14
15	·15	·07	·16	·13			·14		·16		·04		15
16	·08		·37	·20					·17			·06	16
17	·17	·03	·10	·13		1·09						·21	17
18			·11	·05			·01		·28			·02	18
19	·07		·09				·05		·38			·05	19
20	·02		·18						·03	·23	·20		20
21			·12		·10	·05				·10			21
22	·29		·13				·04	·08	·09		·02		22
23			·01				·04	·06	·11			·05	23
24	·02			·02									24
25				·12		·04	·02						25
26			·13	·01	·05					·71	·01	·14	26
27		·03		·04		·05				·10			27
28	·16	·05	·09	·04						·07			28
29	·16	×	·13	·19	·25			·08					29
30	·17	×		·15				·10		·06	·17		30
31		×		×		×		1·07	×	·05	×	·01	31
Total	2·21	·72	~~2·92~~ 2·02	1·66	2·45	1·95	·59	2·09	1·95	2·72	1·74	·72	YEAR'S TOTAL 20·82
Rain Days.	16	8	18	14	10	8	9	9	9	13	13	10	137

W. 7,500, XI. 12

8L

6X 919

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

232

1212

Kept at Cottenham, Bernard House

in the County of Cambridgeshire 2

by A. Bull

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.45	.07			.08		1
2							.02	.08			.04	.08	2
3			.15		.18		.18						3
4	.13		.01	.21				.09			.39		4
5				.05			.24	.95				.12	5
6		.07		.07	.04	.03					.35	.05	6
7		.04	.40	.02	.09	.08	.06					.34	7
8	.12	.05	.24	.03	.12	.68	.05	.11					8
9	.58	.13	.39	.02	.04	.66			.06			.80	9
10	.57	.07		.08					.08				10
11			.31		.04	.23					.23	.18	11
12			.09			.01	.04	.04	.46			.14	12
13	.05	.13	.07						.02	.13	.08	.28	13
14			.22				.10			.81	.19	.58	14
15			.20						.17			.15	15
16	.02		.06						.02				16
17		.24							.03			.03	17
18												.39	18
19		.04	.18			.02	.03		.02		.25		19
20		.05	.47			.03			.01	.04		.02	20
21		.17	.20			.40						.13	21
22			.03		.26			.08		.26			22
23		.03	.05		.07					.07			23
24			.01	.06		.01	.15			.15	.12		24
25								.06				.35	25
26			.04				.05	.18		.01	.05	.18	26
27	.04											.15	27
28		.04								.04	.34	1.69	28
29		×					.31			.24			29
30		×	.05							.05		.09	30
31		×		×	.11	×			×		×	(.09)	31
Total	1.51	1.06	3.17	.54	.95	2.15	1.68	1.66	.87	1.80	2.12	5.84	YEAR'S TOTAL 23.35
Rain Days.	7	12	19	8	9	10	12	9	9	10	11	~~19~~ 20	136

W.7,000, XI. 13

82

1323
~~225~~

FORM A.
BRITISH RAINFALL.

12 12

REGISTER OF RAINFALL IN 1915

Kept at Cottenham
in the County of Cambridgeshire
by A. Bull

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·35	·04	·03		·08							·13	1
2	·07	·07	·22			·03		·69	·06			·06	2
3	·21			·24			·03	1·08	·07			·12	3
4	·22				·03		·26	·03				·53	4
5	·02	·07						·02				·18	5
6	·18		·15	·13	·40		1·07	·02		·03		·05	6
7	·06	·27					·08	·15		·01		·08	7
8		·24	·09	·05				·02		·01			8
9										·01	·33	·54	9
10	·27		·09			·03	·05	·25			·03		10
11					·05		·04	·05		·01	·76		11
12	·06			·20	·30					·03	1·46		12
13	·02	·43			1·26		–						13
14		·21						·03	·03			·38	14
15	·13						·06	·63			·30	·10	15
16		·20					·48	·65			06		16
17	·03	·15			·05		·09	·27					17
18			·21										18
19			·01	·01			·13			·03			19
20	·27	·03			·05			·04		·02		·03	20
21	·12						·04				·03	·18	21
22	·83	·13	·35	·02			·73		·05				22
23			·01	·07		·01	·27		·19	·12		·13	23
24			·11			·01	·06		·31			·08	24
25						·43	·29					·09	25
26		·10				·03	·04	·02				·17	26
27						·10	·08	·16		·37			27
28		·12				·47	·09		·53	·15	·06		28
29		×				·07					·02	·13	29
30	·06	×				·73							30
31	·13	×		×		×		·07	×	·07	×	·13	31
Total	3·03	2·06	1·27	·72	2·22	1·91	3·89	4·18	1·24	·86	3·05	3·11	YEAR'S TOTAL 27·54
Rain Days.	17	13	10	7	8	10	18	17	7	12	9	18	146

W. 8,000. X. 14.

Smade ✓ cnd/p anlto ~~+~~ RA 1301

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

13 JAN 1917

Kept at Cottenham

in the County of Cambridge

by Arthur Bull

Lat. 52°18'N Long. 0·8'E

Time of Observation 9·0 am

Nearest Railway Station Oakington

Diameter of Funnel of Rain Gauge 5 in. 1212

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08		·24				·01		·02		·17		1
2	·31				·03				·05	·15			2
3		·13			·17	·02	·02		·15	·29	·15		3
4	·24					·14	·08		·19		·21		4
5			·04			·11	·09			·10	·21		5
6		·11	·16	·22			·12			·01	·25		6
7	·10		·18		·24	·04	·10				·18	·06	7
8			·05			·04						·18	8
9					·36	·05						·07	9
10			·17	·04		·02	·02		·03			·10	10
11	·06	·38	·10	·11	·07	·10	[illegible]		·01			·02	11
12	·02	·04			·26	·31	·03	·03		·10			12
13	—	·35	·04		·16	·06		·02		·02			13
14		·53			·08			·23		·06		·15	14
15		·35	·22				·05	·02					15
16			·07	·26			·23						16
17	·03			·24				·08	·24	·28			17
18			·02	·05				·02	·28	·03	·46		18
19			·03	·19					·12		·57	·10	19
20	·12		·19	·03			·33	·05			·05	·14	20
21			·62									·24	21
22		·19			·10					·01		·40	22
23		·74				·08		·02			·05	·17	23
24												·29	24
25		·18	·17					·14			·07	·05	25
26		·31				·06		·04					26
27		·42	·87			·02		·20	·01	·10			27
28	·04	·33	·64						·03			·14	28
29		·08						1·21		·22			29
30		X				·07		·30		·22			30
31		X		X		X		·02	X		X	·02	31
Total	1·00	4·14	3·81	1·14	1·47	~~1·15~~ 1·12	1·08	2·38	1·13	1·59	2·34	2·13	YEAR'S TOTAL 23·36 23·36
Rain Days.	9	14	17	8	9	14	11	14	11	13	11	15	146

W. 8,000, VIII. 16

1244

FORM A.
BRITISH RAINFALL.

24 APR 1918

1212

REGISTER OF RAINFALL IN 1917

Kept at "Bernard's", Cottenham
in the County of Cambs
by Arthur W Bull

Lat. 52·18N Long. 0·8 E
Time of Observation 9 a.m.
Nearest Railway Station Oakington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03		·15				·98	·35				1
2	·07			·22		·01		·16			·04		2
3				·04				·30		·08			3
4								·02		·57			4
5	·18	·11		·08		·11				·05	·09		5
6						·06							6
7	·36						~~[illegible]~~			·47		~~[illegible]~~	7
8	·21			·17			·84				·21	·05	8
9			·09	·02				·10			·04	·07	9
10	·35		·22	·10				·20					10
11	·11		·58					·17		·22			11
12			·02			·04	·02	·07		·25			12
13	·24		·05					·03		·02		·04	13
14	·06		·10		·03							·07	14
15	·02				·02			(·08)		·04		·05	15
16		·08		·23		·07	·03			·52			16
17	·02			·22	·59	·14	·37		·54	·28			17
18	·05			·05		·10	·15	·09	1·04				18
19		·07	·14		·02	·02			·21				19
20			·16		·05						·18		20
21													21
22							~~[illegible]~~	·04	·05	·15			22
23		·22	·04		·20							·16	23
24		·02	·06			·15			·07		·07		24
25												·04	25
26								·25			·48	·10	26
27								·60					27
28		·05	·16			1·12		·07		·03			28
29						·35	2·37			·15		·17	29
30	07	✕					·45	·08					30
31		✕	·27	✕		✕	·41	·05	✕		✕	·03	31
Total	1·74	·58	8 1·~~7~~9	1·28	·91	2·17	4·64	3·29	2·26	2·83	1·11	·78	YEAR'S TOTAL 23·~~3~~8
Rain Days.	12	7	12	10	6	11	4·64 8	16	6	13	7	10	~~118~~

4·67

W. 8,000, IX. 17.

EFE and presents 24

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at Cottenham
in the County of Cambs
by Arthur N Bull

Lat. 52-18' N Long. 0-8' E
Time of Observation 9 a.m.
Nearest Railway Station Oakington
Diameter of Funnel of Rain Gauge 5 in. 1212
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02						·07	·04	·16	1
2		·09		·18				·09		·01		·10	2
3		·03	·07		·35			·05	·10		·65	·02	3
4			·08						·48		37	·01	4
5			·05		·15			·10	·27	·03	·02		5
6		·11		·13					·17	·04		·02	6
7		·11		·02					·05	·07	·10		7
8	·18						·02		·17		·06		8
9	·05	·04		·02			·18		·32	·19		·02	9
10	·04				·13		·20		·07		·02	·18	10
11					·10		·08		·08	·47	·02	·09	11
12		·16			22		·11		·08	·07		·02	12
13	[illegible]			·14					·12			·06	13
14	·24			·04			·12		·45	·33		·07	14
15	1·00			1·75			·36		·06			·05	15
16				·64		02		·04	1·10				16
17	·15			·05	·01		·52					·09	17
18	·52					10	·06		·30			·48	18
19	·04	·10	·09			17	·60			·06		·04	19
20						13	·06		·09	·07			20
21	·04					01			·76	·08			21
22	·03				·25		·05		·08		·05	·28	22
23	·09				·59		·16	·05	·03	·02		·04	23
24		·25			·02				·05		·03		24
25								22			·07		25
26							·41			·01		·10	26
27				·12		·08	·01	·21	·04		·10	·02	27
28		·08	·07					·09			·19	·10	28
29	·02	X							1·26		·05		29
30		X	·28						·06		·14	·20	30
31		X	·10	X		X		·01	X	·07	X	·06	31
Total	2·40 ~~2·36~~	·97	·74	~~2·95~~ 2·97	~~1·62~~ 1·82	·51	2·44	·86	6·19	~~1·52~~ 1·59	~~2·07~~ 1·91	2·21	YEAR'S TOTAL 24·61 ~~22·44~~
Rain Days.	12	9	7	10	9	6	15	9	22	~~14~~ 15	15	22	~~153~~ 151

W. 6,500, VII. 18. W W C

HT RL [illegible] aint by surrounding sts 1177

1212

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Cottenham
in the County of Cambridgeshire
by Arthur Bull

Lat. 52·18 N Long. 0·8 E.
Time of Observation 9 a.m.
Nearest Railway Station Oakington
Diameter of Funnel of Rain Gauge 5·5 in.
Height of top of Gauge above Ground 1 ft 6 in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45				·06		·34			·11	·07	·93	1
2	·22	·03	·02		·02		·10	·07	·17		·18	·52	2
3	·32						·07		·02		·13	·05	3
4	·12		·17			·07	·10	·04				·11	4
5	·09	·15	·34				·31					·10	5
6						·06					·04	·01	6
7	·02		·19								·08		7
8	·08		·20	·11							·08		8
9			·03										9
10			·20								·05		10
11	·12		·14	·09							·05	·03	11
12			·14	·03			·50			·11	·02	·06	12
13	·14	·01		·13			·21						13
14	·18			·09					·20		·02		14
15	·23	·01		·13								·07	15
16	·04	·63	·04	·10				·03			·08	·03	16
17		·67	·04	·07							·19		17
18		·10	·02					·15				·13	18
19		·14	·49				·20	·18	·03		·02	·02	19
20	·45	·02	·06			·11	·61	·34	·06			·01	20
21	·52	·36	[illegible]	[illegible]		·44	·80					·18	21
22		·39	·02			·02	·03		·15		·07	·37	22
23					·12	·06	·19		·12			·08	23
24				·15		·16	·01						24
25	·08			·16	·17	·02		·17				·07	25
26	·15	·17	·03	·06				·16	·09	·01		·40	26
27	·40	·06	·01	1·17				·28		·04	·07	·26	27
28				·11				·83		·09	·08	·13	28
29	·04	X		·03			·02	·18		·18		·14	29
30		X		·27		(·20)				·02	·15	·05	30
31	·03	X		X		X			X		X		31
TOTAL	3·98	2·74	2·44	2·70	·37	1·14	3·49	2·43	·84	·56	1·38	3·75	YEAR'S TOTAL 25·52
Days with ·01 in. or more	19	13	17	15	4	9	14	11	8	7	17	22	156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

C? ?.?. - W- from C's

1120

1212

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Copy by DKRO

Kept at Cottenham, Bernard Hous
in the County of Camb.
by ~~X~~ Kate Bull.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	·11	·09	.	·09	.	.	·43	.	·11	1
2	.	.	·02	·03	.	.	.	·15	·09	.	.	·03	2
3	.	.	.	·39	.	.	·21	.	·04	·02	.	.	3
4	.	·02	·15	·16	·03	.	·27	·12	·06	.	.	·03	4
5	.	.	·05	·24	·12	.	·51	·04	·09	.	.	·02	5
6	.	.	·08	.	·03	.	·62	.	.	.	.	·02	6
7	.	.	·05	·14	.	.	.	.	.	.	·02	·02	7
8	·09	·04	.	·50	.	.	·08	.	.	.	.	.	8
9	·36	.	.	·43	.	.	·05	·04	.	.	.	.	9
10	·09	·25	·07	·03	.	.	·06	.	.	.	·01	·02	10
11	·20	.	·05	·26	·06	·08	·03	.	.	.	.	·04	11
12	·12	.	·05	·10	.	·16	.	.	.	.	.	·20	12
13	.	·02	·02	·22	.	·06	.	.	.	.	·02	.	13
14	.	.	·25	·17	.	.	·04	.	·17	·03	·13	·02	14
15	·01	·09	·23	·04	.	.	.	.	·08	.	·05	·06	15
16	.	.	.	.	.	.	.	.	·21	·01	.	·02	16
17	·01	.	.	·01	·07	.	.	.	·28	.	.	·03	17
18	·14	.	.	.	.	.	·09	·32	·09	.	.	·04	18
19	·10	.	.	·08	.	·06	.	·05	.	.	·02	.	19
20	·05	·17	.	·22	.	·56	.	.	·06	.	.	.	20
21	.	·01	.	·11	.	.	.	·08	·16	.	.	·06	21
22	.	.	.	·11	.	.	·04	·03	·09	.	.	·02	22
23	.	·01	.	.	.	.	·18	.	.	·02	.	·38	23
24	·05	.	·15	.	.	.	.	.	·01	·01	.	·03	24
25	.	·14	·05	·04	·05	·05	·42	.	.	.	.	.	25
26	·05	.	·03	·08	15	.	.	.	.	·02	.	·02	26
27	·14	·09	.	·14	.	·33	.	.	.	.	·11	·06	27
28	·43	.	·35	.	·40	.	.	.	.	·01	·02	.	28
29	·04	.	·09	.	·13	.	·08	.	.	.	·05	·31	29
30	·02	×	.	·02	.	·06	·03	.	·26	.	·06	·18	30
31	·05	×	·03	×	.	×	.	.	×	·12	×	·08	31
Total	1·95	·84	1·72	3·63	1·13	1·36	2·80	·83	1·69	·67	·49	1·80	Year's total 18·91
Days with ·01 in. or more	17	10	17	23	10 ~~9~~	8	16	8	14	9	10	23	165 ~~164~~
Days with ·04 in. or more	14	6	13	19	8 7	8	14	7	13	2	5	11	120 ~~119~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DH

236

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

CAMBRIDGE.

CROXTON PARK.

1911 - 1915.

REG … 11

Kept at Croxton Par…

in the County of Camb…

by G. ~~E.~~ D Newton

… in.

…ve Ground • ft. in.

Sea Level ft.

…Railway Station Name •

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·20				·03					·03	1
2	·08			·08	·04						·08	·09	2
3			·02	·02	·10					·03	·04	·02	3
4		·02		·23						·02	·04	·18	4
5			·11					·08			·05	·17	5
6	·08										·04	·20	6
7	·25									·03	·25	·23	7
8	·02									·02		·05	8
9	·08		·12	·05							·17		9
10	·19			·02							·03	·14	10
11		·07	·07								·43		11
12	·18										·20		12
13	·19		·38		·17				·28	·36		·22	13
14			·10		·35							·43	14
15			·09							·06	·08	·02	15
16		·04	·04			·05					·27	·03	16
17			·06			·05					·03	·05	17
18											·32	·08	18
19		·14				·06			·21	·06	·28	·02	19
20						·20		·17	·11	·02		·50	20
21		·06	·04					·41	·	·26		·12	21
22	·05					·03				·10		·45	22
23			·20			1·02	·16		·33			·15	23
24			·11			·30				·23		·12	24
25		·05	·02	·09		·15		·02					25
26			·04	·23						·15	·05	·21	26
27				·04			·02		·16			·03	27
28		·10	·10	·20		·04		·15			·06	·03	28
29				·10		·52	·09		·20	·22			29
30										·06			30
31										·02			31
Total	1·16	·48	1·70	1·06	·66	2·42	·30	·83	1·29	1·64	2·42	3·57	TOTAL for year 17·53
No. of Rain Days	10	7	16	10	4	10	4	5	6	15	17	24	128

9,000, IX. '10.

DH

236

FORM A2.
BRITISH RAINFALL

23 JAN 1912

REG LL

Kept at Croxton Park

in the County of Cambs 2

by G. ~~E~~ D. Newton

Rain Gauge
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station
Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·20				·03					·03	1
2	·08			·08	·04						·08	·09	2
3			·02	·02	·10					·03	·04	·02	3
4		·02	—	·23						·02	·04	·18	4
5			·11					·08			·05	·17	5
6	·08										·04	·20	6
7	·25									·03	·25	·23	7
8	·02									·02		·05	8
9	·08		·12	·05							·17		9
10	·19			·02							·03	·14	10
11		·07	·07								·43		11
12	·18										·20		12
13	·19		·38		·17				·28	·36		·22	13
14			·10		·35							·43	14
15			·09							·06	·08	·02	15
16		·04	·04			·05					·27	·03	16
17			·06			·05					·03	·05	17
18											·32	·08	18
19		·14				·06			·21	·06	·28	·02	19
20						·20	—	·17	·11	·02		·50	20
21		·06	·04					·41	·	·26		·12	21
22	·05					·03				·10		·45	22
23			·20			1·02	·16		·33			·15	23
24			·11			·30				·23		·12	24
25		·05	·02	·09	—	·15		·02					25
26			·04	·23						·15	·05	·21	26
27				·04			·02	—	·16			·03	27
28		·10	·10	·20		·04		·15			·06	·03	28
29				·10		·52	·09		·20	·22			29
30										·06			30
31										·02			31
Total	1·16	·48	1·70	1·06	·66	2·42	·30	·83	1·29	1·64	2·42	3·57	TOTAL for year 17·53
No. of Rain Days	10	7	16	10	4	10	4	5	6	15	17	24	128

9,000, IX. '10.

82

230

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Croxton Park

in the County of Cambridgeshire 2

by

RAIN GAUGE: Pattern
Diameter of top in.
Height of top above Ground ft. in.
„ „ „ Sea Level ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·05	·08		·07	·24	·01	·02	1
2						·28	·37					·04	2
3	·10	·05				·10			·05	·05		·16	3
4	·05		·49		·07	·53		·20			·25		4
5	·08	·15	·15					·08			·20		5
6	·30	·03					·33	·66				·03	6
7						1·05		·10				·01	7
8	·35	·22	·08					·24	·17				8
9		·04		·10		·04						·22	9
10						·37		·03	·03		·27	·02	10
11	·19	·11						·12				·17	11
12	·13	·12	·07								·08		12
13		·02				·13	·05	·06			·18		13
14	·03				·07	·07		·06			·03	·02	14
15			·12		·40	·21					·01	·08	15
16	·27		·03		·07			·07			·03		16
17	·80		·20			·13		·08		·04	·02	·16	17
18	·09							·15			·01	·08	18
19	·18	·05	·20				·31	·46		·03	·04	·02	19
20			·08		·10		·03	·27		·30			20
21	·03		·11					1·16		·33	·05		21
22	·56	·10			·37		·10	·28				·06	22
23	·30	·40	·28				·48	·33			·17	·20	23
24	·29						·48	·16				·06	24
25	·03	·02						·63		·03	·18	·36	25
26							·24	1·30		·40	·19	·14	26
27										·21		·21	27
28								·10		·35	·18	·50	28
29						·12	·15	·09	·85	·26	·03	·02	29
30					·45	·08			·44	·20			30
31			·05		·08		·27	·27		·03		·04	31
Total	~~3·98~~ 3·78	1·31	1·86	·10	1·61	3·16	2·89	6·90	1·61	2·47	1·93	2·62	TOTAL for year 30·24
No. of Rain Days.	17	12	12	1	8	13	12	23	6	13	18	22	157

W. 8,000, X. '11.

82

cnd for auth 27.11.14

235

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Croxton Park

in the County of Cambridgeshire 2

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·12	·06	·14	·05				·41		·03	·03	1
2		·14					·15		·75				2
3			·11		·84				·02	·57			3
4	·21				·03		·17			·21			4
5	·04					·02	·02			1·28	·02	·20	5
6		·02	·04		·25	·28	·03			·17			6
7		·04			·03		·03			·34			7
8			·03	·03	·25	·19				·04	·06		8
9		·17	·01			·05			·03		·18	·04	9
10				·04			·15				·32		10
11	1·00			·42	·11			·12		·04	·15		11
12				·02	·20						·17		12
13	·02										·42		13
14	·09	·04	·09				·28		·02	·15	·02		14
15	·04		·11	·10			·04		·09				15
16	·07		·50	·22			·09						16
17	·11	·06	·07	·09		1·44			·02				17
18			·05	·05			·12		·60		·04	·06	18
19	·09		·03				·09		·42			·03	19
20	·17		·11						·02	·22			20
21	·10		·13	·02	·08					·07	·20		21
22	·30		·14					·04	·13				22
23			·02			·02	·04						23
24	·02												24
25				·14		·05	·06					·15	25
26		·04	·24	·03						·63	·03		26
27		·03	·03	·02	·88								27
28	·28		·08	·08						·05			28
29			·08	·55	·27			·06		·02		·04	29
30	·33							·06		·12	·20	·05	30
31					·05			·60		·02		·02	31
Total	2·87 2·87	·66	1·93	1·95	3·04	2·05	1·27	·88	2·51	3·93 3·93	1·84	·61	YEAR'S TOTAL 23·54
Rain Days.	15	9	19	15	12	7	13	5	11	15	13	9	143

W. 7,500, XI. 12

DL

228

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Croxton Park

in the County of Cambridgeshire 2

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·76	·78			·10	·03	1
2	·07						·03	·03		·02	·07	·11	2
3			·06		·12		·50	·23			·08		3
4	·12		·03	·18				·10			·43	·10	4
5			·04	·08		·04	·27	·05					5
6		·04					·46	·05		·03	·05	·10	6
7		·05	·34		·05	·16	·07				·17	·20	7
8		·04	·25		·11	·73		·20					8
9	·04		·40	·02	·05	·69						·46	9
10	·48	·08	·04		·04				·12	·03			10
11	·09	·04	·32	·05		·34					·16	·23	11
12			·07						·39		·20	·26	12
13			·12						·02	·14	·05	·20	13
14		·15	·21							1·18	·04	·25	14
15	·03		·42				·12		·17		·04	·12	15
16			·03				·06				·10	·05	16
17	·16	·30	·03						·22			·05	17
18		·05	·02									·36	18
19		·04	·23			1·03	·52				·28	·03	19
20			·36			·06						·10	20
21		·32	·11			·10		·04		·04		·15	21
22			·05		·07		·06	·04		·18			22
23		·03	·05	·07	·10					·10		·02	23
24			·04				·20	·03		·27	·17		24
25	·07						·04			·37	·02	·16	25
26							·02	·55		·04	·10	·38	26
27	·04						·03				·02	·12	27
28		·04	·02							·04	·34	1·32	28
29			·03							·35			29
30					·02					·05	·16	·30	30
31					·10							·07	31
Total	1·10	1·18	3·27 3·27	·40	·66	3·15	3·14	2·10	·92	2·84	2·58	5·17	YEAR'S TOTAL 2651
Rain Days.	9	12	23	5	9	8	14	11	5	14	19	24	153

W.7,000, XI. 13

82

1318
~~221~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Croxton Park

in the County of Cambridgeshire

by

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.30		.05		.08				.23		.08	.12	1
2	.17	.12	.08	.10				.84		.11	.03		2
3	.30		.20	.10			.04	.48	.15			.07	3
4	.14		.03				.83					.50	4
5	.03	.21						.04		.04		.17	5
6	.21	.07	.04	.20			.87	.14				.05	6
7	.05	.20	.10				.15					.12	7
8		.31	.04					.02					8
9	.04	.03								.03	.17	.53	9
10	.26							.39				.05	10
11			.06	.28			.02				.91		11
12	.12				.58			.05			1.12	.05	12
13	.03	.32			1.23								13
14							.03	.25	.05			.45	14
15	.14				.04			.09			.28	.10	15
16	.03	.20					.56	.32				.03	16
17		.16			.03		.10	.90					17
18			.24		.04							.05	18
19		.10					.27			.03			19
20	.30			.10								.34	20
21	.09				.03		.05			.11		.10	21
22	.54	.14	.41				.72						22
23			.23			.07	.65		.11	.15		.27	23
24		.15	.24			.02	.08		.30			.03	24
25			.04			.23	.21					.27	25
26							.11		.04			.08	26
27		.04				.13	.03		.02	.40		.10	27
28						.09	.05	.05	.62	.10			28
29						.09		.15			.29	.17	29
30	.04	☒				2.00	.04	.07			.04	.04	30
31		☒		☒		☒			☒	.15	☒	.10	31
													YEAR'S TOTAL
Total	2.79	2.05	1.76	.78	2.03	2.63	4.81	3.79	1.52	1.12	2.92	3.79	29.99
Rain Days.	17	13	13	5	7	7	18	14	8	9	8	23	142

W. 8,000. X. 14.

DL

237

FORM A2. BRITISH RAINFALL.

23 JAN 1912

REGI 11

CAMBRIDGE

CROXTON RECTORY.

1911

Kept at Croxton

in the County of Cambs

by Rev. A. T. Th

in.

ve Ground ft. in.

, Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·09			·03	·03					1
2	·09			·01	·05		·02	·03					2
3		·02		·01						·03			3
4	·05		·13		·12					·01			4
5	·01	·02		·20				·05					5
6	·25												6
7	·08												7
8	·14		·13										8
9	·17												9
10	·01	·05	·07	·10									10
11	·24	—	·01										11
12	·10		·38		·05				·03	·47			12
13			·15		·17				·27				13
14		·01	·09		·40					·04			14
15		·03	·14							·05			15
16						·07				·01			16
17						·03							17
18		·14				·17							18
19	·01				·01	·20	·01		·19	·06			19
20		·05	·03					·18	·12	·01			20
21		·04		·03		·01		·46		·28			21
22	·04												22
23			·33			1·10	·17		·33				23
24		·04	·03			·26				·29			24
25				·02		·21		·03					25
26			·03	·28						·13			26
27		·20	·13	·05		—			·17				27
28		·10		·21		·02							28
29					·01	·52	·10	·19	·22	·21			29
30										·07			30
31					·01								31
Total	1·19	·70	1·65	1·00	·82	2·59	·33	·97	1·33 1·33	1·66			TOTAL for year
No. of Rain Days	12	11	14	13	8	10	5	7	7	13			

9,000, IX. '10.

DL

437

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REG

11

Kept at Croxton Rectory
in the County of Cambs 2
by Rev. A. T. Thompson

Pattern
RAIN GAUGE
Diameter of top..........in.
Height of top above Ground..........ft. ....in.
" " " Sea Level..........ft.

Time of Observation..........

Nearest Railway Station
Name..........
Distance.......... Direction..........

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·09			·03	·03					1
2	·09			·01	·05		·02	·03					2
3		·02		·01						·03			3
4	·05		·13		·12					·01			4
5	·01	·02		·20				·05					5
6	·25												6
7	·08												7
8	·14		·13										8
9	·17												9
10	·01	·05	·07	·10									10
11	·24		·01										11
12	·10		·38		·05				·03	·47			12
13			·15		·17				·27				13
14		·01	·09		·40					·04			14
15		·03	·14							·05			15
16						·07				·01			16
17						·03							17
18		·14				·17							18
19	·01				·01	·20	·01		·19	·06			19
20		·05	·03					·18	·12	·01			20
21		·04		·03		·01		·46		·28			21
22	·04												22
23			·33			1·10	·17		·33				23
24		·04	·03			·26				·29			24
25				·02		·21		·03					25
26			·03	·28						·13			26
27		·20	·13	·05					·17				27
28		·10		·21		·02							28
29					·01	·52	·10	·19	·22	·21			29
30										·07			30
31					·01								31
Total	1·19	·70	1·65	1·00	·82	2·59	·33	·97	1·33· 1·33	1·66			TOTAL for year
No. of Rain Days	12	11	14	13	8	10	5	7	7	13			

9,000, IX. '10.

CAMBRIDGE

ELY.

"THE RED HOUSE"

1914—1915

FORM A.
BRITISH RAINFALL.
-1 FEB 1915

REGIST

.0·15 E

AM

Kept at The Red House

in the County of Cambs

Ely

5 in.

by Capt. J H M

ove Ground 1 ft. 6 in.

Sea Level 85 ft.

IMPORTANT NOTE.— the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·			·11	·21		·	·11		1
2				·			·34	·33			·04	·06	2
3			·15	·	·17		·08	·05			·1		3
4	·15		·01	·31				·03			·35	·11	4
5			·07	·03	·09	·	·14	·24					5
6		·09		·01	·08	·03	·04	·01			·21	·08	6
7		·03	·37	·02	·03	·02	·01				·01	·18	7
8	·24	·05	·27	·03	·26	·65		·15		·01			8
9	·76	·	·28	·01	·05	·75			·13			·61	9
10	·36	·06	·01	·06	·03				·11				10
11		·13	·27	·02	·05	·18					·34	·13	11
12	·snow	·01	·08			·01			·	·24	·03	·26	12
13	·	·11	·12			·11	·47		·27	·61	·08	·25	13
14	↑	·	·13	·			·2				·02	·49	14
15	·07	·	·21				·01	·01	·1		·11	·2	15
16			·02				·03		·04		·05	·	16
17		·23							·08	·01	·02	·03	17
18	·	·02	·01				·02			·		·35	18
19		·03	·18			·04	·				·19	·	19
20		·02	·37			·04			·04	·		·03	20
21	·03	·09	·27	·07		·14		·03		·01	·04	·09	21
22			·01	·	·22	·	·19	·19		·22		·02	22
23		·02	·06	·07	·05	·01	·01			·05		·	23
24			·				·04	·		·19	·14		24
25	·02	·03	·01		·01		·03	·		·4		·	25
26							·02	·72		·03	·05	·37	26
27	·01		·01				·	·01			·04	·11	27
28		·02								·11	·32	1·30	28
29	·01	~~·03~~	·03				·			·16			29
30	·	✕	·01							·03	·17	·07	30
31		✕		✕	·09	✕	·09		✕		✕	·08	31
Total	1·65	·94	2·95	·63	1·13	1·98	1·83	1·98	·77	2·07	2·42	4·82	YEAR'S TOTAL 23·17
Rain Days.	9	15	23	10	12	11	17	12	7	13	20	20	169

W. 8,000. X. 14.

REGIST

FORM A.
BRITISH RAINFALL.

1 FEB 1915

Kept at The Red House Ely
in the County of Cambs.
by Capt. J H Mander.

Lat. 52.20 Long. ·0·15 E
Time of Observation 9. AM
Nearest Railway Station Ely
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·			·11	·21		·	·11		1
2				·			·34	·33			·04	·06	2
3			·15	·	·17		·08	·05			·1		3
4	·15		·01	·31				·03			·35	·11	4
5			·07	·03	·09	·	·14	·24					5
6		·09		·01	·08	·03	·04	·01			·21	·08	6
7		·03	·37	·02	·03	·02	·01				·01	·18	7
8	·24	·05	·27	·03	·26	·65		·15		·01			8
9	·76	·	·28	·01	·05	·75			·13			·61	9
10	·36	·06	·01	·06	·03				·11				10
11		·13	·27	·02	·05	·18					·34	·13	11
12	[illegible]	·01	·08			·01			·	·24	·03	·26	12
13	·	·11	·12			·11	·47		·27	·61	·08	·25	13
14	↑	·	·13	·			·2				·02	·49	14
15	·07	·	·21			·	·01	·01	·1		·11	·2	15
16			·02				·03		·04		·05	·	16
17		·23							·08	·01	·02	·03	17
18	·	·02	·01				·02			·		·35	18
19		·03	·18			·04	·				·19	·	19
20		·02	·37			·04			·04	·		·03	20
21	·03	·09	·27	·07		·14		·03		·01	·04	·09	21
22			·01	·	·22	·	·19	·19		·22		·02	22
23		·02	·06	·07	·05	·01	·01			·05		·	23
24			·				·04	·		·19	·14		24
25	·02	·03	·01		·01		·03	·		·4		·	25
26							·02	·72		·03	·05	·37	26
27	·01		·01				·	·01			·04	·11	27
28		·02								·11	·32	1·30	28
29	·01	~~·03~~	·03				·			·16			29
30	·		·01							·03	·17	·07	30
31					·09		·09					·08	31
Total	1·65	·94	2·95	·63	1·13	1·98	1·83	1·98	·77	2·07	2·42	4·82	YEAR'S TOTAL 23·17
Rain Days.	9	15	23	10	12	11	17	12	7	13	20	20	169

W. 8,000. X. 14.

~~[illegible]~~ McC Cor. forwarded 1.3.16

1331

FORM A.
BRITISH RAINFALL.
17 JAN 1916

REGISTER OF RAINFALL IN 19~~16~~15

Kept at The Red House Ely

in the County of Cambs 2

by Captain J H Mander.

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Ely

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·16	·05						·05		·02	·14	1
2	·05	·13	·25	·03	·09	·02		·34	·23		·05		2
3	·19		·14	·08			·02	·66	·03		·03	·18	3
4	·19						·38					·51	4
5	·04	·04			·06			·02		·02	·02	·20	5
6	·13	·05	·06	·09	·09		·68	·03		·06		·03	6
7	·05	·23	·08	·01			·07	·19				·11	7
8	·01	·21	·05					·02					8
9	·01	·04				·03				·02	·18	·42	9
10	·28		·12			·04	·02	·02			·02	·05	10
11			·01		·06		·01				·44		11
12	·13			·21	·23			·06			1·55	·05	12
13	·02	·32			·99			·05					13
14		·14			·03		·29		·03			·28	14
15	·15	·01			·06			·73			·35 Snow	·06	15
16		·18					·49	·22					16
17	·03 Snow	·10					·16				·03		17
18		·07	·19 Snow								·06	·01	18
19	·01	·06	·02 Snow				·21			·05			19
20	·25											·34	20
21	·13			·01	·02		·06		·06				21
22	·53	·03	·24				·57				·03	·21	22
23		·16 Snow	·01	·01			·44		·24	·06		·18	23
24		·01 Snow	·06				·14		·16			·08	24
25			·04			·18	·16			·03		·09	25
26		·07				·22						·13	26
27		·01				·06	·25					·06	27
28		·07				·05	·02		·43	·54			28
29	·01				·01			·11		·21	·06	·14	29
30	·07	X					·08			·01			30
31	·04	X		X		X		·12	X	·09	X	·09	31
Total	2·60	2·09	1·32	·44	1·64	·60	4·05	2·5~~6~~7 2·57	1·23	1·09	2·84	3·36	YEAR'S TOTAL ~~23·82~~ 23·83
Rain Days.	21	20	14	7	10	7	18	13	8	10	13	21	162

W. 8,000. X. 15.

DL

5·III·12

245

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

RE

19 11

CAMBRIDGE.

ELY.

"THE PALACE"

1911 - 1917

Kept at Ely,

in the County of Cam

by Mr A. Sew

f top 5 in.

p above Ground 1 ft. in.

„ Sea Level ft.

ation { Name
Distance Direction

IMPORTANT NOT, and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04							·02					1
2	·21		·03		·06			·02		·03	·04	·09	2
3		·06		·06	·15	·03		·02		·05		·01	3
4	·04	·03	·09	·15	·02				·04	·03	·15	·21	4
5	·02	·02		·03				·05		·04	·03	·16	5
6	·30		·02	·01						·02		·26	6
7	·02			·04						·01	·17	·29	7
8	·22		·16						·22		·07	·02	8
9	·19		·02	·04							·01		9
10	·02	·05	·08								·03	·09	10
11	·22										·37		11
12	·10		·33		·89				·03		·20		12
13			·06		·02	·07			·28	·33	·02	·22	13
14		·04	·05		·56					·04		·35	14
15		·06	·42						·06	·01	·10	·01	15
16			·03			·29				·01	·31	·06	16
17											·03	·08	17
18		·10				·07					·73	·03	18
19		·02			·03	·48			·16	·03	·25		19
20	·03	·01						·13	·09	·02		·49	20
21		·10						·99	·05	·20		·18	21
22	·03		·16	·02		·05		·21		·12	·02	·41	22
23		·04	·09			·72	·03		·41			·16	23
24		·10	·03			·27	·01			·23		·14	24
25		·08	·03	·05		·16	·14	·15		·10	·02		25
26				·21		·01	·04	·03		·12	·06	·30	26
27		·24	·05	·08			·05		·15		·05	·05	27
28		·11		·21				·16		·01	·07	·03	28
29				·13		·60	·08		·31	·33		·01	29
30				·03	·02	·04			·09	·08			30
31										·01		·03	31
Total	1·44	1·06	1·65	1·09 1·06	1·75	2·79	·35	1·78	1·89	1·82	2·73	3·68	TOTAL for year 22·00
No. of Rain Days	13	15	16	13	8	12	6	10	12	21	20	24	170

9,000, IX. '10.

DL

II·12

R 1911

FORM A2. BRITISH RAINFALL.

23 JAN 1912

245

Kept at Ely, The Palace

in the County of Cambs 2

by Mr A Sewell

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04							·02					1
2	·21		·03		·06			·02		·03	·04	·09	2
3		·06		·06	·15	·03		·02		·05		·01	3
4	·04	·03	·09	·15	·02				·04	·03	·15	·21	4
5	·02	·02		·03				·05		·04	·03	·16	5
6	·30		·02	·01						·02		·26	6
7	·02			·04						·01	·17	·29	7
8	·22		·16						·22		·07	·02	8
9	·19		·02	·04							·01		9
10	·02	·05	·08								·03	·09	10
11	·22										·37		11
12	·10		·33		·89				·03		·20		12
13			·06		·02	·07			·28	·33	·02	·22	13
14		·04	·05		·56					·04		·35	14
15		·06	·42						·06	·01	·10	·01	15
16			·03			·29				·01	·31	·06	16
17											·03	·08	17
18		·10				·07					·73	·03	18
19		·02			·03	·48			·16	·03	·25		19
20	·03	·01						·13	·09	·02		·49	20
21		·10						·99	·05	·20		·18	21
22	·03		·16	·02		·05		·21		·12	·02	·41	22
23		·04	·09			·72	·03		·41			·16	23
24		·10	·03			·27	·01			·23		·14	24
25		·08	·03	·05		·16	·14	·15		·10	·02		25
26				·21		·01	·04	·03		·12	·06	·30	26
27		·24	·05	·08			·05		·15		·05	·05	27
28		·11		·21				·16		·01	·07	·03	28
29				·13		·60	·08		·31	·33		·01	29
30				·03	·02	·04			·09	·08			30
31										·01		·03	31
Total	1·44	1·06	1·65	1·09 1·06	1·75	2·79	·35	1·78	1·89	1·82	2·73	3·68	TOTAL for year 22·00
No. of Rain Days	13	15	16	13	8	12	6	10	12	21	20	24	170

9,000, IX. '10.

238

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Palace Garden, Ely

in the County of Cambridgeshire 2

by A. Sewell

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.02		.38	.04		.10	.01		.10	1
2		.02	.01	.02	.01	.01	.35			.02		.02	2
3	.15				.02	.40		.20	.03	.02		.12	3
4	.06		.45		.04	.19		.06			.40		4
5	.05	.15	.21			.02		.06			.04	.01	5
6	.41	.09			.03		.70	.46				.02	6
7	.03				.03	.52		.07				.01	7
8	.22	.14	.11				.06	.23	.07				8
9		.06	.02	.12		.03						.23	9
10		.01		.03		.14		.02	.25		.20	.01	10
11	.12	.04				.04			.12			.16	11
12		.05	.10		.01	.01					.26		12
13	.02	.02	.01			.08	.08				.47	.02	13
14	.02				.05	.04		.03	.04	.03	.04	.02	14
15		.02	.18		.20	.19		.05			.01	.05	15
16	.22		.06		.02	.14		.07		.05	.03		16
17	.37		.23			.16		.08				.10	17
18	.04		.08				.03	.11		.05	.04	.07	18
19	.18	.12	.13				.20	.35		.05	.03		19
20	.05	.02	.03		.07		.05	.23		.30			20
21	.02	.01	.40		.29			1.05		.13	.06		21
22	.23	.06	.01		.15		1.05	.21		.01		.05	22
23	.37	.63	.22		.06		.02	.85			.23	.08	23
24	.31	.02					.04	.21			.01	.05	24
25						.14		.96			.20	.28	25
26		.02	.02			.05	.13	2.46		.42	.22	.19	26
27					.03					.20		.23	27
28		.02		.03	.02		.07	.09	.01	.35	.10	.43	28
29						.18	.18	.16	.59	.12	.12		29
30	.04				.28	.02			.48	.18			30
31			.18		.05		.21	.19		.02		.03	31
Total	2.91	1.50	2.45	.22	1.36	2.74	3.21	8.20	1.69	1.96	2.46	2.28	TOTAL for year 30.98
No. of Rain Days.	19	18	18	5	17	19	15	23	9	16	17	22	198

W. 8,000, X. '11.

82

243

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Ely, The Palace

in the County of Cambridgeshire 2

by A. Sewell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.09	.08	.11					.52		.04	.02	1
2	.05	.14	.02		.18		.20		.10				2
3	.01		.21		.68				.07	.13		.02	3
4	.15	.02	.01		.02	.03	.04			.11	.05	.33	4
5	.05						.01		.02	.19	.02	.03	5
6		.03	.03		.33	.40			.01	.06			6
7		.04			.03					.57	.01		7
8			.02	.02	.35	.08				.07	.08		8
9		.26	.04	.02	.05	.13		.02	.04		.06	.02	9
10				.06			.02	.08			.29		10
11	.75			.47	.08	.03		.75			.26		11
12					.02						.09		12
13			.02					.09			.37		13
14	.05	.03	.09	.06			.02		.02	.24	.02	.01	14
15	.27		.13	.11			.14		.08				15
16	.10		.41	.14					.18		.03	.02	16
17	.15	.04	.09	.04		.47	.08					.06	17
18	.02		.06	.05			.04	.01				.02	18
19	.04		.17				.04	.02	.32			.02	19
20	.08		.12	.04					.33	.29			20
21	.02		.11	.02	.07		.10			.13	.19		21
22	.23		.08				.10	.03	.11				22
23			.02			.03	.10	.03	.10		.02		23
24	.05			.01		.06		.03					24
25	.02			.11		.03	.03					.04	25
26		.03	.10	.02						.60	.03	.10	26
27		.05	.02	.02		.10				.05			27
28	.11		.07	.05						.14		.04	28
29	.16		.11	.20	.16			.07		.02			29
30	.18			.15				.05		.06	.19	.04	30
31								1.09		.05			31
Total	2.52	.73	2.01	1.70	1.97	1.36	.92	2.27	1.90	2.71	1.75	.77	YEAR'S TOTAL 2061
Rain Days.	20	10	22	19	11	10	13	12	13	15	16	14	175

W. 7,500, XI. 12

DL

cod for auth

236

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Ely, The Palace
in the County of Cambridgeshire 2
by A. Sewell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·12	·21			·10	·01	1
2							·47	·31			·04	·09	2
3			·15	·30	·19		·11	·05			·07		3
4	·13		·02	·04				·04			·32	·12	4
5			·06	·03	·11		·14	·27			·01		5
6		·08		·02	·09	·04	·08	·02			·27	·09	6
7		·05	·38	·05	·04	·06						·19	7
8	·26	·06	·22	·02	·25	·66	·11	·16					8
9	·75	·02	·35	·07	·06	·68			·23			·62	9
10	·43	·09	·03	·03	·05				·11			·03	10
11		·11	·28		·06	·19			·03		·34	·13	11
12	·02	·02	·05				·60		·27		·03	·20	12
13	·02	·13	·17						·02	·25	·09	·32	13
14			·10				·22			·61	·09	·49	14
15	·05		·18			·01			·11		·04	·21	15
16	·03		·08				·04		·05		·04		16
17		·20							·09		·01	·03	17
18		·08	·03				·02				·02	·33	18
19		·04	·09			·04			·03		·19		19
20		·04	·39			·06			·02				20
21	·03	·11	·27			·20		·06		·04	·05	·10	21
22		·02	·03	·08	·24		·17	·18		·21		·02	22
23		·02	·06	·02	·06		·02			·06	·02	·02	23
24		·01	·01	·07		·02	·05			·20	·13		24
25		·05			·02		·04	·03		·42		·03	25
26			·02					·77		·03	·05	·35	26
27	·02		·03				·02				·04	·12	27
28		·03								·11	·33	1·20	28
29	·02		·02							·17	·01		29
30			·05							·03	·15	·06	30
31					·10		·09					·11	31
Total	1·76	1·16 1·16	3·07	·73	1·27	1·96	2·30	2·10	·96	2·13	2·44	4·87	YEAR'S TOTAL 24·75
Rain Days.	11	18	24	11	12	10	16	11	10	11	23	23	180

W.7,000, XI. 13

82

Cord pr auth. 1.3.16

1330
~~229~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Ely, The Palace

in the County of Cambridgeshire 2

by A. Sewell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25	·16	·04		·07				·04		·02	·13	1
2	·08	·13	·24	·04		·02		·35	·21		·06	·03	2
3	·20		·17	·12			·02	·65	·02		·03	·16	3
4	·20						·42				·02	·52	4
5	·04	·04			·12			·02		·07	·02	·20	5
6	·13	·06	·06	·09	·08		·68	·03		·02		·03	6
7	·06	·24	·06				·07	·20				·11	7
8	·02	·17	·06	·01			·03	·02					8
9	·01	·08				·04				·02	·17	·42	9
10	·28		·11			·06		·02			·02	·05	10
11	·01		·03		·08		03				·45		11
12	·14			·22	·22			·09		·02	1·35	·06	12
13	·03	·30			·98			·07					13
14		·14			·05		·33	·02	·02			·28	14
15	·15	·02			·06		·01	·60			·31	·06	15
16		·20					·48	·30					16
17	·02	·12					·16						17
18	·04	·07	·18							·04	·07		18
19		·06	·02				·21			·02			19
20	·25			·02		–				·01		·34	20
21	·10			–	·01		·06					·02	21
22	·55	·04	·24				·57		·06			·17	22
23	·01	·16	·01				·45		·27	·07	·02	·16	23
24		·03	·09			·02	·12		·17	·02		·09	24
25			·04			·16	·18			·05		·08	25
26		·07		·02			·02			·02		·16	26
27		·02				·18	·28		·02	·47		·03	27
28		·06				·08	·02	·02	·42	·26			28
29					·01	·06		·11			·05	·14	29
30	·07	✕				·62	·10		·02		·02		30
31	·05	✕		✕		✕	·02	·11	✕	·10	✕	·08	31
Total	2·69 2·[illegible]9	2·17	1·35	·52	1·68	1·24	4·26	2·61	1·25	1·19	2·61 2·31	3·32	YEAR'S TOTAL 24·89 24·89
Rain Days.	22	20	14	7	10	9	21	15	10	14	14	22	178

W. 8,000. X. 14.

5 made

1306

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Palace Gardens, Ely
in the County of Cambridge
by Arthur Sewell

Lat. .... Long. ....
Time of Observation 9.0, a.m.
Nearest Railway Station ½ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	+.02	.02	—	.02	.02	.03	—	—	—	.22	—	1
2	.42	—	.02	—	.21	—	.03	—	.03	.08	—	—	2
3	—	.08	—	—	—	.03	.03	—	.29	.11	.17	—	3
4	.26	.11	—	—	.03	.12	.08	—	.37	.03	.13	—	4
5	.02	.02	—	.01	.01	.22	.03	—	—	.10	.17	.03	5
6	—	.10	.14	.20	—	.03	.08	—	—	—	.22	—	6
7	.07	—	.15	—	.30	.02	.22	—	—	—	.21	.07	7
8	—	—	.06	—	.14	.02	—	—	—	—	.01	.20	8
9	—	—	—	—	.20	.03	—	—	—	—	—	.05	9
10	—	.02	.14	.05	—	.11	.16	—	.02	—	—	.14	10
11	.06	.32	.07	.19	.18	.19	—	—	.04	—	—	.04	11
12	.02	.04	—	.02	.40	.30	.06	.04	.02	.08	—	—	12
13	—	.29	.04	.02	.11	.10	.03	.02	—	—	—	—	13
14	—	.70	.03	.02	.09	.04	.05	—	—	—	—	.08	14
15	—	.22	.11	.02	—	—	.02	.09	.06	.05	—	.12	15
16	—	.04	.06	.16	.03	—	.09	.02	—	.04	—	—	16
17	.03	.04	—	.20	—	—	.18	—	.28	.33	—	—	17
18	.01	.17	.02	.07	—	—	—	.36	.12	~~.06~~	.37	—	18
19	.07	—	.04	.17	—	—	—	.12	.12	—	.53	.05	19
20	.10	—	.22	.05	—	—	—	.09	.02	—	.10	.26	20
21	.02	—	.38	—	—	—	.09	.02	—	—	—	.64	21
22	—	.14	.02	—	.09	.02	—	—	—	—	.02	.42	22
23	.03	.77	—	—	—	.09	.05	.02	—	—	.10	.16	23
24	—	.20	—	.02	—	.24	.01	.04	—	.15	.02	.18	24
25	—	.20	.12	—	—	—	—	.15	—	.03	.06	—	25
26	—	.08	.02	—	—	.05	—	.07	—	—	.02	—	26
27	.04	.36	.79	—	—	.09	—	.06	—	.11	—	—	27
28	—	.27	.56	—	—	—	—	—	.07	.02	.02	.13	28
29	—	.06	—	—	—	.08	—	1.15	—	.16	—	.02	29
30	—	×	—	—	—	.19	—	.27	—	.16	—	—	30
31	—	×	—	×		×	—	.05	×	.02	×	—	31
Total	1.18	4.25	3.01	1.20	1.81	1.98	1.24	2.57	1.44	1.53	2.37	2.59	YEAR'S TOTAL 2.518
Rain Days.	14	22	20	14	13	1.99 20	17	16	12	16	16	16	25.18 196

W. 8,000, VIII. 16

S. made ✓ 6 1247

FORM A. BRITISH RAINFALL. 3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Palace Garden. Ely
in the County of Cambridge.
by A. Sewell.

Lat. Long.
Time of Observation 9.0 A.M.
Nearest Railway Station Ely G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.—	.—	.—	.08	.—	.—	.—	1.08	.18	.—	.05	.—	1
2	.06	.—	.—	.25	.—	.—	.—	.16	.—	.04	.02	.—	2
3	.—	.02	.—	.03	.—	.10	.—	.33	.—	.09	.—	.—	3
4	.—	.23	.05	.—	.—	.—	.—	.03	.—	.76	.—	.—	4
5	.22	.05	.—	.10	.—	.—	.—	.01	.03	.—	.17	.—	5
6	.02	.—	.—	.—	.—	.10	.—	.—	.—	.04	.02	.—	6
7	.26	.—	.01	.—	.—	.25	.—	.—	.—	.35	.—	.02	7
8	.09	.—	.02	.21	.—	.—	.97	.08	.—	.23	.16	.02	8
9	.04	.—	.05	.03	.—	.—	.03	.31	.—	.—	.06	.08	9
10	.24	.—	.20	.06	.—	.—	.—	.12	.—	.04	.02	.—	10
11	.12	.—	.54	.11	.—	.—	.—	.—	.01	.22	.—	.—	11
12	.07	.—	.04	.05	.—	.—	.—	.05	.—	.36	.01	.02	12
13	.06	.—	.05	.03	.—	.04	.02	.13	.05	.06	.—	.—	13
14	.18	.—	.02	.02	.—	.—	.07	.02	.—	.—	.—	.02	14
15	.—	.—	.—	.—	.03	.—	.—	.23	.—	.02	.01	.03	15
16	.04	.05	.—	.17	.02	.39	.06	.—	.—	.66	.—	.10	16
17	.01	.03	.03	.—	.59	.39	.16	.03	.46	.23	.—	.—	17
18	.02	.02	.—	.06	.02	.08	.18	.07	.85	.—	.—	.—	18
19	.—	.06	.23	.02	.—	.04	.—	.—	.21	.—	.—	.—	19
20	.02	.24	.09	.—	.02	.—	.—	.—	.—	.—	.20	.—	20
21	.02	.03	.04	.—	.02	.02	.—	.—	.—	.—	.02	.—	21
22	.—	.—	.13	.—	.—	.—	.—	.04	.01	.13	.—	.—	22
23	.—	.04	.—	.—	.13	.—	.—	.13	.08	.—	.—	.05	23
24	.02	.03	.—	.—	.—	.17	.—	.03	.—	.13	.03	.02	24
25	.—	.01	.04	.—	.—	.—	.—	.—	.—	.—	.04	.06	25
26	.—	.—	.08	.—	.—	.02	.—	.23	.09	.—	.57	.07	26
27	.—	—	.03	.—	.—	.06	.02	.52	.—	.—	.—	.—	27
28	.—	.04	.16	.—	.02	.71	.—	.05	.—	.01	.—	.06	28
29	.—		.—	.—	.—	.39	.65	.02	.—	.18	.—	.10	29
30	.06	X	.—	.—	.—	.—	.13	.07	.—	.—	.—	.02	30
31		X	.11	X	.—	X	.30	.18	X	.—	X	.03	31
Total	1.56	.85	1.92	1.22	.85	2.46	2.53	3.96	1.97	3.55	1.38	.70	YEAR'S TOTAL 2.295
Rain Days.	18	13	19	14	8	14	11	23	10	17	14	15	176

2.65

V

W. 8,000, IX. 17.

FORM A2.
BRITISH RAINFALL.

13 MAY 1912

—

1214
CAMBS, FORDHAM
1911 – ~~12~~ 14

11

Kept at Fordha

in.

in the County of C

ve Ground / ft. in.

by William . & . B

Sea Level 30 ft.

AM

Name Fordham

Distance 1 mile Direction W

IMPORTANT N and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·1						·05	·04					1
2	·29				·04						·11		2
3										·05			3
4	·06	·04	·09	·16						·04	·14	·05	4
5	·03			·06				·04			·04	·10	5
6	·31			·05								·22	6
7	·02			·10							·14		7
8	·34		·21									·24	8
9												·05	9
10						·02					·03		10
11	·25	·06	·1			·08						·15	11
12	·15		·38		·25						·34		12
13			·1						·23	·35	·11		13
14		·02	·18		·42							·15	14
15			·29						·05	·03	·04	·28	15
16		·05	·04								·2		16
17						·59						·05	17
18						·45					·94	·06	18
19						·20					·22	·03	19
20		·07							·04	·02			2
21		·08						·89	·20	·19		·32	
22								·05		·07		·08	2
23		·09	·21						·24			·15	23
24						·85				·07		·30	24
25		·05	·05	·05		·25		·06		·08	·05	·06	25
26				·24			·07				·05	·16	26
27		·2	·05	·05					·14			·24	27
28		·09		·24				·09			·09	·05	28
29				·05			·02			·31		·02	29
30				·03	·02	·31			·49	·11			30
31										·04		·03	31
Total	1·55	·75	1·70	1·03 ~~·93~~	·73 ~~·71~~	2·75	·14	1·17	1·39	1·36	2·50	2·77	TOTAL for year 17.84
No. of Rain Days.	9	10	11	10	4	8	3	6	7	12	14	21	~~17·71~~ 115

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
13 MAY 1912

Kept at Fordham

in the County of Cambridgeshire 2

by William. &. Blooms

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground 1 ft. ______ in.
" " " Sea Level 30 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Fordham
Distance 1 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·1						·05	·04					1
2	·29				·04						·11		2
3										·05			3
4	·06	·04	·09	·16						·04	·14	·05	4
5	·03			·06				·04			·04	·10	5
6	·31			·05								·22	6
7	·02			·10							·14		7
8	·34		·21									·24	8
9												·05	9
10						·02					·03		10
11	·25	·06	·1			·08						·15	11
12	·15		·38		·25						·34		12
13			·1						·23	·35	·11		13
14		·02	·18		·42							·15	14
15			·29						·05	·03	·04	·28	15
16		·05	·04								·2		16
17						·59						·05	17
18						·45					·94	·06	18
19						·20					·22	·03	19
20		·07							·04	·02			2
21		·08						·89	·20	·19		·32	
22								·05		·07		·08	2
23		·09	·21						·24			·15	23
24						·85				·07		·30	24
25		·05	·05	·05		·25		·06		·08	·05	·06	25
26				·24			·07				·05	·16	26
27		·2	·05	·05					·14			·24	27
28		·09		·24				·09			·09	·05	28
29				·05			·02			·31		·02	29
30				·03	·02	·31			·49	·11			30
31										·04		·03	31
Total	1·55	·75	1·70	1·03 ~~·93~~	·73 ~~·71~~	2·75	·14	1·17	1·39	1·36	2·50	2·77	TOTAL for year 17·84
No. of Rain Days.	9	10	11	10	4	8	3	6	7	12	14	21	~~17·71~~ 115

W. 8,000, X. '11.

Ex 08

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

2 JAN 1913

Kept at Fordham

in the County of Cambridgeshire 2

by William E. Bloom

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Fordham

Diameter of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·03	·06		·12	·02		·07	·04		·12	1
2		·02					·21	·06				·02	2
3	·15				·03	·32			·02			·12	3
4		·09	·33		·04	·07		·15					4
5		·05	·21					·05		·31	·04		5
6	·29					·26		·20				·02	6
7					·02	·24	1·14	·12				·01	7
8	·17	·09	·07			·06		·11	·08			·03	8
9				·10		·20						·23	9
10	·07			·03				·03	·08				10
11									·08		·06	·10	11
12					·03	·03					·43		12
13			·15				·24				·21		13
14						·06		·05			·09	·04	14
15			·23		·18	·24		·07				·12	15
16	·15	·04	·03		·05	·07				·04			16
17			·15			·14		·10					17
18	·25		·07					·06		·05	·07		18
19	·08	·13	·12				·26	·40				·19	19
20			·12		·05			·31		·32			20
21			·42					·96		·10	·11		21
22	·33		·02		·17							·03	22
23	·55	·07	·25		·11	·03	·60	1·10			·24	·05	23
24	·25	·38				·06		·20				·10	24
25						·11		1·15			·21	·22	25
26						·03		2·38		·24	·26	·16	26
27							·12			·12		·23	27
28						·03	·09	·04		·38		·37	28
29								·35	·58		·10		29
30				·04	·52	·07		·03	·52	·60			30
31			·02		·14		·19	·17		·03		·03	31
Total	2·29	·87	2·22	·23	1·34	2·14	2·87	8·09	1·43	2·26	1·82	2·19	YEAR'S TOTAL 27·75
Rain Days.	10	8	15	4	11	18	9	22	7	11	11	19	145

W. 7,500, XI. 12

and for auth 27.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4- JAN 1914

Kept at Fordham

in the County of Cambridge

by William Dawser Bloom

2

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station Fordham 1 mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·12	·05	·06	·05								1
2		·14			·04		·10		·26		·06		2
3	·02		·07		·80				·16	·20		·02	3
4	·07				·05	·08	·02		·03	·09		·32	4
5	·03						·01			·29	·07	·02	5
6		·02	·07		·14	·15	·06		·02				6
7		·04			·08		·04			·64			7
8					·24	·15				·07	·08		8
9		·25	·05		·08	·18		·03	·01		·05	·03	9
10				·04							·18		10
11	·71			·36		·02		·50			·22		11
12											·18		12
13								·10			·41		13
14			·05	·04						·19	·05	·01	14
15	·20	·04	·19				·18		·19				15
16	·19		·29	·06			·02		·20		·04	·02	16
17	·09	·02	·07	·12		·24	·04					·03	17
18	·03			·06			·03						18
19	·03		·12				·05		·05			·05	19
20	·04		·05			·06			·32	·30			20
21	·02		·04	·03	·01		·14			·16	·21		21
22	·19		·05				·10		·10				22
23	·01					·04	·07	·12	·08		·02	·03	23
24	·02							·02					24
25				·10		·07						·02	25
26		·02	·10	·02	·10					·48		·10	26
27		·03	·03								·03		27
28	·12		·03	·02		·10				·14			28
29	·24		·11	·20	·20			·07		·11		·05	29
30	·19			·10				·12		·02	·19		30
31								·46		·11			31
Total	2·22	·68	1·37	1·21	1·79	1·09	·86	1·42	1·42	2·80	1·79 1·79	·70	YEAR'S TOTAL 17·35 17·35
Rain Days.	18	9	16	13	11	10	13	8	11	13	14	12	148

W.7,000, XI. 13

Ex LM4

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Fordham

in the County of Cambridge 2

by William Vawser Bloom

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Fordham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·13					1
2								·10			·10	·07	2
3					·15		·33	·03					3
4	·10		·18	·17	·02			·04			·25	·17	4
5			·15				·05	·54			·02		5
6		·07		·05			·03	·06			·03		6
7			·34		·05	·05					·04	·40	7
8	·31		·28	·05	·40	·58	·19	·06					8
9	·71		·44	·15	·05	·57			·05			·71	9
10	·44				·03							·05	10
11		·21	·08		·04	·21			·08		·09	·03	11
12						·01	·09		·37		·03	·15	12
13			·17							·21	·02	·16	13
14	·03		·09						·03	·43		·55	14
15		·08	·25				·29	·03	·12			·18	15
16			·08										16
17	·07		·03				·13					·05	17
18		·35	·04									·31	18
19		·05	·03			·25					·23		19
20			·37						·13				20
21	·02	·03	·33			·12		·01			·02		21
22					·31		·02	·08		·48	·03	·09	22
23		·15			·05					·05		·11	23
24										·07	·11	·09	24
25		·13								·38			25
26							·03	·09		·02	·07	·37	26
27										·15		·12	27
28				·10						·12	·31	1·35	28
29			·07							·18		·05	29
30		✕								·02	·09	·08	30
31		✕		✕	·09	✕	·03		✕		✕		31
Total	1·68	1·07	2·93	·52	1·19	1·79	1·19	1·17	·78	2·11	1·44	5·09	YEAR'S TOTAL 20·96 ✓
Rain Days.	7	8	16	5	10	7	10	11	6	11	15	20	126 ✓

W. 8,000. X. 14.

DL 214

REGIS

CAMBRIDGE.

FOXTON.

"THE BURY"

1911 - 1920

23 JAN 1912

FORM A2. BRITISH RAINFALL.

Kept at Foxton T

in the County of Cambs

by J. Gifford

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15			·02			·08	·01			·01	·02	1
2	·13			·01	·07			·02			·08	·05	2
3		·02	·02	·04	·09		·03			·23	·02	·01	3
4	·05	·05	·13	·12						·03	·07	·20	4
5				·03				·02		·04	·01	·25	5
6	·15	·01	·05	·02						·02		·24	6
7	·02		·02							·04	·26	·15	7
8	·19		·14								·11	·09	8
9	·17		·02	·05							·02		9
10	·02	·07	·05	·03							·04	·27	10
11	·36				·06			·02		·01	·41	·02	11
12	·06		·39							·05	·20	·02	12
13			·03		·14				·26	·67	·02	·20	13
14			·05		1·15	·17						·36	14
15		·04	·22						·02	·05	·08	·02	15
16		·01	·05			·34				·02	·18	·03	16
17			·01			·14				·02	·04	·10	17
18		·20				·02					·63	·05	18
19	·01	·03			·04	·54			·03	·11	·35	·02	19
20		·01	·01					·51		·02		·41	20
21		·11				·02		·14	·21	·31	·02	·10	21
22	·12	·02	·21			·06		·03		·07	·02	·38	22
23	·02	·05	·13			·85			·26			·07	23
24	·01	·04	·03			·15				·37		·12	24
25		·04				·25	·19	·21				·01	25
26			·04	·21		·04	·05	·02		·10	·03	·17	26
27		·16	·07	·04					·15		·03	·02	27
28	·01	·13		·21	·09			·12				·03	28
29				·10		·18	·12		·23	·19	·05		29
30			·01			·02				·11		·02	30
31					·04					·06		·02	31
Total	1·47	·99	1·68	·88	1·68	2·78	·47	1·10	1·16	2·52	2·68	3·45	TOTAL for year 20·86
No. of Rain Days	15	16	20	12	8	13	5	10	8	20	22	29	178

9,000, IX. '10.

Dl

214

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGIS

Kept at Foxton The Bury

in the County of Cambs 2

by J. Gifford

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15			·02			·08	·01			·01	·02	1
2	·13			·01	·07			·02			·08	·05	2
3		·02	·02	·04	·09		·03			·23	·02	·01	3
4	·05	·05	·13	·12						·03	·07	·20	4
5				·03				·02		·04	·01	·25	5
6	·15	·01	·05	·02						·02		·24	6
7	·02		·02							·04	·26	·15	7
8	·19		·14								·11	·09	8
9	·17		·02	·05							·02		9
10	·02	·07	·05	·03							·04	·27	10
11	·36				·06			·02		·01	·41	·02	11
12	·06		·39							·05	·20	·02	12
13			·03		·14				·26	·67	·02	·20	13
14			·05		1·15	·17						·36	14
15		·04	·22						·02	·05	·08	·02	15
16		·01	·05			·34				·02	·18	·03	16
17			·01			·14				·02	·04	·10	17
18		·20				·02					·63	·05	18
19	·01	·03			·04	·54			·03	·11	·35	·02	19
20		·01	·01					·51		·02		·41	20
21		·11				·02		·14	·21	·31	·02	·10	21
22	·12	·02	·21			·06		·03		·07	·02	·38	22
23	·02	·05	·13			·85			·26			·07	23
24	·01	·04	·03			·15				·37		·12	24
25		·04				·25	·19	·21				·01	25
26			·04	·21		·04	·05	·02		·10	·03	·17	26
27		·16	·07	·04					·15		·03	·02	27
28	·01	·13		·21	·09			·12				·03	28
29				·10		·18	·12		·23	·19	·05		29
30			·01			·02				·11		·02	30
31					·04					·06		·02	31
Total	1·47	·99	1·68	·88	1·68	2·78	·47	1·10	1·16	2·52	2·68	3·45	TOTAL for year 20·86
No. of Rain Days	15	16	20	12	8	13	5	10	8	20	22	29	178

9,000, IX. '10.

Ex J.C. 214

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Foxton, The Bury.

in the County of Cambridgeshire 2

by J. Gifford

RAIN GAUGE { Pattern
Diameter of top ..... in.
Height of top above Ground ..... ft. ..... in.
" " " Sea Level ..... ft.

Time of Observation

Nearest Railway Station { Name
Distance ..... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02		·06	·04	·01	·10	·29		·11	1
2				·03		·03	·36		·02			·02	2
3	·11	·03			·18	·09	·02	·26		·02		·11	3
4	·08		·47		·07	·24	·02	·01	·01		·22	·01	4
5	·08	·09	·32		·01			·13	·03		·07		5
6	·19	·04			·01	·55	·21	·10				·03	6
7	·03		·01			1·20	·08	·10			·01	·02	7
8	·24	·21	·10			·04		·14	·19			·02	8
9	·01	·03	·01	·10		·93	·03	·01		·02		·20	9
10		·02				·02		·34		·02	·10	·03	10
11	·10	·12	·01			·04		·08	·12		·02	·04	11
12	·12	·03	·04		·06	·05		·01	·01	·01	·03		12
13	·02	·01	·01			·02	·03	·02			·25	·04	13
14					·04	·03		·06		·02		·01	14
15		·02	·12		·21	·18		·04				·11	15
16	·29		·04		·08	·08		·05		·02	·08		16
17	·60		·16			·17		·05				·05	17
18	·03		·13					·13		·03	·07	·12	18
19	·11	·09	·20				·19	·69			·03		19
20	·03	·02	·09				·02	·22		·31	·01		20
21	·02	·01	·38		·42			·67		·24	·05		21
22	·61	·05			·13		·03	·23	·01		·01	·03	22
23	·57	·36	·23		·01		·03	·60	·02	·02	·24	·07	23
24	·25	·01	·01				·07	·17				·07	24
25	·01					·09		·67		·02	·23	·35	25
26		·02				·02	·13	·89		·33	·26	·32	26
27								·02		·11	·02	·14	27
28		·03		·02			·02	·02	·07	·25	·14	·27	28
29				·02		·12	·15	·32	·89	·17		·02	29
30	·02				·14	·02		·02	·50	·10			30
31			·05		·02		·13	·24		·07		·04	31
Total	3·52	1·19	2·38	·19	1·38	3·98	1·56	6·30	1·97	2·05	1·84	2·23	TOTAL for year 28·59
No. of Rain Days.	21	18	18	5	13	20	17	30	12	18	18	24	214

W. 8,000, X. '11.

8l

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 219

27 JAN 1914

Kept at Foxton, The Bury

in the County of Cambridgeshire 2

by J. Gifford

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·10	·05	·22	·01				·53		·03		1
2	·05	·10			·02		·14		·16		·01		2
3	·02		·13	·02	·64				·02			·05	3
4	·07				·06		·10			·13	·04	·25	4
5	·06		·02				·04			·49	·02	·01	5
6		·03	·05		·13	·25	·24			·06			6
7		·09			·03		·10	·10		·31	·02		7
8		·01	·05	·03	·17	·21				·02	·06		8
9		·21	·05	·02	·02	·10			·04		·03	·04	9
10	·02		·03	·03			·06				·31		10
11	·78			·40					·01	·06	·20		11
12		·02			·08			·03			·08		12
13	·02	·01							·02		·47		13
14	·04	·02	·09	·02			·67	·03		·25	·05		14
15	·12		·24	·09			·15		·02	·01	·01		15
16	·04	·02	·21	·08					·11		·01		16
17	·06		·10	·08		·55	·05 }				·03	·11	17
18			·07	·06			}		·01		·03		18
19	·09		·05			·02			·47			·08	19
20	·05		·05						·04	·26		·01	20
21	·01		·07	·02	·04		·07			·13	·23		21
22	·28	·01	·08					·10	·11	·01			22
23	·01							·14				·06	23
24	·02							·03			·02		24
25		·02		·16			·05					·03	25
26		·02	·19	·04		}		·03		·74		·16	26
27		·04	·03	·05		·09 }				·05	·02		27
28	·20		·10	·03	·20				·01	·09			28
29	·12		·09	·16	·35			·09	·01	·02	·01	·02	29
30	·19			·12				·05		·12	·15	·04	30
31								·57		·05			31
Total	2·29	·70	1·75	1·63	1·75	1·22	1·67 ✓	1·17 ✓	1·56	2·80	1·83	·86	YEAR'S TOTAL 19·23
Rain Days.	21	14	20	18	12	7	12	10	14	17	21	12	178

W. 7,500, XI. 12

81

Ex ML

212

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Foxton, The Bury

in the County of Cambridgeshire 2

by J. Gifford

Lat. Long.

Time of Observation

Nearest Railway Station —

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01				·12	·21		·02	·06		1
2				·04			·03	·16			·14	·09	2
3	·02		·17		·09		·35	·12			·09		3
4	·13		·03	·09	·01		·01	·06			·41	·17	4
5			·02	·17	·05	·03	·19	·24				·01	5
6		·07			·02	·07	·02	·04			·22	·05	6
7		·07	·27	·07	·38	·42	·03					·28	7
8	·09	·06	·48	·03	·06	·60	·02	·10					8
9	·49		·43	·20	·02	·46		·01				}	9
10	·29	·10	·02	·07	·05				·05			·83}	10
11		·08	·22	·01	·05	·14			·04		·29	·16	11
12	·02	·03	·09			·01			·51	·02	·05	}	12
13		·15	·10						·02	·30		·44}	13
14		·01	·20				·21			·35	·07	·67	14
15	·06	·01	·22					·03					15
16			·11				·06				·08	·09	16
17		·25	·02						·06			·02	17
18		·02	·02									·23	18
19		·06	·12				·48				·17		19
20		·08	·31			·08			·06			·10	20
21		·28	·09			·22				·02		·13	21
22		·01	·02	·02	·30		·05	·05		·33			22
23		·04	·05		·07	·01				·12	·03	·06	23
24	·01	·01		·09		·02	·21	·01		·13	·14	}	24
25	·02		·11				·06	·06		·25			25
26			·04				·01	·10		·03	·06		26
27	·03												27
28		·02			·01					·11	·49	2·30}	28
29			·03							·26	·07		29
30			·04							·03	·18	}	30
31					·16		·06					·40}	31
Total	1·16	1·35	3·22	·79	1·27	2·06	1·91	1·19	·74	1·97	2·55	6·03	YEAR'S TOTAL 2424
Rain Days.	10	18	25	10	13	11	16	13	6	13	16	(24)	(175)

W.7,000, XI. 13

[illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
10 [illegible] 1917

Kept at Foxton Bury
in the County of Cambs
by James Gifford

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Foxton
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·14	·	·18	·05					·23		1
2	·24		·08		·29	·02			·02	·32			2
3		·25	·03		·01	·02	·02		·19	·16	·12		3
4	·20	·09				·14	·01		·26	·28	·20		4
5	·02	·01				·07	·21		·01		·27	·03	5
6		·09	·24	·25		·09	·05			·12	·29		6
7	·09	·01	·15	·01	·13	·04	·24			·08	·43	·04	7
8			·05		·24	·02						·14	8
9	·02				·14	·01				·02		·07	9
10		·04	·18	·08	·01	·16	·09		·01			·06	10
11	·04	·21	·06	·17	·06	·14							11
12	·07			·01	·52	·25	·07	·07		×			12
13		·43	·10		·21	·13	·16	·03		×			13
14		·63	·03	·11	·05	·02	·01	·22				·22	14
15		·39	·29		·02		·07	·32	·02				15
16		·04	·08	·24	·06		·12	·08		×			16
17	·05	·07		·11			·09	·01	·23	×			17
18		·12	·03	·09				·17	·17		×		18
19	·01	·03	·11	·22					·12		1·24 ×		19
20	·13		·24	·03				·07			·05	·36	20
21	·02		·60	·02			·60				·01	·25	21
22		·08	·02		·17	·02						·47	22
23		·72				·07	·02			×	·03	·10	23
24		·05				·12		·09		×	·03	·35	24
25		·17	·13		·03	·02		·15		·80 ×		·02	25
26		·10	·04			·07		·11		·04			26
27	·08	·25	·94			·06		·08	·03	·17			27
28		·29	·30			·12			·13		·02	·11	28
29		·12				·09		1·46		·19			29
30		✕			·36	·04		·19		·39		·04	30
31	·01	✕		✕		✕		·03	✕	·05	✕		31
Total	1·00 1·10	4·19	3·84	1·34	2·48	1·77	1·76	3·08	1·19	2·62	2·92	2·26	YEAR'S TOTAL 28·45 28·55
Rain Days.	14	22	21	12	16	23	14	15	11	(18)	13	14	(193)

W. 8,000, VIII. 16

Foxton Bury
Royston.
Jan. 8th. 1917.

Dear Sir,

Enclosed are Returns of Rainfall for the Year 1916.

We were away from home Oct 11th. to Oct. 25th. & the house was closed. ·80 is the amount of Rainfall in that time.

On Nov. 18th. & 19th. I was called away 1·24 is the amount for the two days.

Yours faithfully
James Gifford

Dr. H. R. Mill.

1219

FORM A.
BRITISH RAINFALL
8. JAN 191

REGISTER OF RAINFALL IN 1917

Kept at Foxton Bury
in the County of Cambs
by James Gifford

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Foxton
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04		·07				·90	·25		·27	·02	1
2	·04	·01		·23		·02		·18	·01		·06		2
3				·02				·27		·22	·08		3
4		·06						·02		·72			4
5	·13			·15				·04	·03	·06	·03		5
6				·01		·08		·01	·04				6
7	·19		·01				·03			·34		·02	7
8	·09			·06			1·42	·10		·17	·10	·09	8
9	·09		·06	·02			·01	·23			·16	·12	9
10	·21		·10	·16				·07		·02			10
11	·05	·02	·52	·06						·18			11
12	·06		·04		·06			·10		·25	·02		12
13	·16		·05			·10	·02	·03	·03	·06		·02	13
14	·01		·01	·18				·07					14
15								·27		·03			15
16	·04	·08		·15	·08	·04	·04			·57		·11	16
17	·01			·13	·91		·20	·03	·32	·28			17
18	·06			·11		·10	·32	·04	·47				18
19	·01	·11	·14	·01	·38	·04			·21				19
20		·17	·05		·44		·02				·15		20
21	·03	·03	·06									·05	21
22			·05					·05		·14			22
23		·09			·14			·09	·03				23
24						·20		·09		·08			24
25	·02	·01	·09										25
26			·09			·02		·19	·05	·04	·55	·10	26
27			·04			·05	·01	·48					27
28		·04	·06			1·02		·07				·11	28
29						·73	1·40	·07		·23		·16	29
30	·02	✗	·08				·67	·07				·02	30
31	·02	✗	·28	✗		✗	·37	·12	✗		✗		31
Total	1·24	·66	1·73	1·36	2·01	2·40	4·51	3·59	1·44	3·39	1·42	·82	YEAR'S TOTAL 24·57
Rain Days.	18	11	17	14	6	11	12	24	10	16	10	11	160

W. 8,000, IX. 17.

[illegible]

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

8 . 1 . 19

6

Kept at Foxton Bury

in the County of Cambs

by James Gifford

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Foxton

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·01								·01	·05	·06	1
2	·01	·08		·17				·03		·01	·01	·11	2
3		·04	·12		·36				·09		·62		3
4		·01	·04					·03	·42	·02	·24		4
5					·18			·05	·15	·07			5
6	·05	·08		·12	·02				·48				6
7	·18	·09		·07		·04			·07	·07	·09		7
8						·01			·22		·08		8
9	·04	·03		·03			·18		·28	·21			9
10	·10			·03			·12		·08			·30	10
11					·12		·11		·10	·28	·04		11
12		·12			·21		·09		·17	·02		·05	12
13		·08			·42		·02		·03			·13	13
14	·12					·15	·03		·26	·27			14
15	·94			1·59			·36		·06			·07	15
16	·22			·42					·77				16
17	·12			·19			·36					·06	17
18	·39					·10	·27		·50			·32	18
19			·14	·03		·06	·22						19
20	·02	·11		·20			·06		·05	·16		·01	20
21	·05			·07		·02			·70				21
22					·01		·03		·05			·27	22
23	·05				·61		·12	·02	·07	·10	·03	·03	23
24		·15		·02	·02	·04			·11		·05		24
25						·04	·03	·29			·06		25
26							·07	·04		·08	·09	·09	26
27				·23			·08	·18	·08		·10	·01	27
28	·02	·09	·07			·04		·04			·20	·08	28
29									1·51			·06	29
30		×	·38						·05		·15	·24	30
31	·01	×	·07	×		×		·05	×	·04	×	·11	31
Total	2·37	·89	·82	3·17	1·95	·50	2·15	·73	6·30	1·34	1·81	2·00	YEAR'S TOTAL 24·03
Rain Days.	16	12	6	13	9	9	16	9	23	14	14	17	158

W. 8,000, IX. 17.

1154

E+R

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

13 JAN 20

Kept at Foxton Bury

in the County of Cambs

by James Gifford

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Foxton
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	·03			·04	·05	·28			·05		·88	1
2	·18		·02		·05		·12		·25	·03	·20	·65	2
3	·22		·25				·05		·06		·12	·12	3
4	·07		·23			·06	·09	·08				·10	4
5	·02	·25	·24				·48		·10			·13	5
6			·10										6
7	·02		·27								·18		7
8	·07		·04	·12	·03						·13		8
9			·04	·14							·08		9
10	·02		·13	·07							+	·03	10
11	·05		·06	·11			·52				+	·03	11
12			·09			·04	·07			·05	Not Registered till 17th		12
13	·09			·16								·02	13
14	·13	·02		·17			·02		·09	·04			14
15	·23	·01	·04	·10								·09	15
16	·02	·65						·05					16
17		·90		·03							+ ·40	·05	17
18		·11	·04					·13	·04		·02	·06	18
19		·06	·27			·18	·17	·26	·07		·03		19
20	·09	·02	·02			·61	·40	·31				·04	20
21	·45	·24	·01				·60		·01		·03	·10	21
22		·22					·11		·13		·03	·35	22
23							·11	·03	·05				23
24				·21	·02	·19	·02				·03	·02	24
25	·09	·02			·12	·04		·16				·07	25
26	·16	·32	·19					·15	·11			·22	26
27	1·01	·10	·07	·90				·18			·02		27
28		·01	·02	·10				·83		·21	·08	·25	28
29	·04			·06			·02	·11		·08		·05	29
30	·01	╳		·28		·24		·03		·04	·18	·11	30
31	·01	╳		╳		╳			╳		╳	·03	31
TOTAL	3·20	2·96	2·13	2·45	·26	1·41	3·06	2·32	·91	·50	1·53	3·40	YEAR'S TOTAL 24·13
Days with ·01 in. or more	21	15	19	13	5	8	15	12	10	7	(17)	21	163

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ese Dh

1096

11 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Foxton Bury
in the County of Cambs.
by James Gifford

Lat. Long.
Time of Observation
Nearest Railway Station Foxton
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·72	·03		·11	·04		·38		·10	1
2				·07			·02	·10	·09	·03		·03	2
3		·02		·19			·06			·02			3
4			·02	·15	·01	·04	·12	·08	·02	·01		·09	4
5			·04	·01	·06		·58	·05	·14				5
6			·10		·11		·38	·03				·08	6
7				·03			·11						7
8	·19			·39			·06	·08				·01	8
9	·31		·03	·33				·04					9
10	·09		·09	·02			·04				·01	·03	10
11	·32		·02	·42			·07					·09	11
12	·11		·03	·05		·05						·03	12
13	·02		·04			·05							13
14	·02	·05	·16	·19		·03	·10		·08	·03	·12		14
15			·28	·06					·13		·04	·05	15
16				·02	·04				·25		·07	·01	16
17	·05		·04		·06		·03		·18				17
18	·09					·03		·27	·08			·04	18
19	·11	·02		·07				·02					19
20	·08	·10		·34		·71			·02				20
21		·02		·07			·51	·08	·38			·03	21
22	·01			·13			·01		·19			·21	22
23		·01					·30					·24	23
24			·10									·02	24
25	·02	·04	·03		·44				·02				25
26	·07		·06	·12		·02	·29 }						26
27	·15	·07		·14		·27					·10	·04	27
28	·38		·38 }		·23		·04				·02	·02	28
29	·03		·02		·29		·10				·05	·32	29
30	·04			·01	·03	·08	·07		·19	·07	·06	·16	30
31			·04							·17		·04	31
Total	2·11	·33	1·48	3·53	1·30	1·28	3·00	·79	1·77	·71	·47	1·64	Year's total 18·41
Days with ·01 in. or more	19	8	18	21	10	9	20	10	13	7	8	20	163
Days with ·04 in. or more	13	4	12	16	7	6	17	8	10	3	6	12	114

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CAMBRIDGE.

FOWLMERE.

1915 – 1920

REGIST

5

FORM A.
BRITISH RAINFALL.
6. JAN 1916

0°4' E

Kept at Fowlmere

AM

Foxton G. N. R

in the County of Camb

5 in.

by Harold F. Smith

ove Ground 1 ft. in.

Sea Level 65 — 90 ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·11	·03	—	—	—	—	—	·05	—	·03	·16	1
2	·10	·08	·18	·08	·06	·01	—	·26	—	·02	—	·01	2
3	·21	—	·07	·17	—	—	·01	·82	—	—	—	·19	3
4	·14	—	—	—	—	—	—	·04	—	·04	·02	·53 }	4
5	·01	·18	—	—	·05	—	—	·01	—	·04	·01		5
6	·20	—	·02	·19	—	—	·61	·02	—	·01	—	·01	6
7	·05	·25	·03	—	—	—	·29	·04	—	—	—	·15	7
8	—	} ·23	—	·01	—	—	—	·01	—	—	—	—	8
9	—		—	·02	—	—	—	·02	—	03	·16	·44	9
10	·21	—	·02	—	—	—	·01	·08	—	—	—	·06	10
11	—	—	·01	—	·01	—	—	—	—	—	·77	—	11
12	·08	—	·01	·33	·27	—	—	·54	—	·04	·59	·035	12
13	·02	·40	—	—	1·20	—	—	—	—	—	—	—	13
14	—	·02	—	—	—	—	37	·05	·04	—	—	·21	14
15	·10	—	—	—	—	—	·03	·23	—	—	·225	·04	15
16	—	·15	—	—	·01	—	·33	·60	—	·13	—	—	16
17	·01	·21	—	—	·14	—	·12	·16	—	—	—	—	17
18	·01	·09	} ·18	—	—	—	—	—	—	—	·08	—	18
19	—	·01		—	—	—	·09	—	—	·01	—	—	19
20	·28	—	—	·08	·01	—	—	—	—	·01	—	·29	20
21	145	—	—	—	—	—	·01	—	—	—	—	—	21
22	·82	—	·39	—	—	—	·42	—	—	—	—	·21	22
23	·01	·10	·09	—	—	·02	·06	—	·20	·15	—	·18	23
24	—	·01	} ·11	—	—	·02	·01	—	·22	·02	—	·06	24
25	—	—		·01	—	·12	·01	—	—	·07	—	·01	25
26	·	04	—	—	—	·02	·01	—	—	—	—	·16	26
27	—	—	—	—	—	·05	·18	—	—	·30	—	·07	27
28	—	·04	—	—	—	·07	·07	·03	·68	·08	—	—	28
29	—	—	—	—	—	·82	·03	·16	—	—	—	·09	29
30	—	✕	—	—	—	·49	—	—	—	—	·02	·07	30
31	—	✕	—	✕	—	✕	—	·03	✕	·27	✕	·10	31
Total	2·67	1·92	1·14	·89	1·75	1·56	2·60	3·10	1·19	1·16	1·90	2·95	YEAR'S TOTAL 22·83
Rain Days.	17	16	14	8	8	9	18	17	5	15	9	22	158

W. 8,000. X. 14.

26

Shepreth

REGIST 5

FORM A.
BRITISH RAINFALL.
6. JAN. 1916

Kept at Fowlmere

in the County of Cambridge

by Harold J. Smith

Lat. Long. 0°4′ E

Time of Observation 9 AM

Nearest Railway Station Foxton G. N R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 65 – 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·11	·03	—	—	—	—	—	·05	—	·03	·16	1
2	·10	·08	·18	·08	·06	·01	—	·26	—	·02	—	·01	2
3	·21	—	·07	·17	—	—	·01	·82	—	—	—	·19	3
4	·14	—	—	—	—	—	—	·04	—	·04	·02	·53}	4
5	·01	·18	—	—	·05	—	—	·01	—	·04	·01		5
6	·20	—	·02	·19	—	—	·61	·02	—	·01	—	·01	6
7	·05	·25	·03	—	—	—	·29	·04	—	—	—	·15	7
8	—	}·23	—	·01	—	—	—	·01	—	—	—	—	8
9	—		—	·02	—	—	—	·02	—	03	·16	·44	9
10	·21	—	·02	—	—	—	·01	·08	—	—	—	·06	10
11	—	—	·01	—	·01	—	—	—	—	—	·77	—	11
12	·08	—	·01	·33	·27	—	—	·54	—	·04	·59	·03S	12
13	·02	·40	—	—	1·20	—	—	—	—	—	—	—	13
14	—	·02	—	—	—	—	37	·05	·04	—	—	·21	14
15	·10	—	—	—	—	—	·03	·23	—	—	·22S	·04	15
16	—	·15	—	—	·01	—	·33	·60	—	·13	—	—	16
17	·01	·21	—	—	·14	—	·12	·16	—	—	—	—	17
18	·01	·09	}·18	—	—	—	—	—	—	—	·08	—	18
19	—	·01		—	—	—	·09	—	—	·01	—	—	19
20	·28	—	—	·08	·01	—	—	—	—	·01	—	·29	20
21	1·45	—	—	—	—	—	·01	—	—	—	—	—	21
22	·82	—	·39	—	—	—	·42	—	—	—	—	·21	22
23	·01	·10	·09	—	—	·02	·06	—	·20	·15	—	·18	23
24	—	·01	}·11	—	—	·02	·01	—	·22	·02	—	·06	24
25	—	—		·01	—	·12	·01	—	—	·01	—	·01	25
26	·	·04	—	—	—	·02	·01	—	—	—	—	·16	26
27	—	—	—	—	—	·05	·18	—	—	·30	—	·01	27
28	—	·04	—	—	—	·01	·01	·03	·68	·08	—	—	28
29	—	—	—	—	—	·82	·03	·16	—	—	—	·09	29
30	—	✕	—	—	—	·49	—	—	—	—	·02	·01	30
31	—	✕	—	✕	—	✕	—	·03	✕	·27	✕	·10	31
Total	2·67	1·92	1·14	·89	1·75	1·56	2·60	3·18	1·19	1·16	1·90	2·95	YEAR'S TOTAL 22·83
Rain Days.	17	16	14	8	8	9	18	17	5	15	9	22	158

W. 8,000. X. 14.

✓

REGISTER OF ~~[illegible]~~ RAINFALL IN 19 16 ~~17~~

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Fowlmere

in the County of Cambridge

by Harold F. Smith.

Lat. 52° 6′ Long. 0° 4′ E

Time of Observation 9 AM

Nearest Railway Station Foxton G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	} ·18		·17						·18		1
2	·25	–			·25				·01		-		2
3	–	·25	·03		·01	·01			·18	43 }	·16		3
4	·18	·10				·17			·23		·19		4
5	·01	–	·02 S	·01		·09	·10			·19	·28	·02	5
6	–	·06	·17 S	·24		·05				·10	·32		6
7	·07		·13 S		·08	·02	·16			·21	·38	·03	7
8	~		·01 S		·26	·03						·20	8
9	–		·01 S		·10	·01						·06	9
10	–		·16 S	·04		·20	02		·01			·02	10
11	·03	·19	·03 S	·16	·05	·10						·02	11
12	·04				·38	·22	·07	·05		·25			12
13	–	·40	·07	·01	·32	·09	·13	·03		·04			13
14	–	·41 S	·03	·09	·05	·01		·27				·13 S	14
15	–	·28	·25		·03			·29				·03	15
16	–	·02	·06	·17			·12	·09		·08			16
17	·03	·05		·07			·07		·21	·20		·01	17
18	–	·10	·02	·07				·13	·13	·02	·58 S		18
19	·01	·01	·09	·20				·~~[illegible]~~	·14		·58	·05 S	19
20	·10		·22	·03				·01			·03	·23	20
21	·01		·66				·25				·01	·42	21
22	–	·09 S	·01		·16					·01	–	·47	22
23	–	·71 S									·03	·08	23
24	–	·04 S	·01			·02		·05		·07	–	·34	24
25	–	·11 S	·16		·01	·10		·09			·02	·01	25
26	–	·14 S	·02		·02	·04		·08		·09	·03		26
27	·06	·18 S	·64 S			·02		·02		·37			27
28	–	·25 S	·30 S			·01		–				·11	28
29	–	·11	-			·05		1·23	·14	·15		·03	29
30	–	X	-		·61	·02		·17		·29			30
31	–	X	~	X		X		·02	X	·05	X		31
Total	·80	3·50	3·28	1·09	2·50 ~~2·48~~	1·26	·92	2·63	·1·05	2·55 ~~2·35~~	2·79	2·26	YEAR'S TOTAL 24·53 ~~24·31~~
Rain Days.	12	19	24	11	15	19	8	14	8	17	13	18	178

W. 8,000, VIII. 16

[illegible]

1218

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

5 JAN 1918

Kept at Fowlmere

in the County of Cambridge

by Harold F. Smith.

Lat. 52°6" Long. 0°4' E

Time of Observation 9 AM - Greenwich winter Summer time

Nearest Railway Station Foxton GNR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 65 – 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01S	—	·10	—	—	—	·92	·20	—	·30	—	1
2	·03	·02S	—	·17	—	·02	—	·11	—	—	·05	—	2
3	·02	—	—	·01	—	—	—	·31	—	·18	·11	—	3
4	—	·06S	—	—	—	—	—	·05	—	·65	—	—	4
5	·15	—	—	—	—	—	—	·02	·03	·04	·04	—	5
6	—	—	—	·14S	—	·02	—	—	·03	·01	·02	—	6
7	·16	—	—	—	—	—	·02	—	—	·32	—	—	7
8	·07	—	—	·06S	—	—	1·14	·09	—	·20	·06	·08	8
9	·05S	—	·09S	·13S	—	—	·01	·19	—	—	·12	·10	9
10	·17S	—	·12	·04S	—	—	—	·04	—	·01	—	—	10
11	·03	—	·44	·05S	—	—	—	—	—	·15	—	—	11
12	·04	—	·01	—	—	—	—	·09	—	·22	—	—	12
13	·09S	—	·01	—	·03	·03	—	·01	·01	·04	—	—	13
14	·01S	—	—	·03	—	—	—	·01	—	—	·01	—	14
15	·02S	—	—	—	—	—	—	·69	—	·01	—	—	15
16	·01S	·09	—	(·13)	—	·04	·05	—	—	·48	—	·08	16
17	·01S	—	—	·14	·97	—	·16	—	·31	·23	—	—	17
18	·04S	·02	—	·07	·01	·07	·30	·04	·31	—	—	—	18
19	·01	·07	·17	—	·39		—	—	·23	—	—	—	19
20	·02	·13	·07	—	·48	—	—	·02	—	—	·15	—	20
21	·01	—	·03S	—	·01	—	—	~~·09~~	—	—	·01	—	21
22	—	—	·06S	—	—	—	—	·02	—	·11	—	(·23)	22
23	—	·07	—	—	·13	—	—	·09	·01	—	—	—	23
24	·02	—	—	—	—	·20	—	·05	—	·05	·05	—	24
25	—	—	·07S	—	—	—		—	·02	—	·11	—	25
26	—	—	·07S	—	—	·04		·21	—	—	·43	·07S	26
27	—	—	·01S	—	—	—		·45	—	—	—	·04	27
28	—	·03	·05	—	—	·63		·01	—	—	·01	·15	28
29	—	—	—	—	—	·81	1·12	·05	—	·21	—	·01	29
30	·01S	×	—	—	—	—	·57	·04	—	—	—	·01	30
31	·02S	×	·42S	×	—	×	·37	·08	×	—	×		31
Total	·99	·50	1·62	1·07	2·02	1·86	3·74	3·59	1·15	2·91	1·47	·57	YEAR'S TOTAL 21·49
Rain Days.	21	9	14	12	7	9	9	23	9	16	14	9	152

3·40

W. 8,000, IX. 17.

Exd E.F.E.

4

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

3.1.19

Kept at Fowlmere
in the County of Cambridge
by Harold F. Smith

Lat. 52° 6' N Long. 0°41' E
Time of Observation 9 AM
Nearest Railway Station Foxton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 60-90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
.24

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.03	—	—							.06	.03	1
2	.03	.04	—	.10				.02			.61	.10	2
3	—	.03	.07		.38			.02	.09			.02	3
4	—	.01	.05					.01	.20		.23		4
5	—	—			.13			.07	.31	.04			5
6	.04	.08		.11					.14			.03	6
7	.03 S	.06		.04					.04	.10	.05	.01	7
8	—	.02							.21		.08		8
9	—	—		.01			.25		.26	.08		.02	9
10	.09	.01		.02			.10		.05			.22	10
11	.01	—		.01	.12		.18			.27	.04	.03	11
12	—	.12			.24		.07		.11	.01		.01	12
13	—	—			.25							.13	13
14	.11	—	—	.01	.01	.13	.03		.33	.24		.08	14
15	.83 S	—		1.48			.30					.05	15
16	.17 S	—		.41					.76			—	16
17	.12	—		.19			.38		.02			.05	17
18	.37	—		—		.08	.11		.46			.23	18
19	.02	—	.10	.01		.11	.19			.08			19
20	.01	.05		.24		.06			.05	.09			20
21	.02	—		.01			.07		.65	.06			21
22	.01	—					.05		.05			.24	22
23	.03	—		.01	.58		.11	.04	.06				23
24	—	.13			.02	.03	.01		.05				24
25	—	—				.04		.25			.11		25
26	—	—					.15			.07	.09	.06	26
27	—	—		.19			.03	.17	.03		.08	.03	27
28	—	.03	.05					.02			.20	.09	28
29	—		—					-	1.44		.03	05	29
30	—	X	.29					-	.04		.15	.12	30
31	—	X	.03	X		X		-	X	.03	X	.12	31
Total	1.90	.61	.59	2.84	1.73	.45	2.03	.60	5.35	1.07	1.73	1.72	YEAR'S TOTAL 20.62
Rain Days.	16	12	6	15	8	6	15	8	21	11	12	21	151

W. 6,500, VII. 18. w w c

Em Df

1151

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Fowlmere

in the County of Cambs

by Harold J. Smith

Lat. 52°6' Long. 0°4' E
Time of Observation 9 AM Winter & Summer Time
Nearest Railway Station Foxton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 60–90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. n/l.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·02	—	—	·03	·01	·30	—	—	·03	—	·75	1
2	·17	—	·07	—	·09	—	·34	—	·13	—	·21	·82	2
3	·23	—	·23	—	—	—	·02	—	·05	—	·09	·12	3
4	·06	—	·24	—	—	·04	·08	·04	·14	—	—	·10	4
5	·01	S ·23	—	—	—	—	·38	—	—	—	·01	·10	5
6	—	—	·30	—	—	—	—	—	—	—	·01	—	6
7	·01	—	·24	—	—	—	—	—	—	—	·16	·01	7
8	·06	—	·03	·08	—	—	—	—	—	—	·12	—	8
9	—	—	·03	·09	—	—	—	—	—	—	·06	—	9
10	—	—	·11	·03	—	—	—	—	—	—	—	—	10
11	·04	—	·07	·11		—	·47	—	—	—	S ·01	·02	11
12	—	—	·09	—	—	·05	·10	—	—	—	S ·05	—	12
13	·06	—	—	·07	—	—	·01	—	—	—	—	·01	13
14	·13	—	·04	·21	—	—	—	—	·08	·07	—	—	14
15	·26	—	—	·09	—	—	—	—	—	·01	S ·03	·10	15
16	·02	·66	·03	—	—	—	—	·03	—	—	·07	·03	16
17	—	·87	—	·02	—	—	—	—	—	—	·21	·02	17
18	—	·11	·25	—	—	—	—	·10	·05	—	—	·06	18
19	—	·04	·01	—	—	·17	·14	·22	·04	—	·02	·02	19
20	·11	·01	·01	—	—	·62	·47	·32	—	—	—	·01	20
21	·36	·23	—	—	—	—	·44	—	·11	—	·01	·08	21
22	—	·14	—	—	—	—	·22	—	·04	—	—	·32	22
23	—	—	—			—	·13	·01	—		—	·11	23
24	—	—	—	·18	—	·18	·01	—	—	·01	·04	·01	24
25	·07	—	·12	—	·06	—	—	·07	—	—	—	·07	25
26	·16	·35	·07	·06	—	—	—	·14	·04	·01	—	·18	26
27	S ·73	·10	—	·97	—	—	—	·13	—	—	—	·01	27
28	—	·01	—	·14	—	—	—	·74	—	·05	·04	·20	28
29	·04		—	·01	—	—	—	·09	—	·16	·12	·04	29
30	—		·02	·27	—	·22	—	·01	—	·03	·13	·11	30
31	·01		—		—		—	—		—		·02	31
TOTAL	2·77	2·77	1·90	2·33	·18	1·29	3·11	1·90	·68	·37	1·39	3·32	YEAR'S TOTAL 22·01
Days with ·01 in. or more	19	12	18	14	3	7	14	12	9	8	18	25	159

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1093

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Fowlmere

in the County of Cambs

by Harold F. Smith

Lat. 52° 6' Long. 0.4' E

Time of Observation 9 AM. also 9 AM Summer time

Nearest Railway Station Foxton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 60 – 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·33

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—		—	·93	·02	—	·13	·01	—	·32	·03	·09	1
2	—	—	—	·05	—	—	·01	·08	·06	—		·02	2
3	—	·01	—	·11	—	·03	·06	—	·01	·01		—	3
4	—	—	—	·08	—	—	·04	·06	·01	·01		·09	4
5	—	—	·03	—	·08	—	·54	·02	·10	—		·07	5
6	—	—	·04	·06	·06	—	·42	·01	—	—		—	6
7	—	—	·05	·37	—	—	·08	—	—	—		·02	7
8	—	·01	—	·32	—	—	·03	·10	—	—		—	8
9	·44	·01	—	·03	—	—	—	·02	—	—		—	9
10	·09	—	·07	·37	—	—	·03	—	—	—	·01	·01	10
11	·22	—	·02	·06	·01	·01	·08	—	—	—		·04	11
12	·12	—	·03	·05	—	·03	—	—	—	—		S·03	12
13	·01	·01	·02	—	—	·03	—	—	—	—		—	13
14	·01	·02	·14	·11	—	·03	·09	—	·07	·04	·10	—	14
15	—	—	S·24	·03	—	—	—	—	—	—	—	S·04	15
16	—	·01	—	—	—	—	—	—	·33	·01	·04	S·01	16
17	·04	—	·04	—	—	—	·01	—	·09	—	—	·02	17
18	·08	—	—	—	·07	—	—	·27	03	—	—	·02	18
19	·13	·13	—	·05	—	—	—	—	—	—	·01	·01	19
20	·07	—	—	·33	—	·57	—	—	—	—	—	—	20
21	—	—	—	·10	—	—	·47	·07	·53	—	—	·02	21
22	—	—	—	·11	—	—	—	·01	·13	—	—	·22	22
23	—	—	—	—	—	—	·26	—	·01	—	—	·21	23
24	—	—	·08	—	—	—	—		—	—	·01	·01	24
25	—	·03	·02	·03	—	—	·19	—	·01	—	—	—	25
26	·10	—	·04	·06	·37	—	·02	—	—	—	—	—	26
27	·14	·07	—	·14	·01	·21	—	—	—	—	·08	·05	27
28	·38	—	·17	—	·13	·01	·01	—	—	—	—	·01	28
29	·01	—	·01	—	·24	—	·06	—	—	—	·05	·27	29
30	—	X	—	—	·01	—	·07	—	·16	—	·07	·10	30
31	·03	X	—	X	—	X	—	—	X	·15	X	·05	31
TOTAL	~~·87~~ 1·87	·30	1·00	3·39	1·00	·92	2·60	·65	1·54	·54	·40	1·41	YEAR'S TOTAL ~~14·62~~ 15·62
Days with ·01 in. or more	15	9	15	20	10	8	19	10	13	6	9	22	156
Days with ·04 in. or more	11	2	9	17	6	2	13	5	8	3	5	11	92

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1093

8 MAR 1920

Fruit Farm
Fowlmere
Royston. Herts
March 5-1920

Dear Sir

Yours received re rainfall return for January 1920. On reference to my original records I find that the total for Jan. is 1.87. thus agreeing with your correction. The error evidently was made in copying on to your form.

I take this opportunity of remarking on the extremely low record here last year. surely this must have been one of the driest spots in the kingdom.

Yours truly
Harold F. Smith

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

FULBOURN
PUMPING STA
CAMBRIDGE
1911 - 1920

REC

Kept at Fulbourn S
in the County of Cam
by Wm W.

5 in.
round —— ft. 12
ea Level 37 ft.
am
Name Fulbourn
Distance 0·8 miles Direction E.N.E.

IMPORTANT NOTE. | he result entered to the previous day. If an Obse | rsal rule, he is earnestly requested to add the readin | r in the space provided for it at the end of this | ent of rain, the selection and placing | ish Rainfall Organization are given in " | pplication to Dr. H. R. MILL, 62, Camde

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06						·03	·03					1
2	·15		·01		·07		·01	·02			·07	·07	2
3		·01		·04	·06	·03		·02		·23	·01		3
4	·03	·02	·09	·07						·04	·05	·17	4
5	·02			·03				·02		·01		·25	5
6	·16		·03									·22	6
7	·01		·02	·01						·01	·18	·26	7
8	·16		·18								·10	·05	8
9	·15		·02	·02									9
10	·02	·05	·05	·01							·25	·17	10
11	·23				·15						·33		11
12	·04		·38		·37				·06		·14		12
13			·03		·10	·03			·15	·38	·03	·21	13
14		·02	·02		·45	·10						·40	14
15		·04	·26						·07	·03	·05		15
16			·02			·47					·18	·05	16
17											·02	·07	17
18		·10	·01			·10				·01	·70	·03	18
19		·01			·04	·32			·05	·06	·25	·01	19
20						·01		·48	·23	·02		·39	20
21		·06						·28		·17		·10	21
22	·02		·16			·03		·02		·14		·35	22
23	·01	·03	·07			·95			·31			·12	23
24		·05	·02			·10				·38		·15	24
25		·01	·05	·04		·25	·43	·03					25
26				·20		·02	·02	·01		·10	·05	·26	26
27		·20	·06	·05					·15		·02	·02	27
28		·12		·22		·03		·09			11	·03	28
29				·07		·18	·53		·24	·25			29
30				·01		·02			·01	·05			30
31										·03		·01	31
Total	1·06	·72	1·48	·77	1·24	2·64	1·02	1·00	1·27	1·91	2·54	3·39	TOTAL for year 19·04
No. of Rain Days.	13	13	18	12	7	15	5	10	9	16	17	22	157

W. 8,000. X. '11.

REC

FORM A2.
BRITISH RAINFALL.
9 - JAN 1913

Kept at Fulbourn Pumping Station

in the County of Cambridgeshire 2

by Wm W. Kay.

RAIN GAUGE
- Pattern
- Diameter of top 5 in.
- Height of top above Ground — ft. 12
- " " " Sea Level 37 ft.

Time of Observation 9 am

Nearest Railway Station
- Name Fulbourn
- Distance 0·8 miles Direction ENE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06						·03	·03					1
2	·15		·01		·07		·01	·02			·07	·07	2
3		·01		·04	·06	·03		·02		·23	·01		3
4	·03	·02	·09	·07						·04	·05	·17	4
5	·02			·03				·02		·01		·25	5
6	·16		·03									·22	6
7	·01		·02	·01						·01	·18	·26	7
8	·16		·18								·10	·05	8
9	·15		·02	·02									9
10	·02	·05	·05	·01							·25	·17	10
11	·23				·15						·33		11
12	·04		·38		·37				·06		·14		12
13			·03		·10	·03			·15	·38	·03	·21	13
14		·02	·02		·45	·10						·40	14
15		·04	·26						·07	·03	·05		15
16			·02			·47					·18	·05	16
17											·02	·07	17
18		·10	·01			·10				·01	·70	·03	18
19		·01			·04	·32			·05	·06	·25	·01	19
20						·01		·48	·23	·02		·39	20
21		·06						·28		·17		·10	21
22	·02		·16			·03		·02		·14		·35	22
23	·01	·03	·07			·95			·31			·12	23
24		·05	·02			·10				·38		·15	24
25		·01	·05	·04		·25	·43	·03					25
26				·20		·02	·02	·01		·10	·05	·26	26
27		·20	·06	·05					·15		·02	·02	27
28		·12		·22		·03		·09			·11	·03	28
29				·07		·18	·53		·24	·25			29
30				·01		·02			·01	·05			30
31										·03		·01	31
Total	1·06	·72	1·48	·77	1·24	2·64	1·02	1·00	1·27	1·91	2·54	3·39	TOTAL for year 19·04
No. of Rain Days.	13	13	18	12	7	15	5	10	9	16	17	22	157

W. 8,000, X. '11.

81

Ex 7.6

723

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Fulbourne Pumping Station

in the County of Cambridgeshire 2

by W. W. Gray

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01		·35	·03		·16	·23		·06	1
2		·03		·02			·32						2
3	·15				·08	·26		·22	·01			·12	3
4	·05		·29		·05	·16		·05			·25	—	4
5	·03	·04	·27					·14			·04		5
6	·22	·05			·01	·34	·52	·38			·01	·05	6
7	·04				·02	·53	·31	·07				·02	7
8	·18	·13	·07			·04	–	·05	·22			·01	8
9		·02	·01	·09		·04	·01					·16	9
10		·02				·02		·16	·10		·08	·02	10
11	·10	·10				·01		·03	·05		·01	·03	11
12	·10	·02	·04		·04	·01		·01			·04		12
13						·01	·03				·21	·01	13
14			·02		·02	·08		·07		·02	·01	·02	14
15		·02	·15		·18	·22		·07			·01	·07	15
16	·27		·05		·02	·15		·06		·03	·05		16
17	·22		·17			·14		·06				·04	17
18	·03		·08					·03		·01	·05	·15	18
19	·10	·10	·19			·01	·25	·30		·01	·01		19
20	·03	·02	·11				·01	·31		·29			20
21		·02	·45		·13		·01	·89		·19	·05		21
22	·42	·11	·01		·18		·01	·16				·03	22
23	·50	·34	·29		·03			·70	·01		·20	·09	23
24	·26						·02	·14	·02			·03	24
25						·13		·67			·12	·32	25
26		·01				·04	·09	1·65		·37	·17	·27	26
27							·01	·01		·07		·15	27
28		·02		·01	·01		·05	·02	·05	·22	·11	·29	28
29				·01		·34	·15	·42	·58	·25	·11		29
30	·02				·39	·02			·52	·10			30
31			·08		·03		·18	·21		·03		·04	31
Total	2·72	1·05	2·28	·14	1·19	2·90	2·00	6·88	1·72	1·82	1·53	1·98	TOTAL for year 26.21
No. of Rain Days.	17	16	16	5	14	20	16	26	10	13	18	21	192

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
10 JAN 1914

Kept at Fulbourn Pumping Station

in the County of Cambridge E4 R12

by Wm W. Gray.

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Fulbourn

Diameter of Rain Gauge 5 ins

Height of top of Gauge above Ground — ft. 12 ins

" " " " Sea Level 37·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·12	·05	·13					·60		·07	·02	1
2	·01	·13			·93		·14		·30		·01	·01	2
3	·01		·08	·02	·60				·01			·02	3
4	·06				·07	·04	·05			·09	·03	·16	4
5	·04						·02		·02	·92	·02		5
6		·01	·05		·21	·36	·20			·02			6
7		·03			·08		·01	·02		·27	·01		7
8					·24	·05				·01	·06		8
9		·21	·04	·01	·01	·13	·01		·03		·03	·06	9
10	·01			·03			·10	·02			·28		10
11	·72			·39		·02		·48		·02	·30		11
12	·01				·02			·02			·06		12
13	·01							·03			·39		13
14	·03		·09	·02			50			·25	·03		14
15	·18	·01	·09	·05			17		·01				15
16	·07		·19	·07					·16				16
17	·07	·01	·05	·11		·95	·03				·01	·04	17
18			·01	·11		·02	·03		·02		·01	·04	18
19	·06		·02	·01	·02		·07		·33			·04	19
20	·05		·02	·02		·04			·04	·29			20
21			·05		·02		·03			·17	·24		21
22	·33		·06				·02	·08	·08				22
23						·04	·02	·12	·03			·03	23
24						·03							24
25	·01			·11		·02	·01					·02	25
26		·02	·12	·01				·02		·58		·13	26
27		·02		02	·20	·06				·06	·03		27
28	·11		·10	·01						·14			28
29	·16		·09	·23	·25			·05		·07		·03	29
30	·14			·12				·04		·07	·21		30
31								·49		·10			31
Total	2·16	·56	1·11	1·47	2·65	1·76	1·41	1·37	1·63	3·06	1·79	·60	YEAR'S TOTAL 19·57
Rain Days.	20	9	16	18	12	12	16	11	12	15	17	12	170

W.7,000, XI. 13

82

221

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

29 JAN 1915

2

Kept at Fulbourne Pumping Station
in the County of Cambridgeshire
by W. W. Gray

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01				·01	·15			·06		1
2	01			·03			·16	·01			·04	·06	2
3			·15	·01	·08		·33	·05			·05		3
4	·11	—	·01	·13	·02	—		·08			·29	·17	4
5			·06	·11	·08	·01	·13	·34					5
6		·08			·03	·07	·03	·02			·16	·07	6
7		·04	·30	·05	·31	·05	·06					·28	7
8	15	·08	·37	·02	·12	·50	·02	·13					8
9	·56		·44	·11	·04	·48				·01		·90	9
10	·56	·06		·09	·05				·06			·05	10
11	·01	·08	·27	·01	·01	·21			·03		·28	·12	11
12	·02	·01	·04				·08		·43		·02	·15	12
13		·16	·23						·02	·14	·08	·26	13
14			·15				·25			·38	·06	·49	14
15	·06	·01	·27				·05	·02	·02		·02	·11	15
16			·06				·08				·02		16
17		·32							·06			·02	17
18		·06	·02									·32	18
19		·03	·13			·10	·01				·20	·01	19
20		·05	·27			·02			·07	·01	·01	·05	20
21		·21	·17			·05		·02		·02		·13	21
22			·06		·22		·03	·05		·40		·02	22
23		·01	·03		·06	·01				·13	·01	·02	23
24	01		·02	·08		·04	·11	·01		·11	·13		24
25	·01		·06				·01	·04		·32		·03	25
26			·03				·02	·09		·02	·05	·37	26
27	02						·04				·01	·09	27
28	·01	·02			·01					·04	·47	1·43	28
29	·01		·04							·23	·07	·02	29
30			·05							·02	·13	·05	30
31					·15		·06					·05	31
Total	1·54	1·22	3·24	·64	1·18	1·54	1·48	1·01	·69	1·83	2·16	5·27	YEAR'S TOTAL 2180
Rain Days.	13	15	24	10	13	11	18	13	7	13	20	25	182

W.7,000, XI. 13

82

1305
~~214~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Fulbourne Pumping Station
in the County of Cambridgeshire
by W. W. Gray.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24	·11	·02		09				·09		·01	·16	1
2	·04	·07	·20	·03		·02		·40	01	·01	·02	·03	2
3	·16		·10	·16			·02	·78	·05		·01	·13	3
4	·14							·02		·06	·03	·43	4
5	·03	·13			·02			·02		·06		·18	5
6	·22	·02	·08	·24			·59	·01		·01		·02	6
7	·07	·24	·03				·52	·13				·14	7
8		·12		·04			·01	·01					8
9		·09				·02				·01	·18	·49	9
10	·35		·06					·02			·04	·05	10
11	·02		·03		·02						·60		11
12	·11			·29	·24			·26		·04	·62	·04	12
13	·04	·43			1·03								13
14	·01	·17			·02		·39	·04	·02			·32	14
15	·14				·02		·02	·03			·22	·05	15
16		·10					·45	·37		·01	·01	·01	16
17		·22			·05		·12	·15			·01	·01	17
18		·17	·21		·02						·06		18
19			·02				10						19
20	·25		·01	·08				·03		·02		·35	20
21	·08				·01		·06			·01		·02	21
22	·69	·02	·32	·01			·54		·02			·18	22
23	·02	·10	·04	·03		·01	·05		·36	·09		·17	23
24			·15			·03	·01		·19			·06	24
25			·03	·01		·42	·06			·02		·07	25
26	·01	·05				·01	·03					·15	26
27		·08				·21	·27			·40		·03	27
28		·03				·48	·02	·04	·68	·09			28
29					·01	·18	·05	·12	·01		·06	·09	29
30	·04	×				·46	·10		·01		·02	·01	30
31	·03	×		×		×		·08	×	·07	×	·11	31
Total	2·69	2·15	1·30	·89	1·53	1·84	3·41	2·51	1·44	·90	1·89	3·30	YEAR'S TOTAL 23·85
Rain Days.	20	17	14	9	11	10	19	17	10	14	14	25	180

W. 8,000. X. 14.

1284

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8 JAN. 1917

Kept at Fulbourn Pumping Station
in the County of Cambridge
by Wm W. Gray

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Fulbourn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12		·17	·04					·18		1
2	·30		03		·18				·03	·18	·01		2
3		·21	·02			·02	·02		·27	·25	·27		3
4	·23	·15	·01		·01	·18			·15	·09	·21		4
5	·01	·01	·01	·02	·01	·11	·04			11	·25	·02	5
6		·08	·12	·24	·03	·03	·05			·02	·22	·01	6
7	·11		·08		·25	·07	·20			·03	·38	·04	7
8			·01		·18						·01	·15	8
9			·01		·13	·07						·06	9
10		·02	·14	·06		02	·21	·01				08	10
11	·05	·22	·04	·12	·12	·12			·01			·02	11
12	·02	·02	·02		·34	·25	·06	·10	·01	·22			12
13		·35	·04	·08	·17	·22	42	·08		·02	·01		13
14		·12	·02	·04	·07	·02		·16		·05		·19	14
15		·21	·16				·02	·43	·01			·02	15
16		·09	·06	·22	·04		·07	·02		·03			16
17	·03	·03		·22			·20		·26	·25			17
18	·01	·09	·01	·08				·05	·24	·03	·35		18
19	·03	·01	·03	·25				·01	·21		·70	·03	19
20	·15		·28	·03				·03			·11	·16	20
21			·62				·70					·42	21
22		·03	·02		·19	·01	·01				·01	·39	22
23	·01	·08			·01	·07		·02		·03	·06	·13	23
24		·12				·03		·03		·15	·02	·33	24
25		·13	·09		·01			·14		·07	·05	·03	25
26		·10	·06			·03		·02		·02	·04		26
27	·05	·33	·76			·01		·04	·01	·16		·02	27
28		·21	·20			·01			·01			·10	28
29	·01	·12				·09		·97		·17		·02	29
30		X			·01	·01		·31		·32			30
31		X		X		X		·03	X	·03	X	·01	31
Total	1·01	2·73	2·96	1·36	1·92	1·41	2·00	2·45	1·21	2·23	2·88	2·23	YEAR'S TOTAL 24·39
Rain Days.	13	22	25	11	17	20	12	17	11	20	17	20	205

W. 8,000, VIII. 16

Ex. D

1229

FORM A.
BRITISH RAINFALL.

JAN [illegible]

REGISTER OF RAINFALL IN 1917

Kept at Fulbourn Pumping Station

in the County of Cambridge

by W. W. Gray

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Fulbourn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 37 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05		·06				1.01	·18		·16		1
2	·04	·02		·30		·04		·23			·02		2
3								·40		·11	·09		3
4		·06						·02		·73			4
5	·25			·18				·02		·03	·02		5
6	·01					·11			·01	·03	·02	·01	6
7	·18					·03				·41			7
8	·07			·13			1.07	·18		·26	·13	·05	8
9	·02		·09	·03			·01	·20		·05	·03	·10	9
10	·22	·01	·11	·11				·06		·01		·01	10
11	·07		·75	·09						·14			11
12	·07	·01	·02	·02	·02			·01		·23		·01	12
13	·12		·03	·01		·39	·01	·06	·02	·08			13
14	·02		·01	·19				·01				·01	14
15	·02									·02		·01	15
16		·04		·22			·03			·59		·02	16
17		·02	·01	·24	·56	·03	·13		·37	·26			17
18	·03	·04		·09			·57	·03	·50				18
19	·02	·19	·14	·01	·11	·06			·21				19
20	·02	·02	·05		·03	·02			·01		·16		20
21	·01	·01	·01										21
22	·02	·03	·03					·03	·01	·10			22
23	·02				·17			·16	·01			·03	23
24		·01				·17		·12		·12	·02	·02	24
25			·04										25
26			·03			·01		·18	·05		·47	·03	26
27			·04					·38				·02	27
28		·02	·10			·77		·11		·05		·04	28
29			·01		·02	·37	1.18	·05		·19		·12	29
30	·01	X	·03				·70	·10					30
31	·03	X	·33	X		X	·36	·09	X		X	·02	31
Total	1.25	·53	1.83	1.68	·91	2.00	4.06	3.45	1.37	3.41	1.12	·50	YEAR'S TOTAL 22.11
Rain Days.	20	14	18	14	6	11	9	21	10	18	10	15	166

W. 8,000, IX. 17.

3·88

Exd E.F.E.

15

REGISTER OF RAINFALL IN 19 18

FORM A.
BRITISH RAINFALL.

Kept at Fulbourn Pumping Station

in the County of Cambridgeshire

by W. W. Gray C.E.

Lat. .... Long. ——

Time of Observation 9 a.m

Nearest Railway Station Fulbourn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 37 ft. ...... in.

" " " " Sea Level ...... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01		.04			.03				.06	.12	1
2	.02	.68						.04		.01	.01	.17	2
3		.03	.04	.06	.27			.06	.08		.53	.02	3
4		.02	.03					.01	.56		.18	.03	4
5					.09			.16	.23	.04			5
6	.04	.14		.15					.15			.06	6
7	.02	.05		.01		.01			.02	.06	.06	.01	7
8		.02							.18		.09	.01	8
9	.03	.01		.01		.01	.09		.36	.24		.02	9
10	.06						.27		.01	.01	.01	.20	10
11					.13		.01		.15	.30	.03	.07	11
12		.19			.12		.07		.12	.04		.01	12
13		.01		.01	.33				.03			.15	13
14	.17			.01		.12	.06		.23	.27		.10	14
15	.47			1.48			.34		.16			.06	15
16	.07			.51				.02	.43				16
17	.12			.16		.01	.71		.01			.09	17
18	.42					.09	.32		.47			.44	18
19	.03	.03	.10	.03		.11	.17			.08		.05	19
20		.04		.06		.05	.11		.05	.06	.01	.01	20
21	.01			.01					.65	.13		.25	21
22	.01				.14		.09		.04		.01		22
23	.07				.66	.02	.16	.05	.03		.01	.02	23
24		.15		.01	.04				.07		.06		24
25						.03	.12	.18			.10		25
26							.76			.03	.17	.09	26
27	.01			.32		.01		.18	.08		.08	.03	27
28		.02	.04					.04			.22	.13	28
29	.01		.01						1.44		.01	.02	29
30		X						.03	.05		.11	.11	30
31		X	.39	X		X		.02	X	.06	X	.06	31
Total	1.56 ✓	.80 ✓	.61 ✓	2.87 ✓	1.78 ✓	.46 ✓	3.31 ✓	.79 ✓	5.60 ✓	1.33 ✓	1.75 ✓	2.33 ✓	YEAR'S TOTAL 23.19 ✓
Rain Days.	16 ✓	14 ✓	6 ✓	15 ✓	8 ✓	10 ✓	15 ✓	11 ✓	24 ✓	13 ✓	18 ✓	26 ✓	176 ✓

W, 6,500, VII. 18. W W C

1163

5 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Fulbourn Pumping Station

in the County of Cambridgeshire

by Wm. W. Gray C. E

Lat. .... Long. ....

Time of Observation 9 a. m.

Nearest Railway Station Fulbourn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 37 ft. — in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	·02	·01		·07		·33			·13		·78	1
2	·19		·02		·03		·19		·29	·02	·18	·63	2
3	·26		·23				·04		·04		·13	·09	3
4	·05		·24			·12	·45					·18	4
5	·05	·18	·18				·12		·14			·15	5
6			·06								·01		6
7	·02		·31								·12	·02	7
8	·05		·03	·08							·10		8
9	·01		·04	·02						·02	·04		9
10			·13	·06							·01	·03	10
11	·10		·16	·10			·39				·02	·05	11
12			·08	·02		·05	·21			·04	·03	·01	12
13	·12			·08			·03				·01	·02	13
14	·22			·20					·07	·01			14
15	·30		·04	·04							·03	·09	15
16	·05	·55		·01				·02			·08	·03	16
17		·44	·04	·04							·23	·01	17
18		·16	·03					·11	·02		·05	·06	18
19		·08	·22			·15	·17	·21	·03		·04	·02	19
20	·21	·03	·04			·55	·58	·30	·01				20
21	·30	·29				·01	·51				·01	·14	21
22		·40	·02				·20		·20		·03	·41	22
23					·03	·11	·20	·07	·06		·01	·08	23
24				·11		·16	·03				·03		24
25	·07			·07	·28			·11			·01	·05	25
26	·21	·45	·23	·08			·02	·18	·09		·01	·21	26
27	Snow ·47	·10	·01	·53				·09		·02		·01	27
28				·26			·03	·77	·01	·08	·04	·27	28
29	·04			·28				·15		·14	·07	·04	29
30						·18		·04		·04	·13	·12	30
31							·01			·03		·08	31
TOTAL	2·95	2·70	2·12	1·98	·41	1·33	3·51	2·05	·96	·53	1·42	3·58	YEAR'S TOTAL 23·54
Days with ·01 in. or more	19	11	20	16	4	8	17	11	11	10	24	25	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1105

4 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Fulbourn Pumping Station
in the County of Cambridge
by Wm. W. Fray CE

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Fulbourn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 37 ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·26	·04		·19	·10	·01	·22	·02	·10	1
2				·09				·10	·11	·09		·02	2
3		·04		·20		·03	·62		·05				3
4			·03	·15			·14	·10	·05	·01		·10	4
5			·06	·12	·09		·65	·04	·12			·06	5
6			·09		·08		·40						6
7		·01	·08	·09			·09					·04	7
8	·15	·01		·34	·03		·04	·17					8
9	·41			·37			·01	·13					9
10	·08	·03	·13	·04			·06				·01	·01	10
11	·31		·09	·22	·02		·12					·07	11
12	·11		·06	·12		·16					·01	·09	12
13	·01	·02	·02	·07		·12			·02		·01		13
14		·01	·15	·09		·02	·08		·12	·04	·14	·01	14
15	·01	·01	·30	·02					·10	·01	·05	·02	15
16			·01	·01					·31		·02		16
17	·04		·01		·09		·01		·14			·02	17
18	·09				·08	·05		·27	·05			·02	18
19	·16			·05				·03			·01		19
20	·06	·13		·36		·62			·06				20
21				·11			·48		·29			·02	21
22				·20				·09	·28			·08	22
23							·24	·04				·32	23
24	·04		·10								·01	·03	24
25	·01	·04	·02	·05	·24	·04	·24		·03				25
26	·11		·08	·08	·38		·21				·01	·02	26
27	·12	·06		·08		·37					·07	·04	27
28	·32		·12		·14		·05				·01		28
29	·01		·26		1·20	·02	·06				·07	·35	29
30	·03	╳	·05	·03	·03	·05	·03	·01	·21		·08	·19	30
31	·03	╳	·02	╳		╳			╳	·15	╳	·10	31
Total	2·10	·36	1·68	3·15	2·42	1·48	3·73	1·08	1·95	·52	·52	1·71	Year's Total 20·70
Days with ·01 in. or more	19	10	19	23	12	10	19	11	16	6	14	21	180
Days with ·04 in. or more	13	4	13	20	9	7	16	9	13	4	5	12	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FULBOURN
FLEAM DYKE PS.
CAMBRIDGE
1911 - 1920

RI

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

17 1912

119

Kept at Fleam Dyk

in the County of Ca

by Wm W.

5 in.

e Ground — ft.

Sea Level 98·85 ft.

am

Name Fulbourn

Distance 1½ miles Direction N. W. 37° W of N.

IMPORTANT NOT
the result entered to the
previous day. If an Ob
ersal rule, he is earnestly
requested to add the read
ar in the space provided
for it at the end of this
ent of rain,
the selection and placing
tish Rainfall
Organization are given in '
pplication to
Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2											·04	—	2
3												·10	3
4											·03	·15	4
5												·20	5
6												·22	6
7											·23	·20	7
8											·05	·07	8
9												—	9
10											08	19	10
11											—		11
12											44		12
13											·01	·22	13
14											·01	38	14
15											·04		15
16											·17	—	16
17											·02	·09	17
18											—	·03	18
19											1·11	·01	19
20												·43	20
21												·12	21
22											·01	·32	22
23												·08	23
24												·11	24
25											—	·01	25
26											·03	·22	26
27											·03	·02	27
28											·06	·03	28
29													29
30												—	30
31												·02	31
Total											2·36	3·22	TOTAL for year ✓
No. of Rain Days											Reading not taken every Sunday.		

9,000, IX. '10.

19 26

R

Form A2.
British Rainfall.

9 - JAN 1912

119

Kept at Fleam Dyke Pumping Station near Fulbourn

in the County of Cambridge

by Wm W. Gray

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 1 in.
" " " Sea Level 98·85 ft.

Time of Observation 9 am

Nearest Railway Station
Name Fulbourn
Distance 1½ miles Direction N.W. 37° W of N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2											·04	—	2
3												·10	3
4											·03	·15	4
5												·20	5
6												·22	6
7											·23	·20	7
8											·05	·07	8
9												—	9
10											08	19	10
11											—		11
12											44		12
13											·01	·22	13
14											·01	38	14
15											·04	·	15
16											·17	—	16
17											·02	·09	17
18											—	·03	18
19											1·11	·01	19
20												·43	20
21												·12	21
22											·01	·32	22
23												·08	23
24												·11	24
25											—	·01	25
26											·03	·22	26
27											·03	·02	27
28											·06	·03	28
29													29
30												—	30
31												·02	31
Total											2·36	3·22	TOTAL for year
No. of Rain Days											Reading not taken every Sunday		
											19	26	

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

Ex. DL

FORM A.
BRITISH RAINFALL.

9 - JAN 1913

1197

Kept at Fleam Dyke Pumping Station near Fulbourn
in the County of Cambridgeshire
by Wm W. Gray

2

Lat. Long.
Time of Observation 9am
Nearest Railway Station Fulbourn
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 17 ins
" " " " Sea Level 98·85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·01		·25	·05		·16	·24		·07	1
2		·01		·01		·01	·33						2
3	·17	+			·06	·17		·12				·16	3
4	·05	·02	·37		·05	·07		·07			·27		4
5	·09	·03	·38					·01			·04		5
6	·03	·02				·33	·73	·38				·03	6
7	·16				·01	·63	·20	·16					7
8	·18	·11				·03		·02	·20			·02	8
9		·01		·10		·06	·02					·20	9
10		·06	·06			·01		·16	·10		·11	·02	10
11	·07	·05				·01		·10	·09		·01	·03	11
12	·10	·01	·03		·04	·01		·01			·13		12
13						·02	·09				·22	·01	13
14					·02	·08		·06		·06	·03	·03	14
15		·02	·10		·21	·15		·06			·01	·08	15
16	·30		·03		·03	·25		·08		·03	·02		16
17	·30		·17			·14		·04			·02	·07	17
18	·02		·08				·01	·09		·01	·04	·14	18
19	·08	·07	·17				·33	·38		·04	·01		19
20	·03		·06					·16		·27			20
21			·55		·12			1·03		·17	·04		21
22	·38	·08			·02			·20				·01	22
23	·50	·39	·22		·04			·63			·19	·03	23
24	·26						·02	·15	·04			·04	24
25						·07		·75			·18	·45	25
26						·02	·16	1·51		·33	·21	·17	26
27										·05		·15	27
28		·01		·02			·19		·02	·34	·10	·27	28
29				·02		·07	·33	·38	·66	·38	·07		29
30	·03	X	+		·28	·01			·52	·21			30
31		X	·05	X	02	X	·17	·21	X	·03	X	·07	31
Total	2·75	·89	2·28	·16	·90	2·39	2·63	6·74	1·79	2·16	1·68	2·05	YEAR'S TOTAL 26·42
Rain Days.	~~9~~ 17	~~15~~ 14	~~16~~ 14	5	12	20	13	24	8	13	~~18~~ 17	21	~~183~~ 178

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

10 JAN 1914

1197

REGISTER OF RAINFALL IN 1913

Kept at Fleam Dyke Pumping Station near Fulbourn

in the County of Cambridgeshire

by Wm. W. Gray

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Fulbourn

Diameter of Rain Gauge 5 ins

Height of top of Gauge above Ground — ft. 17 ins

" " " " Sea Level 98·85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·13	·03	·15					·62		·03	·02	1
2	·01	·11		·01	·55		·14		·19			·01	2
3			·16	·02	·66				·01			·02	3
4	·04				·06	·02	·05			·06	·03	·18	4
5	·02								·01	1·14	·02		5
6		·01	·03		·17	·35	·21			·02			6
7		·03			·17	}	·01	·01		·25			7
8			·01		·22	·06 }				·28	·05		8
9		·21	·05	·01		·13			·02		·03	·06	9
10			·01	·03			·09	·01			·22		10
11	·57			·36		·01		·65		·01	·26		11
12					·01						·07		12
13		·01						·02			·43		13
14	·03	·01	·09	·02			·32			·27	·02		14
15	·19		·19	·05			·17						15
16	·07		·23	·05					·15		·01		16
17	·06		·08	·11		·35	·03				·01	·03	17
18			·03	·08			·07					·02	18
19	·06		·04		·01		·07		·06			·06	19
20	·08		·03	·01		·05			·10	·31			20
21	·01		·04				·03			·20	·27		21
22	·30		·06				·01	·02	·07		·01		22
23						·03	·03	·11	·03			·04	23
24	·01					·03							24
25				·13		·01	·01					·02	25
26			·12	·01						·52	·01	·10	26
27		·01		·02	·38	·05		·01		·05			27
28	·07	02	·06	·01						·18		·04	28
29	·15	×	·08	·21	·28			·05		·05		·04	29
30	·17	×		·12				·12		·04	23		30
31		×		×		×		·32	×	·10	×		31
Total	1·91	·54	1·34	1·40	2·51	1·09	1·24	1·32	1·26	3·48	1·70	·64	YEAR'S TOTAL 8·43
Rain Days.	17	9	18	18	10	11	14	10	10	15	16	~~12~~ 14	~~160~~ 162

W.7,000, XI. '13

Exe 82

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 - JAN 1915 1197

Kept at Fleam Dyke Pumping Station near Fulbourn

in the County of Cambridgeshire 2

by Wm W. Gray

Lat. ______ Long. ______

Time of Observation 9 am

Nearest Railway Station Fulbourne

Diameter of Rain Gauge 5 ins

Height of top of Gauge above Ground — ft. 17 ins

" " " " Sea Level 98·85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01								·06		1
2	·02			·03			·03				·05	·05	2
3			·15		·07		·27				·05		3
4	·11		·01		·02			·26			·28	·17	4
5			·06	·22	·03		·14	·17					5
6		·07			·02	·09	·01	·02			·18	05	6
7				·04	·42	03	·02					·19	7
8	·15	·12	·72	·02	·08	·62	01	·13			·01		8
9	·59		·45		·02	·50						1·03	9
10	·53	·05		·13	·06				·07			·03	10
11		·12	·22		·02	·13			·01		·32	·11	11
12	·03		·05			·01	·16				·01	21	12
13		·14	·15						·43	16	·06	·17	13
14										·34		·52	14
15	·08	·01	·42				·30	·01	·01		·09	·11	15
16	·03		·08				·07				·01		16
17		·31	·01						·05		·01	·01	17
18	·01	·06	·01									·25	18
19		·04	·13			·19	·01				·20		19
20		·06	·31			·03			·08			·06	20
21		·26				·02		·01		·01		·12	21
22			20	·02	·29		·02	·03		·41		·03	22
23		·02	·03		·06					·10		·02	23
24				·08		·03	·12	·01			·16		24
25	·02		·07					·05		·39			25
26			·02				·03	·08		·02	·06		26
27	·02						·03			·03	·01	·49	27
28					·01							1·49	28
29	·01	✕	·04							·26	·63		29
30		✕	·04							·02	·17	·04	30
31		✕		✕	·15	✕			✕		✕	·03	31
Total	1·60	1·26	3·18	·54	1·25	1·65	1·22	·77	·65	1·74	2·36	5·18	YEAR'S TOTAL 21·40
Rain Days.	~~12~~	~~13~~	~~24~~	~~9~~	~~13~~	~~10~~	~~16~~	~~13~~	~~7~~	~~10~~	~~20~~	~~23~~	~~(170)~~

W. 8,000. X. 14.

1304

FORM A.
BRITISH RAINFALL
6 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Cambridge Water Works Fleam Dyke Pumping Station
in the County of Fulbourn Cambs.
by Wm. W. Gray

2

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Fulbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 98·85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·08	·02		·08				·06		·01	·19	1
2		·08	·22			·02			·04		·01	·05	2
3	·22		·12	·16			·02	1·23	·13		·04	·16	3
4	·14							·02		·02	·02		4
5	·03	·12			·24			·02		·15	·08	·57	5
6	·22			·24			·65	·02				·01	6
7	·05	·21	·12	·01			·60					·09	7
8		·15	·01	·03			·01	·12					8
9	·01	·05				·02		·01			·16	·45	9
10	·29		·06					·05			·04	·05	10
11	·02		·03		·02						·64		11
12	·11			·32	·27			·35		·05	·68	·04	12
13	·03				1·15			·01					13
14		·66					·33		·03			·34	14
15	·12	·02			·01		·01	·04			·24	·03	15
16		·11					·35	·25				·02	16
17	·01	·13			·04			·01		·01	·03		17
18		·15	·26		·02		·13				·07		18
19			·03				·08			·02			19
20	·24			·06				·04		·02		·33	20
21	·11				·01		·05					·03	21
22	·68	·01	·30	·01			·56					·10	22
23	·01	·12	·04			·01	·06		·17	·09		·18	23
24		·01	·14			·01			·25				24
25			·01			35	·04			·02			25
26		·05	·01				·03						26
27						·08	·30			·40		·30	27
28		·14				·43	·04		·70	·05			28
29		X	·01			17	·05	·17			·07	·09	29
30	·03	X				·82	·10		·01		·01		30
31	·04	X		X		X		·06	X	·09	X	·08	31
Total	2·57	2·09	1·38	·83	1·84	1·91	3·41	2·40	1·39	·92	2·10	3·11	YEAR'S TOTAL 23·95
Rain Days.	20	19	16	8	9	9	19	19	8	11	14	23	175

W. 8,000. X. 15.

esc 75

1223

1197

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at Fleam Dyke Pumping Station
in the County of Cambridge
by Wm W. Gray

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Fulbourn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 98.85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—		.10		.17	.04					.12		1
2	.30	.01	.08		.13	.			—	.17	.		2
3		19	04 s		.	—	.02		.35	.17	.31		3
4	.21	.18	—		.01	.23	.		.15	.38	—		4
5	.01	.01	.03	.01		.13	.03		.	.04	.41	.01	5
6		.07	.12 s	.23	.	.04	.05		.	.01	.22	.	6
7	.10		.15		.24	.06	.16		.	.02	.33	.03	7
8	.		.02		.20	.	.		.	.		.18	8
9	.01		.01		.16	.03	.		.	.		—	9
10	.	.02	.15 s	.05		.01	.10	.01		.		.15	10
11	.04	.19	—	.12	.06	.16	.			.		.	11
12	.01	.01	.05	.	.38	.25	.05	—	.01	.22		.	12
13	.	.35	.04	.05	—	.20	.45	.16	.	.01		.	13
14	.	.39	.11	.03	.22	.01	.	.15	.	03		20 s	14
15	.	.21	.02	.	.	.	—	.29	.	.		.	15
16	.	.07	.07	.20	.03	.	.08	.05	.	-		.	16
17	.03	.02	.	.15			.16	-	.29	.26		.	17
18	.	.09	—	.07				.03	.24	.02	—	.	18
19	.02	.01	.02	.29				—	.25	.	1.02	.04	19
20	.13		.29	.04				.06		.	.06	.27	20
21			.47				.30	.		.	.	.31	21
22		.08 s			.20	.01				.	.	.40	22
23	.01	.55 s				.06				.01	05	—	23
24		.05 s				—		.05		.15	.01	.42	24
25		.07 s	—			.01		.15		.08	—	.02	25
26		—	.20			.01		—		.	.06	.	26
27	.05	.39 s	.49			.03		.01	.01	.21		.	27
28		.19	.43 s					.		—		.13	28
29		.14	.01			.10		.83		.17		.01	29
30	.01	×	.		.08	.01		.30		.35			30
31		×	.	×		×		.02	×	.02	×	.01	31
Total	.93	3.29	2.90	1.24	1.88	1.39	1.40	2.11	1.30	2.35	2.59	2.18	YEAR'S TOTAL 23.56
Rain Days.	13	22	25	11	13	19	11	15	8	18	13	16	(184)

W. 8,000, VIII. 16

s = Snow.

E30 J-L

1228

FORM A.
BRITISH RAINFALL
8. JAN 1918

1197

REGISTER OF RAINFALL IN 1917

Kept at Fleam Dyke Pumping Station

in the County of Cambridge

by Wm. W. Pray

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Fulbourn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 98.85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		Snow .06		.06				1.23	.14		.18		1
2	.04	Snow .02		Snow .20		.05		.25			.03		2
3								.50		.12	.06		3
4		Snow .12								.59			4
5	.26			Snow .18				.06		.04	.02		5
6						.10				.40	.02		6
7	.19					.30						.02	7
8	.06			.09			.90	.05		.23	.13		8
9	.02		Snow .06	.03				.36		.07	.05	.17	9
10	.23			.10				.04		.02			10
11	.05	.01	.78	.05						.14			11
12	.05	.01	.01					.05		.22		.03	12
13			.04			.13	.03	.04					13
14			.01	.06						.05			14
15	.14								.04	.02			15
16	Snow .03	.04		.20			.03			.56		.11	16
17	.06	.02		.23	.60	.05	.13		.33	.28			17
18	.01	.01	.01	.10		.07	.43		.33				18
19	.03		.17			.02		.06	.25				19
20		.06	.09		.17						.17		20
21	.01	.02	.03										21
22	.03	.01	.07					.05		.11			22
23		.04			.14			.11				.04	23
24	.01					.16		.08		.13	.05		24
25		.02	.03					.22				.03	25
26			Snow .10						.07		.48	.04	26
27			.01					.38					27
28		.02	.08			.86		.05		.29		.07	28
29						.32	.50	.13		.33		.11	29
30	.03	X	.05				.68	.08					30
31	.03	X	.32	X		X	.32	.10	X		X		31
Total	1.28	.46	1.86	1.30	.91	2.06	3.02	3.84	1.16	3.60	1.19	.62	YEAR'S TOTAL 21.30
Rain Days.	19	14	17	11	3	10	8	20	6	18	11	9	146

W. 8,000, IX. 17.

3.48

14

Sre OL

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

8. 1. 19

1197

Kept at Fleam Dyke Pumping Station
in the County of Cambridgeshire
by W. W. Gray

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Fulbourn
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 98·85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·05	·20	1
2	·03							·05	·07			·14	2
3		·11	·07	·05	·16				·09		·55		3
4		·03						·12	·49		·18	·03	4
5					·07			·14	·24				5
6	·06	·11		·17					·20			·06	6
7	·37	·04	·07							·12	·05		7
8									·20		·09		8
9	·04								·29	·21		·03	9
10	·06	·04					·37					·13	10
11							·06		·14	·31	·04	·08	11
12		·18			·22		·06		·15				12
13		·02			·30				·03	·04		·14	13
14	·13			·09		·14	·11			·21			14
15	·90			1·50			·29		·39			·12	15
16	·18			·50					·24				16
17	·09			·20		·02	·97					·07	17
18	·38					·08	·18		·47			·35	18
19			·10	·03		·04	·19					·06	19
20	·02	·07		·05		·05			·08	·23			20
21							·06			·14			21
22					·28		·07		·65			·24	22
23	·08				·59		·27	·06	·04			·02	23
24		·15			·14				·06		·06		24
25						·04		18			·11		25
26							1·00				·14	·08	26
27				·29				·17	·05	·03	·07	·03	27
28		·03						·05			·21		28
29			·05				·15		1·33		·03	·15	29
30								·04	·06			·08	30
31			·40					·03		·05		·06	31
Total	2·34	·78	·69	2·88	1·76	·37	3·78	·84	5·27	1·34	1·58	2·07	YEAR'S TOTAL 23·70
Rain Days.	12	10	5	9	7	6	13	9	20	9	12	19	~~131~~

W, 6,500, VII. 18. w w c

Good gp

1162

1197

N 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Fleam Dyke Pumping Station

in the County of Cambridgeshire

by W. W. Gray

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Fulbourn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 98.85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19				·09		·48			·11		·92	1
2	·15	·12			·05		·13		·30	·01	·20	·57	2
3	·21		·24				·07		·05		·09	·07	3
4			·19			·12	·37	·03				·16	4
5	·09	·17	·20				·13		·17		·01	·14	5
6			·06								·02		6
7			·31								·11	·02	7
8	·05			·08									8
9			·06	·04						·01	·12		9
10			·11	·05							·03	·01	10
11			·15	·12			·41				·05	·05	11
12	·07		·10			·04	·21			·05	·02		12
13	·08			·20			·03					·02	13
14	·20			·18					·10	·02			14
15	·27			·15								·10	15
16	·02	·65	·02	·03				·04			·10	·04	16
17		·56	·03	·05							·21	·02	17
18		·16	·03					·11	·04		·05	·05	18
19		·05	·20			·14		·21	·07		·02	·02	19
20	·15	·02	·05			·49	·96	·30					20
21	·30	·26	·01			·02	·43		·01		·01	·12	21
22		·33					·25		·18			·44	22
23						·09	·36	·13	·05		·05	·08	23
24				·10		·14	·03				·02	·05	24
25				·05	·31			·11				·11	25
26	·25	·47	·22				·03	·20	·05	·01	·01	·18	26
27	Snow ·54	·09		·97				·07		·05			27
28				·16			·02	·72	·01	·10	·06	·25	28
29				·04				·15		·14		·06	29
30				·25		·17		·01		·04	·21	·09	30
31							·03			·03		·09	31
TOTAL	2·57	2·88	1·98	2·37	·45	1·21	3·94	2·08	1·03	·57	1·39	3·66	YEAR'S TOTAL 24·13
Days with ·01 in. or more	15	12	18	16	3	8	17	12	11	11	23	25	171.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1104
1197

4 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Fleam Dyke Pumping Station
in the County of Cambridge
by W. W. Fray

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Fulbourn
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 98·85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~·02~~	~~·12~~		·32	·02		·15		·01	·22	·02	·12	1
2		~~·15~~		+				·29	·11	·06		·15	2
3		·03 ~~·01~~		+	·01	·05			·06			·01	3
4				·61			·62	·07		·02			4
5		~~·21~~ 01	·06	+	·08		·44	·04	·16			·22	5
6					·07		·35						6
7	·01	~~·05~~	·25	·07			·10					·05	7
8	·13			·33			·04	·10					8
9	·38			·29	·01			·10					9
10	~~·01~~	·03	·13				·07				·01		10
11	·33		·07	·20	·01		·11						11
12	·11 ~~·01~~	~~·16~~	·03	·08	·01						·01	·16	12
13	·01	·02		·10		·29			·02				13
14	~~·11~~	~~·01~~	·15	·06		·01	·07		·10	·03	·12	·01	14
15	~~·03~~	·01 ~~·04~~	·20	·03					·19	·01	·03	·04	15
16	~~·02~~		·01	·04					·23		·02		16
17		~~·02~~	·01		·07		·01		·07			·02	17
18	·15				·01			·25	·04				18
19	·18	~~·03~~		·07				·13				·03	19
20	·06	·15		·33		·60			·05				20
21		~~·01~~		·09			·46		·42			·01	21
22		~~·11~~		·19			·01		·10			·11	22
23		~~·30~~					·23	·13				·30	23
24	~~·01~~		·08					·01	·02		·01		24
25		·03 ~~·03~~	·01	·07	·04	·02	·16		·04			·03	25
26	·09 ~~·01~~		·05	·07	·54		·20				·01		26
27	·10	·06 ~~·04~~		·08		·35						·04	27
28	·32 ~~·05~~		·14		·17	·03	·04				05		28
29	·02 ~~·06~~	~~·30~~	·19				·06				·06	·30	29
30	·05 ~~·07~~		·01	·01	1·33	·05	·04	·01	·23		·07	·19	30
31	·01		·01							·16		·07	31
Total	1·95 ~~·41~~	·34	1·40	3·04	2·37	1·40	3·16	1·13	1·85	·50	·41	1·86	YEAR'S TOTAL 19·41
Days with ·01 in. or more	17 ~~11~~	8	16	23	14	9	20	13	17	6	12	20	175
Days with ·04 in. or more	13 ~~4~~	2	12	21	8	6	18	11	14	3	3	13	124

Dh

228

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGI

GRANTCHESTER
MILL
LYNDEWODE

CAMBRIDGE

1911 - 1920

Kept at Grantcheste

in the County of Cambs

by J. Nutter

in.

and ft.

Level ft.

nce Direction

IMPORTANT NOTE.—I result entered to the previous day. If an Observ l rule, he is earnestly requested to add the reading n the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in "*Ru* cation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11											·01	1
2	·16				·06			·01			·09	·08	2
3				·04	·07					·13	·01		3
4	·08		·11	·08			·04			·07	·06	·19	4
5	·01			·02				·02		·03		·22	5
6	·20		·03									·21	6
7	·01									·04	·22	·25	7
8	·16		·14							·01	·09	·06	8
9	·15		·01	·05							·01	·02	9
10	·01	·04	·06								·09	·11	10
11	·33										·38		11
12			·36		·10				·07		·18	·20	12
13			·03		·06				·19	·84	·01		13
14		·01	·02		·58	·11						·31	14
15		·04	·20						·02	·04	·05		15
16			·08			·32				·01	·25	·03	16
17						·01					·05	·06	17
18		·12				·08					·53	·02	18
19		·03			·03	·37			·10	·13	·31	·37	19
20	·06	·01						·31	·11	·01			20
21		·04						·20		·28	·01	·11	21
22	·09	·07	·16			·03				·1[illegible]	·04	·40	22
23			·08			·88	·01		·34			·11	23
24	·03		·02			·12				·35		·19	24
25		·02	·01	·04		·18	·24	·06					25
26				·19						·10		·26	26
27		·18	·07	·06					·15			·02	27
28		·11		·24				·09			·09	·01	28
29				·09		·29	·10		·21	·24		·01	29
30						·01		·09		·09			30
31										·02			31
Total	1·40	·67	1·38	·81	·90	2·40	·39	·78	1·19	2·50	2·47	3·25	TOTAL for year 18·14
No. of Rain Days	13	11	15	9	6	11	4	7	8	17	18	23	142

9,000, IX. '10.

D4

228

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGI

Kept at Grantchester Mill

in the County of Cambs 2

by J. Nutter

Rain Gauge
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11			—								·01	1
2	·16			—	·06			·01			·09	·08	2
3				·04	·07					·13	·01		3
4	·08		·11	·08			·04			·07	·06	·19	4
5	·01			·02				·02		·03		·22	5
6	·20		·03									·21	6
7	·01									·04	·22	·25	7
8	·16		·14							·01	·09	·06	8
9	·15		·01	·05							·01	·02	9
10	·01	·04	·06								·09	·11	10
11	·33	—									·38		11
12			·36		·10				·07		·18	·20	12
13			·03		·06				·19	·84	·01		13
14		·01	·02		·58	·11						·31	14
15		·04	·20						·02	·04	·05		15
16			·08			·32				·01	·25	·03	16
17						·01					·05	·06	17
18		·12				·08					·53	·02	18
19		·03			·03	·37		—	·10	·13	·31	·37	19
20	·06	·01					—	·31	·11	·01			20
21		·04						·20		·28	·01	·11	21
22	·09	·07	·16			·03				·1[illegible]	·04	·40	22
23			·08			·88	·01		·34			·11	23
24	·03		·02			·12				·35		·19	24
25		·02	·01	·04		·18	·24	·06					25
26				·19						·10		·26	26
27		·18	·07	·06					·15			·02	27
28		·11		·24				·09			·09	·01	28
29				·09		·29	·10		·21	·24		·01	29
30						·01		·09		·09			30
31										·02			31
Total	1·40	·67	1·38	·81	·90	2·40	·39	·78	1·19	2·50	2·47	3·25	TOTAL for year 18·14
No. of Rain Days	13	11	15	9	6	11	4	7	8	17	18	23	142

9,000, IX. '10.

DL

Ex Fil.

222

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Grantchester Mill

in the County of Cambridgeshire 2

by J. Nutter

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·15	·05		·11	·24		·05	1
2		·03		·02			·28					·01	2
3	·13		·30		·08	·18		·26				·13	3
4	·07				·05	·28					·23		4
5	·07	·07	·18					·09			·05		5
6	·20	·04	·06		·01	·39	·54	·13			·01		6
7	·03				·02	·75	·07	·02					7
8	·18	·14				·05		·06	·19			·02	8
9		·03		·08		·18						·18	9
10								·10	·10		·10	·02	10
11	·12	·13	·05					·03	·06			·02	11
12	·11	·01			·05			·12			·05		12
13		·01				·04	·02	·09			·30		13
14			·01		·04	·08		·04			·01		14
15			·13		·17	·28		·05				·08	15
16	·32		·05		·05	·09		·04		·03	·05		16
17	·54		·16			·13		·04			·05	·08	17
18	·03		·09				·01	·25				·08	18
19	·14	·08	·17				·23	·44			·01		19
20	·04	·03	·10		·02			·28		·34			20
21			·27		·50			·90		·24	·04		21
22	·50	·08			·11		·01	·22				·01	22
23	·57	·34	·30					·52			·20	·09	23
24	·25						·08	·13				·03	24
25						·08		·73		·02	·16	·38	25
26							·09	1·50		·38	·20	·20	26
27										·09		·15	27
28		·03		·01			·02	·01	·09	·24	·09	·23	28
29						·07	·18	·38	·64	·18	·05		29
30	·01				·15	·02			·50	·10			30
31			·09				·18	·23		·06		·01	31
Total	3·31	1·02	1·96	·11	1·25	2·77	1·76	6·66	1·69	1·92	1.60	1·77	TOTAL for year 25·82
No. of Rain Days.	17	13	14	3	12	15	13	25	7	11	16	18	164

W. 8,000, X. '11.

82.

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL. FORM A.

227

27 JAN 1914

Kept at Granchester Mill

in the County of Cambridgeshire 2

by J. Nutter

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·05	·10	·05	·10					·49		·05	·02	1
2	·04	·11			·06		·15		·25		·05		2
3			·12		·61							·01	3
4	·05				·06		·17			·12	·02	·22	4
5	·06						·04			·57			5
6		·02	·08		·10	·39	·10			·04			6
7		·04			·01	·05	·03			·29	·02		7
8				·02	·16	·10					·10		8
9		·17	·03				·01		·02		·05	·02	9
10			·01	·07			·14	·01			·36		10
11	·56			·40				1·19		·03	·15		11
12					·04			·02			·07		12
13										·22	·44		13
14	·01	·01	·08	·02			·27				·03		14
15	·09	·01	·16	·06			·15						15
16	·05		}	·09					·11				16
17	·06	·02	·33	·07		1·69	·02					·15	17
18			·02	·10			·05		·01			·05	18
19	·06		·03		·02		·07		·52			·06	19
20	·04			·01		·03				·22			20
21			·08		·02		·05			·15	·22		21
22	·30							·09	·12				22
23			·05			·01	·02	·11					23
24						·01							24
25				·12			·01					·05	25
26		·04	·15					·01		·75		·11	26
27		·02	·02	·03	·39	·04				·06			27
28	·11		·08	·03								·02	28
29	·15		·11	·17	·24			·06		·09			29
30	·14			·14				·04		·08	·14		30
31								·76		·06			31
													YEAR'S TOTAL
Total	1·77	·54	1·40	1·43	1·71	2·32	1·28	2·29	1·52	2·68	1·70	·71	19·35
Rain Days.	15	10	17	15	11	8	15	9	7	13	13	10	143

W. 7,500, XI. ·12

220

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Grantchester Mill

in the County of Cambridgeshire

by J. Nutter

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.11	.10			.08		1
2	.04						.02				.12	.07	2
3			.12		.11		.39	.45			.08		3
4	.10		.01	.10				.10			.38	.10	4
5			.05	.13	.05	.03	.19	.57					5
6		.07			.03	.02		.03			.20	.06	6
7		.02	.30	.05	.29	.16	.09					.43	7
8	.09	.07	.31		.05	.58		.12					8
9	.55		.47	.04		.52						.89	9
10	.42	.06		.16	.05				.06				10
11		.07	.26		.02	.28					.24	.12	11
12			.07						.42		.01	.16	12
13		.09	.13							.35	.04	.21	13
14			.16				.25			.64	.05	.72	14
15			.26				.01		.11			.10	15
16			.05				.10				.07		16
17	.08	.32							.08				17
18			.01									.27	18
19			.13				.10				.20		19
20		.08	.30						.08				20
21		.18	.14			.24				.01		.19	21
22			.02		.35		.07	.05		.40			22
23		.03	.04		.04	.03				.13		.03	23
24				.09		.02	.10			.11	.11		24
25			.09					.07		.32			25
26			.03				.04	.11		.03	.06	.35	26
27	.04		.04								.01	.10	27
28										.09	.46	1.00	28
29			.03							.25	.04		29
30			.05		.15					.02	.15		30
31							.06					.10	31
Total	1.32	.99	3.07	.57	1.14	1.88	1.53	1.60	.75	2.35	2.30	4.95	YEAR'S TOTAL 22.45
Rain Days.	7	10	23	6	10	9	13	10 9	5	11	17	18	139

W.7,000, XI. 13

88

1303
~~213~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Grantchester Mill

in the County of Cambridgeshire

by J. Nutter

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.29	.11			.09				.04			.12	1
2	.05	.05	.21	.06		.02		.35			.02	.04	2
3	.21		.06	.18			.03	.42			.01	.13	3
4	.14							.05		.03		.45	4
5	.03	.14			.09			.02		.03		.19	5
6	.21		.09	.20			.86	.11		.04		.02	6
7	.07	.22	.05				.24	.14				.10	7
8		.19		.02				.01				.56	8
9	.02	.04				.03					.18		9
10	.36		.07					.01			.03	.05	10
11			.06		.04						.72		11
12	.10			.33	.32			.88		.02	.82	.06	12
13	.05	.35			1.23								13
14		.07					.40		.04			.35	14
15	.12							}			.20	.04	15
16		.10					.41	.29 }				.01	16
17		.14			.09		.10	.75			.02		17
18	.01	.10	.22								.07		18
19			.02				.14			.01			19
20	.28			.06				.01		.02		.34	20
21	.07	.04			.04		.08					.06	21
22	.90	.01	.36	.03			.50		.03			.13	22
23		.12	.05			.05	.06		.25	.10	.01	.19	23
24			.18				}		.24			.07	24
25			.01			.31	.04 }					.05	25
26		.06				.05	.04					.16	26
27		.09				.07	.26			.48			27
28		.03				.26	.04	.04	.65	.07			28
29						.14	.10	.14			.03	.12	29
30	.05	✕				1.05				.09			30
31	.02	✕		✕		✕		.07	✕		✕	.09	31
Total	2.98	1.86	1.38	.88	1.90	1.98	3.30	3.29	1.25	.89	2.11	3.33	YEAR'S TOTAL 25.15
Rain Days.	18	17	12	7	7	9	16	16	6	10	11	22	151

W. 8,000. X. 14.

1282

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Mr J Nutter Grantchester Mill

in the County of Cambridge

by

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Cambridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			{·18		·13				·01		·27		1
2	·27				·18				·01	·26			2
3		·14					·02		·18	·21	·12		3
4	·25	·07		·02		·33			·27	·04	·15		4
5					·01	·10	·05			·09	·20		5
6		·09	·19	·25		·03	·09				·19		6
7	·13		·16		·13	·09	·34				·32	·05	7
8			·01		·17						·02	·16	8
9					·14	·15						·10	9
10		·04	·19	·05		·04	·17						10
11	·09	·29	·04	·12	{·41	·12	·06		·03				11
12	·01	{·37				·23		·04	·02	·25		·01	12
13			·05	·03	·18	·09	·33	·09					13
14		·49	·02	·04	·07	·02							14
15		·17	·27				{·12	·61	·01				15
16		·05	·08	·19	·04			·07		·27			16
17	·04	·03		·12			·20	·03	·19				17
18		·10	·02	·05				·16	·30		·47	{·18	18
19	·02		·07	·26				·01	·13		·79		19
20	·12		·27					·10			·06	·23	20
21			·69				·76					·35	21
22		·14				·02						·43	22
23		·37				·07		·01			·05	·10	23
24		·13						·04		·10	·01	·32	24
25		·15	·12					·17			·06	·02	25
26		·08	·07			·09		{·09		·05			26
27	·06	·26	·78			·03				·15			27
28		·29	·40			·05						·12	28
29		·10				·10		1·16		·18			29
30		X						·34		·23			30
31		X		X		X		·03	X	·01	X		31
Total	·99	3·36	3·61	1·13	1·46	1·56	2·14	2·95	1·15	1·84	2·71	2·07	YEAR'S TOTAL 24·97
Rain Days.	9	20	19	10	11	16	18	16	10	12	13	12	159

W. 8,000, VIII. 16

Exc 82

1227

FORM No. 8 JAN
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Granchester Mill
in the County of Cambridge
by James Mitter

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·06	—	·05	—	—	—	·84	·24	—	·14	—	1
2	·02	—	—	·26	—	—	—	·16	—	—	·07	—	2
3	—	—	—	—	—	—	—	·34	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	·13	—	—	4
5	·20	—	—	·19	—	—	—	·02	·01	·59	·11	—	5
6	—	·08	—	—	—	03	—	—	—	·03	·~~02~~	—	6
7	·18		·01	—	—	—	—	—	·02	—	—	—	7
8	·15	—	—	·10	—	—	1·49	·10	—	·44	·09	05	8
9	·08	—	·07	·06	—	—	—	·~~09~~ 26	—	·26	·07	·10	9
10	·23	—	·13	·08	—	—	—	·09	—	—		—	10
11	·07	—	·50	·03	—	—	—	—	—	—	—	—	11
12	·05	—	·02	·01	—	—	—	·09	—	·18	—	—	12
13	·19	—	·02	—	—	—	—	·05	·03	·22	—	—	13
14	·03	—	—	·18	—	—	—	·03	·~~03~~	·05	—	—	14
15	—	—	—	·21	—	—	—	—	—	—	—	03	15
16	—	—	—	—	03	—	02	—	—	02	—	—	16
17	—	—	—	·16	·69	03	·34	—	·40	·61	—	—	17
18	—	·07	—	·08	—	·15	·21	—	·62	·19	—	—	18
19	·05	·07	·15		·51	—	—	·04	·21	—	—	—	19
20		·26	·12		·18	—	—	—	—	—	·14	—	20
21	·02	·02	·04		—	—	—	—	—	—	—	—	21
22	—	—	—		—	—	—	·02	—	—	—	—	22
23	—	—	—		·18	—	—	·20	—	·09	—	·17	23
24	01	—	—		—	·19	—	·~~20~~ 04	—	—	·04	—	24
25	—	·07	·12		—	—	—	·~~04~~	—	·13	·02	—	25
26	—	—	·~~04~~ 08		—	—	—	·20	·08	—	·40	·09	26
27		—	·~~08~~		—	—	—	·~~20~~ 47		—		—	27
28	—	—	·12		—	·84	—	·~~12~~ 08		—		·07	28
29	—	—	~~·12~~		—	·58	1·80	·~~08~~ 17		01		·14	29
30	—	×	·04		·14		·65	·~~07~~ 09		·21		—	30
31	—	×	·37	×		×	·45	·07	×		×	—	31
Total	1·28	0·63	1,79	1·41	1·73	1·82	4·96	3·36	1·61	3·16	1·10	·65	YEAR'S TOTAL 23·50
Rain Days.	13	7	14	12	6	6	7	20	8	15	10	7	125

W. 8,000, IX. 17.

Sprade 5122 13

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

10 1 19

Kept at Grantchester Mill
in the County of Cambridgeshire
by James. Nutter.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. – in.
" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·05	·06	1
2		·11		·18				·05	·04			·15	2
3		·01	·07		·46				·12		·68	·01	3
4			·07						·44	·02	·17	·02	4
5					·18			·11	·27	·04			5
6		·12		·22					·37				6
7	·08								·04	·08	·07		7
8		·08							·12				8
9				·04			·08		·38	·18		·03	9
10	·08			·03			·20					·21	10
11					·15		·12			·32		·08	11
12		·14			·08				·19	·05			12
13					·40				·04			·12	13
14	·17			·01			·07		·35	·26		·09	14
Snow 15	1·27			1·68		·09	·28		·11			·07	15
dr. 16	·10			·58					·97			·08	16
17	·12			·17		·03	·47		~~·43~~			·29	17
18	·49					·14	·16		·43			·06	18
19	·02	·06	·14	·03		·47	·17			·07			19
20				·12		·09	·06			·08			20
21	·02			·09					·70	·12		·26	21
22					·04		·09		·04				22
23	·07				·53		·08	·05	·03				23
24		·18			·01				·06		·14		24
25						·01		·28			·05		25
26							·29	·17		·05	·25	·09	26
27				·23			·04		·07		·09		27
28		·06	·03	·01							·24	·10	28
29									1·59		·02		29
30		✕						·14	·06		·15	·18	30
31		✕	·52	✕		✕		·04	✕	·05	✕	·13	31
Total	2·42	·76	·83	3·39	1·85	·83	2·11	·84	6·42	1·32	1·91	2·03	YEAR'S TOTAL 24·70
Rain Days.	10	8	5	14	8	6	13	7	21	12	11	18	~~133~~

W. 6,500, VII. 18. W W C

Ex. 7456

1461

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

8 JAN 20

Kept at Grantchester Mill

in the County of Cambridge

by James. Nutter

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Cambridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. — in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21				·05	·15	·41			·11		·83	1
2	·23						·05		·17		·19	·46	2
3	·24		·24						·04		·15	·06	3
4	·08		·26				·07					·09	4
5	·02		·27				·37	·04	·12			·14	5
6			·08										6
7			·27								·13	·01	7
8	·05		·05								{·13}		8
9			·05										9
10			·14	·13									10
11	·10		·12	·08			·37					·06	11
12			·12			·05	·21						12
13	·11			·07							snow ·04		13
14	·19			·10			·02		·08				14
15	·25		·08	·04							{·09}	·12	15
16	·04	·84											16
17		·75	·05					{·13}			·18	·04	17
18		·33									·04	·04	18
19		{·17}	·21			·17	{·47}	·17			·03	·03	19
20	·26		·02			·62		·28					20
21	·46	·27					·55					·05	21
22		·31					·12		·19			·48	22
23				·18		·05	·13	·03				·09	23
24						·14					·02		24
{25	·21			·06	·16	·02		·17					25
26}		·33	·25					·09				·27	26
27	snow ·87	·08		snow 1·06				·16					27
28				·16				·88		·13	·07	·28	28
29	·05									·17		·04	29
30		✕		·25		·20				·04	·15	·09	30
31		✕	·01	✕		✕			✕	·02	✕	·03	31
TOTAL	3·37	3·08	2·22	2·13	·21	1·40	2·77	1·95	·60	·47	1·22	3·21	YEAR'S TOTAL
Days with ·01 in. or more	17.	9	16	10	2	8	12	10	5	5	14	19	22·63 ✓

727

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1103

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

17 JAN 1921

Kept at Grantchester
in the County of Cambridge
by James Nutter

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. – in.
" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0·42	—	—	0·18	{·25	—	0·44	0·02	0·12	1
2	—	—	—	0·08	—	—	—		0·11	0·03	—	0·03	2
3	—	0·03	—	0·39	—	0·05	0·22	—	0·09	0·02	—	0·03	3
4	—	—	0·06	0·13	—	—	0·12	—	0·04	0·02	—	0·08	4
5	—	—	0·04	—	0·08	—	0·51	0·12	0·11	—	—	0·05	5
6	—	—	0·11	—	0·06	—	0·43	—	—	—	—	—	6
7	—	—	—	0·09	—	—	0·11	—	—	—	—	0·04	7
8	0·15	—	—	0·39	—	—	0·07	—	—	—	—	—	8
9	0·36	—	—	0·42	—	—	—	0·09	—	—	—	—	9
10	0·06	—	0·12	0·03	—	—	0·04	—	—	—	—	0·03	10
11	0·22	—	0·08	0·28	0·04	~~[illegible]~~	0·07	—	—	—	0·02	0·06	11
12	0·10	—	—	0·10	—	0·11	—	—	—	—	—	0·09	12
13	—	—	0·02	0·12	—	0·08	—	—	0·06	—	0·02	—	13
14	—	—	0·16	0·14	-	0·03	0·06	—	0·12	0·06	~~[illegible]~~ 0·12	0·03	14
15	—	—	0·15	0·03	—	—	—	—	0·20	0·04	0·08	0·05	15
16	—	—	—	0·03	0·02	—	—	—	0·29	0·01	0·04	0·02	16
17	{0·09	—	—	—	—	—	—	—	0·31	—	—	0·04	17
18		—	—	—	—	—	—	0·25	0·06	—	0·01	0·04	18
19	—	—	—	0·04	—	—	—	—	—	—	—	—	19
20	0·18	~~0·13~~ 0·14	—	0·21	—	0·62	—	—	0·04	—	—	—	20
21	—	—	—	0·19	—	—	0·26	—	0·34	—	—	0·02	21
22	—	—	—	0·14	—	—	—	0·08	0·31	—	—	0·06	22
23	—	—	—	—	—	—	0·25	—	—	—	—	0·33	23
24	—	—	0·11	—	—	—	—	—	0·02	—	0·01	0·03	24
25	—	0·05	0·02	0·04	0·01	—	0·24	—	0·03	—	0·02	—	25
26	0·08	{0·06	—	0·06	0·44	—	0·14	—	—	—	—	0·02	26
27	0·10		—	0·07	—	0·34	—	—	—	0·02	0·16	0·05	27
28	{0·31		0·25	—	0·17	—	0·04	—	—	—	0·02	—	28
29			0·07	—	0·20	—	0·05	—	—	—	0·07	0·32	29
30	0·04	╳	—	0·06	0·02	0·05	0·04	-	0·19	—	0·06	0·20	30
31		╳	0·02	╳		╳		-	╳	0·08	╳	0·08	31
TOTAL	1·69	0·28	~~4·4~~ 1·21	3·46	~~1·15~~ 1·04	1·28	2·83	0·79	2·32	~~0·78~~ 0·72	0·65	1·82	YEAR'S TOTAL ~~18·26~~ 18·09
Days with ·01 in. or more	?13	? ~~3~~ 5	~~4~~ 13	5	~~12~~	1 ~~1~~	17	6	16 ~~7~~	9 ~~5~~	13 ~~7~~	23 ~~8~~	153
Days with ·04 in. or more	~~12~~ 12	~~2~~ 3	~~9~~ 10	~~12~~ 9	6 ~~5~~ ~~7~~	6	17	5	14	4	6	15	107

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1106

FoRM A. 1. **METEORO** **ORGANIZATION.**

R **920.**

6 MAY 1921

FULBOURNE

MENTAL HOSPITAL

CAMBRIDGE

1920

Kept at Cambs M.

in the County of Ca

by D. M. A. (

ng 0° 11′ 45″ E

9 a.m. (nearest)

n Fulbourn. 2 miles

Cambridge 3½ miles

Rain Gauge 5 in.

above Ground ft. 6 in.

,, Sea Level 72½ ft.

lt entered to the previous day.

IMPORTANT NOT

If an Observer prefers nc the reading at 9 a.m. on this paragraph. Full instr and particulars as to the sent post-free on applica Square, London, N.W. 1.

equested to add it at the end of of rain gauges, *nfall Observers,"* on, 62, Camden

orm.

Jan. 1, following.

Date	Jan.	Feb.	Ma					August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·32	·04	-	·18	·13	·02	·21	-	·01	1
2	-	-	-	·13	-	-	-	·09	·11	·08	-	·03	2
3	-	·04	-	·34	-	·05	·60	-	·06	-	-	-	3
4	-	-	-	·19	-	-	·16	·10	·05	·01	-	·13	4
5	-	-	·07	·06	-	-	·61	·05	·11	-	-	·08	5
6	-	-	·12	-	·15	-	·37	-	-	-	-	-	6
7	-	-	snow ·12	·09	-	-	·10	-	-	-	-	·03	7
8	·28	·03	-	·42	·02	-	·03	·11	-	-	-	-	8
9	·62	-	-	·45	-	-	-	·12	-	-	-	-	9
10	·12	·03	·17	·02	~~[illegible]~~	-	·05	-	-	-	-	-	10
11	·43	-	·09	·32	·03	-	·10	-	-	-	-	snow ·09	11
12	·13	-	·10	·12	-	·17	-	-	-	-	-	snow ·08	12
13	·02	-	·01	·08	-	·10	-	-	·02	-	·02	-	13
14	-	·03	·22	·10	-	·01	·07	-	·12	·03	·12	-	14
15	·02	·02	·41	·03	-	-	-	-	·07	-	·04	snow ·53	15
16	-	-	-	-	-	-	-	-	·37	·02	-	-	16
17	·03	-	·02	-	·07	-	-	-	·34	-	-	·03	17
18	·11	-	-	-	·06	-	-	·26	·06	-	-	·02	18
19	·26	-	-	·04	-	-	-	·02	-	-	-	-	19
20	·08	·25	-	·49	-	·62	-	-	·04	-	-	-	20
21	-	-	-	·15	-	-	·47	·08	·33	-	-	-	21
22	-	-	-	·17	-	-	-	·06	·39	-	-	·08	22
23	-	-	-	-	-	-	·25	-	-	-	-	·33	23
24	·03	-	·14	·04	-	-	-	-	·02	-	-	·03	24
25	-	·07	·03	·07	·11	-	·26	-	·02	-	-	-	25
26	·11	-	·08	-	·37	-	·21	-	-	-	-	-	26
27	·16	·10	-	-	-	·39	-	-	-	-	·12	·04	27
28	·47	-	·21	-	·12	·02	·05	-	-	-	·01	-	28
29	·02	-	·10	-	1·17	-	·05	-	·20	-	·06	·34	29
30	·06		·03	-	·03	·04	·03	-	-	-	·07	·18	30
31	-		·02		-		-	-		·16		·09	31
TOTAL	2·95	·57	1·94	3·63	2·17	~~1·10~~ 1·40	3·59	1·02	2·33	·51	·44	2·12	YEAR'S TOTAL 22·67 (22·37) ~~22·37~~
Days with ·01 in. or more	~~8~~ 17	8	17	20	~~8~~ 11	8	17	12	~~4~~ 17	5	7	17	154 (158)
Days with ·04 in. or more	~~11~~ 12	4	12	18	8	6	15	9	13	~~2~~ 3	5	11	~~114~~ (114) 116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1106

6 MAY 1921

Form A. 1. METEORO ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cambs Mental Hospital. Fulbourn, W. Cambridge.
in the County of Cambs
by D. M. A. Archdale.

Lat. 52° 11' 30" N Long. 0° 11' 45" E
Time of Observation 9 a.m. (nearest).
Nearest Railway Station Fulbourn 2 miles most convenient Cambridge 3½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 72½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	.32	.04	-	.15	.13	.02	.21	-	.01	1
2	-	-	-	.13	-	-	-	.09	.11	.08	-	.03	2
3	-	.04	-	.34	-	.05	.60	-	.06	-	-	-	3
4	-	-	-	.19	-	-	.16	.10	.05	.01	-	.13	4
5	-	-	.07	.06	-	-	.61	.05	.11	-	-	.08	5
6	-	-	.12	-	.15	-	.37	-	-	-	-	-	6
7	-	-	snow .12	.09	-	-	.10	-	-	-	-	.03	7
8	.28	.03	-	.42	.02	-	.03	.11	-	-	-	-	8
9	.62	-	-	.45	-	-	-	.12	-	-	-	-	9
10	.12	.03	.17	.02	~~.02~~	-	.05	-	-	-	-	-	10
11	.43	-	.09	.32	.03	-	.10	-	-	-	-	snow .09	11
12	.13	-	.10	.12	-	.17	-	-	-	-	-	snow .08	12
13	.02	-	.01	.08	-	.10	-	-	.02	-	.02	-	13
14	-	.03	.22	.10	-	.01	.07	-	.12	.03	.12	-	14
15	.02	.02	.41	.03	-	-	-	-	.07	-	.04	snow .53	15
16	-	-	-	-	-	-	-	-	.37	.02	-	-	16
17	.03	-	.02	-	.07	-	-	-	.34	-	-	.03	17
18	.11	-	-	-	.06	-	-	.26	.06	-	-	.02	18
19	.26	-	-	.04	-	-	-	.02	-	-	-	-	19
20	.08	.25	-	.49	-	.62	-	-	.04	-	-	-	20
21	-	-	-	.15	-	-	.47	.08	.33	-	-	-	21
22	-	-	-	.17	-	-	-	.06	.39	-	-	.08	22
23	-	-	-	-	-	-	.25	-	-	-	-	.33	23
24	.03	-	.14	.04	-	-	-	-	.02	-	-	.03	24
25	-	.07	.03	.07	.11	-	.26	-	.02	-	-	-	25
26	.11	-	.08	-	.37	-	.21	-	-	-	-	-	26
27	.16	.10	-	-	-	.39	-	-	-	-	.12	.04	27
28	.47	-	.21	-	.12	.02	.05	-	-	-	.01	-	28
29	.02	-	.10	-	1.17	-	.05	-	.20	-	.06	.34	29
30	.06	X	.03	-	.03	.04	.06	-	-	-	.07	.18	30
31	-	X	.02	X	-	X	-	-	X	.16	X	.09	31
Total	2.95	.57	1.94	3.63	2.17	1.40 ~~1.10~~	3.59	1.02	2.33	.51	.44	2.12	Year's Total 22.67 (22.37) ~~22.37~~
Days with ·01 in. or more	~~8~~ 17	8	17	20	~~8~~ 11	8	17	10	17	5	7	17	154 (158)
Days with ·04 in. or more	~~7~~ 12	4	12	18	8	6	15	9	13	~~2~~ 3	5	11	~~114~~ (114) 116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Dl

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

248

1216

F 1

BATCHSLIP

STD JOB:
MET-ARCH

BATCH :
METZ010

ENTRY 136 VERIFY 104

Kept at Littlepor

in the County of C

by H. G. Mar

8 in.

ve Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT N d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the year in the space provided for it at the end of ement of rain, the selection and pla British Rainfall Organization are given application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01							·03					1
2	·21				·06			·01			·08	·09	2
3		·03			·08					·04			3
4		·02	·09	·17					·04	·02	·17	·02	4
5	·03	·03		·01				·05				·30	5
6	·35		·01									·20	6
7	·02			·03							·15	·33	7
8	·19		·13						·20		·06	·02	8
9	·15		·08	·04							·03		9
10	·02	·04	·09									·09	10
11	·23					·04					·33		11
12	·08		·35		·73				·02		·16		12
13	·02		·09			·02			·23	·27	·02	·20	13
14		·05	·10		·34							·39	14
15		·10	·40						·10		·09		15
16			·04			·25				·03	·32	·06	16
17											·04	·09	17
18						·25					·91	·02	18
19		·09				·20	·04		·19	·11	·22		19
20								·10	·13			·46	20
21		·16						1·03		·18		·23	21
22	·01		·11			·01		·17		·20		·30	22
23		·02	·09		·04	·72	·04		·42			·17	23
24		·05				·10				·20		·10	24
25		·01	·02	·11		·30	·15	·10				·02	25
26				·19			·07	·03		·15	·10	·30	26
27		·28	·09	·09				·17	·20		·13	·05	27
28		·14		·26							·08	·04	28
29		X		·06		·40	·10		·35	·31		·01	29
30		X			·04	·01			·11	·04		·01	30
31		X		X		X			X	·01	X	·04	31
Total	1·32	1·02	1·69	·96	1·29	2·30	·40	1·69	1·99	1·56	2·89	3·54	TOTAL for year 20.65
No. of Rain Days	12	13	14	9	6	11	5	9	11	12	16	24	142

9,000, IX. '10.

DL

FORM A2.
BRITISH RAINFALL.

248

23 JAN 1912

1

Kept at Littlepor

in the County of Ca

by H. G. Mar

8 in.

ve Ground ft. in. 1216

Sea Level ft.

Name

Distance Direction

LITTLEPORT
1216
HIGHFIELD HSE
CAMBRIDGE
1911 – 1918 (8)

IMPORTANT NO … d the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the r… ear in the space provided for it at the end of … ment of rain, the selection and pla… ritish Rainfall Organization are given … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01							·03					1
2	·21				·06			·01			·08	·09	2
3		·03			·08					·04			3
4		·02	·09	·17					·04	·02	·17	·02	4
5	·03	·03		·01				·05				·30	5
6	·35		·01									·20	6
7	·02			·03							·15	·33	7
8	·19		·13						·20		·06	·02	8
9	·15		·08	·04							·03		9
10	·02	·04	·09									·09	10
11	·23					·04					·33		11
12	·08		·35		·73				·02		·16		12
13	·02		·09			·02			·23	·27	·02	·20	13
14		·05	·10		·34							·39	14
15		·10	·40						·10		·09		15
16			·04			·25				·03	·32	·06	16
17											·04	·09	17
18						·25					·91	·02	18
19		·09				·20	·04		·19	·11	·22		19
20								·10	·13			·46	20
21		·16						1·03		·18		·23	21
22	·01		·11			·01		·17		·20		·30	22
23		·02	·09		·04	·72	·04		·42			·17	23
24		·05				·10				·20		·10	24
25		·01	·02	·11		·30	·15	·10				·02	25
26				·19			·07	·03		·15	·10	·30	26
27		·28	·09	·09				·17	·20		·13	·05	27
28		·14		·26							·08	·04	28
29		X		·06		·40	·10		·35	·31		·01	29
30		X			·04	·01			·11	·04		·01	30
31		X		X		X			X	·01	X	·04	31
Total	1·32	1·02	1·69	·96	1·29	2·30	·40	1·69	1·99	1·56	2·89	3·54	TOTAL for year 20·65
No. of Rain Days	12	13	14	9	6	11	5	9	11	12	16	24	142

9,000, IX. '10.

Dl

248

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

1216

1

Kept at Littleport, Highfield House

in the County of Cambs 2

by H. G. Martin

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01							·03					1
2	·21				·06			·01			·08	·09	2
3		·03			·08					·04			3
4		·02	·09	·17					·04	·02	·17	·02	4
5	·03	·03		·01				·05				·30	5
6	·35		·01									·20	6
7	·02			·03							·15	·33	7
8	·19		·13						·20		·06	·02	8
9	·15		·08	·04							·03		9
10	·02	·04	·09									·09	10
11	·23					·04					·33		11
12	·08		·35		·73				·02		·16		12
13	·02		·09			·02			·23	·27	·02	·20	13
14		·05	·10		·34							·39	14
15		·10	·40						·10		·09		15
16			·04			·25				·03	·32	·06	16
17											·04	·09	17
18						·25					·91	·02	18
19		·09				·20	·04		·19	·11	·22		19
20								·10	·13			·46	20
21		·16						1·03		·18		·23	21
22	·01		·11			·01		·17		·20		·30	22
23		·02	·09		·04	·72	·04		·42			·17	23
24		·05				·10				·20		·10	24
25		·01	·02	·11		·30	·15	·10				·02	25
26				·19			·07	·03		·15	·10	·30	26
27		·28	·09	·09				·17	·20		·13	·05	27
28		·14		·26							·08	·04	28
29		X		·06		·40	·10		·35	·31		·01	29
30		X			·04	·01			·11	·04		·01	30
31		X		X		X			X	·01	X	·04	31
Total	1·32	1·02	1·69	·96	1·29	2·30	·40	1·69	1·99	1·56	2·89	3·54	TOTAL for year 20·65
No. of Rain Days	12	13	14	9	6	11	5	9	11	12	16	24	142

9,000, IX. '10.

8L

Cnd for anth ~~W.~~ JRb

241

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Littleport Highfield House

in the County of Cambridgeshire 2

by H. G. Martin

RAIN GAUGE { Pattern .... Diameter of top .... in. Height of top above Ground .... ft. .... in. " " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station { Name .... Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.23	.05		.19			.12	1
2					.01		.25						2
3	.18				.03	.37		.17	.04	.03		.10	3
4	.04		.40		.06	.13		.07			.39		4
5	.03	.05	.25			.10					.03		5
6	.60	.13			.04		1.40	.40					6
7	.01					.58							7
8	.13	.11	.09			.04	.06	.24	.07				8
9		.07		.13		.24						.20	9
10		.01						.06	.18				10
11	.14	.01						.10	.11		.14	.14	11
12	.12	.07	.17		.01						.38		12
13	.02					.07	.25	.04			.56		13
14					.03			.03	.02		.15		14
15			.15		.19	.28					.01	.05	15
16			.05		.19	.08		.11		.09	.02	.10	16
17	.10		.19			.18		.08				.07	17
18	.02		.07				.01	.08		.07	.03		18
19	.15	.13	.16				.15	.34			.03		19
20			.01		.07		.06	.25		.30			20
21			.30		.33			.81		.13	.07		21
22	.22	.07			.22		1.25	.16		.03		.02	22
23	.36	.65	.22		.12		.05	.70			.21	.05	23
24	.31		.01			.06	.01	.23				.12	24
25						.20		1.04			.16	.18	25
26						.36	.06	2.67		.38	.35	.16	26
27					.01					.17		.26	27
28		.01		.06	.01		.03	.14	.01	.35	.10	.27	28
29				.01	.01	.15	.21	.18	.55	.16	.14		29
30					.22			.01	.50	.17			30
31			.08		.11		.19	.19					31
Total	2.43	1.31	2.15	.20	1.66	3.07	4.03	8.10 8.10	1.67	1.88	2.77	1.84	TOTAL for year 31.11
No. of Rain Days.	15	11	14	3	17	15	15	23	9	11	16	14	163

31.11

W. 8,000, X. '11.

82

246

FORM A.
BRITISH RAINFALL.

27 JAN 1914

1216

REGISTER OF RAINFALL IN 1913

Kept at Littleport, Highfield House

in the County of Cambridgeshire 2

by H. G. Martin

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·10	·12			·01			·43		·13		1
2	·04	·12	·01	·06	·13		·20		·06	·15			2
3			·20		·66				·03			·03	3
4	·14		·01			·04	·08			·12	·05	·20	4
5	·04						·02		·02	·03	·02		5
6		·06	·01		·29	·37	·01			·12			6
7		·02								·68			7
8				·01	·35	·10					·09	·01	8
9		·28	·04	·02	·13	·11		·01	·03		·03		9
10				·03				·17			·20		10
11	·28			·20	·08			·34			·18		11
12				·28		·01		·01			·10		12
13				·09				·10			·39		13
14			·11				·01		·09	·31			14
15	·31	·03	·08	·06			·12		·17				15
16	·10		·46	·12					·10		·06		16
17	·08		·09	·09		·48	·10					·14	17
18			·05	·08			·04	·01					18
19	·04		·07	·10		·04	·03		·13				19
20	·06		·11		·07	·01			·45	·28			20
21	·05		·12				·23			·14	·17		21
22	·17		·03				·18		·11				22
23						·02	·08	·10	·09		·01	·05	23
24	·07			·01		·07							24
25				·10									25
26			·10							·53	·03	·02	26
27						·12				·02	·03	·08	27
28	·10		·05	·03						·16			28
29	·20	X	·10	·16	·16			·10				·03	29
30	·17	X		·13				·05		·05		·03	30
31		X		X	·02	X		·68	X	·03	X		31
Total	1·88	·61	1·76	1·57	1·89	1·38	1·10	1·57	1·71	2·62	1·49	·59	YEAR'S TOTAL 18·17
Rain Days.	~~16~~	~~6~~	~~18~~	~~17~~	~~9~~	~~12~~	~~12~~	~~10~~	~~12~~	~~13~~	~~14~~	~~9~~	~~148~~

W. 7,500, XI. ·12

DL

239

28 JAN 1915

BRITISH RAINFALL. FORM 12/16

REGISTER OF RAINFALL IN 1914

Kept at Littleport, Highfield House

in the County of Cambridgeshire 2

by H. G. Martin

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.03	.25			.13		1
2							.70	.28			.03	.07	2
3			.15		.16		.18	.04			.03		3
4	.14		.01	.18				.03			.27	.10	4
5			.04	.05	.08		.15	.36					5
6		.08			.07	.05	.11	.01			.24	.02	6
7		.04	.37	.01	.01	.28						.11	7
8	.27	.05	.27		.23	.59	.08	.14					8
9	.65		.34	.01	.03	.66			.89			.52	9
10	.38	.08		.06	.04				.11				10
11		.11	.36	.05	.05	.08			.03		.24	.11	11
12			.03				.36		.23			.25	12
13		.12	.15							.17	.03	.30	13
14			.11				.17			.49	.10	.50	14
15	.03		.17					.01	.05		.03	.25	15
16	.04		.08						.07		.04		16
17									.08	.01			17
18		.22					.02					.01	18
19	.02	.07	.12			.17			.05		.22	.32	19
20		.02	.39			.07			.01				20
21			.33					.09		.03	.05	.14	21
22			.05	.03	.20		.04	.14		.19		.03	22
23			.08	.01	.05		.02			.05		.03	23
24				.07		.04				.19	.10		24
25		.09								.41			25
26	.02							.28			.05	.31	26
27											.07	.13	27
28		.01					.01			.10	.16	1.07	28
29	.02	X	.02							.13	.02	.10	29
30		X	.03							.01	.12	.15	30
31		X		X	.13	X	.08		X		X		31
Total	1.57	.89	3.10	.47	1.05	1.94	1.95	1.63	1.52	1.78	1.93	4.52	YEAR'S TOTAL 22.35
Rain Days.	9	11	19	9	11	8	13	11	9	11	18	20	149

W.7,000, XI. 13

82

1335
~~232~~

116

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Littleport
in the County of Cambridgeshire
by H. G. Martin

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·07			·25						·02	·13	1
2		·25	·20	·03		·01		·19	·16		—		2
3	·19	·08	·16	·07				·42	·02		·04	·17	3
4	·18			—	·01		·36	·34				·46	4
5	·06	·05						·02		·04		·20	5
6	·15	·07	·12	·07		—	·77	·01		·02		·01	6
7	·10	·22	·06				·03	·26			—	·09	7
8		·05	·06	—			·05				·16		8
9	·03	·10				·02						·31	9
10	·16		·10		—	·02	·02	·03			·04		10
11	·07		·03		·07		·08				·34		11
12	·07			·19	·25		·01	·26			1·36		12
13	·04	·26			·94				·02				13
14		·17			·01		·30	·35	·01			·10	14
15					·07			1·01			·24	·08	15
16		·12					·54	·05					16
17	·03	·10	·20				·19	·03			·01		17
18		·10	·01								·05		18
19		·04					·30						19
20	·32			·02								·30	20
21	·20						·05			·02			21
22	·36		·20				·50		·03			·21	22
23	·01	·05	·04	·03			·43		·23	·06		·11	23
24		·03	·10				·09		·10			·18	24
25						·18	·05			·03		·08	25
26		·10				·05	·03					·14	26
27		·01				·04	·22			·38		·02	27
28		·04				·03		·03	·31	·34		·15	28
29		✕				·08		·08			·04		29
30	·08	✕				1·31	·01				·02	·10	30
31	·03	✕		✕		✕		·14	✕	·05	✕	·03	31
Total	2·38	1·91	1·28	·41	1·60	1·74	4·03	3·22	·88	·94	2·32	2·87	YEAR'S TOTAL 23·58
Rain Days.	18	17	12	6	7	9	19	16	8	8	11	19	151

W. 8,000. X. 14.

82

Ex 82

+311
~~30+~~
1216

FORM A.
BRITISH RAINFALL.
27. MAR 191

REGISTER OF RAINFALL IN 1916

Kept at Litteport

in the County of Cambridgeshire

by H. G. Martin

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03					·02	·01				·18		1
2	·34				·25		·02			·02	·15		2
3		·06				·07	·02		·31	·22	·14		3
4	·21	·07			·01	·11	·03		·34	·04	·13		4
5				·02		·21	·84			·09	·25		5
6		·08	·10	·14			·11			·01			6
7	·08		·10		·30		·21				·11	·10	7
8			·04		·18	·06				·04	·03	·17	8
9					·16	·07						·06	9
10			·10	·03		·22	·10						10
11	·03	·21	·08	·15	·22	·22			·07			·05	11
12	·01	·05		·29	·41	·34	·09	·04		·08			12
13		·24	·10		·13	·03	·01						13
14		·43	·02		·09		·01	·02		·10		·07	14
15		·20	·10					·01	·04				15
16			·08	·16	·01		·06	·01					16
17	·02			·22			·21		·30	·25			17
18			·01					·29	·09	·08	·28		18
19	·08	·25	·02	·17				·30	·13		·45	·05	19
20	·09		·19								·14	·15	20
21			·30			·01		·02				·66	21
22		·22			·12	·12						·35	22
23	·02	·20				·05	·02				·13	·13	23
24		·35					·02	·01		·15	·02	·16	24
25			·09					·13		·02	·04		25
26		·20				·06		·20		·02			26
27		·25	·40			·04		·07	·02	·05			27
28		·17	·29						·07	·14		·14	28
29		·02						·98		·15			29
30		X				·03		·35					30
31		X		X		X		·04	X		X		31
Total	·91	3·00	2·02	1·18	1·88	1·66	1·76	2·47	1·37	1·46	2·05	2·09	YEAR'S TOTAL 21·85
Rain Days.	10	16	16	8	11	16	15	14	9	16	13	12	136

W. 8,000. X. 15.

Jl

Ex. Jl

125
~~198~~

FORM A.
BRITISH RAINFALL.
1216

REGISTER OF RAINFALL IN 1917

Kept at Littleport, Highfield House
in the County of Cambridgeshire
by H. G. Martin

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		–						1·21	·32		·03		1
2	·04			·06		·16		·24					2
3				·20				·40		·04			3
4		·16	·02	·02				·01		·80			4
5	·19	·01									·15		5
6				·12		·37							6
7	·28					·43				·54			7
8				·10			·99	·04		·20	·14		8
9			·05				·04	·10			·06	·08	9
10	·24		·20	·05				·10		·07			10
11	·06		·42	·09						·21	·03		11
12	·08			·01				·01		·34	·01		12
13	·15				·01	·02	·03	·23	·04	·10			13
14				·03			·02	·01					14
15		·03			·02			·13		·01			15
16				·16		·11	·04			·65		·07	16
17		·02		·19	·50	·13	·10		·35	·26			17
18				·05		·04	·15	·05	·81				18
19			·18			·03			·25		·19		19
20		·30	·13		·01		·04				·01		20
21						·03							21
22								·02		·07			22
23		·01			·11			·11	·06			·08	23
24		·02				·18				·10	·01		24
25		·01									·05	·06	25
26			·26			·04		·31	·06		·43	·20	26
27			·04			·01	·02	·48					27
28		·03	·12			·48		·03				·07	28
29		X			·01	·35	·45	·01		·11		·01	29
30	·07	X					·11	·10				·01	30
31	·08	X	·06	X		X	·23	·20	X		X		31
Total	1·19	·59	1·48	1·08	·66	2·38	2·22	3·79	1·89	3·50	1·11	·58	YEAR'S TOTAL 20·47
Rain Days.	9	9	10	12	6	14	12	20	7	14	11	9	133

~~2·14~~

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM 1216
BRITISH RAINFALL.

34

30. 1. 19

Kept at Littleport
in the County of Cambridgeshire
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2		·06											2
3	·03	·02											3
4													4
5													5
6		·11											6
7	·10	·11											7
8													8
9	·04	·05											9
10													10
11													11
12		·16											12
13		·02											13
14													14
15	·95												15
16	·07												16
17	·16												17
18	·40												18
19	·06												19
20	·02	·09											20
21	·01												21
22	·02												22
23	·11												23
24		·24											24
25													25
26													26
27		·09											27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
Total	1·97	·95											YEAR'S TOTAL
Rain Days.	17 14	10											

W. 8,000, IX. 17.

CAMBRIDGE

LINTON

1917–1919

FORM A.
BRITISH RAINFALL.

2. JAN 1918

REGIST

Kept at Linton

in the County of Camb

by E. F. Suckl

°16' ≈ 0° 17' E.

a.m

Linton

n Gauge Five in.

ove Ground 1 ft. — in.

Sea Level 141. ft.

IMPORTANT NOTE.– … d the result entered to the previous day. If an Observer prefers not to conform … iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~Nil~~	Nil	Nil	·13	Nil	Nil	Nil	·25.	0·10	Nil	0·01.	Nil	1
2	·30	Nil	Nil	·15	Nil	·01	Nil	(1·50)	0·20	Nil	0·29	Nil	2
3	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·34	0·01	Nil	0·04	Nil	3
4	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·60	Nil	0·27.	0·07.	Nil	4
5	·25	Nil	·01	·15	Nil	Nil	Nil	0·05.	Nil	0·68	Nil	Nil	5
6	Nil	Nil	Nil	Nil	Nil	·14	Nil	0·64	0·01	0·05	0·07.	Nil	6
7	·22	Nil	Nil	Nil	Nil	·25.	Nil	Nil	0·02	0·03	0·06	Nil	7
8	·10	Nil	Nil	·07	Nil	Nil	Nil	Nil	Nil	0·50	0·01	0·01	8
9	·02	Nil	·10	Nil	Nil	Nil	·95	0·06	Nil	0·26	0·13	0·06	9
10	·30	Nil	·11.	·10	Nil.	Nil	·01	0·27.	Nil	0·01.	0·13	0·13	10
11	·13	Nil	·54	·08	Nil	Nil	Nil	0·03	Nil	0·01.	0·03	Nil	11
12	·77	Nil	·02	·05	·10	Nil	Nil	Nil	Nil	0·17.	Nil	Nil	12
13	Nil	Nil	·03	Nil	Nil	·11	Nil	0·02	Nil	0·21.	Nil	0·02	13
14	Nil	Nil	Nil	·03	Nil	Nil	·05.	0·02	0·02	Nil	Nil	0·01	14
15	·01	Nil	Nil	Nil	Nil	Nil	Nil	0·01.	Nil	Nil	Nil	Nil	15
16	Nil	·07	Nil	·14	·06	·02	Nil	0·15.	Nil	0·02	Nil	Nil	16
17	Nil	Nil	Nil	·25	·74	Nil	·16	Nil	Nil	0·60.	Nil	Nil	17
18	·01	·02	Nil	·12	Nil	·08	·23	Nil	0·40	0·26	Nil	Nil	18
19	·01	·05	·11	·01	·06	·01	·23	0·05	0·34	Nil.	Nil	Nil	19
20	Nil	·18	·08	Nil	·02	Nil	Nil	Nil	(0·23)	Nil	Nil	Nil	20
21	Nil	·02	·04.	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·17.	Nil	21
22	Nil	·01	·14	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·02	Nil	22
23	Nil	·04.	Nil	Nil	·14	Nil	Nil	0·06	0·01	0·18	Nil	Nil	23
24	Nil	·01	Nil	Nil	Nil	·10	Nil	0·10	Nil	Nil	Nil	Nil	24
25	Nil	·01	·03	Nil	Nil	Nil	Nil	0·05.	Nil	0·06	0·03	Nil	25
26	Nil.	Nil	·14	Nil	Nil	Nil	Nil	Nil	Nil	0·01	0·02	0·24	26
27	Nil	Nil	·03	Nil	Nil	Nil	Nil	0·28	0·05	Nil	0·47	Nil	27
28	Nil	·03	·05	Nil	Nil	·59	Nil	0·66	0·01	Nil	0·01	Nil.	28
29	Nil	╳	·01.	Nil	·07	·31	Nil	0·03	Nil	0·01.	Nil	0·04	29
30	Nil	╳	·03	Nil	Nil	Nil	·40	0·16	Nil.	0·26	Nil	0·13	30
31	Nil	╳	·28	╳	Nil	╳	·70	0·07.	╳	Nil.	╳	0·02	31
Total	~~2·12~~ 2·12	~~0·44.~~ ·44	·13 ~~1·75.~~ 1·88	~~1·28~~ 1·15	~~1·19~~ 1·19	~~1·62.~~ 1·62	·25 ~~2·73.~~ 2·98	·10 ~~4·40~~ 4·25	~~1·39~~ 1·29	·01 ~~3·59.~~ 3·60	~~1·56~~ 1·55	~~·66.~~ ·66	YEAR'S TOTAL 22·73
Rain Days.	11	10.	18	12	7	10.	9.	22.	12.	19.	15.	9	152.

W. 8,000, VIII. 16

REGIST

FORM A.
BRITISH RAINFALL.
2 JAN 1918

Kept at Linton

in the County of Cambridge

by E. F. Suckling

…° 16′ & 0° 17′ E.

Time of Observation 9 a.m

Nearest Railway Station Linton

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 141. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~Nil~~	Nil	Nil	·13	Nil	Nil	Nil	·25.	0·10	Nil	0·01.	Nil	1
2	·30	Nil	Nil	·15	Nil	·01	Nil	(1·50.)	0·20	Nil	0·29	Nil	2
3	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·34	0·01	Nil	0·04	Nil	3
4	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·60	Nil.	0·27.	0·07.	Nil	4
5	·25	Nil	·01	·15	Nil	Nil	Nil	0·05.	Nil.	0·68	Nil.	Nil	5
6	Nil	Nil	Nil	Nil	Nil	·14	Nil	0·64	0·01	0·05.	0·07.	Nil	6
7	·22	Nil	Nil	Nil	Nil	·25.	Nil	Nil	0·02	0·03	0·06	Nil.	7
8	·10	Nil	Nil	·07.	Nil	Nil	Nil	Nil	Nil	0·50.	0·01	0·01	8
9	·02	Nil	·10	Nil	Nil	Nil	·95	0·06	Nil	0·26	0·13	0·06	9
10	·30	Nil	·11.	·10	Nil.	Nil	·01	0·27.	Nil	0·01.	0·13	0·13	10
11	·13	Nil	·54.	·08	Nil	Nil	Nil	0·03	Nil	0·01.	0·03	Nil	11
12	·77	Nil	·02	·05	·10	Nil	Nil	Nil	Nil	0·17.	Nil	Nil	12
13	Nil	Nil	·03	Nil	Nil	·11	Nil	0·02	Nil	0·21.	Nil	0·02	13
14	Nil	Nil	Nil	·03	Nil	Nil	·05.	0·02	0·02	Nil	Nil	0·01	14
15	·01	Nil	Nil	Nil	Nil	Nil	Nil	0·01.	Nil	Nil	Nil	Nil	15
16	Nil	·07.	Nil	·14	·06	·02	Nil	0·15.	Nil	0·02	Nil	Nil	16
17	Nil	Nil	Nil	·25	·74	Nil	·16	Nil	Nil	0·60.	Nil	Nil	17
18	·01	·02	Nil	·12	Nil	·08	·23	Nil	0·40	0·26	Nil	Nil	18
19	·01	·05	·11	·01	·06	·01.	·23	0·05	0·34	Nil.	Nil	Nil	19
20	Nil	·18	·08	Nil	·02	Nil	Nil	Nil	(0·23)	Nil	Nil.	Nil	20
21	Nil	·02	·04.	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·17.	Nil	21
22	Nil	·01	·14	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0·02	Nil	22
23	Nil	·04.	Nil	Nil	·14	Nil	Nil	0·06	0·01	0·18	Nil	Nil	23
24	Nil	·01	Nil	Nil	Nil	·10	Nil	0·10	Nil	Nil	Nil.	Nil	24
25	Nil	·01	·03	Nil	Nil	Nil	Nil	0·05.	Nil	0·06	0·03	Nil	25
26	Nil.	Nil	·14	Nil	Nil	Nil	Nil	Nil	Nil	0·01	0·02	0·24	26
27	Nil	Nil	·03	Nil	Nil	Nil	Nil	0·28	0·05	Nil	0·47	Nil	27
28	Nil	·03	·05	Nil	Nil	·59	Nil	0·66	0·01	Nil	0·01	Nil.	28
29	Nil		·01.	Nil	·07	·31	Nil	0·03	Nil	0·01.	Nil	0·04	29
30	Nil		·03	Nil	Nil	Nil	·40	0·16	Nil.	0·26	Nil.	0·13	30
31	Nil		·28		Nil		·70	0·07.		Nil.		0·02	31
Total	~~2·12~~ 2·12	~~0·44~~ ·44	·13 ~~1·75~~ 1·88	~~1·28~~ 1·15	~~1·19~~ 1·19	~~1·62.~~ 1·62	·25 ~~2·73.~~ 2·98	·10 ~~4·40~~ 4·25	~~1·39~~ 1·29	·01 ~~3·59.~~ 3·60	~~1·56~~ 1·55	~~·66.~~ ·66	YEAR'S TOTAL 22·73
Rain Days.	11	10.	18.	12	7.	10.	9	22.	17.	19.	15.	9	152.

W. 8,000, VIII. 16

[illegible] 25.III.19

W. D.

[illegible]

5

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at LINTON

in the County of CAMBRIDGE

by E. F. Suckling.

Lat. As before Long. As before

Time of Observation 9 A.M

Nearest Railway Station Linton G.E.R

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground As ft. before in.

" " " " Sea Level As before ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	—	—	—	—	0·05.	0·04	1
2	0·03	0·03	—	0·09	—	—	—	0·02	—	0·02	—	0·20	2
3	—	0·01	0·06	0·01	0·15	—	—	—	0·07	—	0·57.	0·10.	3
4	0·01	0·02	0·06	—	—	—	—	0·06	0·75.	—	0·26	0·02.	4
5	—	—	0·01	—	0·05.	—	—	0·12.	0·09	0·04	—	—	5
6	0·04	0·09	—	0·33	—	—	—	0·01.	—	—	—	—	6
7	0·21	0·07	—	0·03	0·01	0·12	—	—	0·02	0·09	0·05	0·06	7
8	—	0·01	—	0·01	—	—	—	—	0·49	—	0·08	—	8
9	0·04	0·03	—	0·02	—	—	—	—	0·34	0·30.	—	0·01.	9
10	0·08	—	—	0·01	—	—	0·45.	—	0·06	0·01.	—	0·16.	10
11	0·01	—	—	0·01	0·13	—	0·07.	—	0·04.	0·34	0·02	—	11
12	0·01	0·20	—	—	0·28.	—	0·16	—	0·12	—	—	0·07	12
13	—	0·04	—	—	0·17.	—	—	—	0·02	0·04	—	0·01.	13
14	0·12	—	—	0·03	0·01.	0·37.	—	—	0·25	0·27	—	0·13.	14
15	Snow	—	—	1·68	—		0·04.	—	0·02	—	—	0·10.	15
16	=	—	—	0·33	—	0·03	0·11.	—	0·12	—	—	0·03	16
17	1·22	—	—	0·29	—	—	1·06	—	0·01	—	—	—	17
18	0·35	—	—	0·01	—	0·08	0·17.	—	1·15.	0·02	—	0·11.	18
19	0·03	0·02	0·09	0·02	—	0·12	0·12.	—	—	0·01.	—	0·24	19
20	0·01	0·03	—	0·12	—	0·05.	—	—	(0·04)	0·15.	—	0·11.	20
21	0·01.	—	—	0·08	—	—	0·13.	—	0·55	0·11	—	—	21
22	0·01	—	—	0·01	—	0·23	0·06	—	0·04	—	—	0·01	22
23	0·06	—	—	0·01	0·05.	—	0·36.	0·04	0·06	—	—	0·32	23
24	—	0·17	—	0·01	0·75.	0·06.	0·02.	—	0·12		—	—	24
25	—	—	—	—	0·07.	—	0·05.	0·13	—	—	—	0·02	25
26	—	—	—	—	—	—	0·57.	0·05	0·02	0·04.	—	0·08	26
27	—	—	—	0·22	—	0·17.	0·14	0·25	—	—	0·03	—	27
28	—	0·03	0·05	0·01	—	0·06	—	0·05	—	—	0·05	0·03	28
29	—	X	0·01	—	—	—	—	—	1·17	—	0·27.	0·11	29
30	—	X	0·36	—	—	—	—	0·09	0·06	—	0·03.	0·03	30
31	—	X	0·01	X	—	X	—	—	X	0·06	X	0·06	31
Total	2·24	0·75	0·65	3·33	1·67	1·29	3·51	0·82	5·71	1·50	1·41	2·05	YEAR'S TOTAL 24·93 ~~24·25~~
Rain Days.	18	13.	8.	21.	10.	10.	15.	10.	23.	14	10	23.	175

W. 8,000. X. 15.

crd for audit.

1153

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919.

Kept at LINTON.

in the County of CAMBRIDGE,

by E. J. Suckling.

Lat. As Before Long. As Before

Time of Observation 9 A.M.

Nearest Railway Station Linton

Diameter of Funnel of Rain Gauge As in.

Height of top of Gauge above Ground previous in.

" " " " Sea Level Years ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·35	0·04	—	0·01	0·06	0·03	0·60	—	—	—	—	0·77	1
2	0·17	—	—	—	0·10	—	0·25	—	0·20	0·10	0·15	0·57	2
3	0·19	—	0·26	—	—	—	0·05	—	0·03	—	0·10	0·10	3
4	0·05	—	0·12	—	—	0·11	~~[illegible]~~	0·09	—	—	0·01	0·04	4
5	0·06	0·23	0·15	—	—	—	0·21	—	0·11	0·01	—	0·14	5
6	0·01	—	0·07	—	—	—	—	—	—	—	0·02	—	6
7	—	—	0·18	—	—	—	—	—	—	—	0·10	—	7
8	0·07	—	0·04	0·05	—	—	—	—	—	—	0·04	—	8
9	0·02	—	0·02	0·12	—	—	—	—	—	—	0·05	—	9
10	0·02	—	0·14	0·04	—	—	—	—	—	—	0·02	—	10
11	0·01	—	0·09	0·14	—	—	0·41	—	—	—	0·05	0·01	11
12	—	—	0·10	—	—	0·04	0·19	—	—	0·05	0·03	—	12
13	0·10	—	—	0·17	—	—	—	—	—	—	—	0·01	13
14	0·13	0·01	—	0·22	—	—	0·05	—	0·07	0·02	—	—	14
15	0·18	0·01	0·01	0·08	—	—	—	—	—	—	0·07	0·19	15
16	0·04	0·53	Trace	0·02	0·05	—	—	0·11	—	—	0·06	0·05	16
17	—	0·53	0·05	0·03	—	—	—	—	—	—	0·25	0·02	17
18	—	0·40	0·05	—	—	—	—	0·07	0·07	—	0·03	0·05	18
19	—	0·08	0·31	—	—	0·10	0·21	0·29	0·05	—	0·05	0·02	19
20	0·15	0·01	0·05	—	—	0·70	0·94	0·34	0·02	—	0·01	—	20
21	0·15	0·25	0·02	—	—	0·09	0·70	—	—	—	—	0·04	21
22	—	0·12	0·01	—	—	—	0·19	—	0·15	—	0·04	0·63	22
23	0·02	—	—	—	—	0·08	0·21	0·02	0·02	—	—	0·08	23
24	—	—	—	0·13	—	0·20	0·02	—	—	—	0·02	—	24
25	0·05	—	—	0·05	0·14	—	—	0·17	—	—	—	0·08	25
26	0·20	0·54	0·21	0·09	—	—	—	0·23	0·04	—	—	0·28	26
27	0·60	0·10	0·02	1·33	—	—	—	0·15	—	0·04	—	0·02	27
28	—	0·01	—	0·24	—	—	0·02	0·85	~~0·04~~ ·01	0·10	0·10	0·25	28
29	0·04	X	—	0·01	—	—	—	0·14	—	0·14	0·13	0·03	29
30	0·01	X	—	0·28	—	0·15	—	0·02	—	0·04	0·15	0·10	30
31	0·02	X	—	X	—	X	—	—	X	—	X	0·05	31
Total	2·64	2·86	1·90	3·01	0·35	1·50	~~4·48~~ 4·05	2·48	0·[illegible]7	0·50	~~[illegible]~~ 1·48	3·48	YEAR'S TOTAL ~~25·05~~
Rain Days.	23	14	~~20~~ 19	17	4	9	~~15~~ 14	12	~~11~~ 11	8	21	22	17~~6~~3

CAMBRIDGE

HARSTON VICARAGE

1911-1916

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

RE… 1911

Kept at Harston…

in the County of Ca…

by Mr C. M…

…op 5 in.

…above Ground — ft. 9 in.

„ Sea Level 47 ft.

9 a.m

…ion { Name Harston
Distance 3/4 mile Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03						·08						1
2	·27			·01	·07					·15	·09	·06	2
3		·01			·07		·04				·02		3
4		·04	·14	·10						·04	·05	·32	4
5				·01				·04				·25	5
6	·18		·03									·21	6
7										·14	·30	·17	7
8			·12								·10	·09	8
9	·33		·02								·09		9
10		·05	·04										10
11					·05						·42	(·20)	11
12	·42		·38		·19				·11		·20		12
13			·03		·12				·18	79	·02	·10	13
14			·08		·95	·10						·10	14
15		·05	·17	·01					·01		·06	·33	15
16			·05			·35				·03	·20	·02	16
17						·02					·04	·03	17
18		·16		~~·15~~		·14					·45	·07	18
19						·48			·05	·11	·44	·04	19
20								·43	·20				20
21		·09		~~·09~~		·02		·18		·30		·40	21
22	·12					·03		·01		·08		·10	22
23		·03	·24	~~·03~~		·86	·01		·30			·36	23
24		·02		~~·08~~		·17				·34		·09	24
25		·03	·03			·17	·21	·12				·17	25
26				·23	·23	·04	·04		·14	·09		·01	26
27		·09	·06	·03							·02	·24	27
28		·17		·23				·13			·10	·02	28
29				·12		·22	·07		·23	·21		·02	29
30			·01		·04	·03				·07		·02	30
31								·09		·04			31
Total	1·35	·74	1·40	·74	1·72	2·63	·45	1·00	1·22	2·39	2·60	3·42	TOTAL for year 19·66
No. of Rain Days.	6	11	14	8	8	13	6	7	8	13	16	~~27~~ 24	~~137~~ 134

W. 8,000, X. '11.

RE 9 11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Hauxton Vicarage

in the County of Cambridge 2

by Mrs C. M. Baldwin

Pattern

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground — ft. 9 in.
" " " Sea Level 47 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Hauxton
Distance 3/4 mile Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03						·08						1
2	·27			·01	·07					·15	·09	·06	2
3		·01			·07		·04				·02		3
4		·04	·14	·10						·04	·05	·32	4
5				·01				·04				·25	5
6	·18		·03									·21	6
7										·14	·30	·17	7
8			·12								·10	·09	8
9	·33		·02								·09		9
10		·05	·04										10
11					·05						·42	·20	11
12	·42		·38		·19				·11		·20		12
13			·03		·12				·18	·79	·02	·10	13
14			·08		·95	·10						·10	14
15		·05	·17	·01					·01		·06	·33	15
16			·05			·35				·03	·20	·02	16
17						·02					·04	·03	17
18		·16		~~·15~~		·14					·45	·07	18
19						·48			·05	·11	·44	·04	19
20								·43	·20				20
21		·09		~~·09~~		·02		·18		·30		·40	21
22	·12					·03		·01		·08		·10	22
23		·03	·24	~~·05~~		·86	·01		·30			·36	23
24		·02		~~·08~~		·17				·34		·09	24
25		·03	·03			·17	·21	·12				·17	25
26				·23	·23	·04	·04		·14	·09		·01	26
27		·09	·06	·03							·02	·24	27
28		·17		·23				·13			·10	·02	28
29				·12		·22	·07		·23	·21		·02	29
30			·01		·04	·03				·07		·02	30
31								·09		·04			31
Total	1·35	·74	1.40	·74	1·72	2.63	·45	1.00	1·22	2·39	2·60	3·42	TOTAL for year 19.66
No. of Rain Days.	6	11	14	8	8	13	6	7	8	13	16	~~27~~ ~~2~~ 24	~~137~~ 134

W. 8,000, X. '11.

11.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
3 FEB 1913

Kept at Hauxton Vicarage
in the County of Cambridge 2
by Mrs C. M. Baldwin

Lat. Long.
Time of Observation
Nearest Railway Station Hauxton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 47 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				·01		·05			·08	·31			1
2		·02		·02		·02	·29					·07	2
3	·10	·03			·14	·13	·03	·22				·16	3
4	·05		·42		·06	·21		·03			·16		4
5	·79	·03	·32		·02	·01		·12	·02		·16		5
6	·17	·03				·44	·26	·13				·05	6
7	·02					·91	·10	·03					7
8	·23	·18	·07	·02		·06		·05	·23			·03	8
9		·02		·07		·33						·13	9
10		·02				·03		·31	·07		·15	·13	10
11	·17	·11						·03	·06		·01	·04	11
12	·12		·04		·03	·02		·10			·03		12
13						·02	·04	·03			·31		13
14					·03	·05		·04	~~·11~~	·11		·04	14
15		·02	·12		·20	·21		·03				·12	15
16	·29				·12	·01		·05	~~·03~~	·03	·11		16
17	·29		·03			·16		·05	~~·03~~	·02			17
18	·29		·13			·01	·01	·29	~~·02~~	·02	·06		18
19	·12	·07	·11			·01	·21	·48			·02		19
20	·04	·01	·19	·01			·01	·30	~~·1~~	·28			20
21	·01		·21		·46			·83		·27			21
22	·61	·06	·21		·12		·03	·07		·01		·03	22
23	·50	·33					·01	·80			·29	·08	23
24	·24		·28					·15	·03			·16	24
25						·10		·79			·19	·17	25
26		·01				·03	·13	1·28		·38	·29	·40	26
27										·10		·15	27
28		·03			·01		·03	·02	·09	·14	·15	·36	28
29						·23	·20	·35	(·81)	·20	·03		29
30	·03				·17	·02		·01	·53	·10			30
31			·05		·01		·13	·24		·05			31
Total	3·37	·97	2·18	·12	1·38	3·06	1·48	6·83	~~·57~~ (1·92)	2·02	1·96	2·12	YEAR'S TOTAL 27·46
Rain Days.	18	15	13	4	13	22	14	28 27	~~7~~ 9	14	14	17 16	179

(27·41)

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
10 JAN 1914

Kept at Hauxton Vicarage
in the County of Cambridge
by Mrs. C. M. Baldwin

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·22	·04	21					·31	·01	·06	·08	1
2	·06	·11			·33		·14			·03			2
3					·63					·02		·02	3
4	·05				·05		~~·12~~ 13			·11	·04	·22	4
5	·06		·01				~~·05~~			·46			5
6		·03			·13	·45	·13			·07	·02		6
7		·07			·03		·05	·04		·28			7
8			·12		·18	·08	·			·01	·08		8
9		·22	·20		·19	·11			·09		·04	·02	9
10							·06	·01			·32		10
11	·64			·32		~~·3~~				·04	·17		11
12					·06				·12		·06	·01	12
13	·04		·10					·03			·48		13
14			·21				·53			·28			14
15		·06		·08			·15						15
16	·18		·39				·02						16
17	·08	·04	·10	·05		100	·03		1 inch? 1·00			·13	17
18			·04				·04				·03	·04	18
19							·05					·04	19
20	·14					·03	·01			·25			20
21	·01						·02			·12	·26		21
22	·43		·05				·04		·16				22
23			·05			·03	·03	·21	·03		·01	·06	23
24								·04			·01		24
25				·20			·01						25
26		·08		·20				·02		·85		·22	26
27		·03	·16	·04	·45								27
28	·02			·04		·05				·13			28
29	·09		·08	·16	·30			·08				·03	29
30	·11		·08	·13						·08	·10	·03	30
31								·68		·05			31
Total	1·99	·86	1·63	~~1·30~~ 1·43	2·35	1·75	1·44	1·11	1·71	2·79	1·68	·90	YEAR'S TOTAL 19·64
Rain Days.	14	9	14	~~9~~ 10	10	7	16	8	(8)	16	14	12	138

W.7,000, XI. 13

81 Ex MS 214

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Harston Vicarage

in the County of Cambridgeshire 2

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04				·11	·20			·05		1
2	}(05)			·03				·22			·06	·10	2
3			·14		·08		·44	·16			·14		3
4	·13		·02	·09				·10			·44	·20	4
5			·02	·14	·11	·03		·48			·01		5
6				·01	·04	·06		·04			·26	·05	6
7		·07	·34	·05	·33	·32						·40	7
8	·09	·03	·41	·03	·08	·52		·11					8
9	·48	·05	·46	·11	·02	·51						·85	9
10	·32		·02	·09	·02							·02	10
11		·06	·20		·11	·15			·07		·36	·12	11
12		·06	·09				·17		·50		·03	·17	12
13			·12				·07		·01	·41	·04	·25	13
14		·12	·19							·57	·04	·96	14
15			·25					·04	·04		·05	·05	15
16	·07		·05								·05		16
17			·01			·005			·09			·06	17
18		·23	·03									·29	18
19		·03	·02				·27	~~·19~~			·20	·01	19
20		·05	·39			·08	·32		·07			·10	20
21		·28	·11			·37				·02		·10	21
22				·01	·36		·05	(·02)		·35		·05	22
23			·05		·05					·13		·01	23
24		·04		·09		·02	·11			·12	·16	·40	24
25			·10				·05	·01		·28		·01	25
26	·02		·04				·01	·19		·03	·05	·39	26
27			·02				·01			·16	·02	·01	27
28									·01	·26	·53	1·40	28
29			·03							·02	·05		29
30			·03								·07	·09	30
31					·15		·05					·03	31
Total	1·16	1·02	3·18	·65	1·35	2·065	1·66	1·57	·79	2·35	2·61	6·12	YEAR'S TOTAL 24·525
Rain Days.	~~9~~ 8	11	25	10	11	9	12	16	7	11	19	25	159

W.7,000, XI. 13

Sl Smp

cud for auth. Sep 28 estd. ~~6~~ (Arr agrees) 6 III 16 1295 207

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
10 MAY 1916

Kept at Harston Vicarage

in the County of Cambridgeshire

by C. M. Baldwin

2 D.Fl

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·09	·03		·09				·04			·14	1
2	·04	·06	·29	·10		·02		·18		×	·03		2
3	·26	–	·03	·17				·70	·02			·23	3
4	·15				–			·02		×	·03	·42	4
5	·02	·16			·03			·02		·10 ×		·17	5
6	·28		·04	·25			·85	·10					6
7	·06	·23	·06					·12	–			·15	7
8	·01	·08		·01			·30	·01					8
9	·02	·16				·04		·01			·19	·62	9
10	·25		·08				·04	·18				·06	10
11	·02		·01		·01						·69		11
12	·09	–	·01	·42	·40	–		·81		·07	·76		12
13	·04	·35			1·11				·03				13
14	·01	·07					·36	·05				·30	14
15	·13				·03		·03	·06			·15	·05	15
16	·01	·11					·42	·55					16
17	·02	·15					·13	·46					17
18	·01	·09	·25		·10						·22		18
19			·04		·02		·12					·19	19
20	·27			·09						·06		·18	20
21	·11												21
22	·92	·04	·48				·80		·02			·16	22
23		·11	·08			·06	·19		·22			·22	23
24		·02	·10				·04		·23	·12			24
25				·03		·17	·01						25
26		·05					·03					·29	26
27		·09				·10	·21			·39			27
28		·06				·02	·02		(·65)	·05			28
29						·45	·01	·20				·14	29
30	·04	×				·31	·01	·09					30
31	·03	×		×		×		·07	×	·16	×	·09	31
Total	2·83	1·92	1·50	1·07	1·79	1·17	3·57	3·63	~~·56~~ (1·21)	·95	2·07	3·41	YEAR'S TOTAL ~~24·37~~ (25·12)
Rain Days.	23	17	13	7	8	8	17	17	7	~~7~~ 9	7	16	(149)

W. 8,000. X. 14.

1274
~~127~~

[illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
13. MAR 1917

Kept at Harston
in the County of Cambridgeshire
by E. C. Baldwin

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·11		·11	—	·02				·05		1
2	·29		·06		·23					·25			2
3		·21	—			·14	·02		·21	·20	·02		3
4	·28	·06				·10			·25	·58	·53		4
5	·02					·05	·08			·09	·42		5
6		·10	·21	·26			·06				·23		6
7	·15			·02	·02	·04	·23			·10	·35		7
8			·18	—	·21		·01					·05	8
9					·12								9
10			·13	·06		·24	·13						10
11	·05	·29		·14	·05			·05				·15	11
12	·07				·35	·18	·07	·05		·24			12
13		·43	·14	·03	·32	·18	·15	·06					13
14					·05			·11					14
15		·79	·30					·47				·30	15
16		·08	·08	·26	·04		·15	·08	·28	·24			16
17	·04	·05		·11			·07		·24	·43			17
18		·10		·04				·18		·04	·41		18
19			·11	·21					·11		·73		19
20	·10		·19	·03				·20			·10		20
21			·65				·31					·15	21
22			·04		·15	·04						·25	22
23						·06		·02		·11		·30	23
24						·10		·06					24
25			·15		·04	·08		·15				·50	25
26		·59	·06				—	·06		·05			26
27	·08	·65	·56			·04		·04	·01	·15			27
28		·27	·24			·03						·18	28
29		·11						1·40		·12		·50	29
30		X			·29			·31	·05	·35			30
31		X		X		X			X	·05	X		31
Total	1·68	3·73	3·21	1·16	1·98	1·28	1·30	3·24	1·15	3·00 3·02	2·84	2·38	YEAR'S TOTAL 26·35
Rain Days.	9	13	16	10	13	13	12	15	7	15	9	9	141

W. 8,000. X. 15.

8L [illegible] 22.11.18 ✓

[illegible]

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

12224 / 196

Kept at Harston Vicarage
in the County of Cambridgeshire
by C. M. Baldwin

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05		·07				·97	-		·23	·01	1
2	·04	·03		·12		·01		·16	·02		·05		2
3				·02				·30		·50	·05		3
4	·18							·01	·02	·31			4
5		·08		·17				·04	·03	·05			5
6				·11		·02			·02	·07	·02		6
7	·20						·02			·34		·55	7
8	·07						1·50	·12		·23	·18	·08	8
9	·05							·35			·12	·08	9
10	·34							·07		·11			10
11	·10		·58	·18						·11			11
12			·03		·03			·09		·26		·03	12
13	·25		·02			·09	·01	·04	·04	·06			13
14					·06		·02	·04					14
15		·10						·01					15
16				·30			·03			·60			16
17					·58		·23		·36	·27			17
18		·02		·15		·13	·45	·06	·58				18
19			·07	·15	·52	·03			·23				19
20		·40	·07		·30						·35 ~~·85~~		20
21			·08							·02			21
22		·05	·09					·09		·13			22
23					·05			·18	·03				23
24						·20		·08		·13	·09	·60	24
25			·07							·01	·09		25
26			·06			·02			·06		·42	·63	26
27			·03					·20					27
28						·85		·30			·01		28
29						·66	1·87	·30		·25			29
30	·03	X					·74	·20					30
31	·06	X	·40	X		X	·30	·23	X		X		31
Total	1·32	·73	1·50	1·27 ~~1·27~~	1·54	2·01	5·17	3·54	1·39	3·45	1·61 ~~2·11~~	1·98	YEAR'S TOTAL 25·81
Rain Days.	10	7	11	9	6	9	10	21	10	17	11	7	~~128~~

W. 8,000, VIII. 16

8 mar

8

WB

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
6. 1. 19

Kept at Harston Vicarage
in the County of Cambridge
by Mrs C M Baldwin

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Harston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										02	06	10	1
2		·20	07	20				04		02	01	13	2
3		·04			40			02	12		65	04	3
4								01	35	04	24	02	4
5	·11				18			06	23	03			5
6		·09		12					50			04	6
7	·16	·09		07	02	01			05	06	10		7
8									14		09		8
9		·45		03		01	10		30	13		03	9
10				02			20		05	01		21	10
11				01			05		20	30	05	06	11
12		·14			12		07		11	02		01	12
13	·17	02		01	62				06			04	13
14				01		14			28	25		01	14
15				1.33			33		06			01	15
16	·77		06	48		01	01		83			05	16
17	·14			19			35	02	04			06	17
18	·47			01		10	35		50			30	18
19			12	02		19	13		01	08		08	19
20		08		22		04	06		05	07			20
21				02					73	11			21
22					01	03	06		04			27	22
23					69		09	04	07		10	03	23
24		14			02		01		12		06		24
25						02	06	23	01				25
26				20			38	01	01	09	19	10	26
27				04			05	16	09		12	06	27
28		05	06			09		02			25	06	28
29									1·50		02	05	29
30		X	45					06	04		09	22	30
31		X	12	X		X			X	04	X	10	31
Total	1·82	1·30	88	2.98	2.06	64	2.40	·67	6.49	1.27	2.03	2.08	YEAR'S TOTAL 24.62
Rain Days	6	10	6	17	8	10	16	11	27	15	14	24	164

W. 8,000, IX. 17.

1156

8 JAN

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Hauxton
in the County of Cambridge
by Mrs C M Baldwin

Lat. Long.
Time of Observation 9
Nearest Railway Station Hauxton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20			02		01	37			08		76	1
2	21	01					20		20	03	17	40	2
3	26		22				06		05		07	40	3
4	07		22			06	06	06			01	13	4
5	01	30	55				30	01	10		04	18	5
6			17										6
7	02		05								13		7
8	06		09	09							16		8
9	01		05	05							01		9
10			14	05							02		10
11	10		07	11	05		20					07	11
12			09	02		03	45			07	05		12
13	11			12					11				13
14	14			03						04	02		14
15			07	07							02	14	15
16	29	79	01	01				02			02	03	16
17		80	03								27		17
18		04	02		06			13			03	05	18
19		09	19			16	15	20			02	03	19
20			05			55	52	30	07			01	20
21	29	30	01			07	66				02	11	21
22	37	18	01				12		02		03	38	22
23			01			05	10	04	16		01	07	23
24				·20		15	04	20	04	02	01	12	24
25	14			05	19	03		14				07	25
26	14	22	21	09		04			07			05	26
27	16	05	03	84				18				02	27
28	42	01		01		01		84		04	06	26	28
29	05			04		03		10		18	08	05	29
30			01	28		10		02		04	15	07	30
31	01									04		04	31
Total	3.06	2.79	2.30	2·08	·30	1 29	3 23	2.24	82	54	1 40	3.44	Year's Total 23.49
Days with ·01 in. or more	20	11	22	17	3	~~12~~ 13	13	13	9	9	22	22	~~173~~ 174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

max daily fall 0·84 in on April 27 & Aug 28. 174

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

109?

4 JAN 1921

Kept at Harston Vicarage

in the County of Cambridge

by Mrs C M Baldwin

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				~~77~~				01		36	22	10	1
2				04			01	10	06	04		10	2
3		04		36		05			02	01		04	3
4			05	09			02	08	05	01		04	4
5			12	01	09		06	04	10			06	5
6		02	03 Snow		08		05	-				04	6
7	·26			10	01		01					03	7
8	·19			33			01	06					8
9	·30			41				03					9
10	·10		11	04			04	01					10
11	38		03	30	03	01	06	~~01~~					11
12	·12		03	09		02							12
13	03		01	08		05			05		03	12	13
14			17	13		04	09			05	11		14
15			37	·05					20	02	03		15
16				01					36		05		16
17			01	01	06		03		03				17
18	·08				01	01		25	33				18
19	·21							01					19
20	07			31		(70)		08				11	20
21		34		·10			41	03	29				21
22				·11					20				22
23		08		01			25					29	23
24	04	08	11									04	24
25		05	03	02	03		20		03				25
26	·06		07	09	142		07					01	26
27	·10	07	01	08		03					11		27
28	·35		21	02	21		03				01	03	28
29	02		03	02	22		09				03	38	29
30				01			06		16		05	14	30
31	05		03					02		06		9	31
TOTAL	2·36	·68	1.42	3·59	74	21	1.49	·72	1·90	55	64	1.62	YEAR'S TOTAL 15.92
Days with ·01 in. or more	~~16~~ 16	~~16~~ 7	~~9~~ 17	~~8~~ 26	9 ~~4~~	~~4~~ 7	~~8~~ 17	12	13	~~8~~ 7	~~7~~ 9	~~8~~ 16	~~13~~ 156
Days with ·04 in. or more	14	6	8	18	5	3	11	6	10	4	5	13	103

Bar

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1.   METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Copy

REGISTER OF RAINFALL IN 1920

21 APL 1921

Kept at Black figures = Haiston Vicarage
Red " = Lawton Hall

in the County of

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

From home till 7th

Date	MAY			JUNE			July	August	Sept.				Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·02		-	-	From home till 9th	? -	·14					1
2	-	-		-	·04		·01	·02					2
3	-	-		·05	-		-	·22					3
4	-	-		-	-		?·02	·27					4
5	·09	·09		-	-		·06	·58					5
6	·08	·19		-	-		·05	·39					6
7	·01	-		-	-		·01	·09					7
8	-	-		-	-		·01	·03					8
9	-	-		-	-		?	·06					9
10	-	-		-	-		·04	·02					10
11	·03	·04		·01	-		·06	·12					11
12	-	-		·02	·04		-	-					12
13	-	-		·05	·06		-	-					13
14	-	-		·04	·01		·09	·11					14
15	-	-		-	-		-	-					15
16	-	-		-	-		-	-					16
17	·06	·07		-	-		·03	·03					17
18	·01	·03		·01	-		-	-					18
19	-	-		-	·03		-	-					19
20	-	-		?	·71		-	-					20
21	-	-	From home till July 9	-	-		·41	·55					21
22	-	-		-	-		-	-					22
23	-	-		-	-		·25	·27					23
24	-	-		-	-		-	-					24
25	·03	-		-	·01		·20	·21					25
26	?	·43		-	-		?·07	·25					26
27	-	-		?·03	·28			-					27
28	·21	·13		-	·04		? ·03	·11					28
29	?·22	·60		-	-		·09	·09					29
30	-	·04		-	·02		·06	·06					30
31	-						-						31
TOTAL	·74	1·64		·21	1·24		1·49	3·62					YEAR'S TOTAL
Days with ·01 in. or more													
Days with ·04 in. or more													

On the 20th of June I suspect it slipped between two stools otherwise This is quite correct by my register, but I was away twice during the 3 months & it may be there were mistakes. Once a Locum Clergyman took it for me 2 ~~three~~ other times my housekeeper a specially intelligent woman

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

REGIST

CAMBRIDGE.

LITTLE SHELFORD.

1911 -1915

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

221

Kept at Little Shelf

in the County of Cambs

by Mary C. Walto

in.

und ft. in.

Level ft.

e

nce Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·01			·04	·03					1
2	·27			·01	·08		·05				·09	·05	2
3		·02		·04	·15					·17			3
4	·03	·04	·14	·04					·02	·04	·07	·21	4
5		·01		·05				·03		·03		·23	5
6	·10		·04								·01	·24	6
7	·03		·02							·03	·25	·16	7
8	·17		·13	·01							·08	·09	8
9	·17		·02	·01							·02	·02	9
10	·02	·05	·04	·02							·05	·17	10
11	·36		·01		·17						·40		11
12			·37		·55				·10		·18	·03	12
13		·02	·05		·18				·17	·46	·02	·24	13
14			·15		·10	·10						·36	14
15		·04	·24				·01		·04	·03	·08		15
16		·02	·07			·51					·23	·04	16
17											·03		17
18		·19	·01			·18					·61	·09	18
19		·03			·04	·38			·04	·14	·41	·02	19
20		·04			·04			·33	·22		·01	·43	20
21		·03	·03					·16		·20	·02	·20	21
22	·07	·03	·12			·03		·04		·08	·03	·27	22
23		·02	·12			1·00	·01		·32		·02		23
24						·11	·01			·36		·16	24
25		·04	·05	·05		·23	·20	·12				·01	25
26		·01		·20			·04	·04		·09	·04	·23	26
27		·17	·05	·06				·01	·16		·03	·02	27
28		·10		·21				·12			·06	·03	28
29						·18	·09		·23	·23	·01		29
30				·02		·03		·02			·01	·03	30
31										·10			31
Total	1·26	·86	1·66	·73	1·31	2·75	·45	·90	1·30	1·96	2·76	3·33	TOTAL for year 19·27
No. of Rain Days	10	17	18	13	8	10	8	10	9	13	24	23	163

DL

REGIST

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Little Shelford

in the County of Cambs

by Mary C. Walton

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·01			·04	·03					1
2	·27			·01	·08		·05				·09	·05	2
3		·02		·04	·15					·17			3
4	·03	·04	·14	·04					·02	·04	·07	·21	4
5		·01		·05				·03		·03		·23	5
6	·10		·04								·01	·24	6
7	·03		·02							·03	·25	·16	7
8	·17		·13	·01							·08	·09	8
9	·17		·02	·01							·02	·02	9
10	·02	·05	·04	·02							·05	·17	10
11	·36		·01		·17						·40		11
12			·37		·55				·10		·18	·03	12
13		·02	·05		·18				·17	·46	·02	·24	13
14			·15		·10	·10						·36	14
15		·04	·24				·01		·04	·03	·08		15
16		·02	·07			·51					·23	·04	16
17											·03		17
18		·19	·01			·18					·61	·09	18
19		·03			·04	·38			·04	·14	·41	·02	19
20		·04			·04			·33	·22		·01	·43	20
21		·03	·03					·16		·20	·02	·20	21
22	·07	·03	·12			·03		·04		·08	·03	·27	22
23		·02	·12			1·00	·01		·32		·02		23
24						·11	·01			·36		·16	24
25		·04	·05	·05		·23	·20	·12				·01	25
26		·01		·20			·04	·04		·09	·04	·23	26
27		·17	·05	·06				·01	·16		·03	·02	27
28		·10		·21				·12			·06	·03	28
29						·18	·09		·23	·23	·01		29
30				·02		·03		·02			·01	·03	30
31										·10			31
Total	1·26	·86	1·66	·73	1·31	2·75	·45	·90	1·30	1·96	2·76	3·33	TOTAL for year 19·27
No. of Rain Days	10	17	18	13	8	10	8	10	9	13	24	23	163

9,000, IX. '10.

82

EX ML

June est. Dec. [illegible]

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

19

Kept at Little Shelford

in the County of Cambridgeshire 2

by M. C. Walton

RAIN GAUGE { Pattern ……
Diameter of top …… in.
Height of top above Ground …… ft. …… in.
„ „ „ Sea Level …… ft.

Time of Observation ……

Nearest Railway Station { Name ……
Distance …… Direction ……

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01					·09	·31		·07	1
2	·02			·02	·01		·36		·02			·03	2
3	·11				·13		·03	·30	·01			·18	3
4	·05		·38		·07				·16		·30	·02	4
5	·13	·05	·35		·02			·10			·03		5
6	·15	·04					·53	·28			·01	·04	6
7	·03		·01				·13	·06				·03	7
8	·23	·18	·07	·02				·04				·01	8
9		·03		·08								·22	9
10			·02				·03	·23	·07			·02	10
11	·10	·14						·02	·09		·15	·02	11
12	·12	·02	·04		·07			·02			·13		12
13							·09	·02			·23	·01	13
14					·03			·03		·11	·01		14
15		·01	·13		·21			·03			·01	·15	15
16	·34		·03		·06			·07		·04	·07		16
17	·36		·20					·03				·15	17
18	·04		·11				·03	·07			·07	·10	18
19	·14	·04	·20				·17	·26			·02	·01	19
20	·02	·06	·12		·01			·21		·34			20
21			·42		·35			·85		·25	·06		21
22	·52	·07	·02		·07		·02	·23				·03	22
23	·48	·37	·29				·02	·64			·25	·08	23
24	·21		·01				·09	·16	·03			·16	24
25								·91			·22	·17	25
26		·01					·10	1·72		·41	·27	·40	26
27							·02			·10		·15	27
28		·03					·06	·03	·11	·22	·13	·36	28
29				·03			·15	·36	·77	·23	·06		29
30					·16			·02	·51	·11			30
31			·06				·14	·22		·06			31
Total	3·05	1·05	2·46	·16	1·19	(2·80)	1·97	6·91	1·86	2·18	2·02	(2·41)	TOTAL for year (28·06)
No. of Rain Days.	17	13	17	5	12	(18)	16	26	10	11	17	(22)	(184)

W. 8,000, X. '11.

DL ✓ Copy for audit 27·11·14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 223

27 JAN 1914

Kept at Little Shelford Manor House

in the County of Cambridgeshire 2

by Miss M. C. Walton

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·22		·25					·48		·03	·03	1
2	·06	·11		·02	·16		·16		·16	·07		·02	2
3			·18		·75					·11		·31	3
4	·05				·08	·01	·18				·05		4
5	·06		·01				·02			·63	·02		5
6		·02	·04		·09	·57	·17			·15			6
7		·07			·10			·03		·21	·09		7
8		·01		·03	·20	·07				·03			8
9		·25			·01	·12			·04		·04	·03	9
10			·07	·20			·14	·01			·36		10
11	·78		·01	·33				·04		·06	·22		11
12					·05			·02			·08		12
13								·02			·51		13
14	·07		·10	·02			·38			·31			14
15	·12	·06	·22	·07			·15						15
16	·10		·25				·02		·15		·01	·02	16
17	·06	·02	·07	·18		1·78	·03				·01	·07	17
18			·10	·16			·03				·02		18
19	·08		·12				·07		·37			·09	19
20	·11		·04	·03		·01				·36			20
21	·01		·09				·03			·15	·28		21
22	·43		·11	·11				·19	·10				22
23			·02			·02	·02		·02				23
24				·01		·03		·05					24
25		·04		·16		·01	·01	·03				·06	25
26		·01	·18	·02						·80		·21	26
27		·03	·07	·02	·60	·02				·06			27
28	·02		·05	·02						·08			28
29	·09		·11	·18	·28			·09					29
30	·11			·15				·05		·15	·26		30
31								·49		·05			31
Total	2·23	·84	1·84	1·96	2·32	2·64 2·64	1·41	1·02	1·32	3·22	1·98	·84	YEAR'S TOTAL 2162
Rain Days.	16	11	19	18	10	10	14	11	7	15	14	9	154

W. 7,500, XI. 12

82/ ✓ cvd fm aulti 25.11.15 ~~N~~ MML 216

FORM A.
BRITISH RAINFALL.
28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Little Shelford

in the County of Cambridgeshire 2

by Miss M. C. Walton

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·03				·09	·02	1
2	·06			·04			·02	·23		·02	·14	·09	2
3			·12		·07		—	·25			·05	·02	3
4	·18			·09			·33	·13			·45	·19	4
5			·04	·16	·10		·18	·36					5
6		·10			·09	·03	·02	·03			·19	·05	6
7		·03	·35	·07	·26	·11	·02					·28	7
8	·10	·08	·47	·04	·22	·63	·01	·12					8
9	·54		·49	·14	·02	·53						·95	9
10	·40	·05	·04	·09					·08			·03	10
11		·11	·25			·16			·03		·30	·13	11
12	·04		·08			·01			·44	·06		·18	12
13		·16	·18						·02	·30	·06	·22	13
14	·09		·18							·52		·69	14
15			·27				·16	·05	·01		·12	·11	15
16			·01		—		·07		·01		—		16
17		·28					·07		·08				17
18		·04										·30	18
19		·05	·18			·03	·10				·28		19
20		·07	·23			·09			·04				20
21		·21	·17			·32				—		·16	21
22			·02	·02	·33		·03	·03		·31			22
23			·03	·03	·05	·01	·01			·15		·01	23
24	·01			·08		·02	·02	·03		·13	·18	·40	24
25	·02		·11				·06	·13		·27	·01	·01	25
26			·03				·01	·06				·34	26
27	·04		·06							·12	·06	·01	27
28		·06								·27	·53	1·29	28
29			·02		—						·06		29
30			·05							·03		·08	30
31					·16						·13		31
Total	1·48	1·24	3·38	·76 ·74	1·30	1·94	1·14 1·04	1·42	·71	2·18 2·16	2·65	5·56	YEAR'S TOTAL 23·76
Rain Days.	10	12	22	10	9	11	16	11	8	10	15	22	156

W.7,000, XI. 13

82

Cor.d by sum. stats. & for arith. 1.3.16

1297
~~209~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Little Shelford

in the County of Cambridgeshire

by M. C. Walton

W. [illegible] 2

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36	·11	·02		·08				·08			·26	1
2		·09	·23					·45					2
3	·23		·02	·25				·30	·07			·17	3
4	·15		·04				·02	·01		·12	·05	·43	4
5	·04	·17			·04			·01				·16	5
6	·24		·14	·25			93	·11					6
7	·08	·25	·05				·37	·12				·16	7
8		·21						·01					8
9	·05		·02	·05		·04		·01		·11	·20	·57	9
10	·14		·06				02	·19				·06	10
11	·12				·03		·01	·01			·74		11
12	·08			·45	·37			·41			·68		12
13	·03	46			1·23			·13					13
14		·09					·30	·04	·06			·31	14
15	14				·02		·03	·54				·03	15
16		·15					·35	·22		·07			16
17		·14			·13		·11	·73			·31		17
18	·02	·09	·27								·10		18
19							09			·03			19
20	·30		·04									·38	20
21							04					·06	21
22	·86	·15	·42	·10	·03		·50					·15	22
23			·08			·05	·17		28	·13		24	23
24			·15				·01		·24			·04	24
25				·02		·40	·10					·05	25
26						·05	·04					·16	26
27		·11					28			·40			27
28		·09				35		04	·65	·08			28
29	·04					·36	07	·14					29
30							·03		·02			10	30
31								·08		·15			31
Total	2·88	2·11	1·54	1·12 1·13	1·93 1·96	1·25	3·47	3·55	1·40	1·09	2·08	3·33	YEAR'S TOTAL 25·75 25·79
Rain Days.	16	12	13	6	8	6	19	19	7	8	6	17	~~137~~

W. 8,000. X. 14.

DL

BATCHSLIP

STD JOB:
MET-ARCH
BATCH :
METZ005
ENTRY 178 VERIFY 131

26 JAN 1912

FORM 1218
BRITISH RAINFALL.

11

Kept at March

in the County of C

by A. Lunn

p 4 in.
bove Ground 2 ft. in.
„ Sea Level ft.

on { Name
Distance Direction

IMPORTANT and the result entered to the previous day. If a universal rule, he is earnestly requested to add the year in the space provided for it at the end urement of rain, the selection and British Rainfall Organization are gi on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22										·01	·01	1
2	·22				·07		·03	·03			·05		2
3		·07		·07	·12			·04		·10		·22	3
4	·02		·13	·12					·08	·10	·11	·20	4
5		·03		·01				·26		·01		·17	5
6	·44		·02							·02		·36	6
7	·02	·01		·02							·17	·32	7
8	·24		·11								·10	·07	8
9	·11		·01	·02					·30	·02	·03		9
10	·01	·03	·09								·02	·09	10
11	·25										·36		11
12	·17		·41		·12				·02		·15	·01	12
13			·18			·06			·23			·30	13
14		·06	·09		·37	·02						·38	14
15		·05	·17							·01	·04		15
16			·02			·07					·35	·06	16
17											·02	·09	17
18		·17				·10			·12		·76	·01	18
19						·10			·17	·05	·15		19
20		·01		·01				·07		·03		·44	20
21		·17						·96		·20		·17	21
22	·03	·04	·07					·08		·16	·01	·32	22
23		·01	·15		·04	·92		·38	·51			·15	23
24		·03	·06			·19		·06		·24		·10	24
25				·10		·10					·10		25
26		·01		·15						·26	·01	·38	26
27		·20	·07	·21				·01	·18	·01		·03	27
28		·15		·18				·24			·04	·05	28
29		X				·17	·11		·25	·29			29
30		X		·13	·09					·06			30
31		X		X		X			X	·03	X	·02	31
Total	1·73	1·04	1·58	1·02	·81	1·73	·14	2·13	1·86	1·59	2·48	3·95	TOTAL for year 20·06
No. of Rain Days	11	15	14	11	6	9	2	10	9	16	18	23	144

9,000, IX. '10.

DL

MARCH 1218

CAMBRIDGE

1911 - 1920 (10)

11

26 JAN 1912

FORM BRITISH RAINFALL. 1218

252

Kept at March

in the County of C

by A Lunn

o 4 in.

bove Ground 2 ft. in.

„ Sea Level ft.

Name

Distance Direction

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of rement of rain, the selection and p British Rainfall Organization are give on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22										·01	·01	1
2	·22				·07		·03	·03			·05		2
3		·07		·07	·12			·04		·10		·22	3
4	·02		·13	·12					·08	·10	·11	·20	4
5		·03		·01				·26		·01		·17	5
6	·44		·02							·02		·36	6
7	·02	·01		·02							·17	·32	7
8	·24		·11								·10	·07	8
9	·11		·01	·02					·30	·02	·03		9
10	·01	·03	·09								·02	·09	10
11	·25										·36		11
12	·17		·41		·12				·02		·15	·01	12
13			·18			·06			·23			·30	13
14		·06	·09		·37	·02						·38	14
15		·05	·17							·01	·04		15
16			·02			·07					·35	·06	16
17											·02	·09	17
18		·17				·10			·12		·76	·01	18
19						·10			·17	·05	·15		19
20		·01		·01				·07		·03		·44	20
21		·17						·96		·20		·17	21
22	·03	·04	·07					·08		·16	·01	·32	22
23		·01	·15		·04	·92		·38	·51			·15	23
24		·03	·06			·19		·06		·24		·10	24
25				·10		·10					·10		25
26		·01		·15						·26	·01	·38	26
27		·20	·07	·21				·01	·18	·01		·03	27
28		·15		·18				·24			·04	·05	28
29		X				·17	·11		·25	·29			29
30		X		·13	·09					·06			30
31		X		X		X			X	·03	X	·02	31
Total	1·73	1·04	1·58	1·02	·81	1·73	·14	2·13	1·86	1·59	2·48	3·95	TOTAL for year 20·06
No. of Rain Days	11	15	14	11	6	9	2	10	9	16	18	23	144

9,000, IX. '10.

DL

11

FORM 1218
BRITISH RAINFALL.

26 JAN 1912

25-2

Kept at March

in the County of Cambs ~~8~~ 2

by A. Lunn

RAIN GAUGE
Diameter of top 4 in.
Height of top above Ground 2 ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22										·01	·01	1
2	·22				·07		·03	·03			·05		2
3		·07		·07	·12			·04		·10		·22	3
4	·02		·13	·12					·08	·10	·11	·20	4
5		·03		·01				·26		·01		·17	5
6	·44		·02							·02		·36	6
7	·02	·01		·02							·17	·32	7
8	·24		·11								·10	·07	8
9	·11		·01	·02					·30	·02	·03		9
10	·01	·03	·09								·02	·09	10
11	·25										·36		11
12	·17		·41		·12				·02		·15	·01	12
13			·18			·06			·23			·30	13
14		·06	·09		·37	·02						·38	14
15		·05	·17							·01	·04		15
16			·02			·07					·35	·06	16
17											·02	·09	17
18		·17				·10			·12		·76	·01	18
19						·10			·17	·05	·15		19
20		·01		·01				·07		·03		·44	20
21		·17						·96		·20		·17	21
22	·03	·04	·07					·08		·16	·01	·32	22
23		·01	·15		·04	·92		·38	·51			·15	23
24		·03	·06			·19		·06		·24		·10	24
25				·10		·10					·10		25
26		·01		·15						·26	·01	·38	26
27		·20	·07	·21				·01	·18	·01		·03	27
28		·15		·18				·24			·04	·05	28
29		X				·17	·11		·25	·29			29
30		X		·13	·09					·06			30
31		X		X		X			X	·03	X	·02	31
Total	1·73	1·04	1·58	1·02	·81	1·73	·14	2·13	1·86	1·59	2·48	3·95	TOTAL for year 20·06
No. of Rain Days	11	15	14	11	6	9	2	10	9	16	18	23	144

9,000, IX. '10.

82 245

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at March

in the County of Cambridgeshire 2

by A. Lunn

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·11	·07	·05	·12			·13	1
2		·01		·02	·02	·14	·42						2
3	·16				·02	·47		·33	·03			·09	3
4	·05	·05	·56		·04	·04		·08			·40		4
5	·03	·09	·29					·10	—		·02		5
6	·61	·11				·02	1·00	·23				·03	6
7	·03		·01			1·63							7
8	·21	·12	·10			·04	·14	·05	·04				8
9		·03		·13	·12	·50						·17	9
10				·02		·02		·06	·17		·07		10
11	·10	·04							·05			·24	11
12	·10	·02	·16		·04						·19		12
13		·10				·08	·05				·35	·01	13
14	·03				·01	·05		·01	·02	·07			14
15			·10		·33	·14		·04	~~·02~~			·04	15
16	·24		·06		·13	·05		·13		·07			16
17	·31		·18			·17		·12			·02	·10	17
18	·06		·08				·03	·07		·03	·02	·02	18
19	·15	·10	·08				·25	·23		·02	·03		19
20	·10		·04		·01		·08	·46		·21			20
21			·21		·26			·69		·03	·08		21
22	·17	·06			·40		·91	·25		·02			22
23	·24	·31	·24					·77			·09	·24	23
24	·32	·02				·04	·09	·17				·15	24
25			·01			·07	·04	·60			·20	·27	25
26		·02		—		·32	·16	1·96		·45	·25	·25	26
27										·21		·17	27
28		·01			·01		—	·31	·02	·26	·21	·61	28
29						·15	·18	·06	·68	·29	·05		29
30	·03	✗			·16				·24	·27			30
31		✗	·14	✗	·04	✗	·23	·23	✗	·01	✗		31
Total	2·94	1·09	2·26	·17	1·59	4·04	3·65	7·00	1·37	1·94	1·98	2·52	TOTAL for year 30·55
No. of Rain Days.	18	15	15	3	14	18	14	22	9	13	14	15	170

W. 8,000, X. '11.

Section **A** for the entry of Daily Observations

Station No. 1218

METEOROLOGICAL OFFICE—AIR MINISTRY

Form 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1912

Kept at MARCH
in the County of
Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	·11	·07	·05	·12	–	–	·13		1
2	–	·01	–	·02	·02	·14	·42	–	–	–	–	–		2
3	·16	–	–	–	·02	·47	–	·33	·03	–	–	·09		3
4	·05	·05	·56	–	·04	·04	–	·08	–	–	·40	–		4
5	·03	·09	·29	–	–	–	–	·18	–	–	·02	–		5
6	·61	·11	–	–	–	·02	1·00	·23	–	–	–	·03		6
7	·03	–	·01	–	–	1·63	–	–	–	–	–	–		7
8	·21	·12	·10	–	–	·04	·14	·05	·04	–	–	–		8
9	–	·03	–	·13	·12	·50	–	–	–	–	–	·17		9
10	–	–	–	·02	–	·02	–	·06	·17	–	·07	–		10
11	·10	·04	–	–	–	–	–	–	·05	–	–	·24		11
12	·10	·02	·16	–	·04	–	–	–	–	–	·19	–		12
13	–	·10	–	–	–	·08	·05	–	–	–	·35	·01		13
14	·03	–	–	–	·01	·05	–	·01	–	·07	–	–		14
15	–	–	·10	–	·33	·14	–	·04	·02	–	–	·04		15
16	·24	–	·06	–	·13	·05	–	·13	–	·07	–	–		16
17	·31	–	·18	–	–	·17	–	·12	–	–	·02	·10		17
18	·06	–	·08	–	–	–	·03	·07	–	·03	·02	·02		18
19	·15	·10	·08	–	–	–	·25	·23	–	·02	·03	–		19
20	·10	–	·04	–	·01	–	·08	·46	–	·21	–	–		20
21	–	–	·21	–	·26	–	–	·69	–	·03	·08	–		21
22	·17	·06	–	–	·40	–	·91	·25	–	·02	–	–		22
23	·24	·31	·24	–	–	–	–	·77	–	–	·09	·24		23
24	·32	·02	–	–	–	·04	·09	·17	–	–	–	·15		24
25	–	–	–	–	–	·07	·04	·60	–	–	·20	·27		25
26	–	·02	·01	–	–	·32	·16	1·96	–	·45	·25	·25		26
27	–	–	–	–	–	–	–	–	–	·21	–	·17		27
28	–	·01	–	–	·01	–	–	·31	·02	·26	·21	·61		28
29	–	–	–	–	–	·15	·18	·06	·68	·29	·05	–		29
30	·03	X	–	–	·46	–	–	–	·24	·27	–	–		30
31	–	X	·14	X	·04	X	·23	·23	X	·01	X	–		31
TOTAL	2·94	1·09	2·26	·17	1·59	4·04	3·65	7·00	1·37	1·94	1·98	2·52	Year's total 30·55	
*Days with .01 in. or more														
*Days with .04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*) (P.T.O.)

82

249

BRITISH RAINFALL FORM A 1210

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at March

in the County of Cambridgeshire

by A. Lunn

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·07	·08	·06					·34		·03		1
2	·01	·06	·03		·01		·13		·03				2
3			·12		·60					·07			3
4	·20				·03	·02	·05			·24	·12	·12	4
5										·59			5
6					·54	·24	·01			·05			6
7		·03			·09					·50	·01		7
8			·01	·01	·37	·07				·27			8
9		·25	·02	·01	·02	·05	·02					·02	9
10					·05		·07	·15			·41		10
11	·74			·38				·10			·05		11
12				·02							·09		12
13								·10			·44		13
14	·09		·16	·02			·06			·22			14
15	·06	·04	·23	·21			·09						15
16	·03		·80	·16					·28		·02		16
17	·04		·14	·07		·25	·10		·22				17
18			·06	·17			·06					·03	18
19	·06		·06						·15			·01	19
20	·10		·14							·18			20
21			·01		·04		·15			·03	·26		21
22	·21		·11				·08	·05	·15		·01		22
23			·03			·05	·05	·03	·05				23
24	·04			·02		·10		·02					24
25				·14								·03	25
26		·03	·13							·79	·02	·10	26
27		·01		·01		·08				·05	·02		27
28	·15		·17	·06						·13		·02	28
29	·18	X	·16	·30	·12			·06				·10	29
30	·17	X		·14				·01		·14	·10	·02	30
31		X		X		X		·55	X	·02	X		31
Total	2·13	·49	2·46	1·78	1·87	·86	·87	1·07	1·22	3·28	1·58	·45	YEAR'S TOTAL 1806
Rain Days.	15	7	18	16	10	8	12	9	7	14	13	9	138

W. 7,500, XI. 12

8L 64 914 242

FORM 1218 BRITISH RAINFALL.

28 [illegible] 1915

REGISTER OF RAINFALL IN 1914

Kept at March

in the County of Cambridgeshire 2

by A. Lunn

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·01			·08	·81			·11		1
2								·12			·05	·04	2
3			·10				·10	·05			·09		3
4	·18			·17				·62			·37	·12	4
5			·04	·08			·16	·13			·02		5
6		·04			·06		·09				·10	·01	6
7		·02	·41			·32						·07	7
8	·18		·15		·08	·64	·03	·15		·02		·03	8
9	·80		·22	·08		·78						·19	9
10	·38	·08	·01	·07	·07				·11		·01		10
11		·02	·34	·09	·08	·03			·05		·36	·18	11
12			·03				·37		·28			·26	12
13		·11	·25							·14	·08	·25	13
14			·13				·08			·50	·13	·55	14
15	·02	·06	·16			·01		·05	·05		·05	·25	15
16							·02		·01		·04		16
17		·27	·04						·08	·03		·05	17
18			·06				·02				·03	·46	18
19		·06	·18			·09	·04				·17		19
20		·03	·36						·01		·03		20
21		·11	·32			·03		·38		·04		·19	21
22				·01	·16	·06	·03	·13		·20			22
23			·04		·05					·04			23
24	·02		·03	·07		·02				·24	·14		24
25							·03	·04		·40		·05	25
26			·02		·02			·10		·04	·12	·37	26
27	·01									·10	·04	·18	27
28		·12									·15	1·30	28
29	·01	X	·04		·02					·19	·07		29
30		X	·01							·03	·10	·16	30
31		X		X	·05	X	·10		X	·02	X	·11	31
Total	1·62	·92	2·94	·58	·59	1·98	1·15	2·58	·59	1·99	2·26	4·82	YEAR'S TOTAL 22·02
Rain Days.	9	11	21	8	9	9	13	11	7	14	21	20	153

W.7,000, XI. 13

88

REGISTER OF RAINFALL IN 1915

1338
~~235~~
1218

FORM A.
BRITISH RAINFALL.

Kept at March

in the County of Cambridgeshire

by A. Lunn

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·29	·02		·27				·05		·14	·07	1
2	·04	·15	·29			·02		·57	·04		·17	·02	2
3	·21		·13	·11			·13	·80	·10		·08	·16	3
4	·24						·44	·63			·01	·55	4
5	·03	·05			·16			·03		·05	·02	·24	5
6	·12	·09	·08	·12			1·28	·07		·05		·09	6
7	·04	·31	·14				·08	·20				·15	7
8		·09					·06	·02					8
9		·03				·05					·10	·38	9
10	·27		·10		·07			·58			·03		10
11			·05				·19				·38	·18	11
12	·12			·19	·28			·05			1·33		12
13	·02	·37			·72			·11					13
14		·14			·02		27			·02		·23	14
15	·28				·10			·10			·44	·07	15
16		·22					·62			·03		·04	16
17	·06	·11	·13				·15						17
18		·03									·06		18
19		·05	·01				·10						19
20	·28											·37	20
21	·15	·05			·21		·08			·02		·03	21
22	·61		·20				·50		·04			·21	22
23		·27	·01				12		·14	10	·01	·28	23
24			·11				·05		·26			·09	24
25			·01			·30	·03			·04		·08	25
26		·10	·02				·06					·23	26
27						·14	·07			·54			27
28	·01	·12					·03	·12	·16	·31			28
29		×				·33		·05			·18	·17	29
30	·07	×				1·31							30
31	·04	×		×		×		·10	×	·05	×	·09	31
Total	2·80	2·47	1·30	·42	1·83	2·15	4·26	3·43	·79	1·21	2·95	3·73	YEAR'S TOTAL 27·34
Rain Days.	18	17	14	3	8	6	18	14	7	10	13	21	149

W. 8,000. X. 14.

8h

Ese 8h

1317
~~206~~

1218

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at March

in the County of Cambridgeshire

by A. Lunn

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	02		·03			·02	·17			—	·42		1
2	·33	·02	·01		·24		·06			·14	·02		2
3		·10	·02	·02		·11	·05		·35	·27	·06		3
4	·34	·06			·03	·05	·06		·55		·20		4
5	·02	·02	·01	·03		·15	·07			·12	·19		5
6		·08	·11	·28		·03	·07			·05	·24		6
7	·09		·11		·24	·02	·41			·03	·08	·16	7
8			·03		·05	·09						·22	8
9					·27	·09				·04		·03	9
10			·09	·06		·78	·16						10
11	·09	·44	·11	·16	·14	·23			·05				11
12	·01			·03	·38	·32	·03			·12			12
13	—	·26	·04	·02	·16	·04	·03	·04					13
14		·30	·03		·12							·08	14
15		·26	·21				·04	·08					15
16		·05	·06	·15			·06	·06					16
17	·05	·04		·12			·20		·30	·27			17
18		·14	·03	·15				·40	·09	·05	·20		18
19	·09		·03	·07				·10	·44		·65		19
20	·11		·18	·03							·09	·42	20
21	·02		·17				·02	·16				·75	21
22		·13			·18							·55	22
23	·03	·13								·05	·08	·21	23
24		·19	·10	·02		·40		·06		·15		·18	24
25		·09	·08					·13			·06		25
26		·02						·05		·03			26
27	·01	·40	·67					·05		·12			27
28		·15	·67						·05			·19	28
29		·04				·08		1·56		·23		·03	29
30		X				·08		·24		·15			30
31		X		X		X		·04	X	·05	X		31
Total	1·21	2·92	2·79	1·14	1·81	2·49	1·43	2·97	1·83	1·87	2·29	2·82	YEAR'S TOTAL 25·57
Rain Days.	13	20	21	13	10	15	14	13	7	16 ~~10~~	12	15	169

W. 8,000. X. 15.

1254
~~150~~
1218

FORM 1.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at March

in the County of Cambridgeshire

by C. P. Burling

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·04		·05				1·48	·58		·02		1
2				·26		·05		·12					2
3				·05				·43		·12			3
4		·11	·04					·11		·56			4
5	·21			·09				·02	·01	·02	·25		5
6													6
7	·38					·13		·03		·45		·05	7
8	·21			·15			·53	·05		·22	·12		8
9	·19		·08	·05			·04	·18			·03	·02	9
10			·20	·08				·17		·04			10
11	·07	·02	·26	·07				·05		·20			11
12	·08				·02			·04		·44			12
13	·16		·20	·05			·10	·11				·03	13
14	·20		·04						·05	·03			14
15				·04	·04			·12		·02		·04	15
16	·05	·09		·20		·08				·60		·11	16
17			·06	·20	·52	·33	·14		·20	·14		·07	17
18	·02			·03		·06	·22	·08	1·12				18
19		·08	·14		·02				·10				19
20		·29	·14		·15		·32		·03		·20		20
21	·02		·08			·04							21
22			·05		·05					·10			22
23					·18			·07	·08				23
24						·21				·17	·03	·04	24
25		·07									·08		25
26			·13					·30	·06		·48	·07	26
27			·01			·28	·02	·47				·15	27
28		·04	·05			·45		·13		·02		·05	28
29		X				·26	·76	·15		·25			29
30	·05	X					·18	·14					30
31		X	·06	X		X	·28		X		X	·12	31
Total	1·66	·74	1·54	1·32	·98	1·89	2·59	4·25	2·23	3·38	1·21	·75	YEAR'S TOTAL 22·54
Rain Days.	13	8	15	13	7	10	10	20	9	16	8	11 ~~12~~	140

3·05

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
12/18

Kept at March

in the County of Cambridgeshire

by G. E. Mathews

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.26							.04	.17	1
2		.15		.08				.29		.02	.03	.14	2
3	.04		.10		.29			.11	.04		.77		3
4		.05	.09				.02	.02	.44		.31		4
5					.09			.15	1.00	.08			5
6		.05		.13								.03	6
7	.09	.06		.05		.06			.04	.09	.09		7
8									.07		.05		8
9		.07		.06		.04	.13		.30	.31		.07	9
10	.18						.23		.08	.03		.21	10
11				.02	.13		.13		.22	.53	.04	.16	11
12		.18	.02		.14		.28		.05	.05			12
13					.32				.10			.05	13
14	.26			.05			.21		.21	.20			14
15	.58			.91			.48		.16			.08	15
16	.04			.37					1.09				16
17	.16			.08	.53	.05	.60					.12	17
18	.26					.04			.17	.08		.30	18
19	.06	.09	.10	.05		.17				.07		.06	19
20	.03	.02				.03	.25		.11	.09			20
21	.03			.02					.43				21
22	.06				.04	.02	.06		.06			.25	22
23	.12				.69		.10		.04				23
24		.27			.09		.43				.15		24
25						.12	.08	.22			.04		25
26							.73		.05		.25	.08	26
27				.05		.05		.17			.12	.02	27
28		.12	.12					.06			.18	.24	28
29									1.06				29
30		X	.29						.05		.15	.10	30
31		X	.05	X		X			X	.12	X	.10	31
Total	1.91	1.06	.77	2.13	2.32	.58	3.73	1.02	5.77	1.67	2.22	2.18	YEAR'S TOTAL. 25.36
Rain Days.	13	10	7	13	9	9	14	7	21	12	13	17	145

W. 8,000, IX. 17.

82 Ex 82 112

FORM A. BRITISH RAINFALL. 1218

23 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at March

in the County of Cambridgeshire

by G. E. Mathews

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22						·17			·08	·06	·64	1
2	·12		·02		·06		·14	·03	·44	·03	·21	·46	2
3	·48		·12				·14		·07		·10		3
4	·10		·32			·16	·04	·02				·20	4
5	·07	·16	·06					·12	·64			·07	5
6			·03				·04				·04		6
7	·03		·21								·10	·03	7
8	·10		·02	·06							·08		8
9				·08						·08			9
10			·21	·03							·08	·09	10
11	·10		·16	·09			·69				·03	·08	11
12			·31	·16		·13	·09			·07			12
13	·20			·20						·05			13
14	·25			·13			·22		·06				14
15	·10	·11	·03	·04						·10	·20		15
16	·08	·72									·07	·16	16
17		·46									·23		17
18		·04						·10				·03	18
19		·13	·52			·11	·19	·20	·15		·03	·15	19
20	·40	·04	·12			·26	·63	·35				·03	20
21	·41	·45					·54				·03	·04	21
22		·14					·08		·41		·06	·11	22
23				·06		·06	·17		·06	·10		·46	23
24				·14		·11						·03	24
25	·13				·16			·25				·04	25
26	·22	·04	·14	·09				·02	·09			·38	26
27	·30	·16		·82				·03		·11			27
28								·80	·03	·16		·36	28
29						·03	·06	·10		·22	·16	·28	29
30		✕		·35		·21				·02	·14	·17	30
31		✕		✕		✕			✕	·10	✕	·07	31
Total	3·31	2·45	2·27	2·25	·22	1·07	3·20	2·02	1·95	1·12	1·62	3·88	YEAR'S TOTAL 25·36
Rain Days.	17	11	14	13	2	8	14	11	9	12	16	21	148

W. 6,500, VII. 18. W W C

204

1128

1218

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at March

in the County of Cambridgeshire

by G. E. Mathews

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·11		·25			·68		·10	1
2			·05				·03	·21	·16	·03		·04	2
3				·07		07	·44		·05	·04			3
4			·03	·17			·06	·26	·08	·08			4
5			·06	·03	·28		·32	·12	·13			·08	5
6			·06		·06		·62	·02					6
7			·10	·12			·05					·05	7
8	·12	·07		·34	·10		·03						8
9	·37			·23				·04					9
10	·05	·02	·15	·09			·05				·06	·07	10
11	·28		·08	·18	12								11
12	·10			·16		·07		·06				·13	12
13	·03		·02	·06		·58			·11		·03		13
14		·13	·33	·10		·12	·09		·21	·05	·17		14
15	·02	·03	·35	·06					·29		·07	·05	15
16				·02	·03				·27				16
17				·08	·12		·04		·23			·11	17
18	·10				·04	67		·29	·22			·05	18
19	·14	·08		·06				·05					19
20	·07	·38		·46		60							20
21				·24				·13	·21			·04	21
22				·13			03	·07	·19				22
23							32					·32	23
24			·23									·05	24
25		·12	·03	·08	·85	·05	·30				·10		25
26	·06		·05	·06	·16		·06						26
27	·12	·02		·08		·44	·03				·10	·18	27
28	·35		·08		·17		·05					·06	28
29	·03		·20		·13		·04				·09	·38	29
30			·06	·03			·05	·01	·21		·14	·16	30
31	·10		·04							·48		·12	31
TOTAL	1·94	·85	1·92	2·85	2·17	2·60	2·86	1·26	2·36	1·36	·76	1·99	YEAR'S TOTAL 22·92
Days with ·01 in. or more	15	8	17	22	12	8	19	11	13	6	8	17	156
	12	5	14	19	11	8	15	9	13	5	9	17	135

(4[illegible]). Wt.21,958—21[illegible]. 7500. 10/19. Gp.132. A.&E.W.

82

Cnd by B Hymen nato

CAMBRIDGE.

—

MELBOURN VIC:

1912-1915

REGI

12

FORM A2.
BRITISH RAINFALL.

250

25 JAN 1913

Kept at Melbourn

in the County of Cam

by M. de C. Ireland

in.

e Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·04			·08	·28		·12	1
2				·04		·19	·51		·01				2
3	·10				·24	·10	·01	·25				·09	3
4	·06				·08	·25		·03			·26		4
5	·14		·57			·01		·13					5
6	·20		·40			·31	·16	·20			·03	·03	6
7		·14			·03	·69	·01	·03				·01	7
8	·27	·28	·14			·01		·17	·26			·01	8
9	·02	·03		·10		·73	·02	·04				·21	9
10		·01				·02		·20	·08		·17		10
11	·09	·09				·03		·14	·05		·06	·06	11
12	·12	·03			·05	·03					·17		12
13		·01	·05				·01	·03					13
14					·03	·02		·02			·01	·03	14
15			·12		·26	·17		·05				·10	15
16	·31		·03		·03	·10		·03		·04	·06		16
17	·60		·16			·12		·04					17
18	·03		·13					·23		·01	·06	·11	18
19	·12	·10					·19	·58			·03		19
20	·02		·40		·02			·14		·20			20
21	·60		·31		·55			·68		·26	·05		21
22	·48	·05			·08		·03	·23				·02	22
23	·25	·40	·21				·01	·65			·23	·08	23
24								·22	·06			·11	24
25						·07		·75			·21	·48	25
26						·01	·16	·71		·38	·20	·20	26
27								·03		·10		·13	27
28							·08	·33	·04	·27	·20	·30	28
29					·19	·14	·11		·98	·17	·01		29
30						·04		·03	·51				30
31			·06				·20	·30		·04		·05	31
Total	3·41	1·14	2·58	·14	1·56	3·08	1·50	6·24	2·07	1·75	1·75	2·14	TOTAL for Year 27·36
No. of Rain Days.	16	10	12	2	11	20	13	27	9	10	15	18	163

W. 8,000, X. '11.

82 ✓ Cord by B Hyman stats

REGI ... 12

250

FORM A2. BRITISH RAINFALL.

25 JAN 1913

Kept at Melbourn Vicarage

in the County of Cambs 2

by M. de C. Ireland

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " " Sea Level	ft.

Time of Observation

Nearest Railway Station — Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			—			·04			·08	·28		·12	1
2				·04		·19	·51		·01				2
3	·10				·24	·10	·01	·25				·09	3
4	·06				·08	·25		·03			·26		4
5	·14		·57			·01	—	·13					5
6	·20		·40			·31	·16	·20			·03	·03	6
7		·14			·03	·69	·01	·03				·01	7
8	·27	·28	·14			·01		·17	·26			·01	8
9	·02	·03		·10		·73	·02	·04				·21	9
10		·01				·02		·20	·08		·17		10
11	·09	·09				·03		·14	·05		·06	·06	11
12	·12	·03			·05	·03					·17	—	12
13		·01	·05				·01	·03					13
14					·03	·02		·02			·01	·03	14
15			·12		·26	·17		·05				·10	15
16	·31		·03		·03	·10		·03		·04	·06		16
17	·60		·16			·12		·04					17
18	·03		·13					·23		·01	·06	·11	18
19	·12	·10					·19	·58			·03		19
20	·02		·40		·02			·14		·20			20
21	·60		·31		·55			·68		·26	·05		21
22	·48	·05			·08		·03	·23				·02	22
23	·25	·40	·21				·01	·65			·23	·08	23
24								·22	·06			·11	24
25						·07		·75			·21	·48	25
26						·01	·16	·71		·38	·20	·20	26
27								·03		·10		·13	27
28							·08	·33	·04	·27	·20	·30	28
29		—			·19	·14	·11		·98	·17	·01		29
30						·04		·03	·51				30
31			·06				·20	·30		·04		·05	31
Total	3·41	1·14	2·58	·14	1·56	3·08	1·50	6·24	2·07	1·75	1·75	2·14	TOTAL for year 27·36
No. of Rain Days.	16	10	12	2	11	20	13	27	9	10	15	18	163

W. 8,000, X. '11.

27.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

25·5

Kept at Melbourn Vicarage

in the County of Cambridgeshire 2

by M. de C. Ireland

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·11	·06	·21					·58		·04		1
2	·05	·12					·12		·10			·03	2
3	·01		·10		·67							·03	3
4	·08		·05		·06		·07			·20	·01	·30	4
5	·05						·08			1·17	·02		5
6		·02	·10		·10	·13	·07			·15			6
7		·10			·05		·04	·03		·30	·01		7
8			·04		·15	·02				·02	·04	—	8
9		·18	·05			·18	·13		·05		·02		9
10			·04								·28		10
11	·94			·40						·05	·19		11
12					·10						·05		12
13	·01								·01		·48		13
14	·05		·06				·71		·01	·21	·03		14
15		·03	·25	·11			·17		·14				15
16	·04		·34										16
17	·06		·08	·19		·97	·06					·14	17
18			·08				·03				·03		18
19	·12		·07	·07			·05		·61			·08	19
20	·07		·04						·02	·23			20
21			·07				·02		·13	·12	·23		21
22	·28		·09		·04		·01		·15				22
23						·05		·20				·06	23
24	·03										·03		24
25				·20			·03					·03	25
26			·29	·04				·03		·74		·12	26
27		·06	·03		·01					·05	·01		27
28	·20		·14	·07						·10			28
29	·08		·09	·21	·43			·06					29
30	·25			·10				·05		·13	·17	·05	30
31			·01					·57		·05			31
Total	2·32	·62 ·62	2·08 2·08	1·60	1·61 1·61	1·35	1·59	·94	1·80	3·52	1·64	·84	YEAR'S TOTAL 1991
Rain Days.	16	7	21	10	9	5	14	6	10	14	16	9	137

W. 7,500, XI. ·12

82

209

FORM A.
BRITISH RAINFALL.

28 JAN 191

REGISTER OF RAINFALL IN 1914

Kept at Melbourne Vicarage

in the County of Cambridgeshire 2

by Mrs de Courcy Ireland

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·29	·18			·07		1
2	·02			·02			·02	·17			·11	·12	2
3			·21		·09		·40	·18			·06		3
4	·15			·11				·05			·44	·31	4
5			·02	·20	·03		·20	·14			·01		5
6		·06				·10	·02	·04			·21	·06	6
7		·08	·23	·06	·29	·27	·03					·33	7
8	·11	·08	·52	·02	·04	·63		·10			·01		8
9	·47		·42	·17		·47						·85	9
10		·15		·06	·04							·01	10
11		·10	·29		·05	·22			·10		·53	·17	11
12		·09	·08						·53	·01	·02	·22	12
13	·02	·20	·10						·02	·15	·03	·33	13
14			·25				·27			·35	·12	·61	14
15	·06		·21						·01		·03	·09	15
16			·07				·06						16
17		·37	·03						·04			·03	17
18												·32	18
19		·04	·16				1·05				·25	·02	19
20		·08	·28			·06			·08			·10	20
21		·32	·09			·30				·04	·02	·16	21
22			·01	·03	·24		·05	·05		·40		·01	22
23		·03	·05		·05					·12		·04	23
24			·02	·07			·15			·14	·15		24
25	·03		·10				·02	·09		·30		·13	25
26			·05							·05	·07	·44	26
27	·03						·03	·04				·12	27
28		·02								·05	·70	1·75	28
29	·01		·04							·27	·08		29
30			·03							·02	·30	·18	30
31					·12		·05			·04		·05	31
Total	~~·89~~ ·90	1·62	3·26	·74	·95	2·05	2·64	1·04	·78	1·94	3·21	6·45	YEAR'S TOTAL 25·58
Rain Days.	9	13	22	9	9	7	14	10	6	13	19	24	155

W.7,000, XI. 13

82

1289
~~202~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at *Melbourne Vicarage*

in the County of *Cambridgeshire*

by *M. de C. Ireland*

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	·10	·09				·01		·09		·10	·16	1
2	·10	·15	·24	·12	·06			·35		·04		·10	2
3	·31	·01	·07			·01	·01	1·25			·02	·15	3
4	·11			·20				·26		·03	·01	·46	4
5	·01	·17						·02		·02		·16	5
6	·21	·01	·02	·22			·80	·07		·03		·01	6
7	·07	·32	·03	·07			·43	·08			·02	·21	7
8		·33										·01	8
9				·03		·04		·01		·03	·22	·45	9
10	·28		·05					·14			·03	·08	10
11	·02		·01		·03						·81		11
12	·08	·06		·31	·35			1·06		·03	·67	·01	12
13		·46			1·30								13
14	·02	·02					·45	·09	·08			·35	14
15	·13				·03		·06	·11			·20	·07	15
16		·23					·47	·52		·10		·03	16
17		·24			·17		·10	·16		·02	·14		17
18	·03	·08	·30										18
19			·06		·01		·11					·01	19
20	·31			·09						·01		·40	20
21	·14	·05					·10		·01	·21		·16	21
22	1·04		·47				·43					·20	22
23	·02	·12	·39			·08	·09		·21	·02		·06	23
24			·10				·03		·17	·04		·08	24
25			·01	·03		·06	·04					·26	25
26		·09				·05						·01	26
27						·15	·05			·34		·03	27
28		·14				·16	·14	·05	·73	·09			28
29						·29	·01	·15			·06	·23	29
30	·04	×				·19						·06	30
31	·02	×		×		×		·05	×	·30	×	·08	31
													YEAR'S TOTAL
Total	3·27	2·58	1·84	1·07	1·95	1·03	3·33	4·37	1·29	1·31	2·28	3·83	28·15
Rain Days.	19	17	13	8	7	9	17	16	6	15	11	26	164

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

REGI 11

nowdon

Kept at Belmington Cl 5 in.

in the County of Cam ve Ground 1 ft. – in.

Sea Level 65 ft.

by G Warren Bin am

Name Meldreth G.N.R.

Distance 1m Direction SW

CAMBRIDGE.

MELDRETH.

"BELMINGTON CLOSE"

1911 - 1915

IMPORTANT NOTE.—R measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	–	–	·02	–	–	·08	·01	–	–	–	–	1
2	·13	–	·02	·01	·05	–	·03	·02	–	–	·06	·05	2
3	–	·01	–	·03	·10	–	–	~~·02~~	–	·11	–	–	3
4	·05	·04	·14	·11	–	–	–	–	–	·04	·05	·22	4
5	–	–	–	·01	–	–	–	·03	–	·03	–	·27	5
6	·16	–	·04	–	–	–	–	–	–	–	–	·25	6
7	·01	–	–	–	–	–	–	–	–	·03	·26	·16	7
8	·15	–	·14	–	–	–	–	–	–	–	·09	·07	8
9	·18	–	·01	·03	–	–	–	–	–	–	–	–	9
10	–	·06	·05	·01	–	–	–	–	–	–	·07	·23	10
11	·34	–	–	–	·02	–	–	–	–	–	·42	–	11
12	·10	–	·40	–	·02	·01	–	–	·09	·02	·20	·01	12
13	–	–	·07	–	·23	–	–	–	·18	·38	·01	·20	13
14	·01	–	·08	–	·70	·05	–	–	–	–	–	·35	14
15	·01	·04	·21	–	–	–	–	–	–	·03	·07	·01	15
16	–	–	·03	–	–	·25	–	–	–	–	·18	·02	16
17	–	–	–	–	–	·02	–	–	–	–	·04	·08	17
18	–	·18	–	–	–	·13	–	–	–	·01	·52	·03	18
19	–	·03	–	–	·05	·38	–	–	·03	·03	·37	·61	19
20	–	–	·01	–	–	–	–	·39	·16	·01	–	·39	20
21	·01	·13	–	–	–	·01	–	·19	–	·28	·01	·10	21
22	·11	–	·22	–	–	·04	–	·01	–	·07	–	·37	22
23	–	·05	·12	–	–	·83	–	–	·21	–	–	·08	23
24	–	·03	·02	–	–	·15	–	–	–	·33	–	·14	24
25	–	·04	·02	·03	–	·26	·17	·26	–	–	–	–	25
26	–	–	–	·18	–	·01	·05	·01	–	·08	·02	·15	26
27	–	·16	·06	·04	–	–	–	–	·14	–	·01	·01	27
28	–	·13	–	·22	·12	·01	·05	·11	–	–	·03	·62	28
29	–		–	·06	–	·18	·08	–	·20	·17	–	–	29
30	–		–	–	–	·01	–	–	–	·07		·01	30
31	–		–		–		–	–		·01		·01	31
Total	1·36	·90	1·64	·75	1·29	2·34	·46	1·03	1·01	1·70	2·41	3·24	TOTAL for year 18·13
No. of Rain Days	13	12	17	12	8	15	6	9	7	17	17	25	158

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

REG 11

9

nowdon

Kept at Belmington Close, Meldreth

in the County of Cambridge 2

by G. Warren Bindloss

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 65 ft.

Time of Observation 9 am

Nearest Railway Station
Name Meldreth GNR
Distance 1m Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	—	—	·02	—	—	·08	·01	—	—	—	—	1
2	·13	—	·02	·01	·05	—	·03	·02	—	—	·06	·05	2
3	—	·01	—	·03	·10	—	—	~~·02~~	—	·11	—	—	3
4	·05	·04	·14	·11	—	—	—	—	—	·04	·05	·22	4
5	—	—	—	·01	—	—	—	·03	—	·03	—	·27	5
6	·16	—	·04	—	—	—	—	—	—	—	—	·25	6
7	·01	—	—	—	—	—	—	—	—	·03	·26	·16	7
8	·15	—	·14	—	—	—	—	—	—	—	·09	·07	8
9	·18	—	·01	·03	—	—	—	—	—	—	—	—	9
10	—	·06	·05	·01	—	—	—	—	—	—	·07	·23	10
11	·34	—	—	—	·02	—	—	—	—	—	·42	—	11
12	·10	—	·40	—	·02	·01	—	—	·09	·02	·20	·01	12
13	—	—	·07	—	·23	—	—	—	·18	·38	·01	·20	13
14	·01	—	·08	—	·70	·05	—	—	—	—	—	·35	14
15	·01	·04	·21	—	—	—	—	—	—	·03	·07	·01	15
16	—	—	·03	—	—	·25	—	—	—	—	·18	·02	16
17	—	—	—	—	—	·02	—	—	—	—	·04	·08	17
18	—	·18	—	—	—	·13	—	—	—	·01	·52	·03	18
19	—	·03	—	—	·05	·38	—	—	·03	·03	·37	·01	19
20	—	—	·01	—	—	—	—	·39	·16	·01	—	·39	20
21	·01	·13	—	—	—	·01	—	·19	—	·28	·01	·10	21
22	·11	—	·22	—	—	·04	—	·01	—	·07	—	·37	22
23	—	·05	·12	—	—	·83	—	—	·21	—	—	·08	23
24	—	·03	·02	—	—	·15	—	—	—	·33	—	·14	24
25	—	·04	·02	·03	—	·26	·17	·26	—	—	—	—	25
26	—	—	—	·18	—	·01	·05	·01	—	·08	·02	·15	26
27	—	·16	·06	·04	—	—	—	—	·14	—	·01	·01	27
28	—	·13	—	·22	·12	·01	·05	·11	—	—	·03	·02	28
29	—	/	—	·06	—	·18	·08	—	·20	·17	—	—	29
30	—	/	—	—	—	·01	—	—	—	·07	~~—~~ /	·01	30
31	—	/	—	/	—	/	—	—	/	·01	/	·01	31
Total	1·36	·90	1·64	·75	1·29	2·34	·46	1·03	1·01	1·70	2·41	3·24	TOTAL for year 18·13
No. of Rain Days	13	12	17	12	8	15	6	9	7	17	17	25	158

9,000, IX. '10.

Ex DL

FORM A2.
BRITISH RAINFALL.
1 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Belmington Close, Meldreth

in the County of Cambridge 2

by G Warren Brindlos

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 65 ft.

Time of Observation 9 am

Nearest Railway Station
Name Meldreth Sta
Distance 1 m Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·01	–	·03	·02	–	·07	·27	–	·07	1
2	–	·01	–	·01	–	·06	·42	–	–	–	–	·02	2
3	·10	–	–	–	·16	·08	·01	·20	–	–	–	·07	3
4	·07	–	·51	–	·06	·39	–	–	–	–	·22	–	4
5	·12	·10	·32	–	–	–	–	·18	–	–	·06	–	5
6	·23	·05	–	–	–	·44	·18	·07	–	–	–	·03	6
7	·02	–	–	–	·01	·91	–	·05	–	–	–	–	7
8	·22	·21	·10	–	–	·03	–	·19	·21	–	–	·02	8
9	–	·01	–	·08	–	·67	·01	–	–	–	–	·21	9
10	–	–	–	–	–	–	–	·39	·07	–	·07	·01	10
11	·10	·09	–	–	–	·01	–	·05	·03	–	–	·03	11
12	·11	·02	·03	–	·04	·12	–	–	–	–	·04	–	12
13	–	–	–	–	–	–	–	01	–	–	·23	–	13
14	–	–	–	–	·03	·01	–	·05	–	–	–	·01	14
15	–	–	·12	–	·20	·16	–	·02	–	–	·01	·10	15
16	·21	–	·02	–	·05	·05	–	·03	–	·01	·06	–	16
17	·61	–	·14	–	–	·15	–	·04	–	–	–	·06	17
18	·02	–	·13	–	–	–	–	·24	–	–	·04	·08	18
19	·12	·08	·17	–	–	–	·16	·28	–	–	·02	–	19
20	·01	–	·12	–	·01	–	–	·20	–	·29	–	–	20
21	–	–	·35	–	·50	–	–	·57	–	·20	·04	–	21
22	·60	·03	–	–	·08	–	·02	·18	–	–	–	·01	22
23	·53	·37	·20	–	–	–	·01	·62	–	–	·26	·07	23
24	·22	–	–	–	–	–	·01	·18	–	–	–	·04	24
25	–	–	–	–	–	·06	–	·66	–	–	·19	·22	25
26	–	·01	–	–	–	–	·16	·86	–	·32	·24	·44	26
27	–	–	–	–	–	–	–	–	–	·10	–	·12	27
28	–	·01	–	–	–	–	·01	·01	·04	·24	·16	·31	28
29	–	–	–	–	–	·11	·20	·36	·83	·16	·01	–	29
30	–		–	–	·23	·01	–	·01	·47	·11	–	–	30
31	·01		·03		–		·13	27		·02		·02	31
Total	3·30	·99	2·24	·10	1·37	3·29	1·34	5·72	1·72	1·72	1·65	1·94	TOTAL for year 25·38
No. of Rain Days.	17	12	13	3	11	17	13	25	7	10	·15	20	163

W. 8,000, X. '11.

[illegible] 27.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

Kept at Belmington Close, Meldreth
in the County of Cambridge 2
by G Warren Bindloss

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Meldreth G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·10	·04	·23	–	–	–	–	·49	–	·02	·04	1
2	·03	·11	–	–	–	–	·08	–	·12	–	–	–	2
3	–	–	·11	–	·68	–	–	–	–	·01	–	·01	3
4	·06	–	·01	–	·05	–	·06	–	–	·21	·02	·30	4
5	·05	–	–	–	–	·01	·02	–	–	·75	·02	·01	5
6	–	·02	·05	–	·12	·15	·06	–	–	·10	–	–	6
7	–	·07	–	–	·04	–	·01	·05	–	·35	·01	–	7
8	–	–	·05	·01	·14	·25	–	–	–	·02	·05	–	8
9	–	·18	·06	·01	–	·07	–	–	·03	–	·01	·02	9
10	–	–	–	–	–	–	·10	–	–	–	·31	–	10
11	·76	–	–	·40	–	–	–	·01	–	·04	·17	–	11
12	–	–	–	–	·14	–	–	–	–	–	·06	–	12
13	–	–	–	–	–	–	–	–	–	–	·48	–	13
14	·03	–	·08	–	–	–	·71	·01	–	·24	·04	–	14
15	·11	·03	·24	·09	–	–	·14	–	·05	–	–	–	15
16	·04	–	·21	·06	–	–	–	–	·09	–	–	–	16
17	·05	·02	·08	·07	–	1·28	·04	–	·04	–	·02	·20	17
18	–	–	·06	·06	–	–	·01	–	–	–	·02	·02	18
19	·09	–	·05	–	–	–	·06	·01	·68	–	–	·05	19
20	·02	–	·03	–	–	–	–	–	·02	·20	–	–	20
21	–	–	·07	·01	·02	–	–	–	–	·13	·22	–	21
22	·28	–	·05	–	–	–	·01	·08	13	–	–	–	22
23	–	–	–	–	–	·02	–	·06	·01	–	–	·06	23
24	·01	–	–	–	–	·01	–	·03	–	–	·03	–	24
25	–	–	–	·18	–	–	·01	–	–	–	–	·03	25
26	–	–	·19	·02	–	–	–	·01	–	·75	·01	·17	26
27	–	·07	·02	·04	·18	·01	–	–	–	·04	–	–	27
28	·20	–	·13	·02	–	–	–	–	–	·09	–	·02	28
29	·09		·11	·20	·35	–	–	·06	–	–	–	·01	29
30	·17		–	·10	–	–	–	·03	–	·08	·19	·02	30
31	–		–		–		–	·76		·04		–	31
Total	2·01	·60	1·64	1·30 1·50	1·72	1·80	1·31	1·11	1·66	3·05	1·68	·96	YEAR'S TOTAL 16·84 19·04
Rain Days.	16	8	19	15	9	8	13	11	10	15	17	14	155

W. 7,500, XI. ·12

Exc JL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Belmington Close, Meldreth
in the County of Cambridge 2
by G Warren Bindloss

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Meldreth GNR
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	·33	·17	–	–	·05	–	1
2	·02	–	·02	·04	–	–	·02	·20	–	–	·10	·09	2
3	–	–	·18	–	·09	–	·38	·07	–	–	·01	–	3
4	·13	–	·02	·10	–	–	–	·10	–	–	·39	·18	4
5	–	–	–	·19	·02	·01	·20	·18	–	–	–	–	5
6	–	·06	–	–	–	·07	·01	·03	–	–	·18	·05	6
7	–	·05	·24	·07	·46	·34	·07	–	–	–	–	·33	7
8	·11	·06	·51	·02	·06	·62	·01	·09	–	–	–	–	8
9	·47	–	·45	·18	–	·45	–	–	–	–	–	·85	9
10	·18	·10	·01	·05	·03	–	–	–	·10	–	–	·01	10
11	–	·08	·21	–	·05	·20	–	–	–	–	·35	·15	11
12	–	·02	·08	–	–	–	–	–	·50	–	·02	·18	12
13	–	·15	·09	–	–	–	–	–	·01	·19	·03	·28	13
14	–	–	·21	–	–	–	·26	–	–	·42	·07	·54	14
15	·06	–	·22	–	–	–	–	·01	·01	–	·02	·09	15
16	–	–	·09	–	–	–	·08	–	–	–	·03	–	16
17	–	·28	–	–	–	–	–	–	·03	–	–	·01	17
18	–	–	·07	–	–	–	·01	–	–	–	·01	·27	18
19	–	·05	·15	–	–	–	·88	–	·01	–	·16	·01	19
20	–	·07	·32	–	–	·07	–	–	·08	–	–	·09	20
21	–	·29	·08	–	–	·24	–	–	–	·01	–	·16	21
22	–	–	·01	·04	·28	–	·05	·03	–	·34	–	–	22
23	–	·03	·05	–	·07	–	–	–	–	·12	·01	·06	23
24	–	–	·01	·09	–	·01	·21	·01	–	·14	·14	–	24
25	·03	–	·09	–	–	–	·01	·07	–	·25	–	·04	25
26	–	–	·05	–	–	–	–	·05	–	·03	·05	·37	26
27	·04	–	·02	–	–	–	–	–	–	–	–	·09	27
28	–	·02	–	–	–	–	–	–	–	·05	·48	1·20	28
29	–		·03	–	–	–	–	–	–	·26	·06	–	29
30	–		·04	–	–	–	–	–	–	·02	·19	·14	30
31	–		–		·12		·05	–		–		·03	31
Total	1·04	1·26	3·25	·78	1·18	2·01	2·57	1·01	·74	1·83	2·35	5·22	YEAR'S TOTAL 23·24
Rain Days.	8	13	25	9	9	9	15	12	7	11	19	23	160

W.7,000, XI. 13

8L

1291
~~204~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Meldreth, Belmington Close
in the County of Cambridgeshire 2
by G. W. Bindloss

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.09	10		.06		.01		.07				1
2	.08	.10	.23	.06		.01		.35					2
3	.24		.07	.20			.01	1.12	.04				3
4	.13							.07					4
5	.01	.16			.04			.01					5
6	.20		02	.20			.80	.01					6
7	.06	.22	.05				.33	.07					7
8		.23	.02	.01									8
9		.01		.03		.03		.01					9
10	.23		.04				01	.06					10
11			.01		.01								11
12	.08			.29	.29			.61					12
13	.01	.40			1.10			.01					13
14		.01					40	.04	.04				14
15	.11				.01		04	.22					15
16	.02	.13					.32	.53					16
17		.17			.11		12	.19					17
18	.01	.05	.36										18
19		.02	.02				09						19
20	.34			.06	.01								20
21	11	.02					.01						21
22	.90	.01	.48		.01		.45		07				22
23	.01	.08	.33			.05	.11		.15				23
24		.03	.08				01		.16				24
25			.01	.02		.14	.02						25
26		.03				.02	.02						26
27		.02				.14	14						27
28		.08	.01			.01	.03	.06	.62				28
29						.22	.01	.15					29
30	.03	×				.73							30
31	.01	×		×		×		.05	×		×		31
Total	2.83	1.86	1.83	.87	1.64	1.35	2.93	3.56	1.15				YEAR'S TOTAL
Rain Days.	19	19	15	8	9	9	19	17	7				

W. 8,000. X. 14.

DH

RE

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

215

Kept at Meldreth

in the County of Cam

by A. Howard

MELDRETH

CHISWICK FARM

CAMBRIDGE

1911 - 1918

1

5 in.

e Ground 1 ft. 1 in.

Sea Level 70 ft.

Name

Distance Direction

IMPORTANT NOTI … the result entered to the previous day. If an Ob … versal rule, he is earnestly requested to add the read … ar in the space provided for it at the end of this … ent of rain, the selection and placing … tish Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·03			·04	·02					1
2	·15		·02	·01	·06		·07	·02			·08	·06	2
3		·01	·14	·03	·10					·03	·01		3
4		·06		·11						·06	·07	·26	4
5				·03				·03		·04		·24	5
6	·26		·05	·01								·30	6
7	·02		·01							·04	·27	·16	7
8	·14		·12				—			·01		·11	8
9	·19			·04								·01	9
10	·02	·07	·05	·01							·10	·28	10
11	·30				·08						·42		11
12	·10		·40			·01			·14	·07	·23		12
13			·11		·32				·20	·55	·02	·25	13
14			·08		·85	·04						·37	14
15		·04	·19							·04	·09	·01	15
16			·04			·24				·02	·20	·04	16
17			·29			·04	—				·07	·11	17
18		·26				·14					·56	·05	18
19		·03			·05	·32			·04	·03	·40	·06	19
20			·01			—		·35	·19	·09		·36	20
21	·02	·09						·25		·32		·11	21
22	·12		·23			·06				·12	·01	·38	22
23		·06	·16			·78			·23			·11	23
24		·03	·02			·17				·38		·15	24
25		·05		·05		·25	·15	·23					25
26			·05	·16		·06	·03			·10	·04	·15	26
27		·16	·07	·27				·20	·12		·02	·02	27
28		·12		·22	·05		·11					·04	28
29				·07		·17	·10		·22	·17			29
30				·01		·02				·09			30
31										·03			31
Total	1·38	·98	2·04	1·05	1·51	2·30	·50	1·10	1·14	2·19	2·59	3·63	TOTAL for year 20·41
No. of Rain Days	11	12	18	14	7	13	6	7	7	18	16	23	152

9,000, IX. '10.

DH

215

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

R

Kept at Meldreth, Chiswich Farm

in the County of Cambs 2

by A. Howard

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 70 ft.

Time of Observation

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·03			·04	·02					1
2	·15		·02	·01	·06		·07	·02			·08	·06	2
3		·01	·14	·03	·10					·03	·01		3
4		·06		·11						·06	·07	·26	4
5				·03				·03		·04		·24	5
6	·26		·05	·01								·30	6
7	·02		·01							·04	·27	·16	7
8	·14		·12							·01		·11	8
9	·19			·04								·01	9
10	·02	·07	·05	·01							·10	·28	10
11	·30				·08						·42		11
12	·10		·40			·01			·14	·07	·23		12
13			·11		·32				·20	·55	·02	·25	13
14			·08		·85	·04						·37	14
15		·04	·19							·04	·09	·01	15
16			·04			·24				·02	·20	·04	16
17			·29			·04					·07	·11	17
18		·26				·14					·56	·05	18
19		·03			·05	·32			·04	·03	·40	·06	19
20			·01					·35	·19	·09		·36	20
21	·02	·09						·25		·32		·11	21
22	·12		23			·06				·12	·01	·38	22
23		·06	·16			·78			·23			·11	23
24		·03	·02			·17				·38		·15	24
25		·05		·05		·25	·15	·23					25
26			·05	·16		·06	·03			·10	·04	·15	26
27		·16	·07	·27				·20	·12		·02	·02	27
28		·12		·22	·05		·11					·04	28
29				·07		·17	·10		·22	·17			29
30				·01		·02				·09			30
31										·03			31
Total	1·38	·98	2·04	1·05	1·51	2·30	·50	1·10	1·14	2·19	2·59	3·63	TOTAL for year 20·41
No. of Rain Days	11	12	18	14	7	13	6	7	7	18	16	23	152

9,000, IX. '10.

88

Ex 7C

212

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Meldreth, Chiswick Farm

in the County of Cambridgeshire 2

by A. Howard

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02		·04	·03		·08			·10	1
2			·01			·15	·48			·27		·03	2
3	·12			·03	·19	·12	·02	·23				·08	3
4			·54		·10	·33					·21		4
5	·08	·12	·36					·12			·05		5
6	·32					·50	·06	·08				·03	6
7	·02				·03	·77		·11				·02	7
8	·22	·24	·12			·02		·20	·08			·03	8
9		·03		·09		·44	·02		·24			·21	9
10		·02				·01		·29	·05		·09		10
11	·10	·10						·07	·08		·01	·06	11
12	·12	·04	·06		·05	·06					·07		12
13					·05		·01	·03			·23		13
14						·02		·04			·02	·03	14
15			·13		·24	·19		·04			·01	·11	15
16	·22		·04		·04	·06		·04		·03	·06		16
17	·24	·01	·17			·13		·05				·03	17
18	·04		·13					·25		·02	·05	·13	18
19	·11	·10	·20				·17	·29			·03		19
20	·02	·01	·15					·15		·30			20
21			·29		·64			·58			·06		21
22	·58	·04			·22		·02	·22		·02		·03	22
23	·50	·39	·21					·57	·02		·23	·08	23
24	·22							·20			·21	·06	24
25						·09		·76				·24	25
26						·01	·16	·73		·32	·26	·45	26
27										·11		·12	27
28		·04						·02	·04	·25	·19	·33	28
29				·02		·11	·23	·35	·84	·18	·03		29
30					·20	·03		·01	·48	·12		·01	30
31			·05		·01		·14	·29		·05		·03	31
Total	2·91	1·14	2·46	·16	1·77	3·08	1·34	5·72	1·91	1·67	1·81	2·21 2·21	TOTAL for year 25·18
No. of Rain Days.	15	12	14	4	11	18	11	25	9	11	17	21	168

W. 8,000, X. '11.

82

cord by B. 27.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

217

Kept at Meldreth, Chiswick Farm
in the County of Cambridgeshire
by A. Howard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·11	·06						·55		·04	·02	1
2	·04	·11		·22			·10		·14				2
3	·02		·10		·71								3
4	·08		·04	·02			·07			·24	·04	·30	4
5	·05					·02	·04			1·10			5
6		·04	·08		·10	·13	·06			·09			6
7		·09			·08		·02	·04		·38	·03		7
8			·05		·16	·11			·05		·05		8
9		·18	·04	·04	·01	·10					·02	·04	9
10	·01		·04	·01			·15	·01			·34		10
11	·69			·38						·06	·17		11
12					·10			·01			·06		12
13	·02								·02		·44		13
14	·03		·07				·81	·02		·23	·05		14
15	·13	·04	·26	·10			·15						15
16	·06		·24	·08					·20		·01		16
17	·08	·04	·12	·12		1·44	·05				·02	·22	17
18	·02		·08	·05								·02	18
19	·12		·05	·02			·10		·62			·04	19
20	·05		·05	·02					·01	·20			20
21			·08						·11	·13	·22		21
22	·28		·07		·04		·02	·10	·12				22
23						·04		·06				·07	23
24	·03					·03					·03		24
25		·03		·20			·02					·04	25
26			·19					·04		·73		·16	26
27		·04	·04	·05	·05	·01				·05	·02		27
28	·19		·18	·04						·11	·01	·02	28
29	·10		·10	·21	·37			·06					29
30	·21			·11				·04		·10	·30	·03	30
31								·79		·04			31
Total	2·23	·68	1·94	1·67	1·62	1·88	1·59	1·17	1·82	3·46 3·46	1·85	·96	YEAR'S TOTAL 2087
Rain Days.	20	9	20	16	9	8	12	10	9	13	17	11	154

W. 7,500, XI. 12

81.

Ex Mo

210

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Meldreth Chiswick Farm

in the County of Cambridgeshire 2

by A. Howard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.49	.12			.06		1
2			.03	.05			.02	.21			.04	.10	2
3			.17		.09		.39	.06			.10		3
4			.03	.11	.02						.40	.20	4
5				.19	.02	.03	.21	.22					5
6		.07			.01	.09	.02	.03			.18	.06	6
7		.08	.22	.07	.38	.28						.32	7
8	.10	.08	.50	.02	.06	.54	.04	.09					8
9	.46		.43	.24		.43						.77	9
10	.19	.13		.06	.04							.01	10
11		.10	.27	.01	.06	.21			.11		.37	.16	11
12	.12		.04			.01			.51		.05	.17	12
13		.15	.11						.02	.18	.04	.31	13
14		.01	.21				.20			.41	.09	.58	14
15	.07	.01	.21					.01			.04	.09	15
16			.09				.07		.04		.04		16
17		.30	.02										17
18			.07				.02					.28	18
19		.05	.13				1.19				.17	.02	19
20		.09	.31			.07			.06			.10	20
21		.29	.09			.31				.03		.15	21
22		.03	.02	.02	.26		.05	.05		.36			22
23			.06		.07		.18			.13		.05	23
24			.02	.08		.01		.01		.12	.15		24
25			.09				.02	.06		.26		.05	25
26	.02		.06					.06		.03	.06	.38	26
27	.04						.05				.01	.10	27
28		.03								.04	.49	1.40	28
29	.02		.04							.26	.07		29
30			.05							.03		.18	30
31					.13		.05				.12		31
Total	1.02	1.42	3.27	.85	1.14	1.98	3.00	.92	.74	1.85	2.48	5.48	YEAR'S TOTAL 2415
Rain Days.	8	14	24	10	11	10	15	11	5	11	18	21	158

W.7,000, XI. 13

82

1296
~~203~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Meldreth, Chiswick Farm
in the County of Cambridgeshire
by A. Howard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	·10	·19		·06				·09		·04	·14	1
2	·11	·13	·21	·10		·02		·23	·05	·03	·03	·07	2
3	·25		·07	·18			·02	1·20			·01	·13	3
4	·71							·20			·01	·42	4
5	·02	·18			·07					·04		·13	5
6	·20	·01	·01	·21			·68	·05				·02	6
7	·06	·22	·07	·04			·36	·07				·18	7
8		·25	·03								·02		8
9	·01	·03				·04		·02		·04	·17	·43	9
10	·25		·06					·04				·07	10
11	·02						·01				·63		11
12	·07			·28	·34			·84		·03	·74	·05	12
13		·44			1·08								13
14							·41	·09	·06			·24	14
15	·13				·02		·10	·09			·19	·06	15
16		·17					·27	·43		·08		·02	16
17		·19			·17		·20	·16					17
18	·03	·07	·38		·01						·10		18
19			·04				·09			·02			19
20	·32			·07								·35	20
21	·10	·02					·05			·01		·06	21
22	·82		·46				·44		·05			·15	22
23	·02	·07	·40			·09			·16	·19		·20	23
24		·07	·09						·16			·08	24
25				·03		·05	·02			·03		·06	25
26		·06				·11	·05					·15	26
27						·21	·03			·32		·02	27
28						·04	·15	·04	·28	·08			28
29						·16	·05	·16			·03	·17	29
30	·30					·34					·01		30
31	·01							·05		·32		·13	31
													YEAR'S TOTAL
Total	3·76	2·01	2·01	·91	1·75	1·06	2·93	3·67	·85	1·19	1·98	3·33	25·45
Rain Days.	19	15	12	7	7	9	16	15	7	12	12	23	154

W. 8,000. X. 14.

81 ✓ Ese Dh

1269
~~197~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Meldreth, Chiswick Farm

in the County of Cambridgeshire

by A. Howard

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·08		·20				–		·23		1
2	·17				·19	·04			·01	·33			2
3	·18	·30	·02			·03				·16	·12		3
4		·10				·13	·02		·17	·18	·22		4
5	·01		·03		·02	·13	·13			·04	·28		5
6		·10	·19	·27		·08	·05			·05	·36		6
7	·08		·17		·09		·13			·08	·37	·06	7
8					·21	·01						·16	8
9					·13	·04				·02		·07	9
10	·04	·05	·20	·07		·10	·05			·04			10
11		·20	·04	·12	·04	·12						·03	11
12	·03		·01	·03	·36	·21	·09	·05	·03	·24			12
13		·38	·14		·52	·09	·13	·10					13
14		·50		·16	·06		·02	·34		·03		·11	14
15		·27	·34	·02				·22	·02				15
16		·03	·07	·19	·05		·09	·12		·08		·03	16
17		·06		·14			·07	·20	·27	·18			17
18	·04	·09	·04	·10				·33	·13	·04	·53		18
19		·04	·09	·10					·10		·65		19
20	·11		·21	·01								·25	20
21	·01		·62				·28					·48	21
22		·13	·01		·13	·01		·02				·40	22
23		·83				·23						·11	23
24		·14				·10	·01	·05				·30	24
25		·13	·13		·02			·13		·05	·05	·03	25
26		·09	·02			·05					·06		26
27	·07	·16	·67			·08			·03	·20			27
28		·31	·40			·05			·09			·13	28
29		·11				·07		1·13		·07		·05	29
30		✕			·64			·20		·33			30
31		✕		✕		✕		·02	✕	·07	✕		31
Total	·76	4·02	3·48	1·21	2·66	1·57	1·07	2·91	·85	2·19	2·87	2·21	YEAR'S TOTAL 25·80
Rain Days.	11	20	20	11	14	18	12	13	9	18	10	14	170

W. 8,000. X. 15.

DL ✓ W DL and 2/13

1217
~~783~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Meldreth, Chiswick Farm

in the County of Cambridgeshire

by A. Howard

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03				·16	·23		·31		1
2	·03	·03		·27		(·02)		·93			·06	·02	2
3				·02				·23		·22	·05		3
4		·09								·57			4
5	·12			·17				·05	·08	·05	·02		5
6									·04	·07			6
7	·20					·12	·03						7
8	·17			·10			1·33	·18		·21	·08	·12	8
9	·14		·10	·07				·30			·12	·09	9
10	·25		·07	·15				·11			·02		10
11	·04		·38	·09						·21			11
12	·05			·06	·29	·64		·08		·22			12
13	·16		·03				·03		·03	·06			13
14				·12				·03					14
15	·05							·17		·02			15
16	·02	·12		·19		·16	·08			·50		·07	16
17	·01			·15	1·02		·18		·33	·33			17
18	·04	·02		·08			·30	·07	·46				18
19	·01	·05			·32	·04			·20				19
20		·15	·15		·63						·20		20
21	·02	·02	·05										21
22	·03		·04					·03	·01	·15			22
23		·06			·11			·15		·10			23
24						·18		·13		·07	·08	·08	24
25			·05								·45		25
26			·13					·36	·04		·10	·10	26
27			·04					·57					27
28		·04	·07			·58		·03				·04	28
29						·86	2·36	·06		·23		·17	29
30	·04	✕					·62	·07				·02	30
31	(·03) ~~·05~~	✕	·33	✕		✕	·45	·10	✕		✕		31
Total	1·41	·58	1·44	1·50	2·37	2·60	5·38	3·81	1·42	3·01	1·49	·71	YEAR'S TOTAL 25·72
Rain Days.	18	9	12	13	5	8	9	21	9	15	11	9	139

4·75

Dl

~~177~~

FORM A.
BRITISH RAINFALL.

30 · 1 19

REGISTER OF RAINFALL IN 1918

Kept at Meldreth, Chiswick Farm

in the County of Cambridgeshire

by A. Howard

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	—										1
2		·09											2
3		·01											3
4	—												4
5													5
6	·05	·08											6
7	·15	·08											7
8													8
9	·10	·02											9
10	·08												10
11													11
12		·12											12
13													13
14	·07	—											14
15	·58												15
16	·27												16
17	·18												17
18	·39												18
19		·04											19
20		·02											20
21	·04												21
22	·03												22
23	·03												23
24		·16											24
25													25
26													26
27													27
28		·06											28
29													29
30		X											30
31		X		X		X			X		X		31
													YEAR'S TOTAL
Total	1·97	·70											
Rain Days.	12	11											

W. 8,000, IX. 17.

82

240

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

CAMBRIDGE.

MEPAL
ENGINE.

1912 - 1914

R 1912

Kept at Mepal

in the County of C

by J. Goodman

top ______ in.
p above Ground ______ ft. ______ in.
,, Sea Level ______ ft.

tion { Name ______
Distance ______ Direction ______

IMPORTANT NOT ould be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											#	·03	1
2												·04	2
3												·14	3
4													4
5													5
6													6
7													7
8												·02	8
9												·09	9
10												·11	10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18												·10	18
19													19
20													20
21												·02	21
22													22
23												·07	23
24												·05	24
25												·44	25
26												·05	26
27												·16	27
28												·20	28
29												·02	29
30													30
31													31
Total												1·54	TOTAL for year
No. of Rain Days.												15	

W. 8,000, X. '11.

8L ✓

240

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

RI 1912

Kept at Nepal Engine

in the County of Cambs. 2

by J. Goodman

Rain Gauge { Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											#	·03	1
2												·04	2
3												·14	3
4													4
5													5
6													6
7													7
8												·02	8
9												·09	9
10												·11	10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18												·10	18
19													19
20													20
21												·02	21
22													22
23												·07	23
24												·05	24
25												·44	25
26												·05	26
27												·16	27
28												·20	28
29												·02	29
30													30
31													31
Total												1·54	TOTAL for year
No. of Rain Days.												15	

W. 8,000, X. '11.

82

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL. FORM A.

245

27 JAN 1914

Kept at Nepal Engine Gt: Bk

in the County of Cambridgeshire 2

by J. Goodman

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3					·55								3
4												·15	4
5													5
6													6
7													7
8													8
9		·23											9
10											·45		10
11	·65							·70					11
12													12
13													13
14													14
15													15
16						·39							16
17													17
18													18
19													19
20													20
21							·16						21
22													22
23													23
24													24
25													25
26										·55			26
27													27
28													28
29													29
30													30
31													31
Total	1·52	·54	1·45	1·03	1·69	1·08	·63	·89	1·70	2·54	1·10	·48	YEAR'S TOTAL 14·65
Rain Days.	14	6	12	9	8	11	7	4	[illegible]	13	9	7	

W. 7,500, XI. ·12

82/ ✓

86 LMcC

238

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Nepal Engine

in the County of Cambridgeshire 2

by J. Goodman

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·50					1
2													2
3				·23									3
4													4
5	·90												5
6											·45		6
7			·35										7
8					·17	·70							8
9													9
10													10
11									·40				11
12							·51						12
13													13
14										·52			14
15													15
16		·13											16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28												·68	28
29													29
30													30
31													31
													YEAR'S TOTAL
Total	1·32	·58	1·95	·32	·53	1·86	1·68	1·05	·80	1·78	1·81	2·80	16·48
Rain Days.	10	8	20	6	8	8	18	8	7	10	15	15	~~133~~

W.7,000, XI. 13

Hopkinson a.

FORM A2.
BRITISH RAINFALL.

14 MAR 1912

RE

ODSEY GRANGE

CAMBRIDGE

1911 - 1920

Kept at Odsey [Ash

in the County of Camb

by Sir Herbert Ge

rdou J. J. [illegible]

in.

Ground 1 ft. 0 in. 1185

Sea Level 256 ft.

Name Ashwell G.N.R.

Distance 800 yds Direction N.N.E.

IMPORTANT NOTE the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the readi ear in the space provided for it at the end of this ment of rain, the selection and placing tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	—	·12	—	—	·03	—	—	—	—	—	1
2	·06	·01	—	·08	·07	—	·06	·02	—	→	·09	·09	2
3	—	·02	—	·01	·06	·07	—	·01	—	·04	—	—	3
4	·07	·04	·14	·06	—	—	—	·01	—	·29	·03	·34	4
5	·01	—	—	—	—	—	—	—	—	·02	—	·25	5
6	·22	—	·02	—	—	—	—	·04	—	—	—	·37	6
7	·01	—	·01	—	—	—	—	—	—	·06	·23	·25	7
8	·17	—	·15	—	—	—	—	—	—	—	·09	·16	8
9	·15	—	·01	·02	—	—	—	—	—	—	—	·01	9
10	—	·07	·05	—	—	—	—	—	—	—	·07	·34	10
11	·23	—	—	—	·08	·03	—	—	—	—	·38	·01	11
12	·02	—	·37	—	—	—	—	—	·05	·05	·25	—	12
13	—	—	·12	—	·46	—	—	—	·15	·21	—	·23	13
14	·01	·02	·04	—	·53	—	—	—	—	—	—	·36	14
15	—	·03	·18	—	—	—	—	—	—	·05	·05	·02	15
16	—	—	·02	—	—	·23	—	—	—	·02	·23	·02	16
17	—	—	—	—	—	·01	—	—	—	—	·07	·11	17
18	—	·14	—	—	—	·03	—	—	—	—	·38	·07	18
19	—	—	—	—	·02	·25	—	—	·04	·03	·39	·04	19
20	—	—	·01	—	—	·07	—	·26	·15	·01	—	·50	20
21	·01	·04	—	—	—	·01	—	·41	—	·38	—	·09	21
22	·08	—	·26	—	—	·05	—	—	—	·07	—	·44	22
23	·01	·15	·24	—	—	1.00	—	·02	·23	—	—	·12	23
24	—	·03	·04	—	—	·11	—	·01	—	—	—	·17	24
25	—	·10	·02	·03	·04	·22	·12	·07	—	·44	—	—	25
26	—	—	—	·13	·35	·07	·01	·01	—	·12	·05	·12	26
27	—	·19	·05	·05	—	—	—	—	·11	—	—	·03	27
28	—	·15	—	·21	—	—	·03	·11	—	—	·04	·07	28
29	—	X	—	—	—	·11	·12	—	·23	·13	—	—	29
30	—	X	·01	—	—	—	—	—	·01	·11	—	·01	30
31	—	X	—	X	·17	X	—	—	X	—	X	·02	31
Total	1.08	·99	1.74	·71	1.78	2.26	·37	·97	·99	2.03	2.35	4.24	TOTAL for year 19.49
No. of Rain Days:	14	13	18	9	9	14	6	11	8	16	14	26	158

W. 8,000, X. '11.

Hopkinson a/.

RE

FORM A2. BRITISH RAINFALL.
14 MAR 1912
1185

Kept at Odsey [Ashwell, Baldock, Herts]

in the County of Cambridge 2

by Sir Herbert George Fordham

RAIN GAUGE
Pattern Snowdon, J.J. Hicks
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 256 ft.

Time of Observation 9 am

Nearest Railway Station
Name Ashwell, G.N.R
Distance 800 yds Direction N.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	—	·12	—	—	·03	—	—	—	—	—	1
2	·06	·01	—	·08	·07	—	·06	·02	—	—	·09	·09	2
3	—	·02	—	·01	·06	·07	—	·01	—	·04	—	—	3
4	·07	·04	·14	·06	—	—	—	·01	—	·29	·03	·34	4
5	·01	—	—	—	—	—	—	—	—	·02	—	·25	5
6	·22	—	·02	—	—	—	—	·04	—	—	—	·37	6
7	·01	—	·01	—	—	—	—	—	—	·06	·23	·25	7
8	·17	—	·15	—	—	—	—	—	—	—	·09	·16	8
9	·15	—	·01	·02	—	—	—	—	—	—	—	·01	9
10	—	·07	·05	—	—	—	—	—	—	—	·07	·34	10
11	·23	—	—	—	·08	·03	—	—	—	—	·38	·01	11
12	·02	—	·37	—	—	—	—	—	·05	·05	·25	—	12
13	—	—	·12	—	·46	—	—	—	·15	·21	—	·23	13
14	·01	·02	·04	—	·53	—	—	—	—	—	—	·36	14
15	—	·03	·18	—	—	—	—	—	—	·05	·05	·02	15
16	—	—	·02	—	—	·23	—	—	—	·02	·23	·02	16
17	—	—	—	—	—	·01	—	—	—	—	·07	·11	17
18	—	·14	—	—	—	·03	—	—	—	—	·38	·07	18
19	—	—	—	—	·02	·25	—	—	·04	·03	·39	·04	19
20	—	—	·01	—	—	·07	—	·36	·15	·01	—	·50	20
21	·01	·04	—	—	—	·01	—	·41	—	·38	—	·09	21
22	·08	—	·26	—	—	·05	—	—	—	·07	—	·44	22
23	·01	·15	·24	—	—	1.00	—	·02	·23	—	—	·12	23
24	—	·03	·04	—	—	·11	—	·01	—	—	—	·17	24
25	—	·10	·02	·03	·04	·22	·12	·07	—	·44	—	—	25
26	—	—	—	·13	·35	·07	·01	·01	—	·12	·05	·12	26
27	—	·19	·05	·05	—	—	—	—	·11	—	—	·03	27
28	—	·15	—	·21	—	—	·03	·11	—	—	·04	·07	28
29	—	X	—	—	—	·11	·12	—	·23	·13	—	—	29
30	—	X	·01	—	—	—	—	—	·01	·11	—	·01	30
31	—	X	—	X	·17	X	—	—	X	—	X	·02	31
Total	1.08	·99	1.74	·71	1.78	2.26	·37	·97	·97	2.03	2.35	4.24	TOTAL for year 19.49
No. of Rain Days.	14	13	18	9	9	14	6	11	8	16	14	26	158

W. 8,000, X. '11.

Cndhy C. 18·11·13 Ex. HG

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

19 FEB 1913

Kept at Odsey

in the County of Cambridge. 2

by Sir Herbert George Fordham

Lat. 52°1′25″N Long. 0°6′40″W

Time of Observation 9 am.

Nearest Railway Station Ashwell G.N.Ry 185

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 256 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	·01	·01	·02	·07	·29	—	·18	1
2	—	·02	·02	·02	—	·28 T	·44	—	—	—	—	·02	2
3	·13	—	—	—	·20	·10	·02	·28	—	—	—	·09	3
4	·06	—	·48	—	·10	·11	—	·01	—	—	·27	—	4
5	·10	·10	·28	—	·01	T ·01	—	·14	·02	—	·07	—	5
6	·26	·03	·01	—	·01	·16	·18	·35	—	—	—	·03	6
7	·03	—	—	—	·02	·89	—	·12	—	—	—	·03	7
8	·29	·29	·16	—	—	T.S. ·01	—	T.H. ·14	·33	—	·01	·04	8
9	·01	·06	—	·05	—	·75	·02	T.S. —	—	—	—	·28	9
10	—	·01	—	—	—	T.S. H ·07	—	·34	—	—	·09	·05	10
11	·10	·10	—	—	—	·01	—	T.S.S. ·02	·04	—	·01	·06	11
12	·11	·06	·06	—	·04	·04	—	·01	—	—	·05	—	12
13	·01	·05	—	—	T.S. —	·09	·07	·10	—	—	·14	—	13
14	—	—	—	—	·04	·02	—	·01	—	·02	—	—	14
15	—	·02	·16	—	·16	·16	—	·01	—	—	·01	·10	15
16	·38	—	·01	—	·01	·02	—	·03	—	·01	·09	—	16
17	·67	—	·20	—	T.S. —	·11	—	·05	—	—	—	·02	17
18	·08	—	·16	—	—	—	·05	·41	—	—	·04	·10	18
19	·14	·10	·13	—	—	—	·26	T.S. ·34	—	—	·02	—	19
20	·02	—	·11	—	—	—	·01	T.S.S. ·11	—	·19	—	—	20
21	—	·01	·47	—	T ·36	—	—	·69	—	·18	·04	—	21
22	·61	·04	—	—	·08	—	·01	·18	—	·03	—	·02	22
23	·45	·40	·21	—	·03	—	·12	·54	·02	·02	·28	·11	23
24	·22	·01	—	—	—	—	·02	·23	—	—	—	·09	24
25	—	—	—	—	—	·10	T.S. —	·76	—	—	·21	·21	25
26	—	—	—	—	—	·03	·47	·64	—	·32	H ·18	·38	26
27	—	—	—	—	—	—	—	—	—	·15	—	·12	27
28	—	·02	·01	—	—	—	·03	·02	·05	·30	·27	·36	28
29	—	·01	·05	—	—	·15	·22	·42	1·01	·15	—	—	29
30	·02	X	—	—	·47	·03	—	—	·55	·11	—	—	30
31	—	X	·04	X	T.S. ·06	X	·15	·29	X	·01	X	·04	31
Total	3·64	1·23	2·56	·07	1·59	3·09	2·08	6·06	2·09	1·78	1·78	2·38	YEAR'S TOTAL 28·45
Rain Days.	19	16	17	2	14	21	16	29	8	13	16	20	199

~~1·23~~

W. 7,500, XI. 12

Ex MV

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
5 FEB 1914
1175

Kept at Odsey
in the County of Cambridge
by Sir H. G. Fordham

2

Lat. 52° 1' 25" N Long. 0° 6' 40" W
Time of Observation 9 AM
Nearest Railway Station Ashwell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 256 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·11	·09	·20	–	–	–	–	·46	–	·06	·04	1
2	·03	·12	–	–	·03	–	·14	–	·12	·02	–	–	2
3	–	–	·09	·05	·77	–	–	–	–	–	–	·03	3
4	·12	–	·02	–	·05	–	·08	–	–	·60	·02	·12	4
5	·09	–	–	–	–	–	·09	–	–	·16	·01	·07	5
6	–	–	·07	–	·13	·13	·22	–	–	·11	–	–	6
7	–	·10	–	–	·08	–	·03	–	–	·46	·04	·01	7
8	–	–	·05	·02	·24	·03	–	–	–	·22	·08	–	8
9	–	·22	·01	·03	·02	·19	–	–	·12	–	·03	·03	9
10	–	–	·07	·02	–	–	·60	·01	–	–	·33	–	10
11	·83	–	–	·40	·08	–	–	–	–	·13	·19	–	11
12	–	–	–	–	·09	–	–	–	–	–	·19	–	12
13	·02	–	–	–	–	–	–	·02	·02	–	·46	–	13
14	·05	–	·08	·01	–	–	·71	·01	–	·21	·06	–	14
15	·16	·03	·15	·18	–	–	·22	–	·09	–	–	–	15
16	·06	–	·26	·09	–	–	–	–	·08	–	–	–	16
17	·06	·03	·03	·09	–	·76	·08	–	·01	–	·01	·21	17
18	·01	–	·10	·09	–	–	·05	–	·01	–	–	·01	18
19	·20	–	·07	–	–	–	·08	–	·62	–	–	·05	19
20	·06	–	·03	·01	–	·48	–	–	–	·30	–	–	20
21	·03	–	·09	·04	·04	–	·05	–	–	·12	·28	–	21
22	·33	–	·19	·03	–	–	–	·06	·12	–	–	–	22
23	–	–	–	–	–	·03	·02	·09	·02	–	·01	·08	23
24	·01	–	–	–	–	·02	–	–	–	–	·02	–	24
25	·02	·03	–	·10	–	·01	–	–	–	·01	·01	·02	25
26	–	·01	·21	·08	–	–	–	·12	–	·64	·02	·09	26
27	–	·01	·06	·04	–	–	–	–	–	·04	–	–	27
28	·14	–	·20	·46	–	–	–	–	–	·10	–	·01	28
29	·05	X	·11	·07	·37	–	–	·09	–	·02	·01	·01	29
30	·20	X	–	–	–	–	–	·07	–	·13	·09	·02	30
31	–	X	–	X	–	X	–	·58	X	·03	X	–	31
Total	2·51	·66	1·98	2·01	1·90	1·65	2·37	1·05	1·67	3·30	1·92	·80	YEAR'S TOTAL 21·82
Rain Days.	~~20~~	~~9~~	~~20~~	~~19~~	~~11~~	~~8~~	~~13~~	~~9~~	~~11~~	~~17~~	~~19~~	~~15~~	~~171~~

8 ✓ CX 7114 207

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

1185

Kept at Odsey
in the County of Cambridgeshire 2
by Sir H. G. Fordham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							1·86	·16			·06	·01	1
2	·01		·02	·04			·02	·12		·01	·06	·10	2
3	·14		·14		·10		·69	·10			·08		3
4			·01	·16	·02			·08			·57	·20	4
5				·20	·03	·09	·25	·14			·01		5
6		·08			·01	·05	·07	·02			·48	·06	6
7		·11	·18	·07	·18	·03	·01					·32	7
8	·06	·08	·51	·01	·01	·53		·09					8
9	·37		·46	·24		·48					—	·79	9
10	·18	·17		·07	·05				·11				10
11		·11	·30		·07	·34			·01		·29	·24	11
12	·02	·02	·07						·54	·01		·31	12
13		·18	·09						·05	·18	·02	·29	13
14			·25				·07			·34	·12	·63	14
15	·08		·21						·02		·05	·09	15
16			·02				·01				·01		16
17		·25	·03						·04			·05	17
18			·05									·36	18
19		·03	·16				·02		·04		·19	·03	19
20	·01	·13	·21			·03	·02		·02		—	·07	20
21		·39	·09			·10				·01	·01	·15	21
22		·01	·09	·02	·23		·07	·02		·44			22
23		·06	·06		·07	·01				·18		·01	23
24			·07	·10			·09	·01		·12	·14		24
25	·02		·07					·07		·25		·14	25
26			·01				·01	·04		·04	·07	·40	26
27	·04											·13	27
28	·01	·02					·03			·06	·63	1·49	28
29	·01	X	·03							·29	·09		29
30		X	·04							·04	·22	·30	30
31		X		X	·23	X	·05		X		X	·05	31
Total	·95	1·64	3·17	·91	1·00	1·66	3·27	·85	·83	1·97	3·10	6·22	YEAR'S TOTAL 25·57
Rain Days.	~~12~~	~~14~~	~~24~~	~~9~~	~~11~~	~~9~~	~~15~~	~~11~~	~~8~~	~~13~~	~~18~~	~~23~~	[illegible]

W.7,000, XI. 13

Ck ML 1185 1286

FORM A. BRITISH RAINFALL 20 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Odsey [Ashwell, Baldock Herts]

in the County of Cambridge 2

by Sir Herbert George Fordham

Lat. 52°1'25"N Long. 0°6'40"W.
Time of Observation 9. A.M.
Nearest Railway Station Ashwell, G^t N. Ry.
Diameter of Funnel of Rain Gauge 5 in. 1130
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 256 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.42	.10	.12*	—	.04	—	.02	—	.08	.01	.05	.20*	1
2	.24	.11	.23	.08	—	.03	—	.48 TSS	—	.04	.01	.10	2
3	.36	—	.04	.22	—	—	.04	.23*	.02	—	—	.03	3
4	.11	—	—	—	—	—	—*	.03 TSS.	—	—	.01	.44	4
5	.02	.25	—	—	—	—	—	.01	—	.03	—	.19	5
6	.19	.04	.01	.17	—	—	1.02 T.S.	—	—	.05	—	.03*	6
7	.05	.28	.10 H. S.	—	—	—	.20*	.11	—	—	—	.25	7
8	.01	.29	.02*	—	—	—	.01	—	—	—	—	—	8
9	—	.01	—	.03	—	.02	—	.02	—	—	.17	.38	9
10	.21	—	.05	—	—	—	—	.08 TSS	—	—	.01	.09	10
11	.04	—	.03	—	.03	—	—	—	—	—	.83	—	11
12	.08	—	.01	.27	.27	—	—	.16 TSS.	—	.08	.56	.04*	12
13	.01	.53*	—	—	1.08	—	—	—	—	—	—	—	13
14	—	.04	—	—	—	—	*.34	.21 TSS	.07	—	—	.26	14
15	.07	.02*	—	—	.02	—	.03	.27 TSS	—	—	.19*	.09	15
16	—	.23	—	—	—	—	.41	.52 TSS	—	.02	—	.19*	16
17	—*	.22	—	—	.15	—	.21	—*	—	—	—	.01	17
18	—	.06	.24	—	.01	—	—	—	—	—	.08	—	18
19	—	—	.01	—	—	white frost	.10	—	—	—	—	—	19
20	.26	—	—	.05	—	white frost	.02	—	—	—	—	.40	20
21	.12*	.03	—	—	.01	—	*	—	—	.02	—	.06	21
22	.82*	.02	.45	—	—	—	.40	—	—	—	—	.14	22
23	.01	.11	.22	—	—	.06	.38 ~~TS~~	—	.20	.13	—	.15	23
24	—	—	.12	—	—	.04	.04*	—	.33	.02	—	.09	24
25	—	—	.01	.02	—	.13	.07	—	—	.01	—*	.20	25
26	—	.06	—	—	—	.01	.04	—	—	—	—	.18	26
27	—*	.01*	.01	—	—	.16	.07*	—	.02	.32	—	.03	27
28	—*	.20*	—	—	—	—*	.01	.03	.72	.17	.01	—	28
29	—	X	—	—	—	.74	.12	.20	—	—	.06	.10	29
30	.03	X	—	—	—	.13	.01	—	—	—	.02	—	30
31	.01	X	—	X	white frost	X	.01	.03	X	.45	X	.16	31
Total	3.06	2.61	1.67	.84	1.61	1.32	3.60	2.38	1.44	1.35	2.00	3.77	YEAR'S TOTAL 25.65
Rain Days.	19	19	16	7	8	9	21	14	7	13	12	24	169

W. 8,000. X. 15. * not measured separately; but a shower in the night, & counted as a "wet day".

8L

Ese 8 L

~~1265~~
~~196~~
1135

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Odsey

in the County of Cambridgeshire

by H. G. Fordham

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·04		·08	·02					·22		1
2	·23	·02	·11		·22				·05	·33			2
3		·35	·02				·01		·23	·23	·21 }		3
4	·14	·08	·01			·14	·01			·12	·18 ~~39~~ }		4
5	·03			·02	·02	·34	·02			·04	·31		5
6	·01	·03	·19	·26		·15	·20			·01	·41		6
7	·11		·13		·12	·04	·04			·10	·39	·04	7
8			·01		·32	·07						·23	8
9			·02		·18	·03						·06	9
10		·03	·18	·08		·32	·06			·02	·01	·05	10
11	·06	·16	·05	·11	·03	·15			·01			·03	11
12	·02	·01			·48	·20	·12	·07	·01	·20			12
13		·40	·16	·04	·23	·03	·69	·14		·02			13
14		·52	·01	·02	·03			·03				·14	14
15		·14	·34	·01			·04	·07		·01		·04	15
16		·11	·08	·23	·05		·31	·03		·09			16
17	·07	·06		·19			·08	·04	·20	·17			17
18		·08	·06	·09				·38	·04	·01	·61		18
19		·02	·15	·14				·02	·29		·59	·10	19
20	·15		·26	·04				·02			·03	·32	20
21	·01		·67				·35					·52	21
22		·04	·02		·15	·01				·02		·49	22
23		·44				·08					·03	·07	23
24		·11	·03			·20		·02		·02	·01	·38	24
25		·25	·13		·04			·16		·06	·06		25
26		·08	·01			·09		·01		·04			26
27	·06	·13	1·08			·04		·04		·13			27
28		·35	·22			·04						·17	28
29		·20				·10		1·22		·24	·01	·02	29
30		╳			·76	·02		·14		·31			30
31		╳		╳		╳		·02	╳	·05	╳		31
Total	·90	3·61	3·98	1·23	2·71	2·07	1·93	2·41	·83	2·22	3·07	2·66	YEAR'S TOTAL 27·62
Rain Days.	~~12~~	~~22~~	~~24~~	~~12~~	~~14~~	~~19~~	~~12~~	~~16~~	~~7~~	~~21~~	~~14~~	~~15~~	~~188~~
	~~7~~	~~17~~	~~16~~	~~9~~	~~11~~	~~14~~	~~9~~	~~9~~	~~5~~	~~14~~	~~8~~	~~13~~	

W. 8,000. X. 15.

8l

1214
~~182~~
1185

FOR A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Ex. D.

Kept at Odsey

in the County of Cambridgeshire

by H. G. Fordham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.15				1.11	.14		.31		1
2	.02	.02		.12		.02		.17		.01	.03		2
3				.02				.24		.42	.04		3
4		.09	.02					.27		.63			4
5	.15		.02	.14				.20	.22	.09	.02		5
6						.11			.05	.03	.03	.01	6
7	.26									.52	.01		7
8	.14			.05			.21	.21		.18	.07	.07	8
9	.03		.07	.06			1.50	.39	.02	.01	.08	.10	9
10	.25		.11	.16			.01			.02		.01	10
11	.04		.29	.11						.22			11
12	.04		.01	.01	.03			.04		.20			12
13	.09		.03					.06	.03	.06			13
14				.06				.02			.01	.01	14
15	.03				.01			.01		.01			15
16	.01	.14		.14	.07	.04	.16			.60		.04	16
17				.20	.62		.29	.05	.43	.25			17
18	.07	.01		.09	.02	.10	.29		.46	.01			18
19	.02	.07	.04		.11	.04			.19				19
20	.04	.14	.09	.01	1.02						.12		20
21	.01	.01	.02		.03			.03			.04		21
22			.02					.03		.23			22
23		.11	.01		.12			.10		.04		.04	23
24	.01	.03				.17		.07		.05	.04	.01	24
25		.02	.03			.01				.01	.07		25
26			.05					.36	.04		.30	.01	26
27			.01			.03		.57				.04	27
28		.03	.01			1.05		.02		.01			28
29		X				1.17	1.65	.02		.26		.17	29
30	.02	X	.06			.01	.90	.19				.02	30
31	.02	X	.23	X		X	.36	.07	X		X	.03	31
Total	1.25	.67	1.12	1.32	2.03	2.75	5.37	4.23	1.58	3.86	1.17	.56	YEAR'S TOTAL 25.91
Rain Days.	18	11	18	14	9	11	9	22	9	22	14	13	170
	9	5	8	11	5	7	8	16	7	14	9	6	

W. 8,000, VIII. 16

8h

176

1185

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Odsey

in the County of Cambridgeshire

by H. G. Fordham

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·09							·12		1
2	·01	·09		·25				·07	·01	·01	·01	·14	2
3		·03	·06		·33			·31	·14		·64	·02	3
4		·01	·05					·01	·34		·30	·01	4
5		·01			·15			·08	·13	·02			5
6	·07	·05	·01	·15	·02			·05				·04	6
7	·08	·07		·09		·01			·02	·06	·09		7
8		·01					·03		·29	·01	·08	·01	8
9	·01			·01			·22		·38	·12		·08	9
10	·04			·02			·13		·08		·02	·11	10
11				·02	·07		·23		·06	·31	·06	·03	11
12	·02	·10			·28		·14		·19	·01		·01	12
13		·01			·17		·04		·09			·13	13
14	·18			·02		·17	·03		·26	·18		·13	14
15	1·12			1·40		·01	·10				·01	·09	15
16	·20			·30	·01	·09		·01	·84				16
17	·09			·17	·02		·31		·03			·08	17
18	·35					·10	·15		·36	·01		·26	18
19	·03	·04	·10	·13		·01	·15			·08	·01	·07	19
20	·02	·03		·53		·05	·03		·07	·09		·01	20
21	·05			·17		·01			·74	·06		·01	21
22	·03			·02	·13		·06		·07		·02	·22	22
23	·02				·45	·01	·14	·04	·08			·03	23
24		·13			·01	·01	·02		·07		·04	·01	24
25						·10	·03	·23		·01	·24		25
26							·18	·02			·10	·07	26
27		·01		·14			·08	·20	·03		·10	·02	27
28		·04	·10					·05		·01	·28	·06	28
29	·01	X							1·42		·02		29
30		X	·29						·04		·08	·10	30
31		X	·10	X		X			X	·04	X	·02	31
Total	2·33	·64	·71	3·51	1·64	·57	2·07	1·07	5·74	1·02	2·22	1·76	YEAR'S TOTAL 23·28
Rain Days.	17	15	7	16	11	11	18	11	23	15	18	25	187

W. 8 000, IX. 17.

82 Ex 82 1147

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL. 1185

Kept at Odsey

in the County of Cambridgeshire

by H. G. Fordham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·06			·03	·15	·26	·01		·07	·01	1·12	1
2	·16		01		·09		·06		38	·02	·20	·47	2
3	·35		·21						·09		·08	·11	3
4	·08		·21			·18	·22	·04				·02	4
5	·06	·27	·26				·43		·11		·01	·14	5
6			·07		·05					·02	·03	·03	6
7	·02		·19								·15		7
8	·13		·04	·14							·02		8
9			·03	·03							·07		9
10	·01		·21	·05							·01	·03	10
11	·02		·06	·15			·56					·02	11
12	·01		·20	·02		·04	·07			·08	·09		12
13	·07			·31					·02	·02		·03	13
14	·11			·15			·01		·14	·01			14
15	·26	·01	·07	·09						·17	·04	·54	15
16	·02	·72									·11	·03	16
17		·70	·02	·02							·16	·01	17
18		·10	·04					·15	·01		·01	·06	18
19		·09	·42			·32	·14	·30	·14		·02	·05	19
20	·18	·04	·04			·54	·34	·36			·02	·01	20
21	·34	·27	·02				·75						21
22		·20					·05		·13		·06	·39	22
23						·02	·09	·02	·05		·01	·05	23
24				·41	·01	·01	·07	·01	·01	·01	·03	·01	24
25	·13			·02	·01	·02		·16				·01	25
26	·20	·32	·07	·02				·09	·07			·27	26
27	·68	·16	·03	·96				·35		·01	·01	·02	27
28		·01	·02	·04				·72		·03	·01	·15	28
29	·05	✗		·02		·01	·01	·12		·19	·18	·09	29
30		✗	·01	·32		·21		·06		·06	·21	·15	30
31		✗		✗		✗	·01		✗	·02	✗	·01	31
Total	3·16	2·95	2·23	2·75	·19	1·50	3·07	2·39	1·15	·71	1·54	3·82	YEAR'S TOTAL 25·46
Rain Days.	~~20~~	~~13~~	~~21~~	~~16~~	~~6~~	~~10~~	~~15~~	~~13~~	~~11~~	~~13~~	~~23~~	~~25~~	~~185~~

25·46

W. 6,500; VII. 18. W W C

T.V. 199

1089

1185

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Odsey, Ashwell

in the County of Cambridgeshire

by H. G. Fordham

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·62	·07		·17	·16		·96	·01	·13	1
2	·01			·02				·12	·06	·02		·05	2
3		·03		·23		·02	·03		·03	·05			3
4			·01	·10			·16	·11	·05	·05		·05	4
5			·03	·02	·09		·64	·03	·12			·06	5
6			·11		·08		·50						6
7			·06	·08			·06					·04	7
8	·26			·34			·11	·02					8
9	·24			·17				·06					9
10	·07	·03	·07	·02			·06					·02	10
11	·35		·03	·11		·02	·08					·02	11
12	·05		·06	·09	·05	·40						·04	12
13		·01	·03	·13		·05					·02		13
14			·20	·37		·02	·09		·11	·12	·16	·04	14
15		·01	·14	·07					·20		·02	·01	15
16				·02	·02				·14	·04			16
17	·03		·02	·03	·06	·43	·05		·24			·03	17
18	·10			·01				·36	·04			·04	18
19	·14			·13		·09		·01					19
20	·07	·07		·26		·48			·03				20
21							·39	·10	·35			·04	21
22				·16					·44			·11	22
23							·34					·39	23
24	·01		·09								·01	·02	24
25		·05	·02	·02		·01	·30						25
26	·09		·07	·03	·35	·03	·07						26
27	·20	·02	·01	·14		·22					·27	·10	27
28	·43	·01	·23		·25	·01	·02				·01	·01	28
29	·04		·07		·03		·09				·12	·20	29
30	·03		·02		·02	·08	·14		·14		·11	·13	30
31			·01		·01					·35		·08	31
TOTAL	2·12	·23	1·28	3·17	1·03	1·86	3·30	·97	1·95	1·59	·73	1·61	YEAR'S TOTAL 19·84
Days with ·01 in. or more	~~16~~	~~8~~	~~19~~	~~23~~	~~11~~	~~13~~	~~18~~	9	~~13~~	7	9	~~21~~	~~167~~
·04	12	2	10	15	7	7	16	6	11	6	4	~~15~~ 15	112 ul

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CAMBRIDGE.

OLD WOODBURY

1916 – 1920

FORM A.
BRITISH RAINFALL.
27 JAN 1917

REGIST

Kept at Old Woodbury ... AM

in the County of Cambridge ... Gamlingay · Cambridgeshire

by The Hon^ble Charles ...

n Gauge 5 in.

ve Ground ft. 9 in.

Sea Level 200 ft.

IMPORTANT NOTE.— ... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09		·06		·12 ~~·01~~	·01					·17		1
2	·22	·01	~~·06~~ ·08						·02	·31			2
3		·20	~~·08~~ ·07		·32 ~~·08~~	·08	·12		·19	·13	·07		3
4	·24	·08	~~·07~~ ·01		·02 ~~·14~~	·14				·01	·18		4
5	·21		~~·01~~ ·01		·03 ~~·09~~	·09	·12			·09	·35	·03	5
6		·08	~~·01~~	·13	·02		·12			·02	·21		6
7	·06		·24	·23	·09	·03	·25			·02	·18	·04	7
8			·28		·18	·04						·20	8
9					·22	·28						·05	9
10		·04				·17	·10	·08				·01	10
11	·06	·15	·20	·04	·03	·14			·01			·04	11
12	·03		·07	·11	·57	·23	·07	·04		·29			12
13		·32		·02	·16	·11	·21	·03		·02			13
14		·32	·19	·03	·03								14
15		·15					·08	·13		·03		·03	15
16		·04	·32	(·27)	·06		·16	·04		·06			16
17	·06	·03	·09	·11			·04	·11	·21	·23			17
18		·08		·03				·69	·04		·69		18
19	·03	·02	·06	·15				·01	·34		·84	·04	19
20	(·13)		·15	·02				·05			06	·22	20
21	·01		·18				·79					·82	21
22		05	·59		·10					·03		·45	22
23	·02	·48				·12	·01	·04		·02	·01	·13	23
24		·06				·07		·09		·01	·02	·33	24
25		·28	·03		·04			·20		·12	·01	·03	25
26		·09	·16			·07		·02		·01	·04		26
27	·05	·02	·06			·29		·06	·03	·07	·01		27
28		·31	·93			·06			·01			·14	28
29		·06	·62			·06		·79		·18		·07	29
30		X			·12	01		·23		·19			30
31	·01	X		X		X		·01	X	01	X		31
Total	1·23	2·87	4·40	1·04	2·11	2·	2·07	2·62	·85	1·85	2·84	2·63	YEAR'S TOTAL 26·51
Rain Days.	14	21	21	11	16	18	12	17	8	20	14	16	188.

W. 8,000, VIII. 16

REGIST

FORM A.
BRITISH RAINFALL.
27 JAN 1917

Kept at Old Woodbury.

in the County of Cambridgeshire

by The Honble Charles Hill Trevor.

Time of Observation 9 AM

Nearest Railway Station Gamlingay. Cambridgeshire

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09		·06		·12 ~~·01~~	·01					·17		1
2	·22	·01	~~·06~~·08						·02	·31			2
3		·20	~~·08~~·07		·32 ~~·08~~	·08	·12		·19	·13	·07		3
4	·24	·08	~~·07~~·01		·02 ~~·14~~	·14				·01	·18		4
5	·21		~~·01~~·01		·03 ~~·09~~	·09	·12			·09	·35	·03	5
6		·08	~~·01~~	·13	·02		·12			·02	·21		6
7	·06		·24	·23	·09	·03	·25			·02	·18	·04	7
8			·28		·18	·04						·20	8
9					·22	·28						·05	9
10		·04				·17	·10	·08				·01	10
11	·06	·15	·20	·04	·03	·14			·01			·04	11
12	·03		·07	·11	·57	·23	·07	·04		·29			12
13		·32		·02	·16	·11	·21	·03		·02			13
14		·32	·19	·03	·03								14
15		·15					·08	·13		·03		·03	15
16		·04	·32	(·17)	·06		·16	·04		·06			16
17	·06	·03	·09	·11			·04	·11	·21	·23			17
18		·08		·03				·69	·04		·69		18
19	·03	·02	·06	·15				·01	·34		·84	·04	19
20	(·14)		·15	·02				·05			06	·22	20
21	·01		·18				·79					·82	21
22		05	·59		·10					·03		·45	22
23	·02	·48				·12	·01	·04		·02	·01	·13	23
24		·06				·07		·09		·01	·02	·33	24
25		·28	·03		·04			·20		·12	·01	·03	25
26		·09	·16			·07		·02		·01	·04		26
27	·05	·02	·06			·29		·06	·03	·07	·01		27
28		·31	·93			·06			·01			·14	28
29		·06	·62			·06		·79		·18		·07	29
30		╳			·12	01		·23		·19			30
31	·01	╳		╳		╳		·01	╳	01	╳		31
Total	1·23 ✓	2·87	4·40	1·04 ✓	2·11	2·	2·07	2·62	·85	1·85	2·84	2·63	YEAR'S TOTAL 26·51 ✓
Rain Days.	14	21	21	11	16	18	12	17	8	20	14	16	188.

W. 8,000, VIII. 16

Kept at Old Woodbury exd CS Time of observation 9 oclock 1417

Cambridgeshire

By The Hon Charles Hill Trevor. Same gauge as last year
" " " "

Date	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	
1				·16				1·26	·20		·21		1
2	·02	01		·09		·05		·15			·05		2
3				01				·46		·18	·03		3
4		·10	01					·04		·55			4
5	·16		·02	·17					·12	·04	·02		5
6						·22			·02	05			6
7	·25		·01			·94				·38		·01	7
8	·30			·04			1·14	·37		·23	·14		8
9	·07		·08	·06			01	·14			·14	·08	9
10	·21		·19	·14				·15		·05	·02	·01	10
11	·05	·02	·31	·13				·01	·01	·17			11
12	·05							·12		·23		·01	12
13	·13		·03	·01			·02	·11	·03	02			13
14	·04			·08				·23					14
15	·04			·02	·02			·01		·02			15
16	·05	·08		·14	·02	·26	·09			·60		·04	16
17			·01	·15	·79	·03	·20	·03	·45	·35			17
18	·04	·01		·10	·02	·15	·27	·01	1·03				18
19	·01	·10	·11	·01	·40	·05			·19				19
20	04	·24	·10		·66	·02					·09		20
21	·01		·01		·01				·02		·01		21
22			·12					·01		·17			22
23		·08			08			·14		·02		·05	23
24	·01	·02				·23		·05		·11	·05		24
25		·02	·01				·05			·01	·10		25
26			·10					·36	·08		·29	·01	26
27			·01			·01		·52					27
28		04	·14			·65		·07				07	28
29			02		·04	·61	·36	·11		·17		·16	29
30	·02		·01				·62	·07				·01	30
31	01		·22				·29	·05				·01	31
Total	1·51	·72	1·51	1·31	2·04	3·22	3·05	4·47	3·15	3·35	1·75	·46	24·91
Rain Days	19	11	19	15	9	12	10	23	16	18	12	11	169

25.11.19 EFE

16

FORM A. BRITISH RAINFALL.

4. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Old Woodbury

in the County of Cambridgeshire

by The Hon Charles E. Hill Trevor.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Potton. L&NWR

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											·07	·03	1
2	·02	·13		·02				·05			·04	·12	2
3		·03	·05	·32	·32			·23			·65	·02	3
4			·05				·01	·01	·11	·01	·47	·01	4
5		·03			·12			·09	·43	·09			5
6	·03	·07		·20				·01	·34				6
7	·10	·14		·03	·02	·04			·01	·05	·07		7
8			·01						·01	·01	·11	·01	8
9	·02	·03		·01		·07	·16		·16	·12		·02	9
10	·03			·01			·11		·45	·01		·15	10
11					·06		·02		·03	·54	·04	·03	11
12		·13			·22		·12		·23			·01	12
13		·02		·01	·20				·13			·09	13
14	·19			·01		·08	·21		·05	·20		·08	14
15	·87			1·46			·28		·34	·01		·03	15
16	·11			·59				·02	·07				16
17	·11			·04	·89		·56		·76			·10	17
18	·47					·14	·15					·23	18
19	·01	·04	·08	·03			·13		·19	·08		·06	19
20	·01	·06		·31		·05			·10	·15			20
21	·02			·15			·01		·78	·09			21
22	·01			·02	·05		·05		·04			·31	22
23	·05				·51		·10	·04	·10				23
24		·13				·05	·04		·10		·05		24
25						·02	·02	·22		·01	·14		25
26							·20	·03			·16	·14	26
27				·03			·11	·16	·04		·11	·01	27
28	·01	·07	·09	·05				·03			24	·06	28
29									1·25		·01	·06	29
30		X	·36					·02	03	·01	·15	04	30
31		X		X		X		·01	X	·12	X	05	31
Total	2·06	·88	·64	3·29	2·39	·45	2·28	·92	5·75	1·48	2·31	~~1·16~~ 1·66	YEAR'S TOTAL ~~23·61~~ 24·11
Rain Days.	16	12	6	17	9	7	17	13	23	15	14	22	171

W. 8,000, IX. 17.

#RA cordly B. 1158

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

5. Recorded at 9 am [illegible] time whole year round. Sf

Kept at Old Woodbury.
in the County of Cambridgeshire
by The Hon Charles Hill Trevor.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Potton. LNWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ....ft 9½ in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·03			·02	·04	·05			·01	·03	·85	1
2	·19		·01		·02		·08		·32	·04	·23	·48	2
3	·44		·18				·10		·03		·14	·12	3
4	·08		·28			·10	·07	·08	·01		·01	·10	4
5	·07	·28	·27				·17	·03	·84			·13	5
6			·04		·68					·03	·05		6
7	·01		·20				·01				·08	·01	7
8	·03		·04	·11							·06		8
9			·03	·05							·02		9
10			·21	·06							·02	·03	10
11	·10		·09		·01		·60					·02	11
12			·17	·01		·03	·07			·04	·03		12
13	·12			·14			·01		·02	·01			13
14	·19	·02		·12					·14	·04			14
15	·11		·08	·09						·09	·10	·39	15
16	·02	·59		·01							·14	·05	16
17		·46	·04	·01							·15	·02	17
18		·13	·03		·01			·21			·01	·05	18
19	·01	·23	·60			·17	·20	·16	·11		·01	·07	19
20	·50	·01	·04			·44	·38	·35			·02	·01	20
21	·56	·33	·02				·50					·09	21
22		·12	·04				·10		·15		·03	·32	22
23						·03	·14	·01	·08	·05		·08	23
24				·38		·02	·06	·01		·06		·02	24
25	·09				·08	·03		·19				·04	25
26	·16	·08	·10	·03				·07	·06			·26	26
27	1·06	·14	·03	1·05				·24		·02	·02	·02	27
28			·02	·03			·02	·78	·01	·02	·07	·26	28
29	·04			·05			·01	·24		·23	·04	·05	29
30		×	·02	·29		·28		·01		·05	·13	·19	30
31	·03	×		×		×			×	·01	×	·01	31
TOTAL	4·05	2·42	2·54	2·43	·82	1·14	2·57	2·38	1·77	·70	1·39	3·58 ~~3·77~~	YEAR'S TOTAL 25·79
Days with ·01 in. or more	20	12	22	15	6	9	17	13	11	14	21	25	185

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Old Woodbury.
in the County of Cambridgeshire
by Charles E. Hill Trevor.

Lat. .... Long. ....
Time of Observation 9 am.
Nearest Railway Station Gamlingay & Potton L.N.W.R. (Equal distance)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 9½ in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·38	·13		·16	·01	·05	·85		·10	1
2			·01	·02			·02	·13	·08			·03	2
3		·02		·64	·03	·02	·15		·02	·06			3
4			·10	·11			·11	·16	·04			·01	4
5			·05	·01	·11		·61	·02	·07			·07	5
6			·04		·08		·61					·01	6
7			·06	·10	·02		·10					·03	7
8	·21	·02		·40	·01								8
9	·33			·27				·06					9
10	·06	·01	·06	·01			·06				·03	·02	10
11	·28		·05	·28	·08		·03					·02	11
12	·07		·05	·06		·33	·04				·01	·10	12
13	·01	·01	·03	·15		·02			·04			·01	13
14		·01	·28	·15		·02	·03		·17	·04	·14	·02	14
15		·01	·31	·07					·06		·05	·01	15
16				·02	·01				·13	·01	·03	·04	16
17	·01		·02	·01	·07		·03		·15			·01	17
18	·09				·08			·26				·04	18
19	·10			·13		·08		·05					19
20	·07	·18		·16		·52			·04				20
21							·02	·09	·24			·02	21
22				·23					·42			·16	22
23		·01					·27					·30	23
24	·05		·13									·03	24
25		01	·06	·02		·02	·34						25
26	·10		·02	·04	·29		·06			}		·01	26
27	·13	·03	·11	·14		·05				·04	·43	·07	27
28	·40				·36	·35	·04		·01	}	·01		28
29	·04		·08		·14		·06				·08	·31	29
30	·05	×		03		·06	·06		·13		·09	·19	30
31	·03	×	03	×		×			×	·26	×	·05	31
TOTAL	2·03	·31	1·49	3·43	1·41	1·47	2·80	·78	1·65	~~1·22~~ 1·26	·87	1·66	YEAR'S TOTAL ~~19·12~~ 19·16
Days with ·01 in. or more	17	10	18	23	13	10	19	8	15	6 ~~5~~	9	24	~~171~~ 172
Days with ·04 in. or more	~~15~~ 14	1	~~12~~ 13	16	9	6	~~13~~ 14	6	13	5 ~~7~~	5	11	~~112~~ 113

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

12 JAN 1921

OLD WOODBURY
SANDY.

Recd

4th Jan 1921

Sir.

I enclose our Record for year 1920. Taken at 9 am. On the 26th 27th & 28th October we had heavy wet fogs but no rain. The fog measured in the rain gauge on morning of 28th ·04 but this I have not included as there was no rain during those days as far as I am aware & I have consulted my neighbour who keeps a gauge & this about ½ mile away from me. I may say I did not try the gauge until the morning of the 28th when noticing the dampness of the atmosphere I thought I would see if any moisture was registered & was surprised to find ·04 I find it very difficult to determine if I ought to register ·01 or ·02 on occasions it is so hard to determine if the root is over halfway between the two figures. I usually give it the benefit of the doubt if it seems at all over

Details I have not filled in will be found in my first Records which were made out by a scientific friend of mine since dead. e.g. Lat & Longitude & Height above sea Level. Please send

me a daily record Form A!
You only ~~sent~~ enclosed me two
of which one I send you & the
other I keep for reference so I
have none & so on with.

I truly
Charles Edward Hill Ironi

METEOROLOGICAL OFFICE
BRITISH RAINFALL ORGANIZATION.
Recd.................Ansd. 6-1-21
A. C. S. M.
Temp. File.........Perm. File.........
Fd.........

DL ✓

4092

FORM A.
BRITISH RAINFALL.

28 JAN 1914

1221

PARSONS DROVE
CLOWS CROSS
CAMBRIDGE
1913 – 1920

REC

Kept at Parsons D

in the County of Ca

by F. Ashw

in.

e Ground ft. in.

Sea Level ft.

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read in the space provided for it at the end of this ent of rain, the selection and placing ish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Cam

Jan. 1, following.

Date.	Jan.	Feb.	March.			June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·05		·08	·05			·13		·50		·11		1
2		·09	·02						·04				2
3			·09		·56					·08			3
4	·22				·08	·04				·09	·15	·05	4
5		·01					·03		·02	1·59	·02		5
6		·01	·07		·40	·13	·17			·05			6
7					·12	·04				·50			7
8					·40	·12				·39	·10	·01	8
9		·20	·04		·01	·04	·02	·24			·08		9
10				·03	·39		·16	·07			·27		10
11	·15			·38				·10			·02		11
12											·06		12
13			·01					·06			·37		13
14	·05		·18	·02			·91			·17	·01		14
15	·06		·13	·09					·40		·02		15
16	·04		·60	·10					·19		·01		16
17	·05	·04	·18	·07		·13	·05				·01	·05	17
18			·11	·06			·05		·37				18
19	·06		·01				·02		·11			·01	19
20	·03		·09	·01					·03	·16			20
21	·04		·19		·04		·17				·23		21
22	·10		·10					·06	·13				22
23			·01			·03	·06	·03	·03				23
24	·03			·02		·11	·08						24
25				·10		·01						·01	25
26		·02	·12	·02		·03				·61	·02	·11	26
27		·03			·26	·08				·02	·04		27
28	·11		·27	·06						·14			28
29	·11	X	·15	·23	·03			·09		·03		·09	29
30	·14	X		·08						·04	·07	·02	30
31		X		X	·06	X		·45	X		X		31
Total	1·24	·40	2·45	1·32	2·35	·76	1·85	1·10	1·82	3·87	1·59	·35	YEAR'S TOTAL 19·10
Rain Days.	15	7	19	15	11	11	12	8	10	13	17	8	146

W. 7,500, XI. ·12

Dl √

REC

4092

FORM A.
BRITISH RAINFALL.

28 JAN 1914

1221

Kept at Parsons Drove, Clough's Cross
in the County of Cambridge 3
by F. Ashworth

Time of Observation
Nearest Railway Station
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·05		·08	·05			·13		·50		·11		1
2		·09	·02						·04				2
3			·09		·56					·08			3
4	·22				·08	·04				·09	·15	·05	4
5		·01					·03		·02	1·59	·02		5
6		·01	·07		·40	·13	·17			·05			6
7					·12	·04				·50			7
8					·40	·12			—	·39	·10	·01	8
9		·20	·04		·01	·04	·02	·24			·08		9
10				·03	·39		·16	·07			·27		10
11	·15			·38			—	·10			·02		11
12											·06		12
13			·01					·06			·37		13
14	·05		·18	·02			·91			·17	·01		14
15	·06		·13	·09					·40		·02		15
16	·04		·60	·10					·19		·01		16
17	·05	·04	·18	·07		·13	·05				·01	·05	17
18			·11	·06			·05		·37				18
19	·06		·01				·02		·11			·01	19
20	·03		·09	·01					·03	·16			20
21	·04		·19		·04		·17				·23		21
22	·10		·10					·06	·13				22
23			·01			·03	·06	·03	·03				23
24	·03			·02		·11	·08						24
25				·10		·01				—		·01	25
26		·02	·12	·02		·03				·61	·02	·11	26
27		·03			·26	·08			—	·02	·04		27
28	·11		·27	·06						·14			28
29	·11	X	·15	·23	·03			·09		·03	—	·09	29
30	·14	X		·08						·04	·07	·02	30
31		X		X	·06	X		·45	X		X		31
Total	1·24	·40	2·45	1·32	2·35	·76	1·85	1·10	1·82	3·87	1·59	·35	YEAR'S TOTAL 19·10
Rain Days.	15	7	19	15	11	11	12	8	10	13	17	8	146

W. 7,500, XI. ·12

388

FORM A. BRITISH RAINFALL.
28 JAN 1915
1221

REGISTER OF RAINFALL IN 1914

Kept at Clows Cross, Parsons Drove
in the County of ~~Lincolnshire~~ Cambs 3
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·14	·55			·06	·05	1
2							·02	·02			·04	·08	2
3			·07	·03	·11		·08	·01			·09		3
4	·08		·02	·20				·22			·34	·09	4
5	·03		·05	·03	·07		·10	·17			·01		5
6		·05		·05	·05		·09	·01			·28		6
7		·01	·38			·22							7
8	·19	·03	·04	·03	·20	·65	·01	·13	·04			·01	8
9	·60		·20	·16	·02	·84			·01			·32	9
10	·46	·05		·04	·03				·07				10
11		·02	·27	·04	·09	·04			·05		·30	·16	11
12			·02				·25		·28			·17	12
13		·08	·12							·09	·05	·13	13
14			·20				·04			·69	·12	·44	14
15	·02	·01	·12			·01		·03	·01		·09	·40	15
16			·01				·01				·02		16
17		·20							·10	·01		·05	17
18			·04				·14				·02	·34	18
19		·07	·14			·13	·01		·02		·08		19
20		·04	·33			·05							20
21	·03	·11	·15					·01				·11	21
22				·28	·16	·08	·06	·04		·12			22
23			·05		·04		·07			·03		·06	23
24			·02	·06	·02	·02		·01		·18	·14		24
25		·04						·05		·45		·05	25
26							·02	·10		·05	·09	·35	26
27			·04								·02	·28	27
28		·03								·06	·08	1·41	28
29	·02	X	·07		·01					·34	·03		29
30		X								·02	·10	·21	30
31		X		X	·02	X	·09		X	·02	X	·07	31
tal	1·43	·74	2·34	·92	·82	2·04	1·13	1·35	·58	2·06	1·96	4·78	YEAR'S TOTAL 20·15
	~~8~~	~~13~~	~~20~~	~~10~~	~~12~~	~~9~~	~~15~~	~~13~~	~~8~~	~~12~~	~~19~~	~~20~~	~~159~~

XI. 13

1343
~~271~~

FORM A.
BRITISH RAINFALL.

1221

REGISTER OF RAINFALL IN 1915

Kept at Clows Cross, Parson Drove
in the County of Cambridgeshire 3
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24	·20			·19				·16		·12	·10	1
2	·04	·12	·30	·02		·02		·99	·11	·02	·05	·03	2
3	·22		·09	·05			·17	·34	·07		·07	·11	3
4	·23						·60	·20			·02	·40	4
5	·02	·05			·14			·04			·05	·18	5
6	·08	·05	·06	·11			·82	·06		·02		·11	6
7	·05	·40	·30				·06	·06				·15	7
8	·04	·11	·01	·02			·04	·05			·05		8
9	·06	·06				·02					·08	·43	9
10	·22		·04					·41			·08		10
11			·02		·11		·10				·33		11
12	·10			·12	·19			·30			1·49		12
13	·02	·44			1·21			·01					13
14		·18		·01	·03		·01	1·18				·19	14
15	·20				·04			·05			·42	·06	15
16		·12					·61			·03		·01	16
17	·08	·22					·03						17
18			·10								·08	·01	18
19		·04	·03				·06	·04		·01			19
20	·18							·02				·33	20
21	·10	·05					·06					·04	21
22	·44		·13				·28		·01			·15	22
23		·30	·01				·02		·08	·14		·22	23
24			·10				·05		·28			·14	24
25						·42	·06			·04	·01	·15	25
26		·06	·03				·06					·21	26
27		·07	·01			·14	·10			·52			27
28	·01	·16	·02			·10		·06	·10	·43			28
29		×				·01		·23			·27	·19	29
30	·05	×				·02	·03	·01			·01		30
31	·01	×		×		×		·10	×	·08	×	·07	31
Total	2·39	2·63	1·25	·33	1·91	·73	3·16	4·15	·81	1·29	3·13	3·28	YEAR'S TOTAL 25·06
Rain Days.	20	17	15	6	7	7	16	18	7	9	15	21	160

W. 8,000. X. 14.

8h

Ex 8h

1320
~~2H~~

F3221

BRITISH RAINFALL FORM A.

REGISTER OF RAINFALL IN 1916

Kept at Clows Cross, Parson Drove

in the County of Cambridgeshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·02			·04	·18				·43		1
2	·30	·02	·10		·25		·08			·11	·05		2
3		·08							·50	·20	·05		3
4	·33	·11			·05	·18			·30	·02	·18		4
5	·01		·06	·06			·06			·15	·21	·07	5
6		·07	·11	·16	·03		·08				·21		6
7	·04		·21		·23		·19			·03	·14	·06	7
8			·03		·01							·20	8
9					·42	·16				·05		·08	9
10		·02	·08	·03		·21	·07					·12	10
11	·07	·40	·12	·18	·11	·22			·03				11
12			·20		·36	·29	·03			·04			12
13		·18		·01	·14		·23						13
14		·37	·07		·10	·01	·04	·09					14
15		·11	·31				·03		·01			·09	15
16		·04	·05	·10	·03		·05	·02		·05			16
17	·04			·12			·10	·08	·27	·21			17
18		·11		·06				·43	·08	·06	·56		18
19	·07		·02	·16					·15		·30	·12	19
20	·05		·34	·04							·07	·36	20
21			·12				·02					·76	21
22		·10			·09	·01				·04		·50	22
23	·01	·19				·37	·02	·08			·07	·20	23
24		·24				·02		·03		·11		·15	24
25		·03	·11	·02				·14		·05	·02		25
26		·05				·06		·32		·03			26
27	·02	·22	·69			·01		·02		·07			27
28			·75									·14	28
29		·25				·15		2·40		·24		·02	29
30		X				·22		·25		·07			30
31		X		X		X		·05	X		X		31
Total	1·00	2·59	3·39	·94	1·82	1·95	1·18	3·91	1·34	1·53	2·29	2·87	YEAR'S TOTAL 24·81
Rain Days.	11	18	18	11	12	14	14	12	7	17	12	14	160

W. 8,000. X. 15.

1259
~~192~~
1221

FOR BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Clows Cross, Parson Drove
in the County of Cambridgeshire
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01		.02				1.58	.55				1
2	.02	.01		.20		.07		.10		.03	.01		2
3				.03				.52		.10			3
4		.05	.01					.07		.49			4
5	.26		.01	.13							.10		5
6						.07				.03			6
7	.33		.05			.06				.43		.01	7
8	.47			.12			.29	.02		.18	.07		8
9	.05		.04					.15			.04		9
10	.20		.13	.11				.19		.01	.02		10
11	.03	.03	.11	.35				.01		.16			11
12	.05			.02	.14			.08		.37		.04	12
13	.28		.18			.15	.37	.09	.01				13
14	.10		.01	.05				.12				.01	14
15					.04		.14	.05		.02		.04	15
16	.07	.11	.01	.08	.01					.23		.13	16
17	.02	.02	.07	.16	.45	.40	.16		.10	.11		.03	17
18	.03			.01	.01	.01	.10		.75				18
19		.08	.08		.11				.06				19
20		.26	.12		.06		.01				.15		20
21		.04	.02										21
22			.12							.16			22
23					.13			.09	.04	.01		.01	23
24		.03				.77				.11	.11		24
25											.04	.03	25
26			.13					.22	.03		.35	.05	26
27						.15	.03	.65					27
28		.02	.05			.49		.05		.01		.06	28
29		X	.04			.06	.33			.33		.02	29
30	.06	X					.21	.23					30
31	.02	X	.10	X		X	.17	.15	X		X	.10	31
Total	1.99	.66	1.28	1.28	.95	2.23	1.81	4.37	1.54	2.78	.89	.53	YEAR'S TOTAL 20.31
Rain Days.	15	11	18	12	8	10	10	18	7	17	9	12	147

2.91

W. 8,000, VIII. 16

82 86

42

FORM 1221
BRITISH RAINFALL
30.1.19

REGISTER OF RAINFALL IN 1918

Kept at Clows Cross, Parson Drove

in the County of Cambridgeshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08					·03		·04	·06	1
2		·08		·06				·51			·02	·12	2
3		·01	·07		·35			·08	·05		·67		3
4		·02	·08					·01	·68		·21	·01	4
5		·02			·07			·23	·52				5
6	·02			·05								·01	6
7	·03	·06				·05			·02	·23	·06		7
8							·01		·01		·04	·01	8
9		·10		·11			·11		·19	·27		·02	9
10	·03	·03		·01			·25		·02	·06		·13	10
11	·01			·02	·19		·09		·04	·76		·13	11
12		·18	·01		·05		·32		·01	·02			12
13		·01			·12				·07			·01	13
14	·22			·04			·26		·14	·13		·01	14
15	·61		·01	·89			·88		·05			·09	15
16				·31					·70				16
17	·23			·10	·16	·19	1·68	·01				·13	17
18	·21					·01	·05		·18		·04	·15	18
19	·06	·06	·07	·02								·11	19
20		·01		·01		·05	·49		·06	·06			20
21	·02						·04		·15	·17			21
22	·04				·09	·01	·02					·25	22
23	·08				·51		·02		·04	·02	·04		23
24		·23		·05	·03		·10		·01		·05		24
25						·03	·08	·13	·02		·03		25
26							·23		·01	·01	·16	·07	26
27				·01		·10		·26	·06		·12	·01	27
28		·06	·08			·04					·19	·31	28
29		X							·94		·01		29
30		X	·16						·02		·11	·07	30
31		X	·07	X		X			X	·06	X	·01	31
Total	1·56	·87	·55	1·76	1·57	·48	4·63	1·23	4·02	1·79	1·79	1·71	YEAR'S TOTAL 21·96
Rain Days.	12	13	8	14	9	8	16	7	24	11	15	20	157

W. 8,000, IX. 17.

1189

1221

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Clows Cross, Parson Drove

in the County of Cambridgeshire

by W. Kingston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·03	·02		·04		·31			·04	·10	·60	1
2	·12						·15		·15		·33	·31	2
3	·49		·08				·15		·05		·11		3
4	·07		·33			·15	·02	·16			·01	·24	4
5	·05	·05	·02					·01	·78			·04	5
6			·01								·05	·07	6
7			·11				·04				·06	·01	7
8	·11		·01	·05							·02	·01	8
9										·05	·03		9
10			·17	·01							·10	·07	10
11	·16		·17	·04	·01		·82				·06		11
12	·02		·40			·06	·12			·02			12
13	·12			·18					·04	·03			13
14	·24			·08					·01				14
15	·11	·05	·12	·14			·04			·03	·18	·12	15
16	·07	·80		·03							·06		16
17		·57									·19	·02	17
18		·01						·14				·12	18
19		·08	·33			·14	·66	·30	·13		·05	·01	19
20	·29	·03	·12			·12	·50	·33	·01			·02	20
21	·35	·40	·09			·01	·44				·03	·13	21
22		·19	·04				·02		·22		·05	·37	22
23				·11	·43	·08	·10			·08		·02	23
24				·07	·05	·07				·05			24
25	·08			·20	·17	·03		·23					25
26	·12	·03	·08	·06				·11	·04			·34	26
27	·17	·18	·01	·72				·10		·21			27
28				·11			·04	·60		·27		·28	28
29	·06	X				·05		·10		·25	·20	·29	29
30		X	·02	·25		·20				·07	·11	·14	30
31	·06	X		X		X	·01		X	·12	X	·06	31
Total	2·91	2·42	2·13	2·05	·70	·91	3·42	2·08	1·43	1·22	1·74	3·27	YEAR'S TOTAL 24·28
Rain Days	19	12	18	14	5	10	15	10	9	12	18	21	165

W, 6,500, VII. 18. W W G

207 1136 1221

4 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Parson Drove, Clows Cross
in the County of Cambridgeshire
by W. Kingston

Lat.................. Long..................
Time of Observation..................
Nearest Railway Station..................
Diameter of Funnel of Rain Gauge..................in.
Height of top of Gauge above Ground..................ft..................in.
" " " " Sea Level..................ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·13		·25			1·23		·06	1
2			·02	·01				·37	·13			·03	2
3		·02		·08		·07	·14		·07	·02			3
4			·04	·15			·25	·32	·12	·17		·09	4
5			·04	·01	·30		·23	·04	·03			·01	5
6			·07		·04		·55	·02				·02	6
7			·13	·12	·05		·05					·01	7
8	·02	·03		·42	·05		·04						8
9	·27			·33				·01					9
10	·05		·07	·11			·02				·02	·03	10
11	·37		·06	·13	·11							·18	11
12	·07			·14	·07	·05	·01	·02				·12	12
13	·02		·01	·01		·62			·18		·05		13
14		·01	·40	·10		·07	·09		·22		·12		14
15		·01	·40						·34	·19	·08	·06	15
16					·01				·18	·03		·08	16
17				·10	·22		·03		·42			·05	17
18	·08					·24	·02	·28	·18			·04	18
19	·07	·09		·11		·07		·13	·02			·01	19
20	·06	·42		·41		·49							20
21				·33			·14	·11	·14				21
22				·13				·02	·24		·03		22
23							·21					·30	23
24			·15	·02								·04	24
25		·14		·07	·80	·09	·27						25
26	·06			·01	·09		·02						26
27	·07	·03		·12		·53					·16	·11	27
28	·38		·23		·14		·04				·04	·03	28
29	·02		·05		·77		·04				·04	·31	29
30			·01	·04			·05		·21		·07	·17	30
31	·12		·02							·34		·08	31
TOTAL	1·66	·75	1·70	2·95	2·78	2·13	2·45	1·32	2·48	1·98	·61 ~~·57~~	1·83	YEAR'S TOTAL 22·64 ~~22·60~~ 575
Days with ·01 in. or more	14	8	15	22	13	9	19	10	14	6	9	21	160
·04	11	3	11	17	12	9	14	6	12	4	7	14	120

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

8L

235

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

BATCHSLIP

STD JOB:
MET-ARCH
BATCH :
METZ004
ENTRY 113 VERIFY 136

REG

Kept at Quy Hal

in the County of Cam

by T. Musgrave

in.
round ft. in.
ea Level ft.
Name
Distance Direction

IMPORTANT NOT
the result entered to the previous day. If an O
versal rule, he is earnestly requested to add the rea
ar in the space provided for it at the end of th
ment of rain, the selection and plac
ritish Rainfall Organization are given i
application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08						.04	.02					1
2	.30		.03		.08		.07				.08	.10	2
3	.01	.02		.05	.07			.01		.19	.03	.02	3
4	.06	.03	.12	.12						.04	.07	.17	4
5	.04	.01		.04				.02		.05	.03	.24	5
6	.32		.05								.02	.15	6
7	.04		.02							.02	.22	.25	7
8	.18		.14								.08	.05	8
9	.20		.06	.04									9
10	.03	.05	.07								.12	.12	10
11	.28		.02								.35		11
12	.12		.36		.85				.02		.12	.02	12
13			.10		.05	.04			.22	.42	.12	.16	13
14		.02	.05		.58	.08				.01		.42	14
15		.04	.35						.13	.05	.06	.04	15
16			.05			.45				.01	.24	.05	16
17	.01					.01					.04	.08	17
18		.14	.02			.05					.64	.04	18
19		.10			.04	.40			.08	.08	.28	.02	19
20						.02		.30	.15	.02		.42	20
21	.01	.06				.03		.66		.18		.13	21
22	.02		.18			.03				.16	.02	.39	22
23		.05	.06			.92			.24			.15	23
24	.01	.05				.10				.40		.17	24
25		.06	.06	.04		.30	.13	.08		.01		.01	25
26				.25		.01	.16			.13	.05	.21	26
27		.18	.07	.05					.15		.03	.04	27
28		.14		.26				.07			.12	.05	28
29				.10		.32	.15		.26	.24	.01		29
30						.03			.03	.09		.01	30
31										.05		.03	31
Total	1.71	.95	1.81	.95	1.67	2.79	.55	1.16	1.28	2.15	2.73	3.54	TOTAL for year 21.29
No. of Rain Days	16	14	18	9	6	15	5	7	9	18	21	27	165

8L

235

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REG

QUY HALL 1207
CAMBRIDGE
1911 - 1916 (6)

Kept at Quy Hall
in the County of Cam
by T. Musgrave

in.
round ft. in.
a Level ft.

me
stance Direction

IMPORTANT NOTE.- … he result entered to the previous day. If an Obse… sal rule, he is earnestly requested to add the readin… in the space provided for it at the end of this … t of rain, the selection and placing … sh Rainfall Organization are given in " … plication to Dr. H. R. Mill, 62, Camde…

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08						·04	·02					1
2	·30		·03		·08		·07				·08	·10	2
3	·01	·02		·05	·07			·01		·19	·03	·02	3
4	·06	·03	·12	·12						·04	·07	·17	4
5	·04	·01		·04				·02		·05	·03	·24	5
6	·32		·05								·02	·15	6
7	·04		·02							·02	·22	·25	7
8	·18		·14								·08	·05	8
9	·20		·06	·04									9
10	·03	·05	·07								·12	·12	10
11	·28		·02								·35		11
12	·12		·36		·85				·02		·12	·02	12
13			·10		·05	·04			·22	·42	·12	·16	13
14		·02	·05		·58	·08				·01		·42	14
15		·04	·35						·13	·05	·06	·04	15
16			·05			·45				·01	·24	·05	16
17	·01					·01					·04	·08	17
18		·14	·02			·05					·64	·04	18
19		·10			·04	·40			·08	·08	·28	·02	19
20						·02		·30	·15	·02		·42	20
21	·01	·06				·03		·66		·18		·13	21
22	·02		·18			·03				·16	·02	·39	22
23		·05	·06			·92			·24			·15	23
24	·01	·05				·10				·40		·17	24
25		·06	·06	·04		·30	·13	·08		·01		·01	25
26				·25		·01	·16			·13	·05	·21	26
27		·18	·07	·05					·15		·03	·04	27
28		·14		·26				·07			·12	·05	28
29				·10		·32	·15		·26	·24	·01		29
30						·03			·03	·09		·01	30
31										·05		·03	31
Total	1·71	·95	1·81	·95	1·67	2·79	·55	1·16	1·28	2·15	2·73	3·54	TOTAL for year 21·29
No. of Rain Days	16	14	18	9	6	15	5	7	9	18	21	27	165

9,000, IX. '10.

8L ✓

REC

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

235

Kept at Quy Hall

in the County of Cambs 2

by T. Musgrave Francis

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08						·04	·02					1
2	·30		·03		·08		·07				·08	·10	2
3	·01	·02		·05	·07			·01		·19	·03	·02	3
4	·06	·03	·12	·12						·04	·07	·17	4
5	·04	·01		·04				·02		·05	·03	·24	5
6	·32		·05								·02	·15	6
7	·04		·02							·02	·22	·25	7
8	·18		·14								·08	·05	8
9	·20		·06	·04									9
10	·03	·05	·07								·12	·12	10
11	·28		·02								·35		11
12	·12		·36		·85				·02		·12	·02	12
13			·10		·05	·04			·22	·42	·12	·16	13
14		·02	·05		·58	·08				·01		·42	14
15		·04	·35						·13	·05	·06	·04	15
16			·05			·45				·01	·24	·05	16
17	·01					·01					·04	·08	17
18		·14	·02			·05					·64	·04	18
19		·10			·04	·40			·08	·08	·28	·02	19
20						·02		·30	·15	·02		·42	20
21	·01	·06				·03		·66		·18		·13	21
22	·02		·18			·03				·16	·02	·39	22
23		·05	·06			·92			·24			·15	23
24	·01	·05				·10				·40		·17	24
25		·06	·06	·04		·30	·13	·08		·01		·01	25
26				·25		·01	·16			·13	·05	·21	26
27		·18	·07	·05					·15		·03	·04	27
28		·14		·26				·07			·12	·05	28
29				·10		·32	·15		·26	·24	·01		29
30						·03			·03	·09	—	·01	30
31										·05		·03	31
Total	1·71	·95	1·81	·95	1·67	2·79	·55	1·16	1·28	2·15	2·73	3·54	TOTAL for year 21·29
No. of Rain Days	16	14	18	9	6	15	5	7	9	18	21	27	165

9,000, IX. '10.

81

229

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER ~~OF~~ Ex. T.C. RAINFALL IN 1912

Kept at Quy Hall

in the County of Cambridgeshire 2

by T. Musgrave Francis

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·02		·62	·02		·18	·16		·08	1
2		·03		·02		·02	·30					·01	2
3	·18				·06	·60	·01	·22	·01			·14	3
4	·06		·30		·05	·06		·05			·30		4
5	·05	·05	·18			·01		·13			·06		5
6	·25	·06			·02	·33	·76	·30				·03	6
7	·05				·02	·68	·28	·16				·01	7
8	·20	·10	·08	·02		·05		·07	·18			·02	8
9	·01	·01	·02	·10		·08						·20	9
10	—	·02				·04		·04	·10		·10	·02	10
11	·12	·08				·01		·01	·09		·01	·04	11
12	·10	·02	·04		·05	·02		·01			·12		12
13	·01	·01	·01			·12	·12				·28		13
14			·02		·03	·15		·03	·02	·02	·04		14
15		·02	·24		·18	·22		·08			·01	·08	15
16	·23		·06		·05	·11		·05		·04	·04		16
17	·25		·18			·12		·06				·07	17
18	·04		·08				·01	·05		·01	·10	·11	18
19	·14	·10	·15			·01	·42	·48		·02	·02		19
20	·05	·02	·14		·01		·01	·49		·30			20
21	·01	·01	·34		·20			·94		·16	·06	—	21
22	·42	·10	·01		·15		·01	·18				·04	22
23	·50	·36	·24		·03			·76	·02	·01	·22	·11	23
24	·23	·01	·01			·03	·02	·11				·04	24
25	·01					·15		·73			·14	·24	25
26		·01				·01	·11	1·78		·43	·18	·22	26
27										·10		·16	27
28		·03					·04	·04	·04	·25	·10	·32	28
29	·04			·01		·22	·10	·33	·56	·22	·11		29
30					·40				·52	·14			30
31			·06		·03	·03	·15	·20		·06		·03	31
Total	2·96	1·04	2·16	·17	1·28	3·69	2·36	7·30	1·72	1·92	1·89	1·97	TOTAL for year 28·46
No. of Rain Days.	22	18	18	5	14	23	15	25	10	14	17	20	201

W. 8,000, X. '11.

Dl

234

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Quy Hall

in the County of Cambridgeshire 2

by T. Musgrave Francis

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·06	·13	·08	·08					·23		·07	·02	1
2	·03	·14			·61		·16		·38		·02	·01	2
3			·18		·58				·01	·50		·03	3
4	·09				·08	·05	·07			·10	·04	·10	4
5	·05				·01		·02		·03	1·70	·03		5
6		·06	·08		·23	·29	·06			·01			6
7		·04			·04					·30	·01		7
8			·01	·01	·24	·03				·02	·07		8
9		·20	·05	·02	·02	·12			·02		·06	·04	9
10			·02	·05			·10	·01			·29		10
11	·64			·34		·01		·14			·20		11
12					·03			·02			·08		12
13	·02							·04			·38		13
14	·02		·06	·03			·23			·22	·04		14
15	·20		·18	·07			·18		·05				15
16	·09		·26	·10					·14		·02		16
17	·13	·04	·06	·08		1·03	·04					·10	17
18			·02	·06			·04		·14			·04	18
19	·08		·06				·06		·32			·06	19
20	·04		·07	·02		·06			·07	·32			20
21	·01		·05		·01		·08			·18	·25		21
22	·28		·08				·02	·08	·12	·01			22
23						·05	·03	·10	·05			·03	23
24	·01					·04							24
25				·13		·03	·02				·01		25
26		·01	·12	·01				·02		·58		·10	26
27		·05	·01	·02	·13	·06				·06			27
28	·13		·08	·03						·13		·02	28
29	·18		·10	·26	·20			·08		·04	·01		29
30	·16			·14				·08		·07	·18	·02	30
31								·56		·08			31
Total	2·22	·67	1·57	1·45	2·18	1·77	1·11	1·13	1·56	4·32	1·76	·57	YEAR'S TOTAL 2031
Rain Days.	18	8	19	17	12	11	14	10	12	16	17	12	166

W. 7,500, XI. 12

82

Ex ML

227

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Quy Hall

in the County of Cambridgeshire

2

by T. Musgrave Francis

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02				·02	·19			·08		1
2	·01			·05			·27	·09			·04	·08	2
3			·16		·10		·25	·13			·10		3
4	·10		·02	·23	·03			·12			·22	·10	4
5			·08	·12	·05		·14	·38					5
6		·08		·01	·03	·06	·02	·04			·14	·06	6
7		·03	·32	·04	·14	·05	·14					·40	7
8	·14	·08	·29	·03	·15	·52	·02	·10					8
9	·60		·46	·10	·03	·48						·96	9
10	·52	·06	·03	·12	·05				·05			·04	10
11		·08	·33	·03	·01	·23			·01		·20	·13	11
12	·02	·01	·06			·01	·28		·38		·02	·15	12
13		·15	·16						·02	·08	·16	·20	13
14			·14				·32			·49	·07	·72	14
15	·08	·01	·24				·05	·02	12		·03	·14	15
16	·01		·10				·20				·05	·01	16
17		·26							·20		·01	·03	17
18		·06	·02								·01	·28	18
19		·04	·10			·04					·20	·01	19
20		·06	·30			·02			·04	·01	·01	·08	20
21	·01	·20	·18			·06				·03		·12	21
22			·02		·26		·04	·05		·42		·03	22
23		·01	·06		·07	·02	·01			·16	·02	·02	23
24	·01			·10		·04	·04			·14	·12		24
25	·01		·03				·03	·02		·36	·01	·04	25
26			·04				·08	·06		·02	·06	·34	26
27	·02		·03				·03	·01			·02	·13	27
28		·02								·04	·46	1·02	28
29			·04							·23	·03		29
30			·06							·03	·14	·06	30
31					·10		·06					·08	31
Total	1·53	1·15	3·29	·83	1·02	1·53	2·00	1·21	·82	2·01	2·20	5·23	YEAR'S TOTAL 2282
Rain Days.	12	15	25	10	12	11	18	12	7	12	23	25	182

W.7,000, XI. 13

8L

1317
~~220~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Quy Hall

in the County of Cambridgeshire

by T. Musgrave Francis

Nor H.
2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·12	·04		·12				·08		·02	·12	1
2	·04	·05	·18	·20		·02		·55	·06		·03	·02	2
3	·18		·10	·02			·03	·87	·04		·03	·14	3
4	·17		·01					·03		·02	·04	·48	4
5	·04	·10			·01			·03		·06	·01	·20	5
6	·20	·01	·10	·14			·68	·06		·04		·04	6
7	·08	·26	·06	·02			·51	·18				·12	7
8		·16	·03	·04			·04	·03		·01			8
9	·01	·08									·20	·49	9
10	·24		·10			·01					·02	·06	10
11			·04		·08		·02				·54		11
12	·10			·24	·25			·38		·06	·83	·05	12
13	·06	·35			1·12								13
14		·24					·42	·06	·02			·30	14
15	·13	·03			·03		·01	·14			·20	·12	15
16		·12					·48	·48				·01	16
17	·03	·16			·04		·12	·64			·02		17
18	·03	·14	·21		·01						·08		18
19			·03				·12			·01			19
20	·22			·10				·04		·01		·35	20
21	·10	·01					·06			·01		·03	21
22	·72	·06	·32	·02			·43		·01			·20	22
23	·02	·14	·06			·03	·05		·34	·08	·02	·16	23
24		·02	·12			·01	·10		·22			·10	24
25			·03	·02		·22	·02			·03		·06	25
26		·07	·02	·01			·04					·14	26
27		·06				·10	·18			·38		·02	27
28		·10				·65		·05	·65	·15			28
29			·01			·08	·03	·12			·06	·10	29
30	·05					1·25	·01		·01		·01		30
31	·06							·08		·06		·10	31
Total	2·71	2·28	1·46	·81	1·66	2·37	3·35	3·74	1·43	·92	2·11	3·41	YEAR'S TOTAL 26·25
Rain Days.	20	20	17	10	8	9	19	16	9	13	15	23	179

W. 8,000. X. 14.

8L [illegible] 129.5 ~~21~~ a

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Quy Hall

in the County of Cambridgeshire

by S. Musgrave Francis

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03												1
2	·26												2
3													3
4	·22												4
5	·01												5
6													6
7	·12												7
8													8
9													9
10													10
11	·06												11
12	·02												12
13													13
14													14
15													15
16													16
17	·03												17
18													18
19	·02												19
20	·16												20
21	·02												21
22													22
23	·01												23
24													24
25													25
26													26
27	·05												27
28													28
29	·01												29
30		☒											30
31		☒		☒		☒			☒		☒		31
Total	1.02												YEAR'S TOTAL
Rain Days.	14												

W. 8,000. X. 15.

DL

218

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGIST

CAMBRIDGE.

SAWSTON HALL.

1911 – 1920

Kept at Sawston Hal
in.

in the County of Cambs
round 1 ft. 3/4 in.

by D. L. Huddlest
ea Level 86 ft.

ame

istance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03						·04	·01					1
2	·39				·08		·09				·07	·06	2
3	·03			·07	·06					·27		·01	3
4	·04	·04	·14	·14						·05	·07	·21	4
5	·02			·02				·02		·05		·21	5
6	·13		·07									·31	6
7	·05									·02	·24	·10	7
8	·21		·19								·05	·16	8
9	·21			·04								·02	9
10	·01	·06	·04								·09	·27	10
11	·42				·06						·36		11
12	·02		·50		·10				·07		·19		12
13			·10		·30	·08			·21	·33		·24	13
14			·09		·56	·05						·41	14
15		·02	·04						·08	·05	·07	·02	15
16		·03				·36					·18	·02	16
17	·10										·03	·10	17
18		·22				·03					·77	·05	18
19					·03	·27			·01	·11	·35	·02	19
20			·01					·29	·17		·02	·45	20
21	·02	·10						·15		·27		·13	21
22	·03		·18			·17				·07		·38	22
23		·05	·14			·89			·24			·10	23
24		·03	·02			·08				·36		·18	24
25		·03	·06	·05		·24	·33	·08			·01		25
26				·19			·02			·09	·05	·19	26
27		·16	·07	·04		·02			·13		·04		27
28		·15		·23	·08		·13	·11			·05	·04	28
29				·08		·14			·25	·21			29
30				·01		·02		·02	·02	·09		·01	30
31										·05		·02	31
Total	1·71 1·7[illegible]	·89	1·65	·87	1·27	2·35	·61	·68	1·18	2·02	2·64	3·71	TOTAL for year 19·58
No. of Rain Days	15	11	14	10	8	12	5	7	9	14	17	25	147

9,000, IX. '10.

82

218

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGIST

Kept at *Sawston Hall*

in the County of *Cambs* 2

by *D. L. Huddleston*

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 3/4 in.
" " " Sea Level 86 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03						·04	·01					1
2	·39				·08		·09				·07	·06	2
3	·03			·07	·06					·27		·01	3
4	·04	·04	·14	·14						·05	·07	·21	4
5	·02			·02				·02		·05		·21	5
6	·13		·07									·31	6
7	·05									·02	·24	·10	7
8	·21		·19								·05	·16	8
9	·21			·04								·02	9
10	·01	·06	·04								·09	·27	10
11	·42				·06						·36		11
12	·02		·50		·10				·07		·19		12
13			·10		·30	·08			·21	·33		·24	13
14			·09		·56	·05						·41	14
15		·02	·04						·08	·05	·07	·02	15
16		·03				·36					·18	·02	16
17	·10										·03	·10	17
18		·22				·03					·77	·05	18
19					·03	·27			·01	·11	·35	·02	19
20			·01					·29	·17		·02	·45	20
21	·02	·10						·15		·27		·13	21
22	·03		·18			·17				·07		·38	22
23		·05	·14			·89			·24			·10	23
24		·03	·02			·08				·36		·18	24
25		·03	·06	·05		·24	·33	·08			·01		25
26				·19			·02			·09	·05	·19	26
27		·16	·07	·04		·02			·13		·04		27
28		·15		·23	·08		·13	·11			·05	·04	28
29				·08		·14			·25	·21			29
30				·01		·02		·02	·02	·09		·01	30
31										·05		·02	31
Total	1·71 1·7[illegible]	·89	1·65	·87	1·27	2·35	·61	·68	1·18	2·02	2·64	3·71	TOTAL for year 19·58
No. of Rain Days	15	11	14	10	8	12	5	7	9	14	17	25	147

9,000, IX. '10.

Ex J.C.

215

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Sawston Hall

in the County of Cambridgeshire 2

by D. L. Huddleston

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—			·01		·02	·09		·09	·27		·15	1
2				·03			·36						2
3	·12				·13	·21		·31				·17	3
4	·05		·50		·07	·42		·03			·27	·06	4
5	·08	·05	·45					·13			·05		5
6	·23	·06			·01	·45	·49	·58			·01	·05	6
7			·01		·01	·92	·17	·16					7
8	·32	·20	·13			·07	·02	·11	·18			·05	8
9	·01	·01		·07		·05						·17	9
10		·02				·04		·18	·05		·11	·03	10
11	·09	·18						·03	·03			·04	11
12	·14	·02	·03		·04			·02			·13		12
13	·01					·01	·08				·16		13
14			·01		·04	·04			·01	·05	·01	·06	14
15		·02	·07		·25	·21		·01			·02	·11	15
16					·06	·03		·05		·03	·07		16
17	·34		·20			·12		·05				·05	17
18	·30		·12					·01			·05	·12	18
19	·11	·05	·23				·27	·34			·03		19
20	·03	·03	·10					·14		·31			20
21			·58		·32			·90		·24	·07		21
22	·57	·05			·03			·25				·02	22
23	·51	·46	·23		·03		·02	·67	·03		·20	·05	23
24	·37						·12	·18				·09	24
25								·92			·17	·34	25
26						·06	·13	1·57		·39	·23	·25	26
27						·02				·09		·14	27
28		·02					·13	·02	·11	·20	·06	·26	28
29				·05		·15	·20	·23	·77	·24			29
30	·02				·27	·02		·02	·61	·09		·02	30
31			·06		·03		·14	·23		·08		·08	31
Total	3·30	1·17	2·72	·16	1·29	2·84	2·22	7·14	1·88	1·99	1·64	2·31	TOTAL for year 28·66
No. of Rain Days.	17	13	14	4	13	17	13	25	9	11	16	21	173

W. 8,000, X. '11.

82

220

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Sawston Hall

in the County of Cambridgeshire 2

by D L Huddleston

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·13	·03	·15					·66		·03	·04	1
2	·05	·10			·18		·19		·14	·02			2
3	·01		·16	·02	·65				·02	·01			3
4	·06				·09	·01	·14			·15		·28	4
5							·05			·48	·04		5
6		·02	·07		·14	·27	·12		·01	·03			6
7		·05		·06				·05		·33	·02		7
8				·01		·08				·03	·06	·01	8
9		·26	·05			·12	·04		·04		·03	·03	9
10			·03				·14	·01			·30		10
11	·87			·40						·05	·28		11
12					·04						·06		12
13			·01							·01	·48		13
14	·05		·06	·02			·69			·30	·03		14
15	·21		·19	·09			·15						15
16	·10		·22	·06			·01		·15				16
17			·07	·11		·79	·02				·02	·05	17
18	·02		·09	·05			·03		·03				18
19	·13		·04				·06		·27			·05	19
20	·24		·06							·30			20
21		·04	·05	·03			·06			·15	·26		21
22	·29		·16				·02	·08	·09		·01		22
23						·04	·03	·08				·04	23
24						·04		·02					24
25		·02		·10			·01					·03	25
26		·01	·16	·01		·01		·05		·67	·02	·17	26
27		·05	·03		·37	·05				·07			27
28	·11		·10	·04						·12			28
29	·08		·10	·17	·23			·07		·12			29
30	·18			·14				·05			·17		30
31	·04							·25		·14			31
Total	2·47	·68	1·68	1·46	1·70	1·41	1·76	·66	1·41	2·98	1·81	·70	YEAR'S TOTAL 18.72
Rain Days.	16	9	19	16	7	9	16	9	9	17	15	9	151

W. 7,500, XI. ·12

81 ✓ 213

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at Sawston Hall
in the County of Cambridgeshire
by D. L. Huddleston

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·22			·08	·01	1
2	·06			·03			·06				·06	·05	2
3	·02		·13		·06		·64	·02		·01			3
4	·16		·02	·10	·03			·04			·36	·20	4
5			·03	·10	·05	·02	·18	·07					5
6		·06				·12	·03	·03			·01	·07	6
7		·05	·28	·04	·38	·10	·01				·15	·20	7
8	·10	·07	·57	·03	·06	·53		·11				·03	8
9	·55		·54	·06		·46						·94	9
10	·46	·12		·04	·05				·10				10
11		·09	·25			·15					·29	·16	11
12		·02	·09			·02	·04		·45	·01	·04	·20	12
13	·04	·15	·17						·02	·39	·03	·34	13
14			·22				·25				·08	·62	14
15	·07	·01	·23				·01	·01	·02		·06	·11	15
16	·02	·03	·09				·10						16
17		·27	·01						·05				17
18	·01		·02									·25	18
19		·06	·15			·52	·05				·21	·08	19
20		·07	·30			·10			·05		·01		20
21		·25	·11			·12				·01		·14	21
22		·02	·02	·02	·18		·04	·03		·40			22
23			(·03)		·06	·01				·11			23
24		·01		·11		·03				·11	·15		24
25			·06				·10	·10		·31	·01	·10	25
26			·02				·04	·10		·04	·05	·42	26
27	·03		·04				·02	·01				·08	27
28		·01								·07	·79	1·50	28
29	·01		·04								·05		29
30			·01								·21	·26	30
31					·16		·03					·02	31
Total	1·53	1·29	3·43 ✓	·53	1·03	2·18	1·60	·74	·69	1·46	2·64	5·78	YEAR'S TOTAL 2290
Rain Days.	12	16	24	9	9	12	15	11	6	10	18	21	163

W.7,000, XI. 13

1294
~~266~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Sawston Hall

in the County of Cambridgeshire 2 Eoe Ph

by D. L. Huddleston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.30	.09			.09				.11		.02	.25	1
2	.09	.11	.20	.09		.01		.30				.14	2
3	.25		.08	.17		—	.01	.48	.05	.03		.14	3
4	.15										.05	.49	4
5	.03	.18			.39			.03		.09		.16	5
6	.22		.05	.25			.75	.05				.02	6
7	.07	.30	.03				.74	.12				.11	7
8	.01	.20									.04	.01	8
9		.04		.03		.03				.05		.45	9
10	.25		.06				.03	.32				.06	10
11	.02				.03						.72		11
12	.12			.43	.29			.35		.09	.85		12
13	.04	.44			1.19			.01					13
14	.13	.18			.03		.32	.03	.03			.22	14
15							.03	.46			.09	.06	15
16		.18					.40	.30		.07	—		16
17		.17			.13		.11	.71				.01	17
18	.01	.20	.16		.04						.10		18
19		.03	.09				.11			.01			19
20	.27		.01	.10	.01			.01				.38	20
21	.15				.02		.03					.09	21
22	.85		.35	.01			.42		.01			.16	22
23	.03	.03	.10			.03	.09		.27	.15	.01	.21	23
24		.13	.15						.24			.08	24
25			.01			.21	.02			.02		.09	25
26		.05				.21	.20					.17	26
27										.34		.02	27
28		.07				.05	.04	.07	.81	.12			28
29					—	.77		.13			.05	.08	29
30	.03	X				.35	.03		.02		.01		30
31	.03	X		X		X		.08	X	.16	X	.18	31
Total	3.05	2.40	1.29	1.08	2.22	1.66	3.33	3.45	1.54	1.13	1.94	3.58	YEAR'S TOTAL 26.67
Rain Days.	20	16	12	7	10	8	16	16	8	11	10	23	157

W. 8,000. X. 14.

1273

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Sawston Hall

in the County of Cambridgeshire

by D. L. Huddleston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·15		·21	·04			·02		·17		1
2	·28	·01	·12		·13		·01			·30			2
3		·30	·05			·01	·04		·35	·19	·28		3
4	·31	·17				·29			·25	·09	·27		4
5				·30	·02	·10	·50			·09	·29		5
6		·10	·12			·03	·04			·03	·33	·06	6
7	·14		·17		·23	·03	·15				·41		7
8			·05		·18	·03				·09		·23	8
9					·16	·09				·02		·06	9
10		·04	·12	·07		·12	·16					·09	10
11	·09	·20		·16	·05	·06						·01	11
12	·05				·41	·38	·08	·05		·30			12
13		·40	·06	·04	·16	·12	·20	·19		·02			13
14		·04	·02	·06	·06	·03	·02	·38					14
15		·83	·15					·05	·02				15
16		·06	·09	·22	·03		·15	·03		·09			16
17	·04	·04		·06			·13	·11	·27	·25			17
18		·09		·07				·42	·30		·40		18
19			·07	·28				·05	·27		·70		19
20	·12	·02	·28					·50			·04	·30	20
21	·01	·05	·60				·33				·01	·42	21
22		·09			·20						·04	·49	22
23		·11				·10		·01		·02			23
24		·47				·05		·06		·13		·41	24
25		·08	·19		·02			·13		·10		·07	25
26		·23	·03			·02		·10		·01			26
27	·06		·84					·08		·25	·04	·12	27
28		·23	·42			·06			·12	·30			28
29		·15	·13			·10		1·38		·40			29
30		X			·35			·38		·10		·01	30
31		X		X		X		·02	X	·05	X	·02	31
Total	1·10	3·71	3·66	1·26	2·21	1·66	1·81	3·94 3·04	1·60	2·83	2·98	2·29	YEAR'S TOTAL 29·05 29·15
Rain Days.	9	21	19	9	14	18	12	17	8	20	12	13	172

W. 8,000. X. 15.

8L

1221
~~184~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Sawston Hall
in the County of Cambridgeshire
by D. L. Huddleston

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09				1·21	·22		·25		1
2	·03			·27				·27			·06		2
3				·02		·06		·19		·25			3
4								·03		·67			4
5			·02	·20				·04	·01	·04	·09		5
6	·16									·06	·02		6
7	·22			·09		·18				·34			7
8	·10						1·21	·17		·24	·09	·10	8
9			·12					·43		·08		·11	9
10				·12				·05					10
11	·36	·10	·63	·06				·04		·27			11
12	·09				·04			·08					12
13			·04			·10		·02	·02				13
14				·05			·02						14
15								·35		·01			15
16				·10	·08		·24			·57		·13	16
17		·06		·22	·65	·04	·23		·34	·33			17
18	·13	·02		·10		·09	·38	·05	·39				18
19		·09	·10		·33	·03			·18				19
20		·21	·07		·12						·17		20
21		·04	·07										21
22			·14					·05		·16			22
23					·19			·10	·02	·08			23
24		·01				·20		·08			·08	·05	24
25			·06								·05		25
26						·02		·19	·05		·01		26
27								·42					27
28		·02	·09			·72		·02		·01		·14	28
29					·13	·95 ~~·27~~	·68	·16		·29			29
30		×					·86	·07				·20	30
31	·10	×	·44	×		×	·31	·12	×		×	·01	31
Total	1·19	·55	1·78	1·32	1·54	2·39 ~~1·45~~	3·93	4·14	1·23	3·40	·82?	·74	YEAR'S TOTAL 23·03 ~~22·09~~
Rain Days.	8	8	11	11	7	10	8	22	8	15	9	7	~~124~~

W. 8,000, VIII. 16

3152

D1

7/8

REGISTER W D1 OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

30.1.19

Kept at Sawston Hall

in the County of Cambridgeshire

by D. L. Huddleston

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02					·01				·09	·08	1
2	·02	·08		·11				·02		·02		·11	2
3		·02	·10		·41			·08			·67	·01	3
4	·05	·01	·06						·11		·26	·01	4
5								·14	·60	·04			5
6	·05	·10		·15					·09				6
7		·08	·01	·09					·03	·11	·07		7
8									·02		·06		8
9	·22			·05			·20		·24	·14		·05	9
10				·04			·23	·01	·33	·02		·10	10
11		·01					·28		·10	·29		·08	11
12		·18			·29		·03		·06	·04			12
13		·03		·01	·20		·04		·10		·06		13
14	·24					·15			·03	·26		·10	14
15				1·85			·30		·17			·05	15
16				·47		·02			·10				16
17	1·23			·25			·81		·36			·06	17
18	·36					·10	·08					·27	18
19		·03	·11	·06		·08	·23		·53	·10		·08	19
20		·02		·25			·12			·15	·03		20
21	·02								·14			·05	21
22	·01				·18		·08		·61			·23	22
23	·02				·77	·02	·28	·06	·05			·04	23
24		·19			·02				·10				24
25						·04		·18	·13				25
26							·42	·02		·07	·25		26
27	·02			·35		·12		·18	·05		·10		27
28		·03	·08	·01							·26	·11	28
29								·09	1·54		·03	·06	29
30		X	·35					·11	·08		·05	·14	30
31		X	·01	X		X			X	·05	X	·08	31
Total	2·24	·80	·72	3·69	1·87	·53	3·11	·89	5·57	1·29	1·93 ~~1·92~~	1·71 ~~1·61~~	YEAR'S TOTAL 24·35 ~~24·24~~
Rain Days.	11	13	7	13	6	7	14	10	23	12	12	19	147

W. 8,000, IX. 17.

Dh

cordly obs. Obs says 1·00 on 3rd Feby correct.

1155
~~168~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Sawston Hall

in the County of Cambridgeshire

by D. L. Huddleston

Lat. ……… Long. ………

Time of Observation ………

Nearest Railway Station ………

Diameter of Funnel of Rain Gauge ……… in.

Height of top of Gauge above Ground ……… ft. ……… in.

" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29				·07		·24		·04	·05	·02	·92	1
2	·18				·08		·18				·19	·61	2
3	·26	1·00	·29						·01		·14	·12	3
4	·05		·20			·09	·04	·07					4
5	·04		·21				·09		·14			·11	5
6			·08				·37				·14		6
7			·30	·10							·04	·01	7
8	·08		·04								·12	·03	8
9			·02								·11		9
10			·10	·10							·01		10
11	·03		·12	·03			·53				·05		11
12			·10	·15		·04				·09			12
13	·10									·01			13
14		·26		·18					·12			·01	14
15	·35		·08	·30								·13	15
16		·65	·04					·04			·09		16
17		·68									·20		17
18		·28	·02	·05				·10	·04		·05	·04	18
19		·05	·37			·21	·16	·20	·01			·01	19
20		·21				·62	·66	·35					20
21			·02			·08	·70				·01	·06	21
22	·15		·02				·17		·17		·05	·47	22
23						·06	·18	·02	·05			·09	23
24				·17		·20	·02				·01		24
25	·14			·02	·20			·52		·01			25
26		·47	·24	·12	·01			·10		·08		·20	26
27				1·51				·26	·12	·14		·03	27
28				·30				·62			·09	·28	28
29				·06				·15				·08	29
30		X		·31		·23					·29	·12	30
31		X		X		X			X	·04	X	·06	31
Total	1·67	3·60 ~~3·20~~	2·25	3·30	·36	1·53	3·34	2·43	·70	·42	1·61	3·38	YEAR'S TOTAL 24·59 ~~24·19~~
Rain Days.	11	8	17	14	4	8	12	11	9 ~~8~~	7	17	19	~~137~~

W, 6,500, VII. 18. W W C

200 1097

4 MAR 1921

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sawston Hall

in the County of Cambridgeshire

by D. L. Huddleston

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·97	·02		·14			·33	·01	·12	1
2				·06		·04	·02	·12	·08	·07		·02	2
3				·82			·22		·01				3
4				·16			·27	·07	·02	·01		·19	4
5	·01		·04	·03	·09		·58		·14			·04	5
6	·05		·10		·19		·39						6
7	·01			·08			·09					·04	7
8				·36			·03	·14					8
9	·32			·31			·06	·01					9
10	·10	·01	·14	·07			·02						10
11	·30		·03	·36	·04		·12						11
12	·14			·08		·04						·15	12
13			·01	·07		·06			·02				13
14		·02	·09	·11		·01	·11		·10	·08	·11		14
15	·02		·21	·06					·21			·09	15
16			·02	·07					·19				16
17	·09				·07		·03		·08			·02	17
18	·10				·03			·33				·03	18
19				·07		·03		·01			·04	·01	19
20		·20		·30		·71			·06				20
21				·16			·55	·08	·44			·02	21
22		·01		·12				·01	·14		·01	·23	22
23							·27					·29	23
24			·08	·07								·02	24
25				·08		·01	·21		·02				25
26	·14	·03	·04	·13	·43		·25						26
27	·16					·28				·02	·11	·05	27
28	·35		·42		·15	·04	·11						28
29			·04		·60		·09				·06	·30	29
30	·04			·02	·04	·02	·06		·17		·11	·16	30
31			·05							·11		·05	31
TOTAL	1·83	·27	1·27	4·56	1·64	1·24	3·62	·77	1·68	·62	·45	1·83	YEAR'S TOTAL 19·78
Days with ·01 in. or more	14	5	13	23	10	10	20	8	14	6	7	18	148
≥·04	11	1	10	21	8	6	16	5	10	4	5	12	109

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REGISTE

CAMBRIDGE

SHUDY CAMPS VIC.

1913 - 1915

3 ō. 20

FORM A. BRITISH RAINFALL.

28 JAN 1914

Kept at Shudy Camps Vicar a.m.

in the County of Cambridge Barlow (2½ miles)

5 in.

by Hubert Satchell

bove Ground 1 ft. – in.

Sea Level About 400 ft.

IMPORTANT NOTE.—R ad the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									.30		.05	.06	1
2									.17				2
3												.03	3
4										.35	.03	.24	4
5									.04	.41	.02	.02	5
6										.18	.01		6
7								.18		.49	.01		7
8										.04	.07		8
9									.02		.04	.04	9
10											.14		10
11										.06	.15		11
12											.09	.01	12
13								.02		.01	.55		13
14										.29	.11		14
15													15
16									.28		.04	.06	16
17									.01			.03	17
18											.01		18
19									.02				19
20									.04	.37			20
21									.01	.33	.41		21
22									.16		.01		22
23								.38	.03	.01	.01	.07	23
24							—	.10			.02		24
25							—					.04	25
26							—			.48		.08	26
27							—			.07			27
28							—			.24	.01		28
29							—	.10					29
30							—	.10		.05			30
31							—	.46		.12	.15		31
Total								1.34	1.08	3.50	1.93	.68	YEAR'S TOTAL
Rain Days.								6 7	11	16	20	11	

W.7,000, XI. 13

REGISTE

FORM A.
BRITISH RAINFALL.
28 JAN 1914

Kept at Shudy Camps Vicarage

in the County of Cambridge

by Hubert Satchell

Lat. [illegible] Long. 0 . 20

Time of Observation 9 a.m.

Nearest Railway Station Bartlow (2½ miles)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level About 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									.30		.05	.06	1
2									.17				2
3												.03	3
4										.35	.03	.24	4
5									.04	.41	.02	.02	5
6								—		.18	.01		6
7								.18		.49	.01		7
8										.04	.07		8
9									.02		.04	.04	9
10											.14		10
11										.06	.15		11
12											.09	.01	12
13								.02		.01	.55		13
14										.29	.11		14
15													15
16									.28		.04	.06	16
17									.01			.03	17
18											.01	—	18
19									.02				19
20									.04	.37			20
21									.01	.33	.41		21
22									.16		.01		22
23								.38	.03	.01	.01	.07	23
24							—	.10			.02		24
25							—					.04	25
26							—			.48		.08	26
27							—		—	.07			27
28							—			.24	.01		28
29							—	.10					29
30							—	.10		.05			30
31							—	.46		.12	.15		31
Total								1.34	1.08	3.50	1.93	.68	YEAR'S TOTAL
Rain Days.								~~8~~ 7	11	16	20	11	

W.7,000, XI. 13

[illegible] 27·II·15 Jan est

Ex DL

Jany Est. accepted by Observer 12·III·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at The Vicarage, Shudy Camps

in the County of Cambridge

by Hubert Satchell

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Bartlow

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01					.21		.01	.09		1
2			.02	.02							.07	.03	2
3			.18		.10		.64	.04					3
4			.02	.17				.04			.37	.12	4
5			.03	.25	.06		.19	.37			.01		5
6		.06			.01	.11					.28	.10	6
7	.71	.09	.30	.10	.28	.02	.01	.02				.13	7
8		.09	.53	.06	.08		.01	.12					8
9			.60	.05	.03	.45						1.06	9
10		.01	.03	.05	.05				.04			.17	10
11		.32	.32		.03	.11			.04		.24	.16	11
12			.07				.10		.65		.02	.21	12
13		.19	.24						.02	.19	.03	.33	13
14			.26				.29			.15	.07	.55	14
15			.29					.02			.06	.11	15
16			.09				.02						16
17		.20					.01		.05			.03	17
18		.08	.12									.08	18
19		.07	.16			.59	.06				.24	.11	19
20			.24			.06			.14	.01			20
21		.29	.26			.10		.01		.02	.03	.12	21
22			.02	.01	.17		.32	.03		.29		.10	22
23	.02	.08	.03		.06	.02				.10	.02		23
24			.03	.14		.02	.14			.11	.14		24
25			.08				.04	.03		.39	.01	.35	25
26			.02				.03	.10		.05	.08	.17	26
27							.08					.08	27
28											.66	.85	28
29			.01							.28	.05		29
30		X	.03							.01	.17		30
31		X		X	.02	X	.03		X		X	.17	31
Total	~~.73~~ (1·60)	1.48	3.99	.85	.89	1.48	1.97	.99	.94	1.61	2.64	5.03	YEAR'S TOTAL ~~22.60~~ (23·47)
Rain Days.	~~2~~	11	26	9	11	9	15	11	6	12	19	21	[illegible]

W. 8,000. X. 14.

Ansd: 6·III·15

Shudy Camps Vicarage.
Bartlow. Cambs.

1 March 1915

Dear Mr Salter,

January 1914 Rainfall

I too was rather inclined to raise a query as to that reading of ·71 in one day (7th Jany 1914) And I then asked the Vicar's son (a lad of 14, but advanced for his years, who was kind enough to undertake the measuring of the rain from Xmas 1913 to the 22nd of January 1914) to explain the solitary day's fall in three weeks. But he said it was all right. I did think of writing to the Weston Colville observer about it. Haverhill Vicarage is only 4 miles away, but I was unaware that there was a gauge there.

It certainly does appear as if someone has blundered, or tired of the duty, and I am very sorry indeed for the discrepancy. The same boy took the observations for the first 18 days of June 1914, and the last 2 days in May, but I think they appear in order. I have the card of his observations for those 20 days in my possession; but cannot find the January (22 days) record. In fact I almost recollect that he gave it me by word of mouth. And I immediately wrote the amount down in my dia He is now a Territorial, and some distance away, so I cannot reach him. There is nothing truer than the saying "If "you want a thing done well, do it yourself" I will say, however, that his Mother tells me that he took pains in making correct observations in Jan^y. 1914. Possibly she confuses the summer observations with the winter ones.

January + Feb^y. 1915 Rainfall

The rainfall for Jan^y. 1915 here
was 2.57 ins (on 17 days)
Feb^y. 2.60 ins. (on 21 days)

The Vicar took the observations this last Xmas up to the 10^th January, and as he has had former experience with Welsh mountain-gauges, years ago, his figures should be correct.

I must again express my sincere regret at the irritating discrepancy, and am personally very vexed about it. But one can do nothing now; especially when people grow ~~more~~ sensitive to the mildest of remonstrances every year now! It was not so in my young days; and I am always glad that I had the strictest of Fathers!!

This Vicarage is nearly 400 feet above the sea; but still, a barometrical reading of 28.16 at 9.30 p.m. on the 13th of February 1915 is pretty low?

Please excuse these disjointed remarks.

Yours sincerely,

Hubert Satchell

I suppose I may take it then that Shirley Rainfall for 1914 is about 23¾ inches?

1.3.16

1288

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Shudy Camps

in the County of Cambridge

by Revd John W. Timson

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station 3 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0 7	0 2								0 24	0 10	1
2	0 27	0 8	0 23		0 7			0 25	0 28		0 5	0 25	2
3	0 25		0 15	0 12			0 10	1 - 32	0 5				3
4	0 15								0 11			0 27	4
5	0 5	0 12								0 10		0 50	5
6		0 1	0.13	0 20			0 65	0 15		0 15		0 10	6
7	0 20	0 20	0 7			0 5	0 18					0 11	7
8	0 11	0 20	0 3									0 13	8
9		0 18											9
10	0 23		0 4				0 8	0 40				0 55	10
11	0 12		0 2								0 25	0 8	11
12	0 12	0 2		0 40	0 16			0 10			0 70		12
13	0 5	0 45			1 - 5			0 40		0 15	1 0		13
14		0 25					0 33	0 33			~~0 70~~		14
15	0 9								0 5		~~1 0~~	0 45	15
16		0 14					0 50	0 45				0 7	16
17	0 1	0 15			0 15		0 20			0 10		0 6	17
18		0 26	0 25		0 17								18
19		0 4					0 12				0 50		19
20	0 18			0 10									20
21	0 33				0 5							0 40	21
22	0 43	0 5	0 30				0 39						22
23	0 3	0 20	0 4				0 10					0 15	23
24		0 1								0 10			24
25			0 20			0 25			0 30			0 28	25
26		0 7				0 24	0 20			0 6			26
27		0 2										0 27	27
28		0 5	0 5							0 38			28
29						0 70	0 7		1 - 0	0 7			29
30	0 3	×				1 15		0 25				0 10	30
31		×		×		×			×		×	0 15	31
Total	2-65	2-57	1-53	0 82	1-66	2-39	2-92	3-65	1-79	1-11	2-74	4-02	YEAR'S TOTAL 27-8 27·84
Rain Days.	16 19	20	13	4	6	5	12	9	6	8	6	18	123 126

27·84

W. 8,000. X. 15.

8L

REGIS

11

CAMBRIDGE

SOHAM.

1911 – 1915

23 JAN 1912

242

FORM A2. BRITISH RAINFALL.

Kept at Soham

in the County of Cambs

by T. Everett

in.

ove Ground ft. in.

„ Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04												1
2	·25		·03		·09			·03			·10	·06	2
3				·09	·12					·33			3
4	·01	·04	·08	·03							·15	·13	4
5	·03			·07						·05		·15	5
6	·34											·12	6
7											·27	·26	7
8	·20		·20								·09	·03	8
9	·15			·05									9
10			·07								·04	·07	10
11	·23					·03					·28		11
12			·40		·28	·03					·20		12
13						·02			·27	·23		·19	13
14			·25		·63							·29	14
15		·11	·26						·09		·06		15
16						·50					·27	·05	16
17											·03	·08	17
18		·07				·24					1·02	·03	18
19		·03				·51			·08	·02	·28		19
20								·35	·12			·37	20
21		·09				·03		·53				·17	21
22			·21					·08		·27			22
23			·07			·90			·37			·46	23
24		·06				·15				·38		·15	24
25			·03	·07		·38	·14			·05	·02		25
26				·28						·13	·02	·27	26
27		·19	·05	·07					·15				27
28		·09		·26		·63					·10	·05	28
29							·07		·41	·43			29
30						·04			·07	·08			30
31													31
Total	1·25	·68	1·65	·92	1·12	3·46	·21	·99	1·56	1·97	2·93	2·93	TOTAL for year 19·67
No. of Rain Days	8	8	11	8	4	12	2	4	8	10	15	18	108

9,000, IX. '10.

81

REGIS

11

242

23 JAN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Soham

in the County of Cambs 2

by T. Everett

Rain Gauge: Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station: Name ____
Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04												1
2	·25		·03		·09			·03			·10	·06	2
3				·09	·12					·33			3
4	·01	·04	·08	·03							·15	·13	4
5	·03			·07						·05		·15	5
6	·34											·12	6
7											·27	·26	7
8	·20		·20								·09	·03	8
9	·15			·05									9
10			·07								·04	·07	10
11	·23					·03					·28		11
12			·40		·28	·03					·20		12
13						·02			·27	·23		·19	13
14			·25		·63							·29	14
15		·11	·26						·09		·06		15
16						·50					·27	·05	16
17											·03	·08	17
18		·07				·24					1·02	·03	18
19		·03				·51			·08	·02	·28		19
20								·35	·12			·37	20
21		·09				·03		·53				·17	21
22			·21					·08		·27			22
23			·07			·90			·37			·46	23
24		·06				·15				·38		·15	24
25			·03	·07		·38	·14			·05	·02		25
26				·28						·13	·02	·27	26
27		·19	·05	·07					·15				27
28		·09		·26		·63					·10	·05	28
29							·07		·41	·43			29
30						·04			·07	·08			30
31													31
Total	1·25	·68	1·65	·92	1·12	3·46	·21	·99	1·56	1·97	2·93	2·93	TOTAL for year 19·67
No. of Rain Days	8	8	11	8	4	12	2	4	8	10	15	18	108

9,000, IX. '10.

8L

235

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Ex. [illegible]

Kept at Soham

in the County of Cambridgeshire 2

by T. Everett

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·15			·13			·10	1
2					·04		·32						2
3	·16		·09		·05	·47		·16	·04	·02		·14	3
4	·03		·38		·04			·05			·30		4
5		·09	·17			·07		·08			·09		5
6	·35	·05				·21	1·23	·35					6
7	·04	·10			·04	·57	·01					·02	7
8	·13	·13	·05				·07	·15	·08			·01	8
9				·11		·28						·25	9
10				·05					·10		·10	·01	10
11		·04							·11			·11	11
12	·25		·11		·03						·38		12
13		·02				·07					·30	·02	13
14			·02		·05	·05		·11	·02	·05	·09	·02	14
15			·28		·16	·21		·05				·06	15
16	·11				·08	·05		·04		·05	·05		16
17			·16			·17		·06				·15	17
18	·33		·06					·20		·07		·02	18
19	·15	·13	·15				·52	·41		·05			19
20			·02		·04		·01	·32		·20	·07		20
21			·31		·23			1·08		·13	·07		21
22	·38	·07			·14		1·09	·25				·06	22
23	·45	·85	·30		·08			·76	·04		·26	·07	23
24	·23						·02	·30		·02		·06	24
25						·13		1·50			·18	·28	25
26								2·00			·14	·15	26
27						·03	·10					·22	27
28				·07				·04		·31	·08	·40	28
29		·02				·07	·10	·30	·55	·23			29
30					·73	·02		·01	·46	·15	·08		30
31			·12		·03		·21	·20		·02		·01	31
Total	2·61	1·50	2·22	·23	1·74	2·55	3·68	8·42	1·53	1·30	2·19	2·16	TOTAL for year 30·13
No. of Rain Days.	12	10	14	3	14	15	11	22	9	12	14	20	156

W. 8,000, X. '11.

82

240

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Soham

in the County of Cambridgeshire

by T. Everett

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·11	·06	·07	·15				·18		·08		1
2	·07	·15			·05		·10		·17				2
3			·09		·75				·02	·22		·09	3
4	·15				·04		·03			·20	·10	·31	4
5	·03								·02	·17	·01		5
6		·01			·31								6
7		·03			·07		·05			·66			7
8					·33	·50				·04	·13	·01	8
9		·27		·02	·12	·17					·03		9
10							·04				·20		10
11	·55			·45				·50			·22		11
12											·07		12
13	·04							·09			·42		13
14		·03	·08	·07			·04			·23			14
15	·21		·21	·10			·20						15
16	·09		·36	·18					·26		·05		16
17	·11	·02	·07	·06		·37	·06					·09	17
18	·02		·07	·09			·08		·20				18
19	·06						·04		·21				19
20			·11	·04		·02			·30	·30			20
21	·03		·07				·16			·17	·25		21
22	·20		·09				·13						22
23						·05	·03	·21	·13		·01	·03	23
24	·02					·06							24
25				·12								·03	25
26			·10				·01			·59		·12	26
27		·05			·30						·03		27
28	·11		·05			·09				·15			28
29	·24		·10	·21	·21			·12		·04		·03	29
30				·12				·05		·04	·17		30
31	·15							·40		·06			31
Total	2·08	·67	1·46	1·53	2·33	1·26	·97	1·37	1·49	2·87	1·77	·71	YEAR'S TOTAL 18·51
Rain Days.	16	8	13	12	10	7	13	6	9	13	14	8	129

DL

6X 9110

233

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Soham

in the County of Cambridgeshire

2

by T. Everett

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·04			·10	·05	1
2							·05						2
3			·17		·17		·22	·10			·03		3
4	·11			·35				·02			·26	·07	4
5			·09	·07				·55					5
6		·10		·05	·07	·05	·11	·03			·16	·07	6
7			·35	·02	·12							·36	7
8	·30	·07	·25		·11	·52	·36	·14					8
9	·74		·38	·02	·02	·61			·04			·80	9
10	·46	·06		·07	·03							·05	10
11			·25	·02	·08	·15					·26	·11	11
12							·30		·47		·04	·20	12
13	·03	·14	·21						·02	·27	·10	·25	13
14			·17				·30			·65	·06	·63	14
15	·06		·25						·18		·03	·20	15
16			·04				·12						16
17		·25							·18			·04	17
18	·02	·11	·03									·31	18
19			·15			·62			·04		·25		19
20		·05	·23			·10		·30	·06				20
21		·10	·30			·06					·02	·06	21
22			·04		·31	·02		·14		·49			22
23		·07	·04		·05					·05	·03		23
24				·11		·05	·12			·15	·13	·15	24
25							·02			·40			25
26	·03		·03				·04	·15		·03	·05	·37	26
27												·12	27
28		·05								·17	·31	1·10	28
29			·03							·15	·02		29
30											·23		30
31			·04		·10					·02		·11	31
													YEAR'S TOTAL
Total	1·75	1·00	3·05	·71	1·06	2·18	1·64	1·47	·99	2·38	2·08	5·05	23·36
Rain Days.	8	10	19	8	10	9	10	9	7	10	17	19	136

W.7,000, XI. 13

82

1325
226

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Soham

in the County of Cambridgeshire

by T. Everett

2

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·12			·13				·17			·12	1
2	·03	·03	·22	·02				·25			·08		2
3	·20		·10	·11			·03	·71	·03		·02	·15	3
4	·20		·12					·02			·03	·39	4
5	·03	·03			·02			·02				·17	5
6	·15	·05	·05	·15	·04		·66			·07	·02		6
7	·07	·29	·05	·04			·25	·25				·11	7
8		·13	·02					·03					8
9		·14				·05					·21	·42	9
10	·25		·13				·03	·08				·03	10
11					·05						·20		11
12	·13			·26	·18			·44		·02	1·03	·06	12
13	·01	·30			·97								13
14		·19					·15				·09	·25	14
15	·12				·08			·15				·06	15
16							·50	·21					16
17		·15					·17	·08			·25		17
18		·09	·12								·05		18
19	·04	·11	·07				·14						19
20	·20			·07				·02				·33	20
21	·12			·10			·04					·07	21
22			·27				·70		·06			·15	22
23		·10		·05		·02	·40		·32	·06		·10	23
24		·05	·10				·22		·11			·15	24
25						·11	·05					·04	25
26		·06	·06			·05	·02			·02		·16	26
27						·08				·16			27
28		·16				·44	·26	·02	·58	·45			28
29								·10				·10	29
30	·07	X				·65							30
31	·06	X		X		X			X		X	·08	31
Total	1·90	2·00	1·31	·80	1·47	1·40	3·62	2·38	1·27	·78	1·98	2·94	YEAR'S TOTAL 21·85
Rain Days.	16	16	12	8	7	7	15	14	6	6	10	19	136

W. 8,000. X. 14.

84

246

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

R

Kept at Holwood

in the County of Cam

by Mr. G. Arg

1

5 in.

e Ground 1 ft. in.

Sea Level 10 ft.

Name

Distance Direction

SOMERS~~HAM~~
HOLWOOD FARM
CAMBRIDGE

1911 - 1918, 1920

IMPORTANT NOT … l the result entered to the previous day. If an … versal rule, he is earnestly requested to add the re … ear in the space provided for it at the end of th … nent of rain, the selection and plac … itish Rainfall Organization are given i … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·10			·04		1
2	·23				·06			·02				·06	2
3		·04			·08						·02	·14	3
4		·03	·12	·15				·03		·09		·16	4
5										·07	·18	·13	5
6	·38											·30	6
7			·11								·19	·38	7
8	·20										·11	·04	8
9	·13			·06					·19		·02		9
10	·04	·05	·10										10
11	·18										·51		11
12	}		·40						·01		·15		12
13	·08		·08			·06			·22	·11		·35	13
14			·06		·75	·08				·06		·49	14
15		·05	·12								·08	·01	15
16						·07					·30	·07	16
17			·05								·02	·08	17
18		·12				·12					·56		18
19						·17			·25	·09	·22		19
20								·19	·22	·02		·55	20
21	·05	·07				·07		1·55		·26		·10	21
22			·16					·14		·21		·40	22
23			·06			·73	·15	·02	·42			·16	23
24		·06				·21				·13		·21	24
25		·03	·04	·03		·14						·15	25
26				·25						·18	·09		26
27		·22	·11	·11					·12			·14	27
28		·10		·20				·16			·10	·05	28
29				·11		·40	·20		·25	·28			29
30				·03	·03	·03				·06		·02	30
31													31
Total	1·29	·77	1·41	·94	·92	2·08	·35	2·21	1·68	1·56	2·59	3·99	TOTAL for year 19·79
No. of Rain Days	9	10	12	8	4	11	2	8	8	12	15	21	~~119~~ 120

9,000, IX. '10.

84

240

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

R [redacted] l

5

Kept at Holwood Farm, Chatteris

in the County of Cambs 2

by Mr. G. Argent

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 10 ft.

Time of Observation

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·10			·04		1
2	·23				·06			·02				·06	2
3		·04			·08						·02	·14	3
4		·03	·12	·15				·03		·09		·16	4
5										·07	·18	·13	5
6	·38											·30	6
7			·11								·19	·38	7
8	·20										·11	·04	8
9	·13			·06					·19		·02		9
10	·04	·05	·10										10
11	·18										·51		11
12	}		·40						·01		·15		12
13	·08		·08			·06			·22	·11		·35	13
14			·06		·75	·08				·06		·49	14
15		·05	·12								·08	·01	15
16						·07					·30	·07	16
17			·05								·02	·08	17
18		·12				·12					·56		18
19						·17			·25	·09	·22		19
20								·19	·22	·02		·55	20
21	·05	·07				·07		1·55		·26		·10	21
22			·16					·14		·21		·40	22
23			·06			·73	·15	·02	·42			·16	23
24		·06				·21				·13		·21	24
25		·03	·04	·03		·14						·15	25
26				·25						·18	·09		26
27		·22	·11	·11					·12			·14	27
28		·10		·20				·16			·10	·05	28
29				·11		·40	·20		·25	·28			29
30				·03	·03	·03				·06		·02	30
31													31
Total	1·29	·77	1·41	·94	·92	2·08	·35	2·21	1·68	1·56	2·59	3·99	TOTAL for year 19·79
No. of Rain Days	9	10	12	8	4	11	2	8	8	12	15	21	120 ~~119~~

9,000, IX. '10.

Jl

Cad Smith 11.11.13 [illegible] M.L.Ob

REGISTER OF RAINFALL IN 1912

239

FORM A2. BRITISH RAINFALL.
24 JAN 1913

Kept at Holwood Farm

in the County of Cambridgeshire 2

by G. Argent

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station
Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·07			·10			·12	1
2							·28						2
3	·10	·02			·06	·38		·25	·04			·13	3
4	·04		·41		·05	·11					34		4
5	·05	·15	·20								·04		5
6	·35	·07				17	·68	·41					6
7	·03				·04	1·20	·14	·02				·04	7
8	·22	·17	·10			·04		·21	·15				8
9		·05		·05		1·36						·20	9
10	01	·02							·07		·20		10
11	·16	·04							·08			·21	11
12	·12	·05	·08								·07		12
13	·02								·01		·30	·01	13
14		·04			·04			·03			·02		14
15	·02		·15		·60	·30		·07				·06	15
16	·37		·06					·08		·13			16
17	·35		·14			·24		·07				·08	17
18	·03		·10				·03	·23					18
19	·16	·06					·29	·66		·03	·05	·10	19
20	·05		·12		·03		·05	·65		·34			20
21	·01		·30		·52			·91		·32	·04		21
22	·36	·08			·23		2·43	·33				·02	22
23	·30	·65	·26					·62			·20	·13	23
24	·37					·08		·30				·10	24
25	·03							·55			·28	·31	25
26						·10	·19	2·61		·48	·23	·25	26
27										·19		·24	27
28		·01						·14		·20	·17	·32	28
29	·05						·21	·05	·45	·36			29
30					·35	·11			·60	·08			30
31			·17		·06		·26	·15					31
Total	3·20	1·41	2·09	·05	1·98	4·16	4·56	8·34	1·50	2·23 2·13	1·94	2·32	TOTAL for year 33·68
No. of Rain Days.	22	13	12	1	10	12	10	20	8	9	12	16	145

W. 8,000, X. '11.

82

244

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Holwood Farm, Chatteris

in the County of Cambridgeshire

by G. Argent

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·05	·11						·90		·03		1
2		·15			1·10		·13		·10				2
3	·03		·14		·90				·02	·06		·19	3
4	·18				·06		·09			·12	·09	·21	4
5					·40					·32		·03	5
6	·01	·06			·12	·30	·15			·05			6
7		·10			·20					·39			7
8				·01	·04	·12						·02	8
9		·23		·03	·03	·08							9
10	·02				·05		·14				·50		10
11	·96			·41	·02	·02		·50			·10		11
12								·10			·06		12
13	·03								·02		·43		13
14	·02	·03	·15	·04			·18			·22	·03		14
15	·13		·11	·13			·08						15
16			·85	·12					·26				16
17	·15	·07	·06	·04		·46	·03					·04	17
18			·04	·07		·03	·05						18
19	·06		·06						·28			·06	19
20	·03		·14	·04						·17			20
21	·02		·16		·06		·21			·06	·20		21
22	·20						·03		·13				22
23				·03			·04		·10				23
24	·04					·06		·13					24
25				·01						·77			25
26		·05	·12		·03					·15		·15	26
27				·03		·04							27
28	·15		·25	·12								·02	28
29	·13		·13	·30	·24			·12					29
30	·19			·12				·09		·18	·21	·03	30
31								·50		·04			31
Total	2·37	·74	2·32	1·50	3·25	1·11	1·13	1·44	1·81	2·53	1·65	·75	YEAR'S TOTAL 2060
Rain Days.	18	8	13	15	13	8	11	6	8	12	9	9	130

W. 7,500, XI. 12

DL ✓ and pr aults W M.V

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

237

Kept at Holwood Farm

in the County of Cambridgeshire 2

by G. Argent

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·36	·63			·08	·09	1
2							·05	·04			·07		2
3			·10		·16		·11				·15		3
4	·17			·20				·13			·32		4
5			·09	·06	·07		·20					·04	5
6		·06			·05		·10	·10			·16		6
7		·05	·35	·07		·29		·14					7
8	·08	·04	·20		·20	·88	·31			·04		·26	8
9	·70		·28			·78	·05						9
10	·41	·12		·06		·23						·24	10
11		·05	·36		·10				·12		·23	·36	11
12		·10	·04						·32			·20	12
13			·21							·30	·12	·19	13
14			·07						·20		·10	·52	14
15	·04		·27				·15				·07		15
16			·05						·10				16
17	·01	·24					·06					·17	17
18			·04									·54	18
19		·04				·18			·04		·20		19
20			·51									·18	20
21		·15	·21					·06			·05	·02	21
22			·02		·14			·18		·20			22
23			·05		·05		·04			·08		·05	23
24				·08			·09			·25		·12	24
25	·02									·48	·11		25
26								·17		·04	·03	·38	26
27	·03										·05	·10	27
28		·06								·16	·21	1·37	28
29			·10							·17	·03		29
30							·10			·04	·07	·10	30
31					·10							·06	31
Total	1·46	·91	2·95	·47	·87	2·36	1·62	1·45	·78	1·76	2·05	4·99 4·99	YEAR'S TOTAL 2167
Rain Days.	8	10	17	5	8	5	12	8	5	10	17	19	124

W.7,000, XI. 13

Sd

1332
~~230~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Holwood Farm
in the County of Cambridgeshire 2
by G. Argent

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.30	.12			.14							.09	1
2	.08					.03		.72			.12		2
3	.24		.20	.20			.04	1.25			.10	.19	3
4	.19		.07				.34	.87	.33			.50	4
5		.08						.03		.09		.30	5
6	.17	.02	.06				1.28						6
7	.02	.18	.07					.37					7
8		.20	.09	.03								.10	8
9								.02			.18	.39	9
10	.25		.08					.09					10
11							.05				.50	.05	11
12	.06				.10			.02			1.50	.03	12
13		.37		.30	1.20			.25					13
14					.07		.06	.02					14
15	.17				.05			.05				.27	15
16		.26					.38	.25			.38	.07	16
17		.10					.13						17
18			.05								.05		18
19		.03	.11				.42						19
20	.31											.36	20
21	.08												21
22	.73		.28				.62		.05			.14	22
23	.04	.16				.02	.09		.20			.27	23
24	.08						.15		.35	.15		.06	24
25				.06		.38	.18						25
26													26
27			.10			.12	.24			.44		.05	27
28		.20				.08	.03	.02	.45	.25			28
29						.45	.08	.09			.10	.33	29
30	.25	X				.27						.02	30
31	.06	X		X		X		.14	X	.10	X	.12	31
Total	3.03	1.72	1.11	.59	1.56	1.35	4.09	4.19	1.38	1.03	2.93	3.34	YEAR'S TOTAL 26.32
Rain Days.	16	11	10	4	5	7	15	15	5	5	8	18	119

W. 8,000. X. 14.

1308

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8 JAN

Kept at Holwood Farm Somersham
in the County of ~~Huntingdon~~ Cambs
by George Argent

Lat. Long.
Time of Observation
Nearest Railway Station Somersham
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·30						·05						1
2	0·20		0·03				·04			·50	·25		2
3		0·08	0·12				·05		·53		·08	·06	3
4	0·37	0·14	0·05			·07			·20		·14		4
5		0·06	0·10		0·05	·40				·26	·28		5
6			0·08	·19			·10				·07		6
7	0·06		·05		·10	·10					·25		7
8					·06	·20							8
9					·22					·08			9
10						·18	·24				·09		10
11	0·03	0·30	·20		·20	·12						·08	11
12		0·15	·02		·43	·33		·05					12
13	0·10	0·28	·16		·11								13
14		0·25											14
15			·24										15
16			·08	·09			·09		·10				16
17	0·07	0·10		·20			·20	1·06	·20	·34	snow		17
18	0·05	0·08	·12	·16					·17		0·41	snow	18
19			·20	·08							·58	·10	19
20			·10			·40		·25			·20		20
21		snow 0·12	·39				·40		·05			1·50	21
22					·15						·08	·62	22
23		0·16						·04		·11	·04	42	23
24		0·28											24
25		0·50	·10					·23					25
26						·04		·26					26
27		0·27	1·08			·05		·15					27
28	0·06	0·32	·80							·09		·17	28
29						·10		1·82		·20		·05	29
30		X		·30		·04		·31		·10			30
31		X	0·05	X		X			X		X		31
Total	1·24	3·09	3·97	1·02	1·32	2·03	1·17	4·17	1·25	1·68	2·47	3·00	YEAR'S TOTAL 26·41
Rain Days.	9	15	19	6	8	12	8	9	6	8	12	8	120

W. 8,000, VIII. 16

1248

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Holwood Farm, Somersham
in the County of Hunts Camb
by George Argent

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Somersham
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·15				1·20	·20				1
2				·20		·15		·25					2
3								?			·15		3
4		Snow		·05						·90			4
5	0·08	·05						·07		·04			5
6			·09								·15	·10	6
7	0·42			·10		·38				·53			7
8	0·13		·10				·70	·10		·20	·10		8
9			·05	·13				·25		·07			9
10	0·09		·25					·13					10
11	0·31		·27	·08				·08			·08		11
12				·10	·03			·12		·50		·06	12
13	0·20			·04									13
14	·08	Snow											14
15	·04		·12			·44		·67		·70			15
16	·08						·18			·65	·04	·03	16
17		·10		·12	·55	·37			·28				17
18		·05				·63	·30		·88		·15		18
19			·20			·05			·10				19
20		·20	·11		·35				·20				20
21			·15			·11						·21	21
22	0·04	·06	·09		·05					·18			22
23			·05		·12			·05				·19	23
24		·04											24
25												·53	25
26			·20			·17		·50				·03	26
27								·60					27
28	·06		·07			·49				·10			28
29						1·05	1·09					·07	29
30		X	·08				·25	·10					30
31		X	·15	X		X	·44	17	X	·20	X		31
Total	1·53	·50	1·98	·97	1·10	2·84 3·84	2·96	4·29	1·66	4·14 4·07	·67	1·22	YEAR'S TOTAL ~~23·86~~ 24·79
Rain Days.	11	6	15	9	5	10	6	14	5	11	6	8	106

W. 8,000, IX. 17.

Dh

33 171A

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Holwood Farm, Somersham

in the County of ~~Huntingdonshire~~ Cambs

by J. W. Watson

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·08						·05		·21	1
2		·06						·15			·04	·11	2
3		·03	·06		·40			·86		·05	·60		3
4			·07								·41		4
5		·02	·03		·21			·11	·43				5
6		·12		·12					·57				6
7		·09		·02					·13		·08		7
8		·05							·05				8
9						·04	·10		·49	·09			9
10							·21			·02		·28	10
11					·14		·11		·26	·22		·06	11
12		·14	·02		·16		·07						12
13		·03			·13							·03	13
14	} ·90			·05					·37	·21		·04	14
15				1·30			·23		·09	·04			15
16				·60					1·05				16
17				·08	·12		·50					·14	17
18	·38					·08	·09		·21			·60	18
19	·01		·09	·05		·06						·07	19
20		·10		·07		·06			·07	·11			20
21	·01								·47				21
22	·02				·13		·03		·04			·31	22
23	·08				·34		·28		·03				23
24		·21			·01	·03	·03		·05		·13		24
25							·02	·23			·11		25
26							·76		·05		·23		26
27		·04		·03		·04					·16		27
28		·06	·08					·21			·14		28
29											·01	·15	29
30		X	·20		—				1·15			·07	30
31	·01	X		X		X			X	·07	X		31
Total	1·41	·96	·55	2·40	1·64	·31	2·43	1·56	5·51	·86	1·91	2·07	YEAR'S TOTAL 21·61
Rain Days.	7	13	7	10	9	6	12	5	17	9	10	12	117

W. 8,000, IX. 17.

1122

COPY TO P.R.O.
2 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Holwood Farm, Somersham
in the County of Huntingdonshire Cambs
by J. W. Watson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·13	·08		·19					·19	1
2								·10	·09			·02	2
3							·57		·07	·03		·15	3
4			·11	·11	·05		·12	·18	·13	·13			4
5			·05		·15		·48	·04	·13			·10	5
6			·08		·03		·25						6
7			·10				·11					·05	7
8	·17			·39									8
9	·38			·28				·08					9
10	·24		·08		·12		·06				·03		10
11	·27		·07	·36									11
12	·10			·13		·03						·32	12
13				·03		·16					·11		13
14			·32	·08					·13		·21		14
15			·27	·10									15
16									·63				16
17				·11	·09				·66			·06	17
18					·07			·35				·07	18
19	·14			·09		·58		·06					19
20	·06	·40		·28									20
21				·09			·04		·34				21
22				·15				·03	·19				22
23							·24					·39	23
24			·14										24
25		·06	·03	·05	·26		·31						25
26	·09			·05	·12		·03						26
27	·06					·34					·15	·16	27
28	·35				·28		·03						28
29	·03		·32		·70		·07					·37	29
30	·04	✕		·03			·02		·17		·06	·15	30
31		✕		✕		✕			✕	·16	✕	·11	31
TOTAL	1·93	·46	1·57	2·46	1·95	1·11	2.52	·84	1·94	·32	·56	2·14	YEAR'S TOTAL 17·80
Days with ·01 in. or more	12	2	11	17	11	4	14	7	10	3	5	13	~~109~~
△ ·04	11	2	10	15	10	3	11	6	10	2	4	12	96

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

STAPLEFORD HSE

CAMBRIDGE

1911 – 1919

FORM A2. BRITISH RAINFALL.
2 - JAN 1912

REGI

Kept at Stapleford

in the County of Cam

by J. H. H. Su

in.

nd 2 ft. 3 in.

Level 64 ft.

. m Shelford

ance 600 yds Direction N

IMPORTANT NOTE.—F result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading a the space provided for it at the end of this par of rain, the selection and placing of Rainfall Organization are given in "Rul ation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	–	–	–	–	–	·06	·04	–	–	–	–	1
2	·24	–	–	–	·08	–	·04	·01	–	–	·09	·06	2
3	–	–	–	·04	·08	–	–	·03	–	·19	–	–	3
4	·04	·04	·13	·08	–	–	–	–	–	·05	·07	·18	4
5	–	·02	–	–	–	–	–	·02	–	–	–	·25	5
6	·11	–	·05	–	–	–	–	–	–	·01	–	·23	6
7	·02	–	–	–	–	–	–	–	–	·02	·26	·15	7
8	·18	–	·15	–	–	–	–	–	–	–	·08	·08	8
9	·17	–	–	·02	–	–	–	–	–	–	–	–	9
10	–	·07 ·07	·05	–	–	–	–	–	–	–	·10	·21	10
11	·40	–	–	–	·10	–	–	–	–	–	·36	–	11
12	·04	–	·39	–	·22	–	–	–	·10	–	·17	–	12
13	–	–	·08	–	·10	·01	–	–	·16	·27	·01	·26	13
14	–	–	·08	–	·54	·06	–	–	–	–	–	·37	14
15	–	·05	·31	–	–	–	–	–	·06	04	·07	–	15
16	–	–	·06	–	–	·44	–	–	–	–	·17	·03	16
17	–	–	–	–	–	–	–	–	–	–	·02	·09	17
18	–	·19	–	–	–	·13	–	–		–	·65	·04	18
19	–	·03	–	–	·04	·60	–	–	·02	·12	·37	·02	19
20	–	–	–	–	–	–	~~·34~~	·34	·26	–	–	·44	20
21	·02	·06	–	–	–	–	~~·46~~	·16	–	·22	–	·13	21
22	·04	–	·15	–	–	·05	·–	·05	–	·09	·03	·37	22
23	–	·03	·10	–	–	·94	–	–	·30	–	–	·09	23
24	–	·04	–	–	–	·11	–	–	–	·35	–	·15	24
25	–	·04	·02	·05	–	·24	·20	·12	–	–	–	–	25
26	–	–	–	·19	–	–	·04	–	–	·09	·04	·24	26
27	–	·18	·05	·05	–	–	–	–	·16	–	·02	·02	27
28	–	·11	–	·24	–	–	–	·11	–	–	·09	·02	28
29	–		–	·09	–	·17	·12	–	·24	·23		–	29
30	–		–	–	–	·02	–	·03	·02	·08		·02	30
31	–		–		–		–	–		·03		·01	31
	1·48	·86	1·62	·76	1·16	2·77	·46	·91	1·32	1·69	2·60	3·46	TOTAL for year
Total	1·48	2·34	3·95	4·71	5·87	8·64	9·10	10·01	11·33	13·32	15·92	19·38	19·39
No. of Rain Days	11	23	36	44	51	62	67	77	86	100	117	120	
	11	12	13	5	4	11	5	10	9	14	17	23	140

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Stapleford House

in the County of Cambridge 2

by J. H. H. Linton

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 3 in.
" " " Sea Level 64 ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Shelford
Distance 600 yds Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	–	–	–	–	–	·06	·04	–	–	–	–	1
2	·24	–	–	–	·08	–	·04	·01	–	–	·09	·06	2
3	–	–	–	·04	·08	–	–	·03	–	·1·9	–	–	3
4	·04	·04	·13	·08	–	–	–	–	–	·05	·07	·18	4
5	–	·02	–	–	–	–	–	·02	–	–	–	·25	5
6	·11	–	·05	–	–	–	–	–	–	·01	–	·23	6
7	·02	–	–	–	–	–	–	–	–	·02	·26	·15	7
8	·18	–	·15	–	–	–	–	–	–	–	·08	·08	8
9	·17	–	–	·02	–	–	–	–	–	–	–	–	9
10	–	·07 ·07	·05	–	–	–	–	–	–	–	·10	·21	10
11	·40	–	–	–	·10	–	–	–	–	–	·36	–	11
12	·04	–	·39	–	·22	–	–	–	·10	–	·17	–	12
13	–	–	·08	–	·10	·01	–	–	·16	·27	·01	·26	13
14	–	–	·08	–	·54	·06	–	–	–	–	–	·37	14
15	–	·05	·31	–	–	–	–	–	·06	04	·07	–	15
16	–	–	·06	–	–	·44	–	–	–	–	·17	·03	16
17	–	–	–	–	–	–	–	–	–	–	·02	·09	17
18	–	·19	–	–	–	·13	–	–	–	–	·65	·04	18
19	–	·03	–	–	·04	·60	–	–	·02	·12	·37	·02	19
20	–	–	–	–	–	–	~~·34~~	·34	·26	–	–	·44	20
21	·02	·06	–	–	–	–	~~46~~	·16	–	·22	–	·13	21
22	·04	–	·15	–	–	·05	·–	·05	–	·09	·03	·37	22
23	–	·03	·10	–	–	·94	–	–	·30	–	–	·09	23
24	–	·04	–	–	–	·11	–	–	–	·35	–	·15	24
25	–	·04	·02	·05	–	·24	·20	·12	–	–	–	–	25
26	–	–	–	·19	–	–	·04	–	–	·09	·04	·24	26
27	–	·18	·05	·05	–	–	–	–	·16	–	·02	·02	27
28	–	·11	–	·24	–	–	–	·11	–	–	·09	·02	28
29	–		–	·09	–	·17	·12	–	·24	·23		–	29
30	–		–	–	–	·02	–	·03	·02	·08		·02	30
31	–		–		–		–	–		·03		·01	31
	1·48	·86	1·62	·76	1·16	2·77	·46	·91	1·32	1·99	2·60	3·46	
Total	1·28	2·34	3·95	4·71	5·87	8·64	9·10	10·01	11·33	13·32	15·92	19·38	TOTAL for year 19·39
No. of Rain Days	11	23	36	44	51	62	67	77	86	100	117	120	
	11	12	13	5	4	11	5	10	0	14	17	23	140

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

6 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Stapleford House

in the County of Cambridge 2

by J. H. H. Linton

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 3 in.
" " " Sea Level 64 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Shelford
Distance 600 yds Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–	–	·04	·12	–	·10	·29	–	·06	1
2	–	–	–	·02	–	–	·30	–	–	–	–	–	2
3	·12	–	–	–	·12	·12	–	·25	–	–	–	·18	3
4	·05	–	·38	–	·07	·54	–	·08	–	–	·25	–	4
5	·09	·06	·33	–	–	–	–	·11	–	–	·08	–	5
6	·22	·03	–	–	·01	·36	·40	·33	–	–	–	·04	6
7	·03	–	–	–	–	·74	·19	·08	–	–	–	·01	7
8	·23	·13	·08	–	–	·04	–	·04	·18	–	–	–	8
9	–	–	–	·10	–	·08	–	–	–	–	–	·20	9
10	–	·02	–	–	–	–	–	·24	·05	–	·15	·04	10
11	·10	·16	–	–	–	·01	–	·05	–	–	–	·05	11
12	·11	·02	·04	–	·05	–	–	–	–	–	·09	–	12
13	–	–	–	–	–	·01	·09	–	–	–	·28	–	13
14	–	–	·01	–	·03	·04	–	·03	·08	·05	·01	·04	14
15	–	·01	·12	–	·20	·24	–	·04	–	–	–	·12	15
16	·31	–	·02	–	·06	·07	–	·06	–	·03	·05	–	16
17	·26	–	·18	–	–	·13	–	·02	–	–	–	·05	17
18	·03	–	·11	–	–	–	–	·05	–	–	·06	·15	18
19	·12	·09	·18	–	–	–	·25	·31	–	–	·02	–	19
20	·03	·04	·09	–	–	–	–	·19	–	·31	–	–	20
21	·01	–	·48	–	·29	–	–	·90	–	·24	·07	–	21
22	·51	·07	–	–	·12	–	·02	·17	–	–	–	·03	22
23	·60	·35	·29	–	·01	–	–	·71	·01	–	·22	·07	23
24	·24	–	–	–	–	–	·12	·17	–	–	–	·06	24
25	–	–	–	–	–	·10	–	·83	–	–	·18	·37	25
26	–	–	–	–	–	·08	·14	1·85	–	·39	·27	·27	26
27	–	–	–	–	–	–	–	–	–	·09	–	·14	27
28	–	·03	–	–	–	–	·09	–	·10	·20	·13	·26	28
29	–	–	–	–	–	·23	·14	·42	·75	·24	·10	–	29
30	–		–	–	·19	·01	–	–	·52	·09	–	–	30
31	–		·05		·02		·13	·22		·08		·05	31
Total	3·06	1 01 4·07	2 36 6·23	12 6·55	1 17 7·72	2 84 10·56	1 99 12·55	7 15 19·70	1 79 21·49	2 01 23·50	1 98 25·48	2 19 27·67	TOTAL for year 27·67
No. of Rain Days	17	29	43	45	57	74	86	109	117	128	143	162	162

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Stapleford House
in the County of Cambridge 2
by J. H. H. Linton

Lat. Long.
Time of Observation 9 oclock
Nearest Railway Station Shelford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 64 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·14	·04	20	-	-	-	-	·55	-	·03	·05	1
2	·03	·10	-	-	·09	-	·18	-	·20	·04	-	-	2
3	-	-	·18	-	·68	-	-	-	-	-	-	·03	3
4	·06	-	-	-	·08	-	·17	-	-	·11	·05	·26	4
5	·04	-	-	-	-	-	·01	-	-	·56	·03	-	5
6	-	·02	·04	-	·11	·54	·09	-	-	·03	-	-	6
7	-	·06	-	-	·06	-	-	-	-	·27	·03	-	7
8	-	-	-	-	·20	·11	-	-	-	·02	·06	-	8
9	-	·24	·05	·01	-	·13	·03	-	·04	-	·04	-	9
10	-	-	·01	·09	-	-	·13	-	-	-	·31	-	10
11	78	-	-	·38	-	-	-	·02	-	·05	·27	-	11
12	-	-	-	-	·05	-	-	·01	-	-	·04	-	12
13	-	-	-	-	-	-	-	·01	-	-	·47	-	13
14	·03	-	-	-	-	-	·49	-	-	·28	·04	-	14
15	·19	·04	·12	·06	-	-	·14	-	-	-	-	-	15
16	·09	-	·19	·06	-	-	-	-	·14	-	-	-	16
17	·04	-	·25	·11	-	1·62	·05	-	-	-	-	·10	17
18	-	-	·10	·17	-	-	·02	-	-	-	·04	-	18
19	·09	-	·09	-	-	-	·08	-	·34	-	-	·09	19
20	·10	-	·04	·01	-	-	-	-	-	·28	-	-	20
21	-	-	·08	·02	·03	-	·02	-	-	-	·27	-	21
22	·27	-	·12	·02	-	-	·02	·40	·10	-	-	-	22
23	-	-	-	-	-	·04	·02	·11	-	-	-	·05	23
24	-	-	-	-	-	·03	-	~~[illegible]~~	-	-	-	-	24
25	·01	-	-	·15	-	-	·01	-	-	-	-	·02	25
26	-	·02	·16	-	-	-	-	·02	-	·76	-	·15	26
27	-	·03	·10	·03	53	·04	-	·02	-	·07	·02	-	27
28	·15	-	·02	·03	-	-	-	~~[illegible]~~	-	·09	-	·03	28
29	·15		·09	·17	·27	-	-	·07	-	·04	-	-	29
30	·24		-	·14	-	-	-	·05	-	·08	·19	·01	30
31	-		-		-		-	·01	-	·08		-	31
Total	2·34	·65 2·99	1.68 4·67	1·65 6·32	2·10 8·42	2·51 10·93	1·46 12·39	·87 13·26	1·37 14·63	2·76 17·39	1·89 19·28	·79 20·07	YEAR'S TOTAL 20·07
Rain Days.	16	8 24	17 41	16 57	10 67	7 74	15 89	10 99	6 105	15 120	15 135	10 145	145

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

2 - JAN 1915

Kept at Stapleford House

in the County of Cambridge 2

by J. H. W. Linton

Lat. .... Long. ....

Time of Observation 9 o'clock

Nearest Railway Station Shelford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 64 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	·01	·15	–	–	·08	~~0~~	1
2	–	–	–	·03	–	–	·04	·02	–	–	·08	·07	2
3	·02	–	·12	–	·07	–	·40	·08	–	–	·20	–	3
4	·15	–	·01	·11	–	–	–	·18	–	–	·35	·14	4
5	–	–	·05	·15	·16	·02	·18	·30	–	–	–	–	5
6	–	–	–	–	·01	·10	·05	·02	–	–	·13	·06	6
7	–	–	·33	·08	·36	·08	–	–	–	–	–	·25	7
8	·10	·08	·47	·03	·07	·44	–	·12	–	–	–	–	8
9	·54	·04	·46	·09	–	·51	–	–	–	–	–	·81	9
10	·42	·08	·03	·08	·07	–	–	–	·09	–	–	·02	10
11	–	·09	·21	·03	·07	·13	–	–	–	–	·29	·13	11
12	–	–	·07	–	–	·01	–	–	·47	–	·02	·16	12
13	–	·14	·19	–	–	–	–	–	·01	·33	·03	·26	13
14	–	–	·17	–	–	–	·24	–	–	·43	·07	·70	14
15	·09	–	·26	–	–	–	·10	·05	·01	–	·05	·10	15
16	–	–	·08	–	–	–	·07	–	–	–	·04	–	16
17	–	·29	·01	–	–	–	–	–	·07	–	–	–	17
18	–	·05	·02	–	–	–	–	–	–	–	–	·24	18
19	–	·06	·19	–	–	·10	·07	–	–	–	·24	·02	19
20	–	·07	·28	–	–	·08	–	–	–	–	–	·07	20
21	–	·20	·14	–	–	·23	–	–	–	–	–	·13	21
22	–	–	–	–	·24	–	·02	·04	–	·38	–	–	22
23	–	–	·02	–	·06	–	–	–	–	·16	–	·02	23
24	·01	–	–	·12	–	·01	·12	–	–	·12	·18	–	24
25	–	–	·11	–	–	–	–	·10	–	·30	–	·07	25
26	–	–	·03	–	–	–	–	·12	–	·03	·06	·39	26
27	·04	–	·05	–	–	–	·05	–	–	–	–	·09	27
28	–	·02	–	–	–	–	–	–	–	·09	·52	1·44	28
29	–	✕	·03	–	–	–	–	–	–	·27	·06	–	29
30	–	✕	·03	–	–	–	–	–	–	·03	·17	08	30
31	✕	✕	–	✕	·16	✕	·06	–	✕	–	✕	05	31
Total	1·37	1·12 2·49	3·36 5·85	1·72 6·57	1·27 7·84	1·71 9·55	1·41 10·96	1·18 12·14	·65 12·79	2·14 14·93	2·57 17·56	5·30 22·80	YEAR'S TOTAL 22·80
Rain Days.	8	11 19	24 43	9 52	10 62	11 73	13 86	11 97	5 102	10 112	17 129	22 151	151

W.7,000, XI, 13

1298

FORM A.
BRITISH RAINFALL.
4 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Stapleford House
in the County of Cambridge 2
by J. H. H. Linton

Lat. Long.
Time of Observation 9 oclock
Nearest Railway Station Shelford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 64 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	·09	–	–	·09	–	–	–	·07	–	~~·01~~	·15	1
2	·08	·08	·21	·08	–	·02	–	·35	–	·01	·01	·07	2
3	·22	–	·08	·17	–	–	·01	·52	·02	–	–	·13	3
4	·14	–	–	–	–	–	–	–	–	·08	·05	·45	4
5	·02	·16	–	–	·03	–	–	·02	–	·09	–	·16	5
6	·22	–	·12	·27	–	–	·94	·11	–	–	–	–	6
7	·08	·22	·05	–	–	–	·42	·12	–	–	–	·16	7
8	–	·16	–	·01	–	–	–	–	–	–	–	–	8
9	·04	·04	–	·02	–	·02	–	–	–	·02	·18	·50	9
10	·27	–	·03	–	–	–	–	·18	–	–	·02	·06	10
11	·01	–	·05	–	·02	–	–	–	–	–	·65	–	11
12	·10	–	–	·49	·30	–	–	·44	–	·04	·73	·05	12
13	·05	·39	–	–	1·21	–	–	·15	–	~~[illegible]~~	–	–	13
14	–	·16	–	–	–	–	·34	·03	·06	–	–	·25	14
15	·12	–	–	–	·02	–	·01	·33	–	–	·23	·04	15
16	–	·15	–	–	–	–	·36	·17	–	04	–	–	16
17	–	·19	–	–	·10	–	·12	·83	–	–	·02	–	17
18	–	·13	·20	–	–	–	–	–	–	–	·10	–	18
19	–	–	·01	–	–	–	·10	–	–	·02	–	–	19
20	·29	–	–	·09	–	–	–	–	–	–	–	·36	20
21	·10	–	–	–	·02	–	·04	–	–	–	–	·06	21
22	·84	·02	·41	·02	–	–	·55	–	·02	–	–	·15	22
23	–	·13	·06	–	–	·04	·17	–	·37	13	–	·21	23
24	–	–	·21	–	–	–	–	–	–	–	–	·07	24
25	–	–	·01	–	–	·40	·10	–	–	·02	–	·06	25
26	–	·06	–	–	–	·02	·05	–	–	–	–	·17	26
27	–	·09	–	–	–	·15	·36	–	–	·38	–	·01	27
28	–	·04	–	–	–	·26	–	·05	70	·09	–	–	28
29	–		–	–	–	·43	·16	14	–	–	·04	·09	29
30	·03	✕	–	–	–	·41	·03	–	–	–	–	–	30
31	·02	✕	–	✕	–	✕	–	·09	✕	·12	✕	·12	31
Total	2·85	4·96 2·11	6·40 1·44	7·55 1·15	9·34 1·79	11·09 1·75	14·85 3·76	18·38 3·53	19·62 1·24	20·66 1·04	22·69 2·03	26·01 3·32	YEAR'S TOTAL 26·01
Rain Days.	18	34	46	54	62	71	87	102	108	120	130	151	151
W. 8,000. X. 14.		16	12	8	8	9	16	15	6	12	10	21	✓

1277

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF ~~15~~ RAINFALL IN 1916

Kept at Stapleford House
in the County of Cambridge
by J. H. H. Linton

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Shelford G.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 64 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·14	-	·16	·04	-	-	-	-	·18	-	1
2	·30	-	·06	-	·13	-	-	-	·09	·25	-	-	2
3	-	·27	·01	-	-	-	·01	-	·22	·17	·21	-	3
4	·27	·13	-	-	-	·13	-	-	·28	·34	·23	-	4
5	-	-	-	·01	·01	·10	·24	-	-	·08	·30	·01	5
6	-	·08	·13	·25	-	·06	·09	-	-	·06	·26	-	6
7	·13	-	·10	-	·27	·02	·27	-	-	·08	·36	·05	7
8	-	-	·01	-	·18	-	-	-	-	-	-	·20	8
9	·01	-	·01	-	-	-	-	-	-	-	-	·05	9
10	-	·04	·15	·07	-	·08	·17	-	-	-	-	·08	10
11	·05	·24	·04	·13	·07	·12	-	-	-	-	-	-	11
12	·05	-	·01	-	·38	·29	·08	·08	·02	·27	-	-	12
13	-	·40	·04	·03	·18	·15	·31	·12	-	·01	-	-	13
14	-	·57	·02	·07	·06	·02	-	·09	-	-	-	·08	14
15	-	·24	·26	-	-	-	-	·38	-	-	-	-	15
16	-	·03	·08	·21	·03	-	·15	·02	-	·11	-	-	16
17	·05	·03	-	·17	-	-	·14 ~~·12~~	-	·27	·27	-	-	17
18	-	·08	·01	·08	-	-	-	·32	·24	-	·34	-	18
19	·03	-	·06	-	-	-	-	·06	-	·03	·73	·04	19
20	·10	·04	·19	-	-	-	-	·10	-	-	·07	·17	20
21	-	·12	·64	-	-	-	·29	-	-	-	-	·43	21
22	-	·10	-	-	·20	-	-	-	-	-	-	·45	22
23	-	·77	-	-	-	·12	-	-	-	·02	·06	·12	23
24	-	·12	-	-	-	·04	-	·06	-	·10	-	·35	24
25	-	·13	·16	-	·02	-	-	·13	-	·10	·08	·03	25
26	-	·07	·05	-	-	·07	-	·02	-	·01	·03	-	26
27	·07	·34	·75	-	-	-	-	·03	-	·15	-	-	27
28	-	·22	·21	-	-	·12	-	-	·06	-	-	·15	28
29	-	·11	-	-	-	·11	-	1·20	-	·14	-	·03	29
30	-	╳	-	-	·07	·02	-	·34	-	·33	-	-	30
31	-	╳	-	╳	-	╳	-	·03	╳	·05	╳	-	31
Total	1·06	4·13 5·19	3·13 8·32	1·02 9·34	1·76 11·10	1·49 12·59	1·75 14·34	2·98 17·32	1·18 18·50	2·57 21·07	2·85 23·92	2·24 26·16	YEAR'S TOTAL 26·16
Rain Days.	10	31	53	62	75	91	101	116	123	142	154	169	169
	10	21	22	9	13	16	10	15	7	19	12	15	169

W. 8,000. X. 15.

1225

REGISTER OF RAINFALL IN 1917

FORM
BRITISH RAINFALL.

12. JAN. 1918

Kept at Stapleford House

in the County of Cambridge

by J. H. H. Linton

Lat. Long.

Time of Observation 9 oclock

Nearest Railway Station Shelford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 64 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·05	-	·08	-	-	-	1·06	·14	-	·22	-	1
2	·04	-	-	·21	-	·03	-	·20	-	-	·05	-	2
3	-	-	-	-	-	-	-	·47	-	·21	·08	-	3
4	-	-	-	-	-	-	-	·03	-	·62	-	-	4
5	·25	-	-	·16	-	·03	-	·08	·01	·04	·02	-	5
6	-	-	-	-	-	-	-	-	·02	·08	-	-	6
7	·16	-	-	-	-	-	-	-	-	·30	-	-	7
8	·09	-	-	·10	-	-	1·35	·13	-	·24	·11	·10	8
9	-	-	·06	-	-	-	-	·16	-	-	·09	·12	9
10	·28	-	·09	·16	-	-	-	·04	-	-	-	-	10
11	·04	-	·61	·04	-	-	-	-	-	·14	-	-	11
12	·09	-	-	·04	·06	-	-	·12	-	·25	-	-	12
13	·10	-	-	-	-	·45	-	·05	·03	·06	-	-	13
14	·04	-	·02	·10	-	-	-	·02	-	-	-	-	14
15	·02	-	-	-	~~·06~~	-	-	-	-	·01	-	-	15
16	-	·09	-	·20	·06	·03	·06	-	-	·58	-	·04	16
17	·01	-	-	·21	·60	-	·25	·03	·34	·28	-	-	17
18	·05	-	·01	·09	~~·30~~	·09	·30	·04	·45	-	-	-	18
19	·01	·06	·11	-	·30	-	-	-	·20	-	-	-	19
20	·03	·29	·09	-	·13	-	-	-	-	-	·19	-	20
21	-	-	·05	-	-	-	-	-	-	-	-	-	21
22	-	·02	·08	-	~~·17~~	-	-	·08	-	·13	-	-	22
23	-	-	-	-	·17	-	-	·12	·03	-	-	-	23
24	-	·06	-	-	-	·25	-	·12	-	·14	·05	·16	24
25	-	-	·05	-	-	-	-	-	-	-	·03	-	25
26	-	-	·02	-	-	·02	-	·16	·02	-	·44	-	26
27	-	-	·03	-	-	-	-	·40	-	-	-	-	27
28	-	·03	·07	-	-	1·18	-	·08	-	·01	-	·04	28
29	-	×	-	-	·05	·48	·86	·15	-	·23	-	·16	29
30	-	×	·11	-	-	-	·95	·10	-	-	-	-	30
31	·03	×	·36	×	-	×	·32	·11	×	-	×	·02	31
Total	1·24 1·24	·60 1·84	1·76 3·60	1·39 4·99	1·37 6·36	2·56 8·92	4·09 13·01	3·75 16·76	1·24 18·00	3·32 21·32	1·28 22·60	·64 23·24	YEAR'S TOTAL 23·24
Rain Days.	15 15	7 22	15 37	11 48	7 55	9 64	7 71	22 93	9 102	16 118	10 128	7 ~~23·24~~ 135	135

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
2. 1. 19

Kept at Stapleford House
in the County of Cambridge
by J. H. H. Linton

Lat. .... Long. ....
Time of Observation 9. o'clock
Nearest Railway Station Shelford G.E.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 3 in.
" " " " Sea Level 64 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	·04	–	–	–	·03	·11	1
2	[illegible]2	·11	–	·09	–	–	–	·02	–	–	–	·14	2
3	–	·04	·09	–	·45	–	–	·06	·13	–	·65	·02	3
4	–	–	·03	–	–	–	–	–	·68	·03	·20	–	4
5	–	–	–	–	·14	–	–	·14	·10	·07	–	–	5
6	–	·12	–	·13	–	–	–	–	·37	–	–	·06	6
7	·04	·09	–	·07	–	–	–	–	·01	·10	·08	–	7
8	–	–	–	–	–	–	–	–	·22	–	·09	–	8
9	·02	·03	–	·02	–	–	·21	–	·27	·17	–	·04	9
10	·08	–	–	·04	–	–	·12	–	·03	–	–	·20	10
11	–	–	–	–	·17	–	–	–	·15	·31	·06	·08	11
12	–	·16	–	–	·22	–	·04	–	·17	·05	–	·01	12
13	–	·03	–	–	·29	–	·03	–	·09	–	–	·15	13
14	·13	–	–	–	–	·15	·02	–	·30	·26	–	·08	14
15	·84	–	–	1·59	–	–	·28	–	–	–	–	·06	15
16	·10	–	–	·38	–	–	–	–	·65	–	–	–	16
17	·13	–	–	·22	–	–	·77	–	–	–	–	·07	17
18	·40	–	–	–	–	–	·40	–	·55	–	–	·29	18
19	–	·05	·13	·05	–	·12	·20	–	–	·11	–	·08	19
20	·01	–	–	·22	–	·12	·13	–	·05	·10	–	–	20
21	–	–	–	–	–	–	–	–	·66	·12	–	–	21
22	·01	–	–	–	·17	–	·09	–	·06	–	–	·26	22
23	·08	–	–	–	·65	–	·16	·05	·12	–	–	·03	23
24	–	·15	–	–	–	–	–	–	·09	–	·09	–	24
25	–	–	–	–	–	–	·06	·23	–	–	·09	–	25
26	–	–	–	–	–	–	·63	–	–	·08	·18	–	26
27	–	–	–	·35	–	–	·02	·19	·09	–	·11	·09	27
28	–	·04	·08	–	–	·04	–	·04	–	–	·23	·02	28
29	–	✕	–	–	–	–	–	–	1·63	–	·03	·10	29
30	–	✕	·41	–	–	–	–	·07	·05	–	·12	·15	30
31	–	✕	·04	✕		✕	–	·02	✕	·03	✕	·07	31
Total	1·86	·82 2·68	·78 3·46	3·16 6·62	2·09 8·71	·43 9·14	3·20 12·34	·82 13·16	6·47 19·63	1·43 21·06	1·96 23·02	2·11 25·13	YEAR'S TOTAL 2513
Rain Days.	12	10 22	6 28	11 39	17 26	4 50	16 66	9 75	97	12 109	13 122	21 143	143

W. 8,000, IX. 17.

~~122~~ cord forward fly B

1159

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Stapleford House

in the County of Cambridge

by J. H. H. Linton

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Shelford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 64 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	–	–	–	·08	·03	·26	–	–	·06	–	·98	1
2	·18	–	·01	–	·01	–	·11	–	·14	·03	·19	·53	2
3	·24	–	·25	–	–	–	·08	–	·07	–	–	·10	3
4	·07	–	·24	–	–	·08	·10	·06	–	–	–	·17	4
5	·04	·28	·23	–	·01	–	·35	–	·16		·03	·18	5
6	–	–	·10	–	–	–	–	–	–	–	·04	–	6
7	·01	–	·30	–	–	–	–	–	–	–	·12	–	7
8	·05	–	·05	·09	–	–	–	–	–	–	·14	–	8
9	–		·05	–	–	–	–	–	–	·01	·08	–	9
10	–	–	·12	·09	–	–	–	–	–	–	–	–	10
11	·06	–	·12	·11	–	–	·49	–	–	–	·03	·07	11
12	–	–	·12	·01	–	·06	·10	–	–	·08	·04	–	12
13	·13	–	–	·11	–	–	·02	–	–	–	–	–	13
14	·16	–	–	·17	–	–	–	–	·10	·03	–	–	14
15	·29	·01	·10	·07	–	–	–	–	–	–	·05	·11	15
16	–	·72	–	·02	–	–	–	·09	–	–	·08	–	16
17	–	·68	·03	–	–	–	–	–	–	–	·22	–	17
18	–	·11	·02	–	–	–	–	·11	–	–	·05	·10	18
19	–	·07	·23	–	–	·18	·14	·26	·03	–	–	·06	19
20	·14	–	·04	–	–	·61	·49	·32	·02	–	–	–	20
21	·41	·28	–	–	–	·02	·65	–	–	–	·03	·10	21
22	–	·30	–	–	–	–	·16	·04	·19	–	·04	·52	22
23	–	–	–	–	–	·06	·16	–	·04	–	–	·09	23
24	–	–	–	·20	–	·18	·01	–	–	–	·03	–	24
25	·08	–	–	·11	·15	–	–	·16	–	–	–	·09	25
26	·20	·48	·26	·16	–	–	–	·11	·07	–	–	·15	26
27	·63	·10	–	·75	–	–	–	·20	–	·02	–	·01	27
28	–	–	–	·27	–	–	·02	·74	–	·11	·13	·29	28
29	–	X	–	·08	–	–	–	·13	–	·16	·01	·09	29
30	–	X	–	·29	–	·23	–	–	–	·04	·15	·12	30
31	–	X	–	X	–	X	–	·03	X	·06	X	(·06)	31
Total	2·90	5·93	8·20 ~~8·00~~	10·53	10·78	12·23	15·37	17·62	18·44	19·04	20·50	24·32	YEAR'S TOTAL
Rain Days.	16	26	43	58	62	71	86	97	106	116	134	153	
	2·90	3·03	2·27	2·53	·25	1·45	3·14	2·25	·82	·60	1·46	3·82	24·52
	16	10	17	18	4	9	15	12	9	10	18	18	153

W. 8,000, IX. 17.

82

251

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

—

ST~~R~~ANGROUND

SLUICE

CAMBRIDGE

1911 - 1920

R

Kept at Strangro

in the County of Ca

by A. Lunn

l

8 in.

Ground 1 ft. 6 in.

Sea Level ft. 1220

Name

Distance Direction

IMPORTANT NO … the result entered to the previous day. If an … versal rule, he is earnestly requested to add the re… ear in the space provided for it at the end of t… ment of rain, the selection and plac… itish Rainfall Organization are given i… application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·03	1
2	·14				·07			·02			·08	·05	2
3	·02	·02			·10			·05				·04	3
4	·04	·04	·09	·08					·14	·55	·16	·20	4
5								·04		·02		·07	5
6	·28									·03		·19	6
7											·19	·33	7
8	·20		·09						·24		·03	·09	8
9	·09			·04						·04	·02	·01	9
10	·02	·12	·12								·03	·18	10
11	·12										·34		11
12	·05		·36			·15			·05		·12	·01	12
13	·07	—	·06			·06			·24			·30	13
14		·04	·02		·38	·02				·02		·45	14
15		·05	·11							·03	·08		15
16			·02			·05					·40	·06	16
17						·12					·16	·12	17
18		·19				·14					·15	·03	18
19		·02			·07	·06		·01	·04	·02	·24	·03	19
20								·35	·11	·07		·40	20
21		·11						·48		·09		·16	21
22	·04	·09	·14	·03				·08		·11		·36	22
23		·05	·12			1·02		·04	·42			·10	23
24		·05				·27				·27		·12	24
25		·02	·07	·07		·06				·01	·03	·03	25
26				·24		·02				·22	·20	·28	26
27		·18		·19					·18	·05		·03	27
28		·14		·11				·22			·05	·04	28
29		×		·02		·16	·11		·19	·22	·01		29
30		×		·04	·03				·03	·08			30
31		×		×		×			×	·02	×		31
Total	1·07	1·12	1·20	·82	·65	2·13	·11	1·29	1·64	1·85	2·29	3·71	TOTAL for year 17·88
No. of Rain Days	11	14	11	9	5	12	1	9	10	17	17	26	142

9,000, IX. '10.

8L

R

251

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Strangground Sluice
in the County of Cambs 3
by A. Lunn

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level ft. 1220
Time of Observation
Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												.03	1
2	.14				.07			.02			.08	.05	2
3	.02	.02			.10			.05				.04	3
4	.04	.04	.09	.08					.14	.55	.16	.20	4
5								.04		.02		.07	5
6	.28									.03		.19	6
7											.19	.33	7
8	.20		.09						.24		.03	.09	8
9	.09			.04						.04	.02	.01	9
10	.02	.12	.12								.03	.18	10
11	.12										.34		11
12	.05		.36			.15			.05		.12	.01	12
13	.07		.06			.06			.24			.30	13
14		.04	.02		.38	.02				.02		.45	14
15		.05	.11							.03	.08		15
16			.02			.05					.40	.06	16
17						.12					.16	.12	17
18		.19				.14					.15	.03	18
19		.02			.07	.06		.01	.04	.02	.24	.03	19
20								.35	.11	.07		.40	20
21		.11						.48		.09		.16	21
22	.04	.09	.14	.03				.08		.11		.36	22
23		.05	.12			1.02		.04	.42			.10	23
24		.05				.27				.27		.12	24
25		.02	.07	.07		.06				.01	.03	.03	25
26				.24		.02				.22	.20	.28	26
27		.18		.19					.18	.05		.03	27
28		.14		.11				.22			.05	.04	28
29		X		.02		.16	.11		.19	.22	.01		29
30		X		.04	.03				.03	.08			30
31		X		X		X			X	.02	X		31
Total	1.07	1.12	1.20	.82	.65	2.13	.11	1.29	1.64	1.85	2.29	3.71	TOTAL for year 17.88
No. of Rain Days	11	14	11	9	5	12	1	9	10	17	17	26	142

9,000, IX. '10.

Ex. HRb

244

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Stranground Sluice

in the County of Cambridgeshire 3

by A. Lunn

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·14		·03	·06			·17	1
2			·03		·01	·27	·42						2
3	·12		·07		·01	·45		·34	·03			·11	3
4	·04		·34		·07	·26		·07			·30		4
5	·06		·40			·05		·07			·06		5
6	·48	·27				·24	·63	·27					6
7						·88							7
8	·26	·12	·09			·12	·11		·12				8
9		·15	·02	·06		·63		·02				·08	9
10			·02					·03	·10		·04		10
11	·12					·02			·03			·21	11
12	·11	·12	·06		·06	·07					·06		12
13	·03					·09					·27	·02	13
14	·02		·03			·03				·05	·01		14
15		·02	·07		·67	·19		·06				·05	15
16	·38		·05		·05	·05		·06		·04			16
17			·12			·19	·02	·18				·18	17
18	·23		·06					·04		·02			18
19	·34	·10	·03				·12	·26			·04		19
20	·09				·03		·06	·42		·26			20
21			·17		·41			·50		·10	·05		21
22	·15	·05			·14		·85	·21		·01			22
23	·12	·23	·24				·87	·60			·07	·33	23
24	·20	·02				·04	·09	·18	·02			·10	24
25						·12	·04	·59			·17	·28	25
26		·02				·10	·20	1·61		·60	·23	·29	26
27						·04	·07			·30		·13	27
28		·02					·03	·45		·23	·21	·60	28
29				·02		·06	·26	·07	·59	·37	·10		29
30		×			·69	·01			·22	·13			30
31		×	·08	×	·07	×	·50	·14	×		×		31
Total	2·75	1·12	1·88	·08	2·21	4·05	4·27	6·20	1·17	2·11	1·61	2·55	TOTAL for year 30·00
No. of Rain Days.	16	11	17	2	11	22	15	22	8	11	13	13	161

W. 8,000, X. '11.

25·2

FORM A.
BRITISH RAINFALL.

1220

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Stranground Sluice
in the County of Cambridgeshire 3
by A. Lunn

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·03	·08	·02					·41		·10		1
2		·05	·02				·10		·09				2
3			·10		·51				·02	·02			3
4	·23				·08	·03				·22	·15	·23	4
5	·02					·02			·02	·41	·02	·08	5
6			·03		·43	·16	·15						6
7		·03			·06	·05	·05			·48			7
8					·30	·09				·22	·12		8
9		·21			·03	·06			·01		·07		9
10	·02				·25		·16				·46		10
11	·73			·39				·34			·03		11
12					·02						·13		12
13											·38		13
14	·11	·03	·21				·33			·10	·02		14
15	·12	·02	·15	·18									15
16	·02		·60	·07					·08				16
17	·08	·02	·14	·10		·63	·05				·03	·07	17
18			·10	·09			·04		·65			·03	18
19	·09		·08				·02		·03			·02	19
20	·06		·12	·04					·05	·33			20
21			·15		·02		·07				·21		21
22	·19		·13						·14				22
23			·06					·07	·04				23
24	·03					·03							24
25				·14		·03							25
26		·03	·16	·05						·60		·14	26
27		·02	·01								·05		27
28	·20		·05	·08		·02				·08			28
29	·07	×	·15	·52	·08			·14		·09			29
30	·14	×		·03				·02		·04	·08		30
31		×		×	·05	×		·57	×		×		31
Total	2·14	·44	2·34	1·71	1·83	1·12	·97	1·14	1·54	2·59	1·85	·57	YEAR'S TOTAL 18·24
Rain Days.	16	9	18	12	11	10	9	5	11	11	14	6	132

W. 7,500, XI. 12

88/

6X M.F.

REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL. FORM A.

245

1220

28 JAN 1915

Kept at Stranground Sluice

in the County of Cambridgeshire

3

by A. Lunn

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.03		.04	.25			.08	.04	1
2				.03			.06	.14			.06	.11	2
3			.03		.13		.08				.05		3
4	.20		.02	.19				.06			.33	.11	4
5			.05	.09	.06	.01	.08	.14					5
6		.03			.03	.04	.17	.02			.29		6
7		.03	.40			.08							7
8	.08	.05	.04		.12	.69	.04	.12				.06	8
9	.57	-	.19	.09		1.02			.04			.05	9
10	.37	.05		.04	.02			.01					10
11		.04	.27	.02	.14	.03			.15		.28	.19	11
12			.05				.25		.24			.18	12
13	.03	.11	.13							.23	.08	.22	13
14			.13				.02			.63	.12	.35	14
15	.02	.03	.20					.02	.02		.10	.21	15
16			.02				.07		.02		.03		16
17		.20							.19			.07	17
18							.08					.37	18
19		.04	.22			.59	.27				.09	.01	19
20		.03	.27						.04	.02			20
21		.14	.16			.05		.02				.17	21
22					.25	.05	.12	.18		.14			22
23			.03		.03	.01	.02			.02		.03	23
24			.04	.04			.04	.05		.19	.13		24
25										.44		.07	25
26			.12				.03	.17		.04	.13	.32	26
27	.03		.02								.02	.15	27
28		.04			.03					.15	.06	1.01	28
29		×	.09		.04					.31	.05		29
30		×			.04					.03	.18	.25	30
31		×		×		×	.11		×		×	.08	31
Total	1.30	.79	2.48	.50	.92	2.57	1.48	1.18	.70	2.20	2.08	4.05	YEAR'S TOTAL. 20.25
Rain Days.	7	12	20	7	12	10	16	12	7	11	17	21	152

W.7,000, XI. 13

1341
~~238~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Stranground Sluice
in the County of Cambridgeshire 3
by A. Lunn

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·24			·18				·05		·11	·10	1
2	·11	·13	·15	·04		·02	·01	·55	·06	·01	·02		2
3	·27		·05	·15			·17	·47	·11		·02	·16	3
4	·28						·49	·46				·47	4
5	·02	·07			·10			·03			·04	·21	5
6	·10	·03	·04	·14			·46	·11				·18	6
7	·04	·29	·12			·21	·03	·14				·15	7
8		·13	·03	·01			·06	·03					8
9	02		·02			·05				·03	·13	·45	9
10	·27		·02					05			·04		10
11			·01		·10		·19				·40		11
12	06			·20	·33		·03	·13		·01	1·08	·07	12
13	·02	·35			·95								13
14		·01					·02			·01		·18	14
15	·22				·05			·37			19	·09	15
16		·15					·60			·01		·08	16
17		·18					·07				·02	·02	17
18		·03	·16								·06		18
19		·02	·11				·06			·05			19
20	·24		·03									·30	20
21	·07	·04	·29		·12		·09					·02	21
22	·30		·04	·06			27		·03			·20	22
23		·10				·01	·07		·10	·12	·02	·24	23
24		·01					·05		·35	·01		·13	24
25						·30	·03			·04		·25	25
26		·08		·01		·02	·03					·24	26
27						·32	·18			·50		·03	27
28		·04				·15	·04	·04	·05	·22			28
29		X				·15		·06			·15	·18	29
30	·06	X				·37						·01	30
31	·03	X		X		X		·06	X	·12	X	·10	31
Total	2·41	1·90	1·07	·61	1·83	1·60	2·95	2·50	·75	1·13	2·28	3·86	YEAR'S TOTAL 22·89
Rain Days.	17	17	13	7	7	10	20	13	7	12	13	23	159

W. 8,000. X. 14.

Dl ✓ Exe 8h

1318
~~200~~
1220

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Strangground Sluice
in the County of Cambridgeshire
by A. Lunn

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08		·03			·06	·18			–	·54		1
2	·30	·02	·07		·51		·20			·11	·07		2
3		·19	·01						·19	·23	·04		3
4	·37	·13			·07	·11			·09	·03	·19		4
5				·03	·02	·20				·09	·29	·01	5
6		·14	·15	·19	·04	·02	·21			·03	·24		6
7	·05		·15		·08		·36			·07	·22	·06	7
8			·02		·05							·22	8
9					·48	·15				·06		·10	9
10			·06	·03		·03	·02		·01	·01		·06	10
11	·05	·38	·11	·08	·15	·09			·01	·07		·02	11
12	·02	·02	·04		·44	·25	·03			·01			12
13		·20	·06	·03	·19	·15	·01	·01		·04			13
14		·41	·03	—	·12	·02	·02						14
15		·19	·41	·01	—		·12	·02	·01	·01			15
16		·05	·07	·10	·02		·06			·23	—		16
17	·04	·04		·09			·34	·35	·20	·02			17
18	—	·17	·03	·04				·56	·03	—	·79		18
19	·07	·02	·07	·07		·04		·05	·02		·27	·14	19
20	·07		·10	·05				·23			·10	·51	20
21			·17	·01			·22					·63	21
22		·09			·10					·04		·53	22
23	·03	·12				·12	·02	·05		·06	·06	·21	23
24		·33	·02	·02		·07		·05				·19	24
25		·05	·08		·02			·15		·04		·01	25
26		·04	·02			·02		·28		·01	·06		26
27	·02	·39	·78			·08		·08		·19			27
28		·22	·80			·02			·02			·16	28
29		·06				·13		2·07		·25		·01	29
30		×				·15		·19		·09		·01	30
31		×		×		×		·05	×	·05	×		31
Total	1·10	3·26	3·28	·75	2·29	1·71	1·79	4·14	·58	1·74	2·87	2·87	YEAR'S TOTAL 26·38
Rain Days.	11	21	22	13	14	18	13	14	9	22	12	16	185

W. 8,000. X. 15.

8/ ✓

Gr. Dt.

REGISTER OF RAINFALL IN 1917

1257
~~191~~
1220

FORM A.
BRITISH RAINFALL.

Kept at Stranground Sluice

in the County of Cambridgeshire

by C. P. Burling Capt. G. E. Mathews

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·05				·83	·25		·01		1
2		·04		·08		·10		·08			·02		2
3				·05				·49		·01			3
4		·08	·02	-				·03		·52			4
5	·12		·01	·06				·03	·10		·14		5
6													6
7	·34		·03			·05				·45			7
8	·38			·11			·25	·31		·23	·10		8
9	·06		·12	·01			·02	·16		·03	·04	·04	9
10	·27		·25	·14				·12		·12	·01		10
11	·02	·03	·11	·32				·09	·04	·18			11
12	·03				·13			·13		·33		·02	12
13	·07		·03				·07	·15	·02	·01		·01	13
14	·09		·02	·02			·89	·11				·03	14
15	·02						·21	·19				·03	15
16	·05	·06		·08		·24	·05			·19		·06	16
17	·01	·02	·04	·17	·44	·58	·10		·10	·10			17
18	·02			·04	·03	·03	·20	·01	·93				18
19		·07	·11		·13				·09				19
20	·01	·26	·17		·22						·13		20
21		·03	·02		·02						·01		21
22			·07					·02		·14			22
23		·02			·11			·18	·09				23
24		·03				·55		·01		·18			24
25			·01								·04	·02	25
26			·03					·50	·11		·34	·05	26
27						·05	·01	·49				·02	27
28		·03	·03			·63		·09		·02		·03	28
29		X	·04		·04	·12	·18			·40		·06	29
30	·03	X			~~·04~~		·28	·12					30
31		X	·03	X		X	·11	·17	X		X	·15	31
Total	1·53	·67	1·14	1·13	1·12	2·35	2·37	4·31	1·73	2·91	·84	·52	YEAR'S TOTAL 20·62
Rain Days.	16	11	18	12	8	9	12	22	9	15	10	12	154

W. 8,000, VIII. 16

81 W 82

41
~~183~~
1220

FORM A.
BRITISH RAINFALL.
30·1·19

REGISTER OF RAINFALL IN 1918

Kept at Stranground Sluice
in the County of Cambridgeshire
by G. E. Mathews

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·18					·01		·09	·06	1
2		·14		·18				·39			·07	·11	2
3		·04	·06		·60			·07	·04		·69		3
4		·02	·07					·01	(·58)	·02	·25	·02	4
5		·03			·15			·18	·50	·02			5
6	·02	·04		·10				·02		·01			6
7	·10	·04		·02		·04			·07	·14	·09		7
8		·02		·01					·02	·01	·07	·02	8
9	·04	·10		·03		·01	·11		·25	·20		·02	9
10	·05			·02			·31		·06	·08		·08	10
11				·02	·16		·10		·11	·47		·07	11
12		·11	·01		·19		·05		·04	·01		·03	12
13		·02		·02	·20				·08			·02	13
14	·26						·35		·18	·25		·02	14
15	·62			·75			·53		·07			·17	15
16	·03		·01	·30		·05			·62				16
17	·21			·20	·16		·88	·02				·11	17
18	·28					·05	·05		·29	·11		·25	18
19	·03	·05	·04	·02		·01	·01			·18		·08	19
20	·02	·04		·14		·03	·04		·17	·16			20
21	·03			·01		·01			·18			·03	21
22	·04				·06	·04	·01		·02			·21	22
23	·09				·30		·14		·03		·04		23
24		·13			·02		·13		·02		·02		24
25						·07	·03	·22		·03	(·11)		25
26							·20		·04		·12	·06	26
27				·02		·09	·19	·18	·03		·18	·01	27
28		·07	·11			·01		·09			·23	·13	28
29		X						·01	·79		·02		29
30		X	·25						·03	·01	·08	·03	30
31		X	·06	X		X			X	·07	X	·07	31
Total	1.82	·85	·61	2.02	1.84	·41	3·13	1·19	4·23	1·77	2·06	1·60	YEAR'S TOTAL 21·53
Rain Days.	14	14	8	16	9	11	16	10	24	16	14	21	173

W. 8,000, IX. 17.

Dl

Ex Dl

1182

FORM A.
BRITISH RAINFALL.

1220

REGISTER OF RAINFALL IN 1919

Kept at Stranground Sluice

in the County of Cambridgeshire

by G. E. Mathews

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

„ „ „ „ Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·06	·02		·03		·04			·02	·04	·51	1
2	·14		·01		·04		·23	·04	·05	·04	·36	·42	2
3	·51		·10		·02		·18		·03		·13		3
4	·06		·35			·06	·01	·08			·02	·17	4
5	·08	·10	·04					·03	·76			·04	5
6			·01		·14						·04	·03	6
7	·03		·21								·05	·02	7
8	·07		·03	·06							·03		8
9			·01										9
10			·19	·07							·06	·04	10
11	·12		·27	·04			·81				·03	·03	11
12	·02		·64	·01		·15	·11			·06	·03		12
13	·11			·12			·01		·02	·03			13
14	·26		·01	·18			·01		·05			·01	14
15	·17	·06	·04	·05							·09	·28	15
16	·05	·75		·02							·07	·01	16
17		·46		·01							·20	·02	17
18		·02						·09				·10	18
19		·17	·55			·05	·47	·16	·16		·06	·02	19
20	·45	·03	·11			·24	·50	·33	·08		·07	·02	20
21	·38	·48	·06			·01	·41				·01	·10	21
22		10	·01				·02		·26		·01	·33	22
23						·05	·08		·05	·14	·01	·03	23
24				·17		·09				·11		·04	24
25	·07			·01	·21	·05		·24				·06	25
26	·05		·14	·05				·06	·07			·35	26
27	·57	·09		·74						·03			27
28				·06				·82		·05		·35	28
29	·05			·03			·02	·19		·26	·22	·22	29
30			·01	·29		·25				·08	·11	·16	30
31										·07		·03	31
Total	3·49	2·32	2·81	1·91	·44	·95	2·90	2·04	1·53	·89	1·64	3·39	YEAR'S TOTAL 24·31
Rain Days.	19	11	20	16	5	9	14	10	10	11	20	25	170

W, 6,500, VII. 18. w w c

206 [illegible]

1129

1220

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Stranground Sluice

in the County of Cambridgeshire

by G. E. Mathews

Lat.............. Long..............

Time of Observation..............

Nearest Railway Station..............

Diameter of Funnel of Rain Gauge..............in.

Height of top of Gauge above Ground..............ft..............in.

" " " " Sea Level..............ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·01	·16		·32			·71	·04	·09	1
2				·01				·14	·14	·05		·05	2
3		·02		·04		·05	(·35)		·08	·04		·01	3
4			·06	·07	·01		·13	·33	·06	·07		·04	4
5			·06	·04	·18		·43	·03	·04			·02	5
6			·06		·04		·60	·02					6
7			·03	·13			·06					·02	7
8	·19	·04		·40	·07		·02						8
9	·36	·01		·62			·03	·20					9
10	·05	·01	·05	·22			·03	·10			·02	·06	10
11	·13		·04	·48	·12							·12	11
12	·07		·01	·18	·11	·08		·05				·10	12
13	·03	·02	·03	·08		·19			·13				13
14	·01	·06	·49	·10		·04	·09		·17		·18		14
15		·03	·34	·06					·21	·08	·10	·03	15
16					·03				·19	·02		·03	16
17	·01			·14	·10		·05		·14	·02		·04	17
18	·08			·03	·03	·10	·04	·16	·31		·01	·04	18
19	·09	·06		·28								·03	19
20	·05	·34		·31		·58			·12				20
21	·02			·06			·03	·08	·45				21
22				·19			·03						22
23		·01					·09					·33	23
24			·14									·06	24
25		·10	·02	·03	·13	·03	·55						25
26	·10		·04	·03	·08		·01					·01	26
27	·09	·05	·01	·09	·02	·62					·17	·15	27
28	·36				·23		·07				·02	·08	28
29	·04		·24		·65		·02				·09	·39	29
30		✕	·03	·04			·02		·10		·10	·14	30
31	·05	✕		✕		✕			✕	·08	✕	·08	31
Total	1·73	·75	1·65	3·64	1·96	1·69	2·97	1·11	2·14	1·07	·73	1·92	Year's Total 21·36
Days with ·01 in. or more	17	12	16	24	15	8	20	9	13	8	9	22	173
·04	13	6	10	19	11	7	12	7	13	6	6	15	125

(4[illegible]). Wt.21[illegible]58—218[illegible]500. 10/19. Gp.13[illegible] A.&E.W.

FORM A2.
BRITISH RAINFALL.

4 APR 1912

1214/5

STRETHAM ENGINE

CAMBRIDGE

1911 - 1920

REG

Kept at Stretham
in the County of Can
by I Ho

7 in.
round 4 ft. 9 in.
a Level 13 ft.
8. a.m
me Stretham
stance 2 miles Direction N

IMPORTANT NOTE.- … he result entered to the
previous day. If an Obse … sal rule, he is earnestly
requested to add the reading … in the space provided
for it at the end of this … t of rain,
the selection and placing … h Rainfall
Organization are given in "~~Rules for Rainfall Observers,~~" sent post-free on application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05							0.02					1
2	0.36		0.03		0.05			0.02			0.05	0.06	2
3		0.03		0.06	0.08	0.38		0.02		0.08			3
4	0.03	0.02	0.08	0.08						0.02	0.11	0.21	4
5	0.02	0.02		0.02				0.04		0.06	0.03	0.18	5
6	0.30											0.20	6
7	0.22									0.03	0.21	0.33	7
8			0.15								0.08	0.02	8
9	0.18		0.06	0.02									9
10		0.04	0.05									0.05	10
11	0.21										0.36		11
12	0.03		0.33		0.12	0.03			0.02	0.01	0.11	0.02	12
13	0.08				0.02	0.04			0.25	0.26	0.03	0.24	13
14		0.01	0.21		0.66	0.03						0.37	14
15		0.03	0.25						0.02				15
16						0.29				0.02	0.33	0.05	16
17											0.03	0.07	17
18		0.08				0.05					0.49	0.01	18
19	0.02	0.02				0.32			0.09	0.02	0.33		19
20								0.09	0.14	0.03		0.39	20
21		0.04						1.20		0.25		0.13	21
22	0.02		0.26			0.04		0.08		0.09		0.32	22
23			0.07			0.74	0.02		0.32			0.17	23
24		0.04				0.11				0.25		0.13	24
25		0.03	0.04	0.04		0.31				0.08	0.02	0.02	25
26				0.20			0.18	0.02		0.11		0.23	26
27		0.16	0.08	0.04					0.17		0.08	0.04	27
28		0.08		0.21				0.15			0.10	0.02	28
29		×				0.53	0.23		0.37	0.30			29
30		×		0.02	0.03	0.04			0.01	0.08	0.02		30
31		×	×	×		×			×	0.01	×	0.02	31
Total	1.52	0.60	1.61	0.69	0.96	2.91	0.43	1.64	1.39	1.70	2.38	3.28	TOTAL for year 19.71
No. of Rain Days	12	13	12	9	6	13	3	9	9	17	16	23	142

9,000, IX. '10.

REC

FORM A2.
BRITISH RAINFALL.

4 APR 1912

1214/5

Kept at Stretham Engine
in the County of Cambridge 2
by J Housley.

RAIN GAUGE
Diameter of top 9 in.
Height of top above Ground 4 ft. 9 in.
" " " Sea Level 13 ft.

Time of Observation 8. a.m

Nearest Railway Station
Name Stretham
Distance 2 miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05							0.02					1
2	0.36		0.03		0.05			0.02			0.05	0.06	2
3		0.03		0.06	0.08	0.38		0.02		0.08			3
4	0.03	0.02	0.08	0.08						0.02	0.11	0.21	4
5	0.02	0.02		0.02				0.04		0.06	0.03	0.18	5
6	0.30											0.20	6
7	0.22									0.03	0.21	0.33	7
8			0.15								0.08	0.02	8
9	0.18		0.06	0.02									9
10		0.04	0.05									0.05	10
11	0.21										0.36		11
12	0.03		0.33		0.12	0.03			0.02	0.01	0.11	0.02	12
13	0.08				0.02	0.04			0.25	0.26	0.03	0.24	13
14		0.01	0.21		0.66	0.03						0.37	14
15		0.03	0.25						0.02				15
16						0.29				0.02	0.33	0.05	16
17											0.03	0.07	17
18		0.08				0.05					0.49	0.01	18
19	0.02	0.02				0.32			0.09	0.02	0.33		19
20								0.09	0.14	0.03		0.39	20
21		0.04						1.20		0.25		0.13	21
22	0.02		0.26			0.04		0.08		0.09		0.32	22
23			0.07			0.74	0.02		0.32			0.17	23
24		0.04				0.11				0.25		0.13	24
25		0.03	0.04	0.04		0.31				0.08	0.02	0.02	25
26				0.20			0.18	0.02		0.11		0.23	26
27		0.16	0.08	0.04					0.17		0.08	0.04	27
28		0.08		0.21				0.15			0.10	0.02	28
29		×				0.53	0.23		0.37	0.30			29
30		×		0.02	0.03	0.04			0.01	0.08	0.02		30
31		×	×	×		×			×	0.01	×	0.02	31
Total	1.52	0.60	1.61	0.69	0.96	2.91	0.43	1.64	1.39	1.70	2.38	3.28	TOTAL for year 19.11
No. of Rain Days	12	13	12	9	6	13	3	9	9	17	16	23	142

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

11 FEB 191

1214/5

✓

Obsr affirms accuracy of Aug 26. 17.1.13

Kept at Stretham Engine

in the County of Cambridge

by I Housley.

Lat. Long.

Time of Observation 8.0 a.m

Nearest Railway Station Stretham

Diameter of Rain Gauge 9 in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 13-0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						.59			.09			.10	1
2		.03			.06		.27						2
3	.12		.04		.06	.48		.16	.02	.01		.14	3
4	.04		.41		.03	.06		.10			.35		4
5	.03	.09	.19								.07		5
6	.32	.07			.04	.04	.60	.44					6
7	.06				.01	.55	.13	.02					7
8	.28	.08	.07			.04		.14	.16				8
9		.07	.02	.07		.08						.18	9
10		.02		.05				.04	.10		.06		10
11	.15	.02							.09			.10	11
12	.11	.05	.05		.03	.01					.08		12
13	.03										.55		13
14					.07	.06		.05	.02		.01		14
15			.16		.21	.22		.05			-	.05	15
16	.37		.04		.03	.35		.04		.02			16
17	.25		.20			.14		.07					17
18	.03		.10					.13		.04	.04	.13	18
19	.15	.11	.14				.26	.41		.04			19
20		.01	.04					.34		.27			20
21	.04		.40		.32			1.33		.14			21
22	.40	.05	.04		.35		1.09	.10				.05	22
23	.52	.73	.31					.98			.26	.08	23
24	.34						.01	.34				.05	24
25						.10	.01	.88			.17	.24	25
26		.02				.02	.25	3.70		.46	.10	.17	26
27										.16		.20	27
28				.02			.06	.03	.02	.30	.08	.51	28
29						.06	.10	.20	.43	.02	.07		29
30	.03	×			.23	.02			.78	.22			30
31		×	.07	×	.07	×	.16	.17	×	.01	×		31
Total	3.27	1.35	2.28	.14	1.51	2.82	2.94	9.72	1.71	1.69	1.84	2.00	YEAR'S TOTAL 31.27
Rain Days.	18	13	16	3	13	16	11	22	9	12	12	13	158

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

Ex. Hol

FORM A. BRITISH RAINFALL.

19 MAR 1914

1214/5

Kept at Stretham Engine

in the County of Cambridge 2

by J Housley

Lat. Long.

Time of Observation 8.0 a.m

Nearest Railway Station Stretham

Diameter of Rain Gauge 9 in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 13.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.10			.02				.24		.05	.03	1
2	.07	.16			.58		.22		.21				2
3			.07		.79					.30			3
4	.11				.03	.04	.04			.15	.04	.22	4
5	.06									.70	.02		5
6					.31	.15							6
7					.02		.05			.49			7
8				.01	.24	.28					.11		8
9		.25	.03		.09	.14					.06	.03	9
10				.04			.09				.37		10
11	.74			.34				.68			.20		11
12					.02			.02			.06		12
13	.02	.02						.05			.40		13
14	.01		.06	.04						.20	.05		14
15	.30		.14	.10			.14		.13				15
16	.05		.45	.28					.17				16
17	.10	.05	.11	.06		.27	.03					.08	17
18			.03	.02			.06		.37				18
19	.03		.06				.04		.25				19
20			.10	.02					.07	.27		.03	20
21			.08		.05		.09			.13	.18		21
22	.20		.07						.11				22
23						.02	.08	.12	.09			.03	23
24						.06		.09					24
25				.11		.03						.02	25
26			.09	.01						.58		.10	26
27		.04			.24	.07					.02		27
28	.08	.05	.05	.04						.13		.03	28
29	.16	X	.11	.22	.17			.08					29
30	.14	X		.12				.06		.04	.16	.03	30
31		X		X		X		.89	X	.07	X		31
Total	2.07	.67	1.45	1.41	2.56	1.06	.84	1.99	1.64	3.06	1.72	.60	YEAR'S TOTAL 19.07
Rain Days.	14	7	14	14	12	9	10	8	9	11	13	10	131

Cndly C. 25.11.15 ~~HLMcC~~

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 24 FEB 1915

1214|5

Kept at Stretham Engine
in the County of Cambridge Z
by J Horsley.

Lat. Long.
Time of Observation 8. 0 - a . m
Nearest Railway Station Stretham
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.16	.24			.08		1
2							.23	.33				.05	2
3			.15		.16		.13	.10			.06		3
4	.08			.20				.03			.32	.09	4
5			.09	.05		.05	.12	1.24					5
6		.07		.07	.04		.06	.01			.22	.03	6
7		.04	.33	.02	.10	.03						.29	7
8	.18	.04	.20	.02	.07	.60	.32	.11					8
9	.71		.38	.01		.63						.84	9
10	.58	.05		.07	.03								10
11		.16	.25	.02	.08	.16			.08		.23	.20	11
12						.03	.29		.41			.12	12
13		.12	.12						.02	.26	.07	.27	13
14			.17				.09			.99	.05	.48	14
15	.02		.20				.13	.02	.15			.16	15
16	.02		.03				.11				.07		16
17		.15							.19			.02	17
18		.07										~~.35~~	18
19			.07			.17					.20		19
20		.07	.55			.03							20
21		.09	.32			.14				.02	.02	.08	21
22			.02		.22		.04	.10		.27			22
23			.02		.04		.01			.05			23
24			.01	.05		.04	.07			.18	.11	.04	24
25	.01									.42			25
26			.02				.06	.24		.01	.03	.40	26
27	.01						.05					.20	27
28		.02								.10	.32	1.68	28
29		X	.01							.21			29
30		X	.03							.03	.14		30
31		X		X	.09	X	.07		X		X	.14	31
Total	1.61	.88✓	2.97	.51	.83	1.88	1.94	2.42	.85	2.54	1.92	5.44	YEAR'S TOTAL 23.79✓
Rain Days.	8	11✓	19	9	9	10	16	10	5	11	14	18	140✓

W. 8,000. X. 14.

wd lyc 10.x.19

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

L5 SFT

Kept at Stretham Engine
in the County of Cambridge
by J Housley.

Lat. Long.
Time of Observation 8. am
Nearest Railway Station Stretham
Diameter of Funnel of Rain Gauge 9 in. 12145
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 13.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·13			·07				·04		·01	·11	1
2	·03	·03	·17	·02		·01		·35	·22		·04		2
3	·20		·13	·06			·02	·96	·01			·15	3
4	·15						·01	·05				·43	4
5		·03			·26			·02		·04	·02	·16	5
6	·15	·05	·07	·12	·03		·75	·03				·03	6
7	·07	·24	·04				·07	·12				·06	7
8		·16	·02	·04				·02					8
9	·02	·11				·04					·13	·61	9
10	·24		·02			·02		·23				·04	10
11			·12				·01				·60		11
12	·07			·21	·26			·15		·02	1·32	·04	12
13	·04	·26			1·69								13
14		·16					·07		·01			·21	14
15	·09				·05		·01	·04			·22	·04	15
16		·20					·44	·20			·01		16
17	·02	·14					·14	·06					17
18		·08	·07								·05		18
19		·05					·13						19
20	·28			·05				·02		·01		·33	20
21	·11						·04					·01	21
22	·70	·03	·26				·47		·08			·14	22
23		·12	·02				·28		·25	·05	·01	·07	23
24	·01		·08				·46		·16			·11	24
25			·03			·37	·13					·07	25
26		·05				·01						·10	26
27			·07			·09	·16			·35		·03	27
28		·18				·27	·11		·54	·18			28
29		×				·01	·02	·10			·03	·10	29
30	·05	×				·40							30
31	·04	×		×		×		·10	×	·05	×	·07	31
Total	2.49	2.02	1·10	·50	2.36	1.22	3.32	2.45	1·31	·70	2.44	2·91	YEAR'S TOTAL 22.82
Rain Days.	18	17	13	6	6	9	18	15	8	7	11	21	149

W. 8,000. X. 15.

~~H~~ ML

1303

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Stretham Engine

in the County of Cambridge

by J Housley.

Lat. Long.

Time of Observation 8.0 a.m

Nearest Railway Station Stretham

Diameter of Funnel of Rain Gauge 9 in.

12.14/5

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.02				.05		.01		.13		1
2	.35				.14		.01			.08			2
3		.05				.09	.03		.21	.21	.16		3
4	.19	.09			.01	.11			.46	.09	.21		4
5		.02				.16	.06			.12	.19		5
6	.06	.11	.07	.30		.03	.06			.02	.25		6
7			.22		.31	.02	.13				.25	.05	7
8			.04		.10						.04	.27	8
9					.22								9
10			.11	.04			.04		.03			.25	10
11	.04	.43	.09	.15	.06	.26			.04			.03	11
12		.03		.01	.37	.24	.03		.01	.11		.05	12
13		.30	.03	.03	.18	.07	.09	.03					13
14		.42	.02		.09	.02	.01	.05		.06			14
15		.21	.12	.02				.09	.03				15
16		.04	.08	.26			.08	.06					16
17	.03			.14			.14		.30	.32			17
18		.07		.07					.21		.46		18
19			.04	.15		.16			.16	.04	.72	.30	19
20	.09		.31					.08			.17	.13	20
21	.02		1.26				.88					.74	21
22		.08	.01		.08							.50	22
23		.74				.07					.09	.28	23
24		.12				.01		.03		.17	.01	.27	24
25		.16	.15					.12			.06	.03	25
26		.09				.05		.07		.03			26
27	.04	.18	.73					.15		.11			27
28		.55	.40			.08			.04			.13	28
29		.03				.07		.96		.21			29
30								.37		.18			30
31								.04					31
Total	.84	3.72	3.70	1.17	1.56	1.44	1.61	2.05	1.50	1.75	2.74	3.03	YEAR'S TOTAL 25.11
Rain Days.	9	19	17	10	10	15	13	12	11	14	13	13	156

W. 8,000, VIII. 16

1245

FORM A.
BRITISH RAINFALL.
18 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Stretham Engine
in the County of Cambridge
by I Housley

Lat. Long.
Time of Observation 8 a.m
Nearest Railway Station Stretham
Diameter of Funnel of Rain Gauge 9 in. 1214/5
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·14				·76	·31				1
2		·06				·04		·15			·04		2
3	·03			·25				·28		·08			3
4								·05		·57			4
5	·25	·08		·15				·02		·05	·04		5
6						·02			·01				6
7	·30					·03				·44			7
8	·05			·21			·91	·03		·22	·21		8
9			·05				·02	·21			·05	·09	9
10	·20		·24	·08				·09					10
11	·10		·62	·09				·02		·22			11
12	·06							·04		·27			12
13	·10		·08			·03	·02	·10	·01	·06			13
14	·24			·03								·05	14
15					·01			·14			·02	·02	15
16				·15		·06	·02			·75		·12	16
17		·04		·20	·63	·32	·17		·49	·23			17
18						·10	·25	·07	·94				18
19			·18						·23				19
20		·26	·06	·03	·04						·20		20
21													21
22			·08							·17			22
23					·16				·08			·03	23
24						·17		·10		·09	·02		24
25		·02						·02				·01	25
26								·20	·04		·43	·05	26
27						·02	·02	·45					27
28		·03	·21			·88							28
29		×				·28	·99	·10		·17		·12	29
30		×					·16	·10					30
31		×		×		×	·28	·05	×		×		31
Total	1·33	·49	1·52	1·33	·84	1·95	2·84	2·98	2·11	3·32	1·01	·49	YEAR'S TOTAL 20·21
Rain Days.	9	6	8	10	4	11	10	20	8	11	8	8	~~113~~

2·63

Exd. C.T.E.

30

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

16 5.18

R1415

Kept at Stretham Engine
in the County of Cambridge
by J Housley

Lat. Long.
Time of Observation 8. a. m
Nearest Railway Station Stretham
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04			·10				·01	·26	1
2		·05		·30						·01		·08	2
3	·03	·03	·05		·23			·15			·76		3
4		·02	·07					·03	·27		·31		4
5			·03		·12			·11	·67		·02		5
6		·20		·13					·04			·04	6
7		·09		·10		·03			·02	·01			7
8	·08	·04					·02		·05		·12		8
9		·03				·01	·08		·35	·21			9
10	·05						·20				·01	·14	10
11				·02	·15		·05		·04	·35		·11	11
12		·18					·11		·09	·08		·03	12
13					·29				·02				13
14	·32			·02			·07		·31	·21		·08	14
15	·90			1·16			·40		·20			·05	15
16	·05			·52				·02	1.13				16
17	·35			·02	1·40		·56					·06	17
18	·61			·02		·08	·06		·37			·50	18
19		·06	·07			·21	·06			·08		·05	19
20		·05		·04		·06	·08		·07	·05			20
21	·02								·76	·07			21
22					·08		·05		·18			·21	22
23	·10				·40		·15	·04	·06				23
24		·16		·03	·14				·07				24
25			·02		·03	·03	·08	·22			·14		25
26							·61				·15	·08	26
27				·10		·01	·04	·14			·08	·03	27
28		·05	·04								·16	·14	28
29		×							1·23		·03		29
30		×	·29					·02	·05		·08	·15	30
31		×	·03	×		×			×	·05	×	·05	31
Total	2·51	·96	·60	2.50	2·84	·43	2.72	·73	5·98	1.12	1.87	2.06	YEAR'S TOTAL 24·32
Rain Days.	10	12	8	13	9	7	17	8	20	10	12	17	143

W. 8,000, IX. 17.

1178

1214/5

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Stretham Engine

in the County of Cambridge

by J Housley

Lat. Long.

Time of Observation 8 a.m

Nearest Railway Station Stretham

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 4 ft 9 in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29	·06			·05		·55					·55	1
2	·19				·05		·12		·16		·11	·87	2
3	·30		·11				·07		·03	·05	·14		3
4	·08		·30			·14	·05	·04			·02	·14	4
5	·05	·10	·10				·19		·18			·07	5
6												·03	6
7			·17								·07		7
8	·08			·08							·08		8
9			·03								·02	*	9
10			·23	·02									10
11	·10		·08	·07			·15				·05		11
12			·36	·09		·04	·54			·04			12
13	·05			·04									13
14	·28			·07			·03		·09			·02	14
15			·04	·07			·06					·06	15
16	·19	·55		·13				·01			·06		16
17		·55		·04							·20	·03	17
18		·09	·01	·01				·15				·13	18
19		·17	·20				·03	·18	·11			·02	19
20	·20		·03			·46	·57	·33	·01				20
21	·34	·40				·03	·56					·14	21
22		·35					·14		·25		·06	·35	22
23				·04	·25	·07	·19	·03	·06			·07	23
24				·11		·12							24
25	·04			·13	·35			·04					25
26	·17	·21	·14	·09				·17	·13			·30	26
27	·32	·05		·66						·02			27
28				·24			·01	1·05		·12		·21	28
29		×				·02	·01	·19		·16	·12	·14	29
30		×	·02	·25		·29		·03			·05	·11	30
31	·02	×		×		×	·02		×	·04	×	·06	31
TOTAL	2.70	2.53	1.82	2.14	·70	1.17	3.29	2.22	1.02	·43	·98	3.30	YEAR'S TOTAL 22.30
Days with ·01 in. or more	16	10	14	17	4	8	17	11	9	6	12	18	142

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1121

26 FEB 1921

124/5

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Stretham Engine

in the County of Cambridge

by J. Housley

Lat. Long.

Time of Observation 8-0. a.m

Nearest Railway Station Stretham

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·02	·05		·11			·16	·02	·08	1
2							·08	·14	·09	·04		·01	2
3		·03		·10		·04	·13		·06				3
4			·16	·24	·03		·09	·09				·04	4
5			·05	"	·10		1.05		·27			·02	5
6					·03		·82	·02					6
7			·03	·13			·04					·05	7
8	·16			·35			·05						8
9	·38			·68				·63					9
10	·05	·04	·10				·02				·02		10
11	·16	·05		·15	·02		·07						11
12	·10		·03	·09								·27	12
13				·17		·20							13
14		·08	·23	·16		·03	·03		·14	·02	·21		14
15			·32	·01					·07		·17	·10	15
16		·01							·31			·02	16
17					·05				·05			·06	17
18						·18	·06	·34	·42				18
19	·15			·05				·03					19
20	·06	·13		·44		·30							20
21							·07	·08	·20			·03	21
22				·10				·08	·18				22
23							·15					·36	23
24	·04		·20				·15					·03	24
25	·06	·10	·03	·06	·16		·19						25
26			·01	·06	·20		·32						26
27	·08	·13		·15		·41	·01				·06	·04	27
28	·30		·33		·20	·01	·01				·10		28
29	·02		·08		·67		·07				·03	·33	29
30		✕	·04				·02		·30		·04	·17	30
31	·02	✕	·02	✕		✕			✕	·29	✕	·09	31
TOTAL	1.58	·57	1.63	2.96	1.51	1.17	3.54	1.41	2.09	·51	·65	1.70	YEAR'S TOTAL 19·32
Days with ·01 in. or more	13	8	13	17	10	7	21	8	11	4	8	16	136
Days with ·04 in. or more	11	6	98	15	7	5	16	6	11	3	5	11	104 ~~64~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

84

244

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

STRETHAM
ORCHARD HSE
CAMBRIDGE
1911 - 1915

REG

Kept at Stretham,
in the County of Camb
by C. Wright

in.
und ft. in.
Level ft.
e
nce Direction

IMPORTANT NOTE.- e result entered to the
previous day. If an Obser al rule, he is earnestly
requested to add the reading in the space provided
for it at the end of this of rain,
the selection and placing Rainfall
Organization are given in " ication to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05						·02	·01					1
2	·48		·03		·05						·05	·06	2
3		·04			·10	·25		·03		·06		·02	3
4	·02	·02	·09	·12						·02	·14	·30	4
5	·02	·02		·07				·02		·07	·05	·20	5
6	·37		·02							·02		·20	6
7										·02	·23	·35	7
8	·24		·13								·09	·02	8
9	·20		·07	·03									9
10		·04	·08								·07	·13	10
11	·31										·38		11
12	·09		·38		·06	·02			·03		·09		12
13			·11		·02	·03			·30	·34	·07	·23	13
14		·02	·06		·62	·05				·03		·35	14
15		·02	·46						·05	·02	·09	·05	15
16						·29				·02	·32	·05	16
17											·03	·09	17
18		·12				·05					·54	·02	18
19		·04			·03	·32			·13	·04	·39		19
20		·02						·08	·08	·02		·45	20
21		·06						1·20		·29		·16	21
22	·05		·24			·04		·12		·14		·37	22
23	·02	·03	·06			·75	·02		·42			·20	23
24		·06	·03			·15				·25		·14	24
25		·02	·02	·05		·27				·08			25
26				·16			·20			·12	·04	·25	26
27		·21	·07	·13				·01	·17		·03	·04	27
28		·11		·20				·13			·07	·02	28
29				·05		·56	·17		·34	·36			29
30				·03		·02			·02	·09			30
31												·03	31
Total	1·85	·83	1·85	·84	·88	2·80	·41	1·60	1·54	1·99	2·68	3·73	TOTAL for year 21·00
No. of Rain Days	11	15	15	9	6	13	4	8	9	18	17	23	9 148

9,000, IX. '10.

84

REG

244

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Stretham, Orchard House

in the County of Cambs 2

by C. Wright

Rain Gauge	Pattern
	Diameter of top ____ in.
	Height of top above Ground ____ ft. ____ in.
	" " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05						·02	·01					1
2	·48		·03		·05						·05	·06	2
3		·04			·10	·25		·03		·06		·02	3
4	·02	·02	·09	·12						·02	·14	·30	4
5	·02	·02		·07				·02		·07	·05	·20	5
6	·37		·02							·02		·20	6
7										·02	·23	·35	7
8	·24		·13								·09	·02	8
9	·20		·07	·03									9
10		·04	·08								·07	·13	10
11	·31										·38		11
12	·09		·38		·06	·02			·03		·09		12
13			·11		·02	·03			·30	·34	·07	·23	13
14		·02	·06		·62	·05				·03		·35	14
15		·02	·46						·05	·02	·09	·05	15
16						·29				·02	·32	·05	16
17											·03	·09	17
18		·12				·05					·54	·02	18
19		·04			·03	·32			·13	·04	·39		19
20		·02						·08	·08	·02		·45	20
21		·06						1·20		·29		·16	21
22	·05		·24			·04		·12		·14		·37	22
23	·02	·03	·06			·75	·02		·42			·20	23
24		·06	·03			·15				·25		·14	24
25		·02	·02	·05		·27				·08			25
26				·16			·20			·12	·04	·25	26
27		·21	·07	·13				·01	·17		·03	·04	27
28		·11		·20				·13			·07	·02	28
29				·05		·56	·17		·34	·36			29
30				·03		·02			·02	·09			30
31												·03	31
Total	1·85	·83	1·85	·84	·88	2·80	·41	1·60	1·54	1·99	2·68	3·73	TOTAL for year 21·00
No. of Rain Days	11	15	15	9	6	13	4	8	9	18	17	23	9 148

9,000, IX. '10.

DL

cnd by Stretham Engine 11·11·13

237

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Stretham, Orchard House

in the County of Cambridgeshire 2

by C. Wright

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04		·55			·10			·08	1
2			·02	·02	·06	·03	·27						2
3	·11				·06	·34		·11	·04			·19	3
4	·03		·53		·04	·07		·10			·33		4
5	·02	·12	·20			·02		·02			·10		5
6	·38	·05			·04	·02	·88	·51				·03	6
7	·05				·02	·63	·11	·03					7
8	·22	·08	·12			·04		·21	·16				8
9		(·12) 19	·02	·07		·09						·20	9
10				·06		·02		·05	·11		·08	·02	10
11	·14	·03							·12			·17	11
12	·10	·05	·07			·04					·13		12
13	·06					·05					·50		13
14			·02		·06			·03	·03	·05	·02		14
15			·15		·21	·20		·06				·06	15
16	·34		·05		·05	·45		·04		·03	·02		16
17			·25			·15		·05					17
18	·30	·02	·09					·10		·04		·16	18
19	·17	·11	·13				·34	·50		·04	·07		19
20	·04				·03		·02	·24		·33			20
21			·59		·30			1·10		·15	·06		21
22	·30	·06	·03		·34		1·18	·08				·06	22
23	·45	·80	·32					·75			·23	·08	23
24	·30				·02			·44				·10	24
25						·15	·03	·73			·20	·28	25
26		·03				·06	·27	2·56		·38	·16	·22	26
27										·20		·23	27
28		·02			·02		·09	·04	·02	·30	·09	·53	28
29						·11	·11	·18	·27			·02	29
30	·04				·19	·02			·70	·28	·10		30
31			·07		·07		·14	·18		·03		·02	31
Total	3·067	1·49	2·66	·19	1·51	3·04	3·44	8·11	1·55	1·83	2·09	2·45	TOTAL for year 31·41
No. of Rain Days.	17	12	16	4	15	19	11	23	9	11	14	17	168

W. 8,000, X. '11.

Jl

27·11·47

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

242

27 JAN 1914

Kept at Stretham, Orchard House

in the County of Cambridgeshire 2

by C Wright

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·06	·12					·52		·03		1
2	·06				·60		·22		·15		·02		2
3		·10	·10		·61	·03			·02	·19		·05	3
4	·14	·18			·02		·04			·12	·04	·26	4
5	·05						·01		·03	·52	·02		5
6		·02	·02		·27	·14				·02	·02		6
7		·03			·02					·40			7
8			·03	·01	·17	·23				·02	·10	·03	8
9		·25			·13	·15					·06	·02	9
10				·05			·06				·35		10
11	·46			·40	·03	·02		·48			·22		11
12											·07		12
13	·03							·06			·42		13
14		·03	·07	·04						·22	·07		14
15	·33	·02	·15	·06			·15		·13				15
16	·04		·36	·37					·15		·02		16
17	·15	·04	·14	·09		·30	·03					·10	17
18	·02			·03			·03		·23				18
19	·04		·15				·05		·25			·03	19
20	·02		·14			·02			·08	·27			20
21	·02		·08	·04	·06		·11			·13	·29		21
22	·22		·08				·02		·10				22
23	·03					·02	·11	·09	·10			·02	23
24						·05		·05					24
25				·12		·05	·02					·02	25
26			·10							·60		·16	26
27				·03	·09	·06					·03		27
28	·11		·09	·03						·16			28
29	·16		·12	·25	·17			·05			·02		29
30	·17			·13				·06		·05	·17		30
31								1·15		·05			31
Total	2·09	·67	1·69	1·77	2·17	1·07	·85	1·94	1·76	2·75	1·95	·69	YEAR'S TOTAL 19·40
Rain Days.	18	8	15	15	11	11	12	7	11	13	17	9	147

W. 7,500, XI. 12

88/

235

28 JAN 1915

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Stretham, Orchard House

in the County of Cambridgeshire 2

by C. Wright

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·18	·25			·08		1
2							·15	·38			·03	·06	2
3			·15		·16		·14	·09			·05		3
4	·08			·25							·27	·11	4
5			·09	·05			·10	·79				·04	5
6		·08		·04	·06	·03	·07	·02			·26		6
7		·05	·35	·03	·05	·03						·29	7
8	·17	·05	·23	·03	·09	·61	·22	·13					8
9	·65		·36	·02		·66						·66	9
10	·59			·05	·05							·09	10
11		·18	·26		·07	·22			·09		·28	·14	11
12							·33		·34		·02	·13	12
13		·13	·17						·02	·22	·06	·26	13
14			·18				·06			1·13		·49	14
15	·04		·19				·12	·02	·11		·10	·17	15
16			·06				·15				·07		16
17	·02	·10							·07			·02	17
18		·12	·02									·36	18
19		·05	·05			·07	·03				·20		19
20		·03	·53						·02				20
21		·08	·38			·15		·27			·02	·09	21
22			·02		·11		·07	·10		·25			22
23		·02	·05		·13		·01			·05			23
24		·04		·06		·04	·07			·18	·12		24
25		·02								·36			25
26			·03				·04	·38		·02	·04	·27	26
27							·04				·03	·16	27
28										·16	·34	1·41	28
29										·20		·05	29
30			·03							·03	·15		30
31					·07		·05					·11	31
Total	1·55	·95	3·15 3·19	·53	·79	1·81	1·83	2·43	·65 ·65	2·60	2·12	4·91	YEAR'S TOTAL 2332
Rain Days.	6	13	18	8	9	8	17	10	6	10	17	19	141

W.7,000, XI. 13

88

1328
228

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Stretham [illegible]
in the County of Cambridgeshire 2
by C. Wright

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23	.13	.13		.08				.07			.13	1
2	.05	.05						.31	.16		.07		2
3	.18		.19	11				1.05				.16	3
4	.16						.18	.17			.03	.48	4
5	.03	.04			.06			.02		05		.17	5
6	.15	.04	.06	.10	.06		77	.03				.03	6
7	.06	.21	.06				.08	.12				.08	7
8		.15	.03	.03				.02					8
9	.03	.13		.04		.02					.22	.42	9
10	.24		.08					.10				.02	10
11			.06		.05		.01				.43	.02	11
12	.05			.20	.12			.11			1.09	.04	12
13	.08	.26			1.15			.25					13
14		.23					.05					.17	14
15	.11				.05						.25	.06	15
16		.10					.42	.18					16
17	.04	.17					19	.02					17
18		.07	.15								.05		18
19		.05					15						19
20	.25			.03								.25	20
21	.10						02			.02			21
22	.50	.02	.24				.52		.06	.06		.15	22
23		.08	.02				31		.21		.02	.15	23
24		.07	.05				1.04		.15			.13	24
25			.03			.25	15			.02		.08	25
26		.10										.07	26
27		.03				.10	.13			.31		.07	27
28		.17				.19	.06		.49	.22			28
29						.02		.10			.03	.10	29
30	.05	X				.49	.01						30
31	.05	X		X		X		.08	X	.06	X	.07	31
Total	2.36	2.10	1.10	.51	1.57	1.07	4.09	2.56	1.14	.74	2.19	2.85	YEAR'S TOTAL 22.28
Rain Days.	18	19	12	6	7	6	16	14	6	7	9	21	141

W. 8,000. X. 14.

Cor. by Streth

CAMBRIDGE.

STRETHAM.

"DIMOCKS COTE"

1911 – 1914

FORM A2.
BRITISH RAINFALL.
4 APR 1912

REGIS 11

Kept at Dimocks Cot 5 in.

ve Ground 13 ft. = in.

in the County of Cambr

Sea Level ft.

8.0 a.m

Name Stretham

by H. Nighting

Distance 4 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2	0.22			0.07	0.04						0.08	0.08	2
3				0.02	0.10	0.10					0.21	0.21	3
4		0.12		0.03				0.04		0.15		0.15	4
5		0.05		0.04						0.08			5
6	0.37	0.04	0.04	0.02						0.03		0.16	6
7	0.18											0.27	7
8		0.11	0.11								0.26	0.05	8
9	0.22			0.06							0.08		9
10			0.04								0.04	0.07	10
11	0.22										0.32		11
12			0.32			0.04							12
13			0.11		0.06	0.04				0.28		0.21	13
14			0.14		0.55	0.06						0.27	14
15		0.05	0.30										15
16						0.36					0.15	0.15	16
17											0.29	0.29	17
18											0.04	0.04	18
19		0.06				} ·36			0.08	0.04	0.69		19
20		0.04						0.10	0.17	0.02	0.27		20
21								1.09		0.30		0.13	21
22		0.06	0.22					0.04	0.31	0.10	0.08	0.34	22
23	0.04	0.02	0.06			0.75							23
24						0.21				0.31		0.15	24
25				0.06		0.41	0.25			0.08		0.21	25
26				0.12			0.04	0.04		0.12		0.25	26
27		0.17		0.15			0.02	0.10	0.15			0.06	27
28		0.11									0.06		28
29						0.49	0.14		0.40	0.34	0.10	0.05	29
30				0.04		0.04	0.04		0.08	0.12			30
31				0.12	0.07								31
Total	1.25	0.83	1.34	0.73	0.82	2.86	0.49	1.41	1.19	1.97	2.67	3.14	TOTAL for year 18.70
No. of Rain Days.	6	11	9	11	5	~~10~~ 12	5	6	6	13	14	19	117

W. 8,000, X. '11.

Cor. by Strut

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 APR 1912

Kept at Dimocks Cote

in the County of Cambridge 2

by H. Nightingale

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 13 ft. = in.
" " " Sea Level ft.

Time of Observation 8.0 a.m

Nearest Railway Station
Name Stretham
Distance 4 miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	0.22			0.07	0.04						0.08	0.08	2
3				0.02	0.10	0.10					0.21	0.21	3
4		0.12		0.03				0.04		0.15		0.15	4
5		0.05		0.04						0.08			5
6	0.37	0.04	0.04	0.02						0.03		0.16	6
7	0.18											0.27	7
8		0.11	0.11								0.26	0.05	8
9	0.22			0.06							0.08		9
10			0.04								0.04	0.07	10
11	0.22										0.32		11
12			0.32			0.04							12
13			0.11		0.06	0.04				0.28		0.21	13
14			0.14		0.55	0.06						0.27	14
15		0.05	0.30										15
16						0.36					0.15	0.15	16
17											0.29	0.29	17
18						} ·36					0.04	0.04	18
19		0.06							0.08	0.04	0.69		19
20		0.04						0.10	0.17	0.02	0.27		20
21								1.09		0.30		0.13	21
22		0.06	0.22					0.04	0.31	0.10	0.08	0.34	22
23	0.04	0.02	0.06			0.75							23
24						0.21				0.31		0.15	24
25				0.06		0.41	0.25			0.08		0.21	25
26				0.12			0.04	0.04		0.12		0.25	26
27		0.17		0.15			0.02	0.10	0.15			0.06	27
28		0.11									0.06		28
29						0.49	0.14		0.40	0.34	0.10	0.05	29
30				0.04		0.04	0.04		0.08	0.12			30
31				0.12	0.07								31
Total	1.25	0.83	1.34	0.73	0.82	2.86	0.49	1.41	1.19	1.97	2.67	3.14	TOTAL for year 18.70
No. of Rain Days.	6	11	9	11	5	~~10~~ 12	5	6	6	13	14	19	117

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

11 FEB 1913

Ex. H.E.L.

Kept at Dimocks Cote
in the County of Cambridge 2
by H. Nightingale

Lat. Long.
Time of Observation 7.0 am
Nearest Railway Station Stretham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 13 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·50			·18		·07		1
2		·06			·05	·06	·31		·08			·27	2
3		·10	·09		·04	·53	·04	·35	·04			·04	3
4	·25		·42		·06	·09		·06			·28		4
5	·05		·22		·04	·53					·08	·17	5
6	·29	·08				·15	·93	·05				·06	6
7	·04	·04			·02	·25	·04	·15					7
8	·14		·11		·03		·04		·28				8
9				·11								·22	9
10				·06				·10	·18		·07		10
11									·08			·10	11
12			·07		·04	·05		·06			·21		12
13	·15		·16								·37	·04	13
14					·07	·10		·06	·03		·10	·06	14
15	·16				·04	·27		·11		·07			15
16			·06		·10	·47		·03		·06			16
17	·12		·19		·07		·18	·12		·06		·04	17
18	·15		·07					·17		·18	·03	·17	18
19	·13	·15				·25		·27		·13	·07		19
20	·08		·06			·07		·34		·03			20
21			·16					1·20			·06		21
22	·36		·36		·25		1·04	·11				·07	22
23	·35	·85	·33		·29			·60			·23	·10	23
24	·34	·09			·04	·03		·76				·12	24
25					·03	·11		·45				·23	25
26							·35	2·62		·30	·27	·10	26
27								·04		·20		·20	27
28								·28	·04	·29		·45	28
29							·05	·18	·40	·02	·08		29
30					·25		·15		·52				30
31					·07					·26			31
Total	2·61	1·37	2·30	·17	1·49	3·44	3·13	8·11	1·83	1·60	1·92	2·44	YEAR'S TOTAL 30·41
Rain Days.	14	7	13	2	17	15	10	22	10	11	13	17	157

W. 7,500, XI. 12

Copied from original return.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

20 MAR 1914

Esc. M.

Kept at Dimocks Cote, Stretham

in the County of Cambs. 2

by Mr H W. Nightingale

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge — in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·14	·07	·11	·33	—	—	—	·24	—	—	—	1
2	—	·12	·06	—	·41	—	·30	—	·26	—	·12	—	2
3	·08	—	·12	—	·61	—	—	—	—	·10	—	·18	3
4	·13	—	—	—	—	·03	·07	—	—	·12	·06	—	4
5	·08	—	—	—	·06	—	·04	—	—	·19	·05	—	5
6	—	—	—	—	·28	·14	—	—	·06	—	—	·19	6
7	—	—	—	—	·03	·54	—	—	—	·18	—	—	7
8	—	·11	—	—	·36	—	—	—	—	·09	·18	—	8
9	—	·26	·06	—	—	—	—	—	—	—	·48	—	9
10	—	—	—	·07	—	—	·08	—	—	—	·42	—	10
11	·22	—	—	·31	—	—	—	·88	—	—	·06	·05	11
12	—	—	—	·07	—	—	—	·04	—	—	·33	—	12
13	—	—	—	—	—	—	—	—	—	—	·16	—	13
14	—	—	—	—	—	—	—	—	—	·31	·17	—	14
15	·25	—	—	—	—	—	·21	—	·10	—	—	—	15
16	·08	—	·06	·08	—	·33	—	—	·17	—	·15	—	16
17	·25	·03	·36	·25	—	—	·10	—	—	—	·04	—	17
18	·04	—	·11	·05	—	—	·04	—	·90	—	·05	—	18
19	·10	—	—	—	—	—	·04	—	·30	—	—	—	19
20	·06	—	—	—	—	—	—	—	·20	·22	—	—	20
21	—	—	·10	—	·03	—	·12	—	—	·18	·20	—	21
22	·18	—	·10	·06	—	—	·06	—	—	—	—	—	22
23	—	—	·06	—	—	·07	·12	—	·10	—	—	—	23
24	—	—	—	—	—	·07	—	·19	·15	—	—	—	24
25	—	—	—	—	—	—	—	·07	—	—	—	—	25
26	—	—	·08	·08	—	—	—	—	—	·62	·15	—	26
27	—	·08	—	·06	·30	·08	—	·06	—	—	—	—	27
28	·09	—	·21	·02	—	—	—	—	—	·18	—	—	28
29	·18	—	·07	·28	·18	—	—	·06	—	—	—	·10	29
30	·14		—	·15	—	—	—	·06	—	·08	—	—	30
31	—		—		—		—	1·65		—		—	31
Total	1·96	·74	1·46	1·59	2·59	1·26	1·18	3·01	2·48	2·27	2·62	·52	YEAR'S TOTAL 21·68
Rain Days.	15	6	13	13	10	7	11	8	10	11	15	4	123

W.7,000, XI. 13

Days not dependable [illegible]

W LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
24 FEB 1915

Kept at Dimocks Cote

in the County of Cambridge Z

by H. Nightingale

Lat. .... Long. ....

Time of Observation 8. a. m

Nearest Railway Station Stretham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1½ ft. — in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.05	.03	.21				.27	1
2					15		.37	.17			.10		2
3					.02		.10	.10					3
4				.22				.17			.27	.14	4
5	.10		.08		.05		.10	.21					5
6			.16	.08			.07	1.27			.27	.10	6
7		.25		.05	.12	.06		.07				.34	7
8	.20	.04	.33		.09		.85	.14					8
9	.81	.05	.25		.10								9
10	.31	.15	.32	.08	.05							.84	10
11		.05			.07				.12		.34	.05	11
12							.12		.44			14	12
13		.14	.21			.06	.13			.25		.16	13
14			.16			.03	.11		.10	.80		.19	14
15			.17			63	.10	.07				.55	15
16						.66	.06		18		.12	.19	16
17		.20				15						.06	17
18		.10				.04			.15		.06	.33	18
19		.04	.17			.56							19
20		.06	.36									.03	20
21		.09	.33			.12	.08	.02					21
22			.06		.17			.10		.32	.27	.04	22
23			.05	.08	.10		.03			.33			23
24			.04	.02		.07	.10			.29	.27		24
25			~~18~~							.43			25
26							.06				.12	.57	26
27			.04				.04	.19				.13	27
28			.08							.12	.37	1.27	28
29										.18	.02	.07	29
30		X										.10	30
31		X		X	.09	X	.07		X		X	.18	31
Total	1.42	1.17	2.81✓	.53	1.01	2.43	2.42	2.72	.99	2.72	2.21	5.69	YEAR'S TOTAL 26.12✓
Rain Days.	4	11	17✓	6	11	11	16	12	5	8	11	21	133✓

W. 8,000. X. 14.

CAMBRIDGE

THORNEY

1911 – 1916

FORM A2.
BRITISH RAINFALL
2 - JAN 1912

REGI 911.

Kept at Thorney ... l Gauge.

p 8 in.

bove Ground 3 ft. 6 in.

in the County of Cam ... „ Sea Level 9'2" ~~ft.~~

9 am.

by Hugh R. ... n Name Thorney M&G.N.

Distance 100Yds Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	—	—	—	—	—	·02	—	—	·02	·03	1
2	·15	—	—	—	·10	—	—	·02	·01	—	·07	·07	2
3	·01	—	—	—	·08	—	—	·03	—	·02	—	·12	3
4	·04	·03	·13	·12	—	—	—	—	·07	·58	·12	·22	4
5	·01	—	—	·03	—	—	—	·02	—	·05	—	·11	5
6	·31	—	·02	·02	—	—	—	—	—	·02	·02	·22	6
7	·01	—	·01	—	—	—	—	—	—	—	·20	·33	7
8	·26	—	·10	—	—	—	—	—	·42	—	·02	·09	8
9	·08	—	·01	·01	—	—	—	—	—	·06	·04	·02	9
10	·01	·10	·09	—	—	—	—	—	—	—	·07	·12	10
11	·11	—	—	—	—	—	—	—	—	—	·21	—	11
12	·05	—	·35	—	—	—	—	—	·05	—	·10	·02	12
13	·02	—	·09	—	—	·04	—	—	·23	—	—	·30	13
14	—	·05	·04	—	·48	·14	—	—	—	·02	—	·48	14
15	—	·04	·11	—	—	—	—	—	—	—	·06	—	15
16	—	—	·03	—	—	·05	—	—	—	—	·38	·07	16
17	·01	—	·02	—	—	·01	—	—	—	—	·17	·10	17
18	—	·11	—	—	—	·06	—	—	—	—	·30	·03	18
19	·01	—	—	—	·03	·05	—	—	·03	·03	·10	·02	19
20	—	·01	—	—	—	·02	—	·2	·14	·04	—	·40	20
21	—	—	—	—	—	—	—	1·06	—	·15	—	·14	21
22	·02	·19	·05	·01	—	—	—	08	—	—	·02	·32	22
23	—	·01	·17	—	·07	1·04	·02	01	·46	·27	—	·10	23
24	—	·04	·02	—	—	·29	—	—	—	—	—	·07	24
25	—	·01	·05	·04	·05	·05	—	·23	—	—	·03	·02	25
26	—	—	—	·13	—	—	—	—	—	·22	·20	·33	26
27	—	·15	·09	·08	—	—	—	—	·16	·06	·01	·03	27
28	—	·12	—	·14	—	—	—	·21	—	—	·04	·06	28
29	—	—	·01	·02	—	·15	·23	—	·25	·21	·02	—	29
30	—	—	·01	03	·06	—	—	—	·03	·06	—	—	30
31	—	—	—	—	—	—	—	—	—	—	—	·02	31
Total	1·11	·86	1·40	·63	·87	1·90	·25	1·88	1·85	1·82	2·20	3·84	TOTAL for year 18·61
No. of Rain Days.	16	12	19	11	7	11	2	10	11	14	21	27	161

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL
2 - JAN 1912

REGI 911.

Kept at Thorney.

in the County of Cambridge. 3

by Hugh. R. Brodie.

Rain Gauge
Pattern Funnel Gauge.
Diameter of top 8 in.
Height of top above Ground 3 ft. 6 in.
„ „ „ Sea Level 9' 2" ~~ft.~~

Time of Observation 9 am.

Nearest Railway Station
Name Thorney M & G.N.
Distance 100 yds Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	—	—	—	—	—	·02	—	—	·02	·03	1
2	·15	—	—	—	·10	—	—	·02	·01	—	·07	·07	2
3	·01	—	—	—	·08	—	—	·03	—	·02	—	·12	3
4	·04	·03	·13	·12	—	—	—	—	·07	·58	·12	·22	4
5	·01	—	—	·03	—	—	—	·02	—	·05	—	·11	5
6	·31	—	·02	·02	—	—	—	—	—	·02	·02	·22	6
7	·01	—	·01	—	—	—	—	—	—	—	·20	·33	7
8	·26	—	·10	—	—	—	—	—	·42	—	·02	·09	8
9	·08	—	·01	·01	—	—	—	—	—	·06	·04	·02	9
10	·01	·10	·09	—	—	—	—	—	—	—	·07	·12	10
11	·11	—	—	—	—	—	—	—	—	—	·21	—	11
12	·05	—	·35	—	—	—	—	—	·05	—	·10	·02	12
13	·02	—	·09	—	—	·04	—	—	·23	—	—	·30	13
14	—	·05	·04	—	·48	·14	—	—	—	·02	—	·48	14
15	—	·04	·11	—	—	—	—	—	—	—	·06	—	15
16	—	—	·03	—	—	·05	—	—	—	—	·38	·07	16
17	·01	—	·02	—	—	·01	—	—	—	—	·17	·10	17
18	—	·11	—	—	—	·06	—	—	—	—	·30	·03	18
19	·01	—	—	—	·03	·05	—	—	·03	·03	·10	·02	19
20	—	·01	—	—	—	·02	—	·2	·14	·04	—	·40	20
21	—	—	—	—	—	—	—	1·06	—	·15	—	·14	21
22	·02	·19	·05	·01	—	—	—	08	—	—	·02	·32	22
23	—	·01	·17	—	·07	1·04	·02	01	·46	·27	—	·10	23
24	—	·04	·02	—	—	·29	—	—	—	—	—	·07	24
25	—	·01	·05	·04	·05	·05	—	·23	—	—	·03	·02	25
26	—	—	—	·13	—	—	—	—	—	·22	·20	·33	26
27	—	·15	·09	·08	—	—	—	—	·16	·06	·01	·03	27
28	—	·12	—	·14	—	—	—	·21	—	—	·04	·06	28
29	—	—	·01	·02	—	·15	·23	—	·25	·21	·02	—	29
30	—	—	·01	03	·06	—	—	—	·03	·06	—	—	30
31	—	—	—	—	—	—	—	—	—	—	—	·02	31
Total	1·11	·86	1·40	·63	·87	1·90	·25	1·88	1·85	1·82	2·20	3·84	TOTAL for year 18·61
No. of Rain Days.	16	12	19	11	7	11	2	10	11	14	21	27	161

W. 8,000, X. '11.

REGISTER ~~OF~~ RAINFALL IN 1912

Exc DL

FORM A. BRITISH RAINFALL. 2 JAN 1913

Kept at Thorney

in the County of Isle of Ely 3

by Hugh R. Brodie

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Thorney M & GN 100 yds.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 9.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	'01	Snow	-	-	-	'14	-	-	'13	'01	-	'21	1
2	-	"	'01	-	'01	'08	'42	-	-	-	-	'02	2
3	'12	"	'02	-	'02	'57	'01	'22	'03	-	-	'08	3
4	'03	-	'39	-	'05	'17	-	'05	-	-	'36	-	4
5	'04	"	'37	-	-	'02	-	'05	-	-	'03	-	5
6	'48	-	-	-	-	'45	'92	'24	-	-	-	-	6
7	-	-	-	-	-	'87	-	-	-	-	-	-	7
8	'26	'15	'10	-	-	'08	'07	-	'04	-	-	-	8
9	-	'11	'03	'09	'14	'30	-	'01	-	-	-	'11	9
10	'02	-	'04	-	-	-	-	'15	'05	-	'06	-	10
11	'24	'04	-	-	-	-	-	-	'05	-	-	'21	11
12	'10	'08	'11	-	'05	-	-	-	-	-	'10	-	12
13	'02	-	-	-	-	'06	-	'02	-	-	'26	-	13
14	'03	-	'03	-	'06	'05	-	-	-	-	-	-	14
15	-	'02	'05	-	'57	'14	-	-	-	-	-	'07	15
16	'23	-	'07	-	'13	'06	-	'06	-	-	'02	-	16
17	'10	-	'17	-	-	'16	-	'15	-	'05	'01	'17	17
18	'07	-	'06	-	-	-	'02	'03	-	-	-	-	18
19	'21	'12	'05	-	-	'18	'09	'10	-	'04	'05	-	19
20	'13	-	'04	-	'01	-	'06	'45	-	'03	-	-	20
21	-	'01	'13	-	'75	-	'04	'48	-	'29	'07	-	21
22	'09	'05	-	-	'41	-	'61	'27	-	'07	-	-	22
23	'13	'20	'21	-	-	-	'18	'59	-	'02	'05	'39	23
24	'15	'01	-	-	-	'16	'03	'10	-	-	-	'13	24
25	-	-	-	-	-	'13	'02	'57	-	-	'19	'26	25
26	'02	'03	-	-	-	'08	'10	1.63	-	'52	'21	'22	26
27	-	-	-	-	-	'04	-	-	-	'25	-	'12	27
28	-	'01	-	-	'01	-	'01	'42	-	24	'26	'34	28
29	-	-	-	-	-	27	'22	'12	'65	'25	'07	-	29
30	-		-	-	'42	-	-	'06	'21	'29	-	-	30
31	-		'14		'02		'38	'19		-		-	31
Total	2'48	'83	2'02	'09	2'65	4'01	3'18	5'96	1.16	2.06	1.74	2'33	YEAR'S TOTAL 28'51
Rain Days.	20	12	18	1	14	20	16	22	7	12	14	13	169

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

11 APR 1914

REGISTER OF RAINFALL IN 1913

Kept at Thorney
in the County of Isle of Ely Cambs 3
by Hugh R. Brodie

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Thorney M&GN
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 9.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·03	·08	·02	-	-	-	-	·40	-	·14	-	1
2	·07	·08	·02	-	·02	-	·08	-	·03	-	-	-	2
3	-	-	·12	-	-	-	-	-	-	·14	-	-	3
4	·22	-	-	-	·60	-	-	-	-	·20	·21	·08	4
5	·02	-	-	-	·06	-	-	-	·07	1·06	·03	-	5
6	·02	-	·03	-	-	·05	·10	-	-	·05	-	-	6
7	-	·03	-	-	·42	·06	-	·03	-	·44	-	-	7
8	-	·19	-	-	·11	·07	-	-	-	·14	·12	-	8
9	-	-	·03	·02	·28	·06	-	-	-	-	·10	-	9
10	-	-	-	-	·15	-	·11	·24	-	-	·50	-	10
11	·75 Snow.	-	-	·35 Snow.	·03	-	-	·19	-	-	·12	-	11
12	-	·02	-	-	·07	-	-	-	-	-	·14	-	12
13	·02	-	-	·01	-	-	-	·06	-	-	·45	-	13
14	·05	-	·23	-	-	-	·32	-	-	·14	-	-	14
15	·08	·04	·14	·13	-	-	-	-	·10	-	·02	-	15
16	·03	-	·63	·11	-	-	-	-	-	-	-	-	16
17	·07	-	·29	·08	-	·41	·04	-	-	-	·03	·04	17
18	-	-	·12	·09	-	-	·03	-	·10	-	·02	·07	18
19	·05	-	·02	-	-	-	·02	-	·08	-	-	·03	19
20	·04	-	·08	·07	-	-	-	-	·25	·26	-	-	20
21	-	-	·12	-	·03	-	-	-	-	-	·28	-	21
22	·13	-	·10	-	-	-	·09	·08	·15	-	-	-	22
23	-	-	·05	-	-	-	-	·06	·04	-	·02	-	23
24	·02	-	-	·03	-	·07	-	·03	-	-	-	-	24
25	-	-	-	·12	-	-	-	-	-	-	-	-	25
26	-	-	·12	·03	-	-	-	-	-	·65	·03	·09	26
27	·02	-	·03	·02	·03	·05	-	-	-	·02	·07	-	27
28	·15	-	·08	·04	-	-	-	-	-	·16	-	-	28
29	·08	-	·14	·64	·04	-	-	·09	-	·08	-	·08	29
30	·16	-	-	·04	-	-	-	-	-	·05	·08	·02	30
31	-	-	-	-	·03	-	-	·53	-	-	-	-	31
Total	1·96	·39	2·44	1·74	2·10	·77	·79	1·31	1·22	2·39	2·10	·34	YEAR'S TOTAL 18·55
Rain Days.	19	6	19	16	13	7	8	9	9	10	14	7	143

W.7,000, XI. 13

written 3.III.15

Cordly nm rlats 26.11.15 D.L. Corr. by Observer 7.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
9 JAN 1915

Kept at Thorney

in the County of Cambridge

by Hugh R. Brodie

3-

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Thorney Mid & G N Jt

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 9·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.	.	.03	.	.	.26	.33	.	.	.08	~~.14~~	1
2	-	.	.	.	.	.	.02	.30	.	.	.03	.07	2
3	.	.	.02	.21	.	—	.	.		.	.05	.12	3
4	.08	.	.02	.05	.12	.	.04	.11	.	—	.33	.	4
5	.02	.	.03	.	.12	.	.	.	.	.	.02	.01	5
6	.	.04	.	.	.04	.	.10	.03		.	.23	.02	6
7	.	.02	.42	.02	.	.39	.	.04	.	.	.02	.03	7
8	.09	.05	.10	.04	.03	.82	.13	.12	.	.01	.	.07	8
9	.67	.	.20	.02	.04	1.02	.	.	.	.	.	.	9
10	.45	.06	.	.06	.04	.	.02	.	.08	.	.	.10	10
11	.	.04	.33	.05	.11	.03	.	.	.06	.	.18	.	11
12	.	.02	.	.	.	.	.	.	.29	-	.01	.22	12
13	.04	.11	.07	.	.	.	.15	.	-	.13	.05	.19	13
14	.	.02	.23	.	.	.	.	.	.	.52	.13	.21	14
15	.	.	.15	-	.	.	.	.	.	.	.05	.38	15
16	.	.	.	.	.	.	.02	.02	.	.	.03	.20	16
17	.	.24	.02	.	.	-	.	.	-	.	.	-	17
18	-	.	.23	.	.	.	.12	.	.	.	.	.60	18
19	.	.06	.20	.	.	.07	.	.	.35	.	.02	.32	19
20	.	.04	.30	.	.	.	.	.	.02	.	.	.03	20
21	.	.17	.20	.	.	.07	.	.19	.	.04	.	.	21
22	.	.	.	.01	.04	.03	.	.09	.	.12	.	.08	22
23	.	.	.03	—	.05	.	.02	.	.	.19	.	.	23
24	.	.	.06	.05	.	.	.	.10	.	.46	.14	.	24
25	.	.09	.	.	.	.	.03	.	.	.	.02	.	25
26	.	.	.15	.	.	.	.	.18	.	.	.03	.02	26
27	.	.	.03	.	.	.	.	.	.	.09	.04	.42	27
28	.	.04	.09	.	.03	.	.	.	.	.05	.	.21	28
29	.		.	.	.03	.	.	.	.	.35	.05	1.06	29
30	.	╳	.	.03	.03	.	.	.	.	.02	.17	~~.20~~ .29	30
31	.	╳	.	╳	.	╳	0.12	.	╳	.03	╳	.09	31 30.84
Total	1.35	1.00	2.88	.57	.70 ✓	3.43	1.03	1.45	.80	2.01	1.68	~~4.85~~ 5.08 4.94	~~YEAR'S TOTAL~~ ~~20.45~~ 20.92
Rain Days.	6	14	20	11	12	7	12	11	5	12	20	~~22~~ 23	~~152~~ 153

153

W. 8,000. X. 14.

9. MAR 1915

THORNEY DRAINAGE BOARD.

HUGH R. BRODIE,
CLERK

Thorney,
Nr. Peterborough.

March 8th 1915

Dear Sir

I beg to acknowledge and thank you for your letter of the 3rd inst. in reply thereto I herewith enclose an amended copy of the notes for Decr & Jany & the P.C. for Feby and must apologise for the extra trouble given you

Yours faithfully
Hugh R Brodie

D. Mill
63 Camden Sq
London N.W.

bor'd. LyC. 1.3.16

1342

FORM A. BRITISH RAINFALL.

14 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Thorney
in the County of Isle of Ely, Cambridgeshire
by Hugh R. Brodie 3

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Thorney (Mid & G.N.)
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 9. 2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27	·23	·03	·	·	·	·	·	·11	·	·09	·09	1
2	·13	·09	·23	·	·18	·	·	·63	·30	·	·07	·	2
3	·23	·	·07	·14	·	·	·16	·39	·11	·	·	·08	3
4	·02	·	·	·	·	·	·49	·17	·	·	·02	·04	4
5	·11	·05	·	·	·	·	·	·02	·	·	·	·	5
6	·03	·06	·04	·12	·31	·	·	·03	·	·	·	·07	6
7	·01	·27	20 ·02	·02	·	·	·52	·08	·	·03	·04	·49	7
8	·30	·14	·	·	·	17	·	·09	·	·	·03	·08	8
9	·06	·04	·	·	·	·	·02	·03	·	·03	·	·	9
10	·07	·	·07	·12	·	·	·04	·09	·	·	·05	·	10
11	·01	·	·04	·	·	·	·06	·	·	·	·45	·08	11
12	·	·	·	·	·11	·	·	·03	·	·	1·26	·	12
13	·02	·40	·	·19	·21	·	·	·20	·	·	·	·09	13
14	·	·05	·	·	·81	·	·02	·32	·	·	·	·19	14
15	·23	·02	·	·	·	·	·	·08	·01	·	·16	·08	15
16	·	·16	·02	·	·	·	·63	·03	·	·04	·	·04	16
17	·01	·19	·	·	·	·	·06	·	·	·03	·08	·	17
18	·05	·05	·13	·	·	·	·	·	·	·	·11	·02	18
19	·	·05	·03	·	·	·	·05	·	·	·	·	·06	19
20	·23	~~·04~~	·	·	·	·	·	·	·	·03	·04	·38	20
21	·06	·04	·	·	·	·	·12	·	·	·	·	·04	21
22	·42	·	·13	·04	·24	·	·35	·	·	·	·	·18	22
23	·06	·08	·	·	·	·	·03	·	·10	·04	·02	·24	23
24	·01	·	·22	·	·	·	·13	·	·39	·02	·	·22	24
25	·	·	·04	·	·	·	·02	·	·01	·	·	·09	25
26	·02	·09	·	·	·	·21	·15	·	·	·04	·	·	26
27	·	·05	·	·	·	·02	·	·	·	·56	·	·07	27
28	·	·05	·	·	·	·16	·03	·05	·	·23	·	·	28
29	·	·	·	·	·	·01	·	·14	·	·	·14	·21	29
30	·06	✕	·	·	·	·03	·	·	·	·	·	·04	30
31	·	✕	·	✕	·	✕ ~~·72~~	·03	·07	✕	·09	✕	·03	31
Total	2·41	2·11	1·25	·63	1·86	1.32	2·91	2·45	1·03	1·14	2·56	2·91	YEAR'S TOTAL 22·58 ✓
Rain Days.	22	19	13	6	6	7	18	17	7	11	14	23	163 ✓

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

Kept at Thorney Drainage Office
in the County of Isle of Ely Cambs
by Hugh R. Brodie

Lat. 52°37'21" Long. 0°6'50"
Time of Observation 9.0 a.m.
Nearest Railway Station Thorney, Mid & G.N. Joint
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 9.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·23					0·13	0·19		0·07		0·16		1
2	0·50	0·04	0·04		0·23				0·03		0·03		2
3		0·18	0·07				0·03		0·19		0·47		3
4	0·37	0·14			0·03						0·17	0·04	4
5	0·02										0·09		5
6	0·03	0·09	0·04	0·16		0·02	0·26	0·04	0·03		0·29	0·20	6
7			0·17								0·10	0·12	7
8												0·04	8
9			0·04		0·46			0·03	0·02		0·03		9
10	0·04	0·03	0·08				0·02					0·09	10
11		0·41	0·09	0·02	0·10	0·14	0·04		0·26		0·70	0·02	11
12	0·03		0·02	0·08	0·44	0·21			0·07	0·25	0·28		12
13		0·27	0·04	0·03		0·24	0·11	0·05	0·19	0·05	0·10		13
14	0·09					0·02	0·09		0·80		0·04		14
15		0·08	0·07	0·03			0·08			0·02			15
16			0·25	0·12	0·03								16
17	0·10	0·10	0·08	0·15				0·66	0·09	0·03			17
18		0·12	0·01			0·02		0·18				0·02	18
19	0·02		0·05					0·08				0·57	19
20			0·13			0·03		0·03			0·04	0·56	20
21		0·06	0·11	0·06			0·20	0·08				0·24	21
22		0·24	0·09			0·02							22
23	0·07	0·09						0·04		0·04			23
24		0·16	0·08			0·03		0·05		0·03		0·09	24
25		0·15	0·03		0·03			0·09	0·03				25
26		0·05	0·02			0·44		0·15		0·03			26
27		0·37	0·72					0·12					27
28		0·18	0·88			0·03				0·04			28
29		0·06				0·21		2·18		0·07		0·09	29
30		X				0·16		0·28		0·20		0·04	30
31		X		X		X		0·04	X	0·40	X		31
Total	1·50	2·82	3·11	0·65	1·32	1·70	1·02	4·10	1·78	1·16	2·50	2·12	YEAR'S TOTAL 23·78
Rain Days.	11	19	22	8	7	14	9	16	11	11	13	13	154

W. 8,000, VIII. 16

8L

227

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTE

CAMBRIDGE.

TRUMPINGTON.

1911 – 1916

Kept at Trumpington

in the County of Cambs

by C. Parsons

in.

und 1 ft. in.

Level 50 ft.

e

ance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15						.04						1
2	.24				.07		.01	.01			.10	.11	2
3				.03	.06					.15		.02	3
4	.08		.13	.07						.05	.08	.18	4
5		.07		.03				.02		.05	.01	.06	5
6	.18		.03									.27	6
7	.02		.01							.04	.28	.19	7
8	.15		.15								.10	.08	8
9	.22		.02										9
10	.01	.05	.06	.04							.09	.15	10
11	.34				.01						.38		11
12	.10		.37		.11				.07	.03	.20		12
13			.04		.03				.20	.57	.01	.25	13
14			.11		.70	.11						.33	14
15		.06	.18								.10		15
16			.05			.34				.04	.26	.04	16
17											.07	.07	17
18		.19				.10					.55	.03	18
19		.03			.02	.57			.09	.13	.43		19
20								.40	.12	.02		.52	20
21	.02	.07						.20		.28		.12	21
22	.09		.15			.02		.01		.14		.45	22
23		.04	.05			1.02	.01		.41	.13		.12	23
24		.06	.02			.20				.36		.21	24
25				.04		.39	.20	.04				.01	25
26				.20	.02		.06			.10	.02	.25	26
27		.19	.05	.07							.03	.02	27
28		.11		.23				.08				.02	28
29				.10		.29	.09		.23	.36			29
30						.01		.06	.01	.11			30
31										.02			31
Total	1.60	.87	1.42 1.42	.81	1.02	3.05	.41	.82	1.13	2.58	2.71	3.50	TOTAL for year 19.92
No. of Rain Days	12	10	15	9	8	10	6	8	7	17	16	22	140

9,000, IX. '10.

9L 227

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGISTE

Kept at Trumpington

in the County of Cambs 2

by C. Parsons

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 50 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15						·04						1
2	·24				·07		·01	·01			·10	·11	2
3				·03	·06					·15		·02	3
4	·08		·13	·07						·05	·08	·18	4
5		·07		·03				·02		·05	·01	·06	5
6	·18		·03									·27	6
7	·02		·01							·04	·28	·19	7
8	·15		·15								·10	·08	8
9	·22		·02										9
10	·01	·05	·06	·04							·09	·15	10
11	·34				·01						·38		11
12	·10		·37		·11				·07	·03	·20		12
13			·04		·03				·20	·57	·01	·25	13
14			·11		·70	·11						·33	14
15		·06	·18								·10		15
16			·05			·34				·04	·26	·04	16
17											·07	·07	17
18		·19				·10					·55	·03	18
19		·03			·02	·57			·09	·13	·43		19
20								·40	·12	·02		·52	20
21	·02	·07						·20		·28		·12	21
22	·09		·15			·02		·01		·14		·45	22
23		·04	·05			1·02	·01		·41	·13		·12	23
24		·06	·02			·20				·36		·21	24
25				·04		·39	·20	·04				·01	25
26				·20	·02		·06			·10	·02	·25	26
27		·19	·05	·07							·03	·02	27
28		·11		·23				·08				·02	28
29				·10		·29	·09		·23	·36			29
30						·01		·06	·01	·11			30
31										·02			31
Total	1·60	·87	1·42 1·44	·81	1·02	3·05	·41	·82	1·13	2·58	2·71	3·50	TOTAL for year 19·92
No. of Rain Days	12	10	15	9	8	10	6	8	7	17	16	22	140

9,000, IX. '10.

82

Ex J.C.

221

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Trumpington

in the County of Cambridgeshire 2

by C. Parsons

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station
Name ____
Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·09	·05		·12	·28		·06	1
2		·02		·02			·33					·02	2
3	·19				·09	·18		·25				·15	3
4	·09		·38		·06	·32		·03			·25		4
5	·09	·07	·25					·10			·05		5
6		·06			·01	·34	·52	·18				·02	6
7	·02				·01	·86	·13	·03	·21			·01	7
8	·20	·17				·05		·05					8
9		·04		·10		·16	·01					·23	9
10	·12	·02						·10	·09		·15	·02	10
11		·15						·03	·08		·01	·03	11
12	·12	·01	·06		·05	·02		·07			·05		12
13						·05	·04				·35	·02	13
14			·01		·04	·07		·03			·01	·02	14
15			·15		·19	·27		·05			·01	·11	15
16	·30		·05		·05	·09		·04		·04	·05		16
17	·55		·21			·16		·06				·04	17
18	·04		·08				·03	·22			·06	·23	18
19	·15	·09	·18			·01	·20	·68		·01	·02		19
20	·04		·10		·01		·01	·32		·41			20
21	·01	·03	·31		·47			1·02		·25	·06		21
22	·53	·08			·13		·01	·18				·03	22
23	·57	·35	·32					·64	·01 ~~·08~~		·27	·09	23
24	·23						·07	·16		·02	·23	·04	24
25								·76			·29	·31	25
26						·10	·08	1·55		·39		·33	26
27								·01		·10		·18	27
28		·03					·01	·02	·09	·23	·11	·31	28
29				·01		·15	·21	·38	·71	·21			29
30	·03				·18	·01			·58	·10			30
31			·07		·02		·16	·24		·06		·02	31
Total	3·28	1·12	2·17	·13	1·31	2·93	1·86	7·20	1·89	2·10	1·97	2·27	TOTAL for year 28·23
No. of Rain Days.	17	13	13	3	13	17	15	26	8	12	16	21	174

W. 8,000, X. '11.

82

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

226

27 JAN 1914

Kept at Trumpington

in the County of Cambridgeshire 2

by C. Parsons

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·05	·11	·04	·13					·48		·08	·02	1
2	·05	·13			·07		·16		·26		·05		2
3			·16		·69				·01				3
4	·08				·06	·01	·18			·10	·06		4
5	·07						·02		·01	·59	·02	·24	5
6		·01			·10	·44	·15						6
7		·08	·09		·02		·04			·02			7
8				·01	·10	·11				·30	·10		8
9		·20	·04	·01	·01	·11	·02	·01	·02		·05		9
10			·01	·05			·11				·40		10
11	·70			·46		·01		1·20		·04	·19		11
12					·04			·01			·08		12
13								·02			·38		13
14	·03		·10	·02			·30			·24	·11		14
15	·12	·04	·22	·06			·12						15
16	·06		·28	·10					·11				16
17	·06		·10			1·85	·02					·11	17
18			·03	·13			·05					·04	18
19	·09		·04		·02		·07		·52			·07	19
20	·05		·04	·03		·04			·01	·27			20
21			·05	·01	·02		·04		·13	·15	·24		21
22	·35		·11				·02	·06					22
23						·02	·04	·15					23
24	·01					·01			·03				24
25				·16									25
26		·06						·01		·73		·23	26
27		·03		·04	·53	·04				·05			27
28	·17		·01	·04				·05		·09		·03	28
29	·18		·10	·18	·25								29
30	·21		·11	·13				·03		·09	·18	·04	30
31								·73					31
Total	2·28	·66	1·53	1·56	1·91	2·64	1·34	2·27	1·58	2·67	1·94	·78	YEAR'S TOTAL 2116
Rain Days.	16	8	17	16	12	10	15	10	10	12	13	8	147

W. 7,500, XI. ·12

DL

219

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Trumpington

in the County of Cambridgeshire 2

by C. Parsons

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01				·07	·18			·10		1
2				·03			·01	·18			·12	·10	2
3			·12		·10	·03	·37	·18			·08		3
4	·11		·01	·13				·09			·39	·16	4
5			·07	·14	·05		·20	·59					5
6		·09		·03	·02	·05		·03			·17	·07	6
7		·04	·30	·02	·36	·12	·22					·52	7
8	·11	·06	·34	·01	·08	·62	·03	·14					8
9	·64	·06	·49	·07		·54							9
10	·53			·14	·06				·07		·31	·65	10
11		·07	·25	·01	·01	·30			·01			·18	11
12		·01	·07						·48		·01	·17	12
13		·14	·14						·01	·46	·05	·26	13
14			·17				·21			·60	·04	·81	14
15	·11		·30				·01	·02	·08			·10	15
16			·07				·15						16
17		·31	·01						·08			·01	17
18		·02	·01									·30	18
19		·04	·12			·03	·09				·37	·01	19
20		·05	·19			·06			·06		·01	·07	20
21		·16	·12			·45		·03		·02		·16	21
22			·05	·01	·34	·02	·06	·04		·40			22
23		·02	·04	·11	·07					·14		·04	23
24						·02	·01			·10	·12		24
25			·08				·02			·35		·01	25
26			·02				·02	·17		·02	·06	·39	26
27	·06		·02								·01	·10	27
28		·04								·08	·56	1·39	28
29			·04							·23	·04		29
30			·05							·01	·17	·05	30
31					·19		·06					·04	31
Total	1·56	1·11	3·09	·70	1·28	2·24	1·53	1·65	·79	2·41	2·61	5·59	YEAR'S TOTAL 24·56
Rain Days.	6	14	25	11	10	11	15	11	7	11	17	22	160

W.7,000, XI. 13

81

Corr. pr aule 3.1.16

1302
~~212~~

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Trumpington
in the County of Cambridgeshire 2
by C Parsons

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·11			·07				·08			·12	1
2	·05	·06	·21	·04		·02	·02	·40			·02		2
3	·22		·12	·20				·50	·02		·04	·18	3
4	·15							·05			·03	·44	4
5	·02	·15			·02			·02			·01	·21	5
6	·22	·01	·10	·22			·96	·11		·08		·02	6
7	·08	·26	·03				·29	·14				·12	7
8		·22	·02	·02									8
9	·01	·04		·02		·03					·19	·54	9
10	·35		·08					·02				·05	10
11	·02		·02		·02						·70		11
12	·11			·32	·25			·69		·04	·76	·02	12
13	·04	·43			·97								13
14		·12					·40	·04	·05			·34	14
15	·11				·03		·01	·31			·22	·05	15
16		·05					·48	·15					16
17		·16			·07		·15	·96					17
18		·09	·26								·11		18
19			·01				·12			·01			19
20	·36			·11				·02		·04		·34	20
21	·08	·02	·37		·03		·04			·01		·06	21
22	·91	·05	·05	·01			·61		·02				22
23	·01	·12	·16			·04	·05		·25	·15		·20	23
24		·02				·01	·03		·28			·06	24
25				·01		·30	·04			·01		·04	25
26		·07				·04	·30					·15	26
27		·13				·07	·03			·52		·02	27
28		·04				·20	·15	·04	·71	·07		·15	28
29						·15		·15			·04		29
30	·05	✕				·59							30
31	·02	✕		✕		✕		·01	✕	·07	✕	·09	31
Total	3·11	2·15	1·43	·95	1·46	1·45	3·68 3·68	3·61	1·41	1·00	2·12	3·20	YEAR'S TOTAL 25·57 25·27
Rain Days.	19	19	12	9	8	10	16	16	7	10	10	20	156

W. 8,000. X. 14.

8L ✓

1281
311

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Trumpington
in the County of Cambridgeshire
by C. Parsons

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·13						–				1
2	·28		·03			·04							2
3	·31	·19					·01						3
4						·24							4
5		·01	·01	·02		·12	·03						5
6		·10	·20	·28		·02	·05						6
7			·06			·05	·46						7
8			·01										8
9						·12							9
10	·05	·02	·10	·05		·05	·14						10
11		·33	·04	·14		·12							11
12		·02			·41	·30	·06	·04					12
13		·37	·05	·06		·10	·34						13
14		·54	·02			·01		·10					14
15		·17	·26					·51					15
16		·07	·07	·20			·13	·07					16
17	·05	·03		·18			·16						17
18		·13	·03	·06				·15					18
19			·06	·28				·02					19
20	·15		·15	·03				·10					20
21			·52				·53						21
22		·05	·03			·01							22
23		·50				·06							23
24		·06						·03					24
25		·03	·12					·15					25
26		·14	·08			·05		·08					26
27	·06	·28	·85			·02		·03					27
28			·35			·04							28
29		·10				·08		·99					29
30		✕						·38					30
31		✕		✕		✕			✕		✕		31
Total	·93	3·14	3·17	1·30	1·75	1·43	1·91	2·65					YEAR'S TOTAL
Rain Days.	7	19	21	10	12	17	10	13					

Dh 253

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RE

UPWELL MARMONT
PRIORY LOCK
CAMBRIDGE
1911 - 1920

Kept at Marmont

in the County of Camb

by A. Lunn

in.

ound 1 ft. 1 in.

Level ft. 1219

e

nce Direction

IMPORTANT NOTE.– result entered to the previous day. If an Obser l rule, he is earnestly requested to add the reading n the space provided for it at the end of this p of rain, the selection and placing Rainfall Organization are given in "R sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09							·01			·01	·01	1
2	·25				·06			·01			·07	·06	2
3	·01	·04		·07	·07					·09	·02	·10	3
4	·03	·04	·15	·10					·11	·04	·08	·18	4
5		·02		·01				·14		·03	·01	·06	5
6	·34			·04						·03		·19	6
7	·01											·25	7
8	·24	·03	·14						·18		·16	·05	8
9	·10			·06						·03	·06	·01	9
10	·02	·04	·07									·05	10
11	·15					·05				·01	·33		11
12	·19		·34		·07				·04		·09	·02	12
13		·01	·14			·15			·24	·16		·23	13
14	·01	·04	·10		·45	·01						·37	14
15		·06	·22								·07		15
16			·04			·12				·02	·32	·06	16
17			·02							·01	·03	·05	17
18	·01	·07	·01			·03					·92		18
19	·01				·03			·01	·11	·04	·26	·02	19
20		·02						·15	·23	·04		·40	20
21		·13	·01	·02				·74		·16	·02	·12	21
22	·01	·07	·06	·01				·17		·15	·02	·31	22
23	·01	·01	·13		·03	·76		·01	·42			·11	23
24		·02	·08			·08				·31	·01	·12	24
25		·01	·03	·08	·02	·10		·09			·04		25
26				·12						·23	·08	·36	26
27		·13	·07	·04				·04	·19	·05		·03	27
28		·11		·18			·02	·20		·02	·06	·08	28
29	·01	X	·02			·10	·04		·32	·22	·01		29
30		X	·01	·02	·09	·01			·11	·04		·01	30
31		X		X		X			X		X	·02	31
Total	1·49	·85	1·64	·75	·82	1·41	·06	1·57	1·95	1·68	2·67	3·27	TOTAL for year 18·16
No. of Rain Days	~~17~~	~~17~~	~~18~~	~~12~~	~~8~~	~~10~~	~~2~~	~~11~~	~~10~~	~~19~~	~~21~~	~~26~~	171

9,000, IX. '10.

8H

253

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

REC

Kept at Marmont Priory Lock

in the County of Cambs B 2

by A. Lunn

Rain Gauge	Diameter of top 8 in.	
	Height of top above Ground 1 ft. 1 in.	
	" " " Sea Level ft.	1219

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09							.01			.01	.01	1
2	.25				.06			.01			.07	.06	2
3	.01	.04		.07	.07					.09	.02	.10	3
4	.03	.04	.15	.10					.11	.04	.08	.18	4
5		.02		.01				.14		.03	.01	.06	5
6	.34			.04						.03		.19	6
7	.01											.25	7
8	.24	.03	.14						.18		.16	.05	8
9	.10			.06						.03	.06	.01	9
10	.02	.04	.07									.05	10
11	.15					.05				.01	.33		11
12	.19		.34		.07				.04		.09	.02	12
13		.01	.14			.15			.24	.16		.23	13
14	.01	.04	.10		.45	.01						.37	14
15		.06	.22								.07		15
16			.04			.12				.02	.32	.06	16
17			.02							.01	.03	.05	17
18	.01	.07	.01			.03					.92		18
19	.01				.03			.01	.11	.04	.26	.02	19
20		.02						.15	.23	.04		.40	20
21		.13	.01	.02				.74		.16	.02	.12	21
22	.01	.07	.06	.01				.17		.15	.02	.31	22
23	.01	.01	.13		.03	.76		.01	.42			.11	23
24		.02	.08			.08				.31	.01	.12	24
25		.01	.03	.08	.02	.10		.09			.04		25
26				.12						.23	.08	.36	26
27		.13	.07	.04				.04	.19	.05		.03	27
28		.11		.18			.02	.20		.02	.06	.08	28
29	.01	X	.02			.10	.04		.32	.22	.01		29
30		X	.01	.02	.09	.01			.11	.04		.01	30
31		X		X		X			X		X	.02	31
Total	1.49	.85	1.64	.75	.82	1.41	.06	1.57	1.95	1.68	2.67	3.27	TOTAL for year 18.16
No. of Rain Days	17	17	18	12	8	10	2	11	10	19	21	26	171

9,000, IX. '10.

82

206

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

Kept at Marmont Priory

in the County of Cambridgeshire 2

by A. Lunn

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft.
	" " " Sea Level	ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01					.08		.05	.15	.02		.18	1
2					.05		.35						2
3	.14				.03	.55		.23	.01			.06	3
4	.04		.33		.06	.12							4
5		.19	.25			.05		.19			.22		5
6	.57	.12			.01	.76		.28			.01	.04	6
7					.03		1.14		.03		.01		7
8	.17	.11	.07			.09			.08	.01		.01	8
9	.01	.05	.02	.11	.18	.62	.10	.07		.01		.16	9
10	.01		.02	.01				.07	.23	.01			10
11	.08	.04						.02	.08		.07	.16	11
12	.09	.03	.12		.06	.08					.01		12
13	.01	.05				.07	.17			.01	.19		13
14	.04				.04	.20		.06	.05		.52	.01	14
15			.08		.31	.08					.02	.05	15
16	.15		.07		.17	.14		.14		.05			16
17	.26		.20					.11			.04	.09	17
18	.25		.07					.02		.05	.01	.03	18
19	.07	.24	.12				.63	.95		.01			19
20					.02		.05	.34		.19	.05		20
21	.11	.01	.17		.30		.06	.61		.04	.02		21
22		.06	.05		.62		.61	.26		.01	.05	.02	22
23	.28	.29	.22		.03		.08	.54			.07	.31	23
24	.30	.04					.06	.06		.01			24
25	.03		.01			.10	.16	.65		.01	.15		25
26	.01	.02				.09	.06	2.26		.40	.19	.05	26
27					.02			.04		.14		.47	27
28		.02		.06	.01			.37		.22	.24	.16	28
29						.05	.09	.02	.63	.19	.08	.43	29
30	.02	X			.23	.01		.04	.25	.29			30
31		X	.10	X	.06	X	.20	.19	X		X		31
Total	2.65	1.27	1.90	.18	2.23	3.09	3.76	7.57	1.51	1.67	1.95	2.23	TOTAL for year 30.01
No. of Rain Days.	21	14	16	3	18	16	14	24	9	18	18	16	187

W. 8,000, X. '11.

82

REGISTER ~~Ex~~ OF MY RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

250

27 JAN 1914

1219

Kept at Marmont Priory Sluice
in the County of Cambridgeshire 2
by A. Lunn

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·04	·09	·07	·06		·06			·35	·01	·04		1
2	·05	·09	·04				·15		·02				2
3	·01		·19		·66				·02	·04			3
4	·16	·01			·04	·04	·04			·10	·09	·06	4
5	·02						·05		·04	·52			5
6	·01		·02		·37	·12	·06			·06	·02		6
7					·05	·07				·54	·01		7
8					·38	·12				·19	·07		8
9		·24	·04	·01	·05	·05		·05			·08	·01	9
10	·01			·05			·05	·15		·01	·22		10
11	·52	·02		·35	·02			·06			·04		11
12										·01	·09		12
13	·02		·01				·03	·06			·39		13
14	·09	·03	·15	·03					·04	·22	·08		14
15	·13	·02	·14	·04					·18				15
16	·11		·77	·09			·03		·40	·01	·06		16
17	·09	·03	·12	·07		·30	·09	·03		·01	·01	·03	17
18	·01	·01	·04	·16			·06	·03			·01	·05	18
19	·06		·14				·03	·02	·21			·03	19
20	·08		·06	·01					·21	·18		·01	20
21	·04		·02	·02			·17	·01		·04	·05		21
22	·15		·06				·25	·02	·16		·01		22
23			·04				·05		·05		·02		23
24						·10	·01			·01			24
25	·02			·07		·06							25
26		·01	·10			·05		·07		·62	·08	·02	26
27	·01	·05	·01	·01		·10				·04	·02	·16	27
28	·13		·09	·06						·17	·02	·06	28
29	·22	X	·15	·14	·08			·06	·01	·01	·01	·05	29
30	·10	X		·15				·02	·01	·09	·08	·05	30
31		X		X	·05	X		·38	X	·06	X		31
Total	2·08	·60	2·26	1·32	1·70	1·07	1·07	·96	1·70	2·94	1·50	·53	YEAR'S TOTAL 1773
Rain Days.	~~23~~	~~11~~	~~20~~	~~16~~	~~9~~	~~11~~	~~12~~	~~13~~	~~13~~	~~21~~	~~22~~	~~11~~	~~184~~

W. 7,500, XI. ·12

DL

243

FORM A.
BRITISH RAINFALL.

28 JAN 1915 1219

REGISTER OF RAINFALL IN 1914

Kept at Marmont Priory Sluice

in the County of Cambridgeshire 2

by A. Lunn

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05						·40	·39		·02	·07		1
2				·02			·08	·09			·06	·04	2
3			·06		·15		·06	·07			·02		3
4	·14			·20				·34			·14	·13	4
5		·01	·05	·05			·11	·09			·21		5
6		·06			·07	·01	·07				·22	·02	6
7		·02	·37		·02	·36					·01	·05	7
8	·18	·03	·16		·11	·62	·04	·13				·03	8
9	·61		·19	·02	·05	·72			·09			·12	9
10	·30	·08	·05	·05	·04				·04			·02	10
11		·06	·29	·06	·05	·03			·10		·29	·16	11
12	·01		·05			·02	·21		·24		·02	·35	12
13	·03	·10	·16							·06	·06	·19	13
14		·03	·11				·19			·42	·16	·45	14
15	·01	·01	·12			·01		·06	·03		·04	·49	15
16			·02				·14				·03		16
17	·01	·25	·01						·07	·04	·04	·04	17
18			·03				·03			·01	·03	·48	18
19		·07	·09			·26					·16	·04	19
20	·02	·03	·32			·04			·04	·03		·03	20
21	·01	·10	·20			·05	·04	·09		·10	·03	·13	21
22				·15	·23	·01	·05	·06		·18		·04	22
23	·01		·04	·01	·06	·02	·04			·04	·01		23
24	·01	·02	·03	·06		·03	·02	·02		·12	·11		24
25		·04	·01		·04		·02	·03		·34		·02	25
26		·02	·01				·01	·12		·05	·10	·31	26
27	·02		·03					·01			·04	·16	27
28	·01	·03								·07		·94	28
29	·04	X	·04							·18	·16		29
30		X	·02							·03	·10	·12	30
31		X		X	·04	X	·08		X	·03	X	·11	31
Total	1·46	·96	2·46	·62	·86	2·18	1·59	1·50	·61	1·72	2·11	4·47	YEAR'S TOTAL 20·54
Rain Days.	~~16~~	~~17~~	~~24~~	~~9~~	~~11~~	~~13~~	~~17~~	~~13~~	~~7~~	~~16~~	~~22~~	~~24~~	120

W.7,000, XI. 13

82

13396

FORM A.
BRITISH RAINFALL.

1219

REGISTER OF RAINFALL IN 1915

Kept at Marmont Priory Sluice

in the County of Cambridgeshire 2

by A. Lunn

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·23			·20				·07		·09	·06	1
2	·06	·12	·20			03		02	·14		·08	·02	2
3	·18	·01	·09	·07			·10	·40	·03		09	·15	3
4	·22		·01				09	·31			07	·53	4
5	·05	·05			·72			·07		·05	·04	·20	5
6	·11	·06	·08	·12	·01		1·01	·06				·08	6
7	·05	·25	·07					·07				·12	7
8	·03	·06	·02	·03			·02	·04			·02		8
9	·07	·02				·05		·01			·09	·34	9
10	·22		·09					·75			09	·01	10
11			·06		·11						·37	·04	11
12	·09		·03	·14	·26			·03			1·21	·08	12
13	·02	·37			·79		·01	·15				·01	13
14		·05			·06		·27					·20	14
15	·16				·12			·07			·65	·05	15
16		·14					·58	·06		·05		·07	16
17	·02	·09					·05						17
18	·01	·05	·06				·06			·01	·06		18
19		·06					06	·02		·04	·01		19
20	·22		·07				·07	·01		·03		·32	20
21	·11	·07			·06		·23		·01			·05	21
22	·48	·03	·18						·18			·21	22
23	·02	·12					12		·17	·09	·04	·27	23
24	·01	·04	·06				·06			·03		·03	24
25	·01	·02	·03			·37	·04			·06		·10	25
26		·08	·02			·04	·52			·01		·21	26
27		·04				·21	·01			·47			27
28		·06				·06		·06	·15	·42			28
29						·11		·15		·01	·12	·20	29
30	·07					·74				·02	·01		30
31	·04							·10		·08		·14	31
Total	2·48	2·02	1·07	·36	2·33	1·61	3·30	2·38	·75	1·37	3·04	3·49	YEAR'S TOTAL 24·20
Rain Days.	23	22	15	4	9	8	17	18	7	14	16	24	177

W. 8,000. X. 14.

81 E.i.82

1315
~~207~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

1219

Kept at Marmont Priory
in the County of Cambridgeshire
by A. Lunn

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.04				.16				.32		1
2	.30	.02	.05		.26		.05		.05	.05	.04		2
3		.06	.01		.05		.05		.28	.29	.09	.02	3
4	.35	.13	.02	.01	.02	.10	.02		.31	.03	.20	.03	4
5	.04		.03	.05	.01	.15	.04			.14	.12	.04	5
6	.09	.07	.12	.38	.27		.10			.05	.22		6
7			.09		.06	.01	.50			.06	.08	.08	7
8			.04		.29	.08				.07	.03	.19	8
9			.03		.02	.07					.02	.06	9
10			.08	.05	.13	.16	.11		.02	.01	.01	.14	10
11	.11	.40	.09	.26	.44	.14	.02		.05			.03	11
12		.02			.13	.46	.05	.07	.03	.13		.04	12
13		.21	.08	.05	.10	.05	.06			.01		.01	13
14		.51	.06	.01		.07	.02	.48		.03	.01		14
15	.06	.14	.24	.01			.07	.03	.04	.01		.14	15
16		.06	.06	.13		.01	.02	.05		.03		.02	16
17		.01	.02	.18			.15	.25	.26	.26		.02	17
18			.02	.06				.37	.10	.07		.01	18
19		.12	.04	.21				.04	.30		.36		19
20	.10		.27	.07			.01	.14			.27	.22	20
21	.01	.02	.21	.02	.17		.01	.05			.17	.69	21
22	.01	.18	.02			.01	.04			.02		.49	22
23		.25				.36	.01	.04				.15	23
24	.02	.03	.02	.02			.02	.06		.16	.08	.15	24
25		.06	.07					.12		.04	.02		25
26	.01	.12				.04		.22		.05	.07		26
27	.01	.35	.75					.06		.03	.06		27
28		.19	.56						.05			.16	28
29	.01	.10				.09		1.87		.11	.01		29
30		X				.12		.28		.22		.05	30
31	.01	X		X		X		.06	X	.04	X		31
Total	1.13	3.05	3.02	1.51	1.95	1.92	1.51	4.19	1.49	1.91	2.18	2.74	YEAR'S TOTAL 26.60
Rain Days.	~~14~~	~~21~~	~~25~~	~~15~~	~~13~~	~~16~~	~~20~~	~~17~~	~~11~~	~~23~~	~~19~~	~~21~~	~~215~~

W. 8,000. X. 15.

1255
~~231~~

FORM A.
BRITISH RAINFALL.

1219

REGISTER OF RAINFALL IN 1917

Kept at Upwell, Wisbech, Marmont Priory Lock
in the County of Cambridgeshire
by C. P. Burling

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·18				1·21	·47		·03		1
2	·07		·02	·24		·06		·30			·01		2
3			·01	·03				·39		·07			3
4	·21	·18	·09	·03						·65	·18		4
5	·02		·03	·13				·06	·01		·02		5
6	·36					·38		·03		·10			6
7	·13		·02			·06				·36	13	·02	7
8	·07			·14			·59	·06		·20	·08		8
9	·25		·06	·08			·02	·07			·05		9
10	·05		·17	·06				·25		·05		·02	10
11	·02	·02	·28	·04		·07				·19	·01		11
12	27	·03	·03	·03	·05			·09		·38		·04	12
13	·21		·40	·02			·05	·10	·05	·05	·01	·02	13
14	·02	·04	·05	·07			·01			·02	·01	·01	14
15	·06		·01	·20	·04		·04	·20		·03		·10	15
16	·03	10	·01	·23	·02	·10	·15			·60		·05	16
17	·04	·03	·06		·47	·24	·14		·29	·33			17
18					·03	·06		·03	1·02		·17	·04	18
19	·02	·07	·11			·04	·09		·09		·02		19
20		·24	·09		·02								20
21	·03	·04	·11		·03								21
22			·08		·02	·04		·02	·02	·08	·06		22
23		·03	·02		·14			·05	·06				23
24						·15			·01	·16	·05	·05	24
25		·04	·03								·41	·03	25
26		·01	·06					·27	·04			·02	26
27			·04			·32	·05	·50				·15	27
28		·06	·05			·37		·10		·05		·04	28
29		X	·04			·13	·66	·03		·22	·01	·03	29
30	·05	X	·02				·19	·13			·02	·05	30
31		X	·06	X		X	·35	·17	X		X		31
Total	1·91	·91	1·95	1·48	·82	2·02	2·34	4·06	2·06	3·54	1·27	·67	YEAR'S TOTAL 23·03
Rain Days.	~~18~~	~~14~~	26	~~14~~ ✓	9	13	12	20	~~10~~	17	17	15	~~185~~

2.10

W. 8,000, VIII. 16

8l

8084

38
~~182~~

FORM A.
BRITISH RAINFALL.

30 . 1 19
1219

REGISTER OF RAINFALL IN 1918

Kept at Marmont Priory Lock, Upwell
in the County of Cambridgeshire
by G. E. Mathews

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02		·12					·02	·01	·06	·12	1
2	·04	·08		·12				·34		·01	·04	·22	2
3		·05	·07		·36			·14			·68		3
4	·03	·01	·11				·04	·03	·42		·22	·02	4
5		·02			·08			·18	·85	·05			5
6	·02	·04		·09				·01				·03	6
7	·01	·08		·06		·05			·02	·04	·07	·01	7
8	·05		·02				·03		·06		·06	·01	8
9		·10		·11		·06	·02		·26	·25	·02	·05	9
10	·04	·01					·40		·02	·04	·01	·16	10
11	·02			·02	·21		·11		·11	·41	·04	·17	11
12		·19	·03				·15		·02	·03		·03	12
13		·03			·32				·08		·02	·04	13
14	·22	·01		·02			·20		·24	·18		·02	14
15	·42			·71			·61		·08			·05	15
16	·17			·20		·03			1·12				16
17	·31			·04	1·04	·08	·60	·04				·14	17
18	·08					·05			·17	·06		·31	18
19	·04	·06	·06	·05			·01			·04		·09	19
20	·02	·02		·02		·09	·02		·10	·07	·04		20
21	·01					·06	·08		·30				21
22	·05				·02				·05		·02	·02	22
23	·11				·53		·06		·05		·04	·28	23
24		·26	·03	·01	·24		·14				·08	·01	24
25						·07	·33	·39	·05		·06		25
26							·08		·07			·08	26
27				·02		·06	·71	·22		·01	·22	·03	27
28		·06	·12						~~·85~~		·08	·23	28
29	·02	X							·85		·22	·12	29
30		X	·23						·08		·10	·03	30
31		X	·05	X		X			X	·05	X		31
Total	1·66	1·04	·72	1·59	2·80	·55	3·59	1·35	5·02	1·25	2·08	2·27	YEAR'S TOTAL 23·92
Rain Days.	18	16	9	14	8	9	17	8	22	14	19	24	178

W. 8,000, IX. 17.

81 ✓ W

1183
~~1162~~
1219

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Kept at Marmont Priory Lock, Upwell
in the County of Cambridgeshire
by G. E. Mathews

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·42	·04	·02	·01	·06		·09			·10	·06	·63	1
2	·23		·02		·02		·10	·02	·19	·02	·20	·37	2
3	·45		·14		·01		·19		·08		·10		3
4	·08		·27			·16		·05	·51			·16	4
5	·09	·07	·06					·05				·08	5
6		·03	·07								·02	·04	6
7	·02		·20				·02				·12	·02	7
8			·02								·07	·03	8
9	·10		·03	·08									9
10			·18	·03						·06	·08	·07	10
11	·10			·08			·70				·07	·08	11
12	·03		·20			·08	·09			·04			12
13	·10		·10	·14			·01			·08			13
14	·26	·04		·09			·15		·04		·05		14
15	·10	·05		·18			·02			·06	·03	·13	15
16	·07	·55	·03	·05							·06	·02	16
17		·23		·02	·18						·22	·10	17
18	·02	·02						·09				·02	18
19	·02	·15				·10	·07	·22	·08		·02	·08	19
20	·24	·03	·32			·26	·56	·44	·06			·09	20
21	·31	·47	·15			·05	·50					·40	21
22	·02	·14	·03				·10		·44		·09	·03	22
23			·02	·12	·03	·06	·18		·06	·04			23
24			·01	·07		·09		—		·05			24
25	·17			·01	·18			·25		·02		·38	25
26	·08	·08		·15				·02					26
27	·09	·12	·12	·49				·06		·06	·02	·29	27
28	·06			·15			·04	·72	·05	·15		·24	28
29	·10	×		·08		·10	·03	·13	·02	·17	·10	·11	29
30	·02	×	·02	·25		·20				·04	·16		30
31		×		×		×	·02		×	·03	×	·05	31
Total	3·18	2·02	2·01	2·00	·48	1·10	2·87	2·05	1·53	·92	1·47	3·42	YEAR'S TOTAL 23·05
Rain Days.	24	14	20	17	6	9	17	11	10	14	17	22	181

W. 6,500, VII. 18. W W O

1127

1219

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920..

Kept at Marmont Priory Lock (Upwell)

in the County of Cambridgeshire

by G. E. Mathews.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01			10		·10			·10		·07	1
2	·02			·01			·09	·15	·13			·03	2
3		·02		·04		·04	·24		·09	·05		·02	3
4			·05	·15			·07	·23	·08	·03			4
5			·07	·06	·26		·36	·15	·07	·01		·07	5
6			·05		·06		·45	·04					6
7		·01	·11	·15	·02		·02					·08	7
8	·07	·04	·02	·31	·12		·04						8
9	·30	·03		·22				·01				·02	9
10	·06	·01	·09	·15			·04		·03		·03	·04	10
11	·13		~~·09~~ ·07	·16	·07	·07	·06					·03	11
12	·10		·02	·14	·05	·45		·01	·06				12
13	·03		·01	·14		·13			·05		·01		13
14		·06	·26	·08			·06		·19	·01	·11	·20	14
15		·03	·22	·05					·17		·06	·17	15
16				·02	·06		·04		·20		·02	·08	16
17	·01			·07	·08				·20	·01	·01	·06	17
18						·38		·36	·13		·06	·01	18
19	·02	·03		·08				·05				·01	19
20	·09	·19		·21		·50			·05			·03	20
21	·08			·23			·03	·12	·19				21
22	·07			·12			·16	·13	·13	·01	·03	·25	22
23		·01		·02						·02	·03	·05	23
24	·02		·20	·10			·29				·02	·01	24
25		·08	·05	·04	·65	·07	·09			·03	·02	·02	25
26	·07		·03	·12	·16	·02	·02			·01		·11	26
27	·08	·05	·01			·23	·02			·01	·14	·07	27
28	·32	·01	–		·18		·07				·07	·30	28
29	·02		·33		·09		·08				·09	·19	29
30			·03		·01			·01	·21	·01	·11	·01	30
31	·07		·02					·01		·12		·07	31
TOTAL	1·56	·58	1·64	2·67	1·91	1·89	2·33	1·27	1·98	·42	·81	2·00	YEAR'S TOTAL 19·06
Days with ·01 in. or more	~~18~~ 14	~~14~~ 12	~~18~~ 9 11	~~23~~ 20	~~14~~ 12	~~9~~ 8	~~20~~ 16	~~12~~ 8	~~16~~ 15	~~13~~ 3	~~15~~ 7	~~25~~ 15	~~197~~ 132

(44,381) Wt. 11958—218 7500 10/19. Gp.152 A.&E.W.

88

254

REGIS

Kept at Euximoor
in the County of Cambs
by H. West, jun.

UPWELL
EUXIMOOR HSE
CAMBRIDGE

1911 - 1915

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

in.
nd .... ft. .... in.
Level .... ft.

nce .... Direction ....

IMPORTANT NOTE.—I ... result entered to the previous day. If an Observ ... l rule, he is earnestly requested to add the reading ... n the space provided for it at the end of this pa ... of rain, the selection and placing o ... Rainfall Organization are given in "Ru ... cation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06							·09				·02	1
2	·57				·08			·01			·07	·09	2
3	·02	·05		10						·11	·01	·14	3
4	·01		·16	·11	·13					·02	·10	·30	4
5	·01	·05		·07				·13	·10	·03	·01	·24	5
6			·02	·01								·28	6
7	·01		·12	·02							·12	·05	7
8	·26		·01						·10		·08		8
9	·13			·10							·04		9
10	·02		·09									·11	10
11	·26	·05									·37		11
12	·22	·01	·42		·08	·14			·03		·10		12
13			·15		·01				·24		·03	·37	13
14		·06	·17		·32					·13		·40	14
15		·08	·43							·01	·07	·02	15
16		·01	·02			·12					·37	·07	16
17						·02					·02	·06	17
18		·23				·09					·87		18
19					·02	·32			·11	·04	·35		19
20								·15	·37	·06		·45	20
21		·12		·03				·88		·20		·17	21
22	·05	·10	·05			·02		·14		·23	·03	·37	22
23		·02	·22		·04	·72			·50			·13	23
24		·04	·06			·20						·14	24
25		·01	·08	·12		·15		·13		·39	·03		25
26				·15			·02	·03		·25	·08	·36	26
27		·18	·10	·13					·19	·03		·04	27
28		·16		·23				·26		·30	·08	·08	28
29				·04		·21	·06		·39	·04		·01	29
30				·01	·06	·02			·14				30
31												·03	31
Total	1·62	1·17	2·10	1·12	·74	2·01	·08	1·82	2·17	1·84	2·83	3·93	TOTAL for year 21·43
No. of Rain Days	12	15	15	13	8	11	2	9	10	14	19	22	150

9,000, IX. '10.

88

254

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGI

Kept at Euximoor House

in the County of Cambs ~~3~~ 2

by H. West, jun: Esq.

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station
Name ____
Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06							·09				·02	1
2	·57				·08			·01			·07	·09	2
3	·02	·05		·10						·11	·01	·14	3
4	·01		·16	·11	·13					·02	·10	·30	4
5	·01	·05		·07				·13	·10	·03	·01	·24	5
6			·02	·01								·28	6
7	·01		·12	·02							·12	·05	7
8	·26		·01						·10		·08		8
9	·13			·10							·04		9
10	·02		·09									·11	10
11	·26	·05									·37		11
12	·22	·01	·42		·08	·14			·03		·10		12
13			·15		·01				·24		·03	·37	13
14		·06	·17		·32					·13		·40	14
15		·08	·43							·01	·07	·02	15
16		·01	·02			·12					·37	·07	16
17						·02					·02	·06	17
18		·23				·09					·87		18
19					·02	·32			·11	·04	·35		19
20								·15	·37	·06		·45	20
21		·12		·03				·88		·20		·17	21
22	·05	·10	·05			·02		·14		·23	·03	·37	22
23		·02	·22		·04	·72			·50			·13	23
24		·04	·06			·20						·14	24
25		·01	·08	·12		·15		·13		·39	·03		25
26				·15			·02	·03		·25	·08	·36	26
27		·18	·10	·13					·19	·03		·04	27
28		·16		·23				·26		·30	·08	·08	28
29				·04		·21	·06		·39	·04		·01	29
30				·01	·06	·02			·14				30
31												·03	31
Total	1·62	1·17	2·10	1·12	·74	2·01	·08	1·82	2·17	1·84	2·83	3·93	TOTAL for year 21·43
No. of Rain Days	12	15	15	13	8	11	2	9	10	14	19	22	150

9,000, IX. '10.

8L

cor by mm stats 12-11-13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 24 JAN 1913

247

Kept at Eximoor House

in the County of Cambridgeshire

by H. West

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·04	·11		·04	·14			·20	1
2		·01					·33		·03				2
3	·18	·01			·04	·47		·25		·02	·28	·08	3
4	·05		·43		·07	·12		·04			·10		4
5		·08	·34			·03		·03				·01	5
6	·57	·12				·01	1·28	·46				·02	6
7		·07			·03	·57	·02					·01	7
8	·50	·08	·07			·18	·15	·04	·09				8
9			·02	·14	·18	·74			·27			·21	9
10								·03	·11		·06		10
11	·11											·18	11
12	·09	·05	·13		·04						·27	·01	12
13	·05	·03				·08	·15	·15			·58		13
14	·04				·01	·08			·04		·01	·01	14
15			·09		·33	·24					·01	·07	15
16	·17		·08		·17	·07		·17		·12			16
17	·13		·26			·18		·10				·08	17
18	·05	·18	·11					·35		·07		·03	18
19		·02	·08				·51	1·20		·02	·05		19
20	·15		·01				·08	·33		·27	·06		20
21	·07	·06	·15		·27			·67		·02			21
22	·01	·28	·03		·65		·71	·15					22
23	·12	·05	·24		·03		·04	·91			·09	(·25)	23
24	·28	·01	·01			·05	·03	·17			·18	·14	24
25	·41					·10	·15	·30				·16	25
26	·02	·01	·01			·17	·06	2·85		·44	·26	·31	26
27								·01		·15	·02	·18	27
28				·03			·01	·38		·25	·18	{·20}	28
29						·19	·16	·02	·30	·02	·15	{·29}	29
30	·02				·29				·61	·47			30
31			·15		·15		·23	·22		·01			31
Total	3·02	1·06	2·21	·17	2·30	3·39	3·91	8·87	1·59	1·86	2·30	2·44 ✓	TOTAL for year 33·12
No. of Rain Days.	19	15	17	2	14	17	15	23	8	12	15	19	176

W. 8,000, X. '11.

82

257

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

Kept at Euximoor House, Upwell
in the County of Cambridgeshire 2
by H. West

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·08	·01	·06		·03			·41		·04		1
2	·03	·09	·14		·10		·13		·02				2
3					·76				·01	·05	·02	·02	3
4	·17		·01		·03	·02	·02			·11	·04	·07	4
5							·01		·01	·64	·01		5
6					·38	·25				·02			6
7	·02	·02			·08	·08	·04			·59	·03		7
8					·39	·17				·20	·12		8
9	·01	·26	·03	·01	·03	·07		·03			·24	·01	9
10				·06	·02		·03	·18			·04		10
11	·57			·39				·05					11
12	·02							·05			·11		12
13	·02		·02								·40		13
14	·08	·04	·16	·05					·01	·26	·03		14
15	·10		·20	·08			·04		·23				15
16	·09		·73	·16					·27		·06		16
17		·04	·20	·06		·32	·11				·02	·03	17
18	·06		·03	·13			·04	·02				·02	18
19			·10					·01				·02	19
20	·08		·11						·21	·27			20
21	·04		·02		·02		·18		·08	·03	·17		21
22	·17		·07				·17		·32				22
23			·03	·02		·02	·16	·04	·07				23
24						·06		·06					24
25	·05					·05						·01	25
26			·10	·12		·01				·63		·10	26
27		·05		·02		·11				·01	·05		27
28	·12	·08	·15	·07						·18		·05	28
29	·18		·10	·14	·08			·04				·01	29
30	·16			·15				·01		·12	·08	·07	30
31					·03			·37		·01			31
Total	2·09	·66	2·21	1·52	1·92	1·19	·93	·86	1·64	3·12	1·46	·41	YEAR'S TOTAL 1801
Rain Days.	19	8	18	15	11	12	11	11	11	14	16	11	154

W. 7,500, XI. 12

DL

244

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Eximoor House

in the County of Cambridgeshire 2

by H. West

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05			.01			.57	.44		.01	.07	.02	1
2	.01						.17	.08				.05	2
3			.13		.16		.05	.11			.05		3
4				.22			.08	.42			.34	.08	4
5	.20		.05	.05	.02		.14	.08			.03		5
6		.06			.06			.02			.33	.02	6
7		.02	.37			.25					.01	.06	7
8	.25	.09	.16		.13	.63	.06	.15				.02	8
9	.55		.22	.01	.03	.76			.04			.12	9
10	.42	.04	.05	.03	.04				.10		.01	.01	10
11			.33	.07	.05	.02			.27		.39	.15	11
12	.01	.10	.12			.01	.18		.01		.01	.26	12
13		.01	.15							.05	.05	.28	13
14		.01	.16				.15				.08	.63	14
15			.04			.01	.06	.01	.03	.52	.10	.46	15
16			.01				.07		.04		.05		16
17		.28	.01						.05			.02	17
18		.01					.04					.48	18
19		.05	.09			.36	.03		.03		.21	.02	19
20		.03	.45							.02	.02		20
21		.09	.24					.33		.02		.16	21
22			.01		.16	.09		.11		.22		.03	22
23			.04	.12	.12					.03			23
24			.02	.06		.02		.14		.18	.12		24
25					.03		.04			.41			25
26										.04	.11	.37	26
27	.04										.04	.13	27
28		.07								.20	.14	1.33	28
29	.03		.05								.05		29
30			.02							.03	.14	.12	30
31					.06		.08			.01		.14	31
Total	1.56	.86	2.72	.57	.86	2.15	1.72	1.89	.57	1.74	2.35	4.96	YEAR'S TOTAL 2195
Rain Days.	9	13	21	8	11	9	14	11	8	13	21	23	161

W.7,000, XI. 13

8l

Corᵈ. for auth. 1.3.16.

1340
~~237~~

FORM A.
BRITISH RAINFALL.
18. APR. 1916

REGISTER OF RAINFALL IN 1915

Kept at Euximoor House

in the County of Cambridgeshire

by H. West

#. 2

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·26			·23			·01	·03				1
2	·01	·10		·03		·02		·23	·16				2
3	·20		·49	·07			·17	·27	·06				3
4	·22		·03					·26					4
5	·03	·03			·50			·04					5
6	·10	·08	·08	12			1·04	·01					6
7	·09	·26	·11					·09					7
8	·01	·01	·01					·02					8
9	·07	·08				·03							9
10	·20		·13					·60					10
11	·01		·02	16	·06		12						11
12	·10				·28		·01	·14					12
13	·03	·38			·98			·19					13
14		·19					30						14
15	·22				·20			·44					15
16		·14			·01			·05					16
17	·04	·10					·56	·02					17
18		·02	·06				19						18
19		·08	·08										19
20	·28						·19						20
21	·13	·11					·05						21
22	·51		·17				·50						22
23	·01	·14	·02				12		·78				23
24		·01	·04				·05		·17				24
25		·06	·03			·32							25
26						·02	·05						26
27						·13	·29						27
28								·19					28
29								·05	·07				29
30	·09	×				·92		·01	·09				30
31	·03	×		×		×		·13	×		×		31
Total	2·61	2·05	1·27	~~·28~~ ·38	2·26	1·44	3·64	2·75	·76				YEAR'S TOTAL
Rain Days.	21	17	13	4	7	6	14	18	7				

W. 8,000. X. 14.

CAMBRIDGE

WEST WRATTING PRK'.

1912 – 1915

REGI 912

Form A.
British Rainfall.

9 . 1913

Kept at West Wratting

in the County of Cambri

by R. W Ross

ong. 0° 22'

on Six Mile Bottom

9 a.m

ge 5 in.

above Ground 1 ft. 0 in.

Sea Level 385 ft.

Note.—Rain should be measured da Full instructions for the measurement of rain and particulars as to the British Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	–	·03	·01	[illegible]	·23	·07	–	·15	·25	–	·07	1
2	·20	·08 s	·07	·10	–	·03	·34	–	–	–	–	·04	2
3	·08	·02 s	·01	–	·06	·29	–	·22	–	·02	–	·09	3
4	–	–	·48	–	·05	·04	–	·08	–	–	·33	·06	4
5	·09	·08 s	·54	–	–	–	–	·48	–	–	·07	·04	5
6	·24	·07	–	–	·04	·39	·29	·13	·02	–	–	·02	6
7	–	–	–	–	·02	·50	·30	·15	–	–	–	·03	7
8	·23	·13	·09	·04	–	·10	–	·15	·21	·01	·01	–	8
9	–	·04	–	·09	–	·21	–	–	–	·01	–	·23	9
10	–	·03	·01	–	–	–	–	·14	·09	·01	·10	·02	10
11	·09	·15	–	–	–	–	–	–	·13	–	·01	·04	11
12	·10	·01	·04	–	·04	·01	–	–	–	–	·31	–	12
13	·01	·03	–	–	–	·04	·23	–	–	–	·26	·01	13
14	–	–	–	–	·04	·11	–	·05	·02	·07	·05	·06	14
15	–	·01	·02	–	·30	·30	–	·04	–	–	·04	·11	15
16	·28	–	·11	–	·03	·32	–	·07	–	·06	·07	–	16
17	·27 s	–	·21	–	–	·14	–	–	–	–	–	–	17
18	·02	–	·14	–	–	–	·22	·08	–	·03	·04	·18	18
19	·08	·07	·25	–	–	·01	–	·40	–	·02	·02	–	19
20	·02	–	·07	–	·04	–	·01	·24	–	·30	–	–	20
21	·01	·03	·44	–	·08	–	–	·73	–	·19	–	–	21
22	·45	·07	–	–	·18	–	–	·30	–	·01	–	·02	22
23	·52	·41	·33	–	·14	·09	–	1·09	·01	·02	·09	–	23
24	·40	–	–	–	–	·03	–	·23	·01	–	·20	·05	24
25	–	–	–	–	–	–	–	·68	–	·01	·16	·53	25
26	–	·02	–	–	–	–	·27	1·62	–	·36	·15	·19	26
27	–	–	–	–	–	–	–	–	–	·07	–	·18	27
28	–	·03	–	·03	–	–	–	·16	·09	·34	·01	·41	28
29	–	–	–	·01	–	·04	·24	–	·90	·46	·25	–	29
30	·07 s		–	–	·13	·03	–	·06	·75	·16	·05	–	30
31	–		·10		·05		·14	·21		·08		·04	31
Total	3·18	1·28	2·94	·28	1·20	2·91	2·11	7·31	2·38	2·48	2·22	2·42	TOTAL for year
No. of Rain Days	19	17	17	6	14	19	10	22	11	20	19	21	30·71

on 195 days

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

✓

REG 1912

FORM A.
BRITISH RAINFALL.
9 1913

2

Kept at West Wratting Park
in the County of Cambridgeshire
by R. W Ross

Lat. 52° 8′ Long. 0° 22′
Nearest Railway Station Six Mile Bottom
Time of Observation 9 a.m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 385 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·03	·01	—	·23	·07	—	·15	·25	—	·07	1
2	·20	·08 s	·07	·10	—	·03	·34	—	—	—	—	·04	2
3	·08	·02 s	·01	—	·06	·29	—	·22	—	·02	—	·09	3
4	—	—	·48	—	·05	·04	—	·08	—	—	·33	·06	4
5	·09	·08 s	·54	—	—	—	—	·48	—	—	·07	·04	5
6	·24	·07	—	—	·04	·39	·29	·13	·02	—	—	·02	6
7	—	—	—	—	·02	·50	·30	·15	—	—	—	·03	7
8	·23	·13	·09	·04	—	·10	—	·15	·21	·01	·01	—	8
9	—	·04	—	·09	—	·21	—	—	—	·01	—	·23	9
10	—	·03	·01	—	—	—	—	·14	·09	·01	·10	·02	10
11	·09	·15	—	—	—	—	—	—	·13	—	·01	·04	11
12	·10	·01	·04	—	·04	·01	—	—	—	—	·31	—	12
13	·01	·03	—	—	—	·04	·23	—	—	—	·26	·01	13
14	—	—	—	—	·04	·11	—	·05	·02	·07	·05	·06	14
15	—	·01	·02	—	·30	·30	—	·04	—	—	·04	·11	15
16	·28	—	·11	—	·03	·32	—	·07	—	·06	·07	—	16
17	·27 s	—	·21	—	—	·14	—	—	—	—	—	—	17
18	·02	—	·14	—	—	—	·22	·08	—	·03	·04	·18	18
19	·08	·07	·25	—	—	·01	—	·40	—	·02	·02	—	19
20	·02	—	·07	—	·04	—	·01	·24	—	·30	—	—	20
21	·01	·03	·44	—	·08	—	—	·73	—	·19	—	—	21
22	·45	·07	—	—	·18	—	—	·30	—	·01	—	·02	22
23	·52	·41	·33	—	·14	·09	—	1·09	·01	·02	·09	—	23
24	·40	—	—	—	—	·03	—	·23	·01	—	·20	·05	24
25	—	—	—	—	—	—	—	·68	—	·01	·16	·53	25
26	—	·02	—	—	—	—	·27	1·62	—	·36	·15	·19	26
27	—	—	—	—	—	—	—	—	—	·07	—	·18	27
28	—	·03	—	·03	—	—	—	·16	·09	·34	·01	·41	28
29	—	—	—	·01	—	·04	·24	—	·90	·46	·25	—	29
30	·07 s		—	—	·13	·03	—	·06	·75	·16	·05	—	30
31	—		·10		·05		·14	·21		·08	·07	·04	31
Total	3·18	1·28	2·94	·28	1·20	2·91	2·11	7·31	2·38	2·48	2·22	2·42	TOTAL for year ✓
No. of Rain Days	19	17	17	6	14	19	10	22	11	20	19	21	30·71

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

on 195 days

Price 2d.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
13 JAN 1914

Kept at West Wratting Park
in the County of Cambridgeshire 2
by R W Ross

Lat. 52° 8′ Long. 0° 22′
Time of Observation 9. am
Nearest Railway Station Six Mile Bottom
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·16	·02	·23	—	—	—	—	·05	—	·04	·32	1
2	·05	·09	—	—	·09	—	—	—	·40	—	—	·02	2
3	—	—	·17	·01	·71	—	—	—	·22	—	—	—	3
4	·06	—	·02	—	·07	·08	·18	—	·09	—	·03	·02	4
5	·01	—	—	—	—	—	·08	—	·02	·96	·01	·19	5
6	—	·01	·05	—	·24	·34	·04	—	—	·02	—	—	6
7	—	·02	—	—	·04	—	·17	·05	—	·38	—	—	7
8	—	—	—	—	·31	·02	·02	—	—	·05	·06	—	8
9	—	·23	—	·03	·06	·15	—	—	·04	—	·03	·06	9
10	·01	—	·06	·08	—	—	·03	—	—	—	·13	—	10
11	·70	—	·02	·40	—	—	—	·02	—	·01	·18	—	11
12	—	·01	—	—	·04	—	—	·20	—	—	·09	—	12
13	—	—	—	—	—	—	—	—	—	—	·45	—	13
14	·04	·03	·07	·04	—	—	·14	·03	—	·30	·05	—	14
15	·20	·03	—	·07	—	—	·21	—	·04	—	—	—	15
16	·14	—	·29	·06	—	—	—	—	·22	—	·03	—	16
17	·07	·01	·10	·12	—	·23	·10	—	—	—	·02	·04	17
18	·01	—	·03	·04	—	—	·07	—	·01	—	·01	—	18
19	·11	—	·04	—	—	—	·08	—	·02	—	—	·03	19
20	·12	—	·09	·01	—	—	—	—	·11	·39	—	—	20
21	·02	—	·04	—	·01	·03	·06	—	—	·25	·33	—	21
22	·36	—	·11	—	—	—	·11	—	·05	—	—	—	22
23	—	—	—	—	—	—	·14	·30	·02	—	—	—	23
24	·03	—	—	—	—	·02	—	—	—	—	·01	—	24
25	·02	—	—	·10	—	—	·02	—	—	—	—	·05	25
26	—	·01	·14	·01	—	·07	—	—	—	·48	—	·19	26
27	—	·09	—	·02	·15	—	—	—	—	·07	—	—	27
28	·08	—	·07	·02	—	—	—	—	·02	·25	·02	—	28
29	·22		·14	·22	·28	—	—	—	—	—	—	—	29
30	·17		—	·12	—	·09	—	·09	—	·06	—	—	30
31	—		—				—	·04		·15		—	31
Total	2·51	·69	1·46	1·58	2·00	1·03	1·45	·73	1·31	3·37	1·49	·92	YEAR'S TOTAL 18·54
Rain Days.	20	11	17	17	11	9	15	7	14	13	16	9	159

W.7,000, XI. 13

Cod for auth 25·11·15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

315

Kept at West Wratting Park

in the County of Cambridgeshire 2

by R W Ross (J. N. Martin)

Lat. 52° 8′ Long. 0° 22′

Nearest Railway Station Six mile Bottom

Time of Observation 9 am

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 385 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	·03	·01	—	·01	·07	·01	1
2	—	—	—	·03	—	—	·02	·19	—	—	·06	+	2
3	·24	—	·19	—	·08	—	·42	·03	—	—	·01	·13	3
4	—	—	·01	·14	·01	—	—	·02	—	—	·36	—	4
5	—	—	·08	·20	·08	·01	·13	·04	—	—	·01	—	5
6	—	·07	—	—	·05	·10	·03	·02	—	—	·29	—	6
7	—	·06	·31	·06	·37	·02	·03	·28	—	—	—	·12	7
8	·22	·06	·57	·02	·13	·47	·01	·14	—	—	—	—	8
9	·61	—	·48	·02	·05	·44	—	—	—	·01	—	—	9
10	·54	·07	—	·04	·06	—	—	—	—	—	·01	1·04	10
11	—	·20	·23	—	·03	·12	—	—	·10	—	·34	·16	11
12	·02	·01	·05	—	—	·01	·05	—	·50	—	·02	·17	12
13	·02	·13	·20	—	—	—	·37	—	·02	·20	·07	·30	13
14	—	—	·17	—	—	—	·05	—	—	·32	—	·28	14
15	·05	—	·26	—	—	—	·37	—	—	—	·15	·46	15
16	·01	—	·10	—	—	—	—	·02	—	—	·02	·12	16
17	—	·19	·02	—	—	—	·09	—	·11	—	—	—	17
18	—	·08	·04	—	—	—	·01	—	—	—	—	·02	18
19	—	·04	—	—	—	·31	—	—	—	·01	·26	·17	19
20	—	·04	·47	—	—	·05	·02	—	·17	·02	—	·02	20
21	—	·24	·22	—	—	·03	—	—	—	·02	—	·12	21
22	—	—	·02	·02	·29	—	—	·03	—	·53	·02	·03	22
23	—	·04	·03	—	·08	—	·13	·04	—	·07	—	—	23
24	·01	—	·01	·09	—	·03	—	—	—	·08	·04	·02	24
25	—	·01	·09	—	—	—	·20	·15	—	·36	·06	—	25
26	—	—	—	—	—	—	—	·25	—	·03	·10	·01	26
27	·03	—	—	—	—	—	·05	·14	—	—	·08	·53	27
28	·02	·01	—	—	—	—	—	·01	—	—	·96	·10	28
29	—	—	·06	—	—	—	—	—	—	·31	·02	1·20	29
30	—	—	·01	—	—	—	—	—	—	·02	·15	·08	30
31	—	—	—	—	·17	—	·02	+	—	—	—	·03	31 24·66
Total	1·77	1·25	3·62	·62	1·40	1·59	2·03	1·37	·90	1·99	3·10	5·12	TOTAL for year 76
No. of Rain Days.	11	15	22	9	12	11	18	15	5	14	21	22	175

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Smoke
Make B

1300

FORM A.
BRITISH RAINFALL.

3 - JAN 19

REGISTER OF RAINFALL IN 1915

Kept at West Wratting Park,
in the County of Cambridgeshire 2
by Percy L. Babington.

Lat. 53·5 N Long. ·05 E
Time of Observation 9.0 a.m.
Nearest Railway Station Six Mile Bottom
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 391 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·31	·09	·04	·02	·10	—	·05	—	·36	—	·02	·17	1
2	·07	—	·16	·03	—	·01	—	·39	·04	—	·02	·05	2
3	·25	·21	·17	·11	—	—	—	·69	—	—	—	·14	3
4	·15	—	—	—	—	—	—	—	—	·03	·12	·46	4
5	·03	·12	—	—	·02	·01	—	·02	—	·23	·05	·15	5
6	·23	·02	·08	·27	—	—	—	·06	—	·01	—	·03	6
7	·07	·26	·06	—	—	—	·74	·15	—	—	—	·11	7
8	·01	·11	—	·03	—	—	·30	·01	—	—	—	·04	8
9	—	·20	—	—	—	·05	—	·02	—	—	·21	·48	9
10	28	—	·07	—	—	·01	—	·34	—	—	·02	·03	10
11	·01	·01	—	—	·01	—	—	—	—	—	·71	·05	11
12	·08	—	—	·43	·23	—	—	·11	—	·11	·77	·04	12
13	·07	·50	·01	·08	113	—	—	·02	·01	—	—	—	13
14	—	·28	—	—	—	—	·34	·04	·02	—	—	—	14
15	—	—	—	—	·02	—	·07	·17	—	—	·34	·24	15
16	15	·13	—	—	—	—	·41	·43	—	·01	—	·07	16
17	—	·21	—	—	·10	—	·23	·21	—	—	—	—	17
18	·01	·16	·27	—	·09	—	—	—	—	—	·12	—	18
19	·30	—	·08	—	—	—	·11	—	—	·01	—	·04	19
20	—	—	—	·09	·07	—	—	·05	—	·02	—	—	20
21	·27	—	—	—	·07	—	·04	—	—	—	—	·40	21
22	43	·02	·09	·07	—	—	·53	—	·01	—	—	·05	22
23	·03	·26	·12	—	—	—	·21	—	·02	·07	—	·10	23
24	—	—	·15	—	—	—	·08	—	·25	·02	—	·15	24
25	—	—	·09	—	—	—	·02	—	—	—	—	·23	25
26	—	·05	·07	·02	—	—	·09	—	—	—	—	—	26
27	—	—	—	—	—	·28	·03	—	—	·31	—	·19	27
28	—	·09	·02	—	—	·13	·11	·06	·89	·19	—	·02	28
29	—	—	—	—	—	·40	·09	·15	—	—	·03	—	29
30	·03	X	—	—	—	148	·05	—	—	—	·05	·09	30
31	·03	X	—	X	—	X	—	·07	X	·16	X	·09	31
Total	2·81	2·72	1·37	1·04	1·72	2·37	3·44	2·99	1·60	1·17	2·46	3·42	YEAR'S TOTAL 27·11
Rain Days.	20	17	15	10	10	8	18	18	8	12	12	24	172

W. 8,000. X. 14.

DL

224

REGIS 11

CAMBRIDGE.

WESTON COLVILLE.

1911-1916

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Weston Col

in the County of Cambs

by G. H. Long

5 in.

ove Ground 1 ft. in.

„ Sea Level 327 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·05	·04					1
2	·25		·02		·11			·01			·09	·09	2
3				·07	·07					·10			3
4	·05		·15	·08						·04		·20	4
5				·05								·14	5
6	·17		·05	·02								·16	6
7										·23	·20	·21	7
8	·16		·16								·14	·04	8
9	·20			·06								·07	9
10		·10	·10								·06	·19	10
11	·50										·42		11
12	·10		·48		·53						·20	·02	12
13			·20		·10				·26	1·21		·19	13
14			·12		·33	·04						·41	14
15		·02	·52						·06	·05	·07	·02	15
16						·58			·03		·22	·03	16
17			·02						·02		·10	·04	17
18		·25			·02	·05					·96	·07	18
19		·04				·32			·06	·10	·40		19
20								·60				·53	20
21		·07						·40		·16		·20	21
22			·22			·06				·16		·35	22
23		·05	·05			·78			·34			·08	23
24		·04	·02			·15	·05			·50		·07	24
25		·05	·04	·05		·17	·17	·10				·06	25
26				·24			·01	·02	·15		·02	·27	26
27		·20	·06	·06							·06	·02	27
28		·10		·22		·02	·02	·12				·03	28
29				·23		·16	·15		·34	·44			29
30						·01			·05	·11			30
31												·02	31
Total	1·43	·92	2·21	1·08	1·16 1·16	2·34	·45	1·29	1·31	3·10	2·94	3·51	TOTAL for year 21·74
No. of Rain Days	7	10	15	10	6	11	6	7	9	11	13	25	130

9,000, IX. '10.

84

224

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGIS

11

Kept at Weston Colville
in the County of Cambs 2
by G. H. Long

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 327 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·05	·04					1
2	·25		·02		·11			·01			·09	·09	2
3				·07	·07					·10			3
4	·05		·15	·08						·04		·20	4
5				·05								·14	5
6	·17		·05	·02								·16	6
7										·23	·20	·21	7
8	·16		·16								·14	·04	8
9	·20			·06								·07	9
10		·10	·10								·06	·19	10
11	·50										·42		11
12	·10		·48		·53						·20	·02	12
13			·20		·10				·26	1·21		·19	13
14			·12		·33	·04						·41	14
15		·02	·52						·06	·05	·07	·02	15
16						·58			·03		·22	·03	16
17			·02						·02		·10	·04	17
18		·25			·02	·05					·96	·07	18
19		·04				·32			·06	·10	·40		19
20								·60				·53	20
21		·07						·40		·16		·20	21
22			·22			·06				·16		·35	22
23		·05	·05			·78			·34			·08	23
24		·04	·02			·15	·05			·50		·07	24
25		·05	·04	·05		·17	·17	·10				·06	25
26				·24			·01	·02	·15		·02	·27	26
27		·20	·06	·06							·06	·02	27
28		·10		·22		·02	·02	·12				·03	28
29				·23		·16	·15		·34	·44			29
30						·01			·05	·11			30
31												·02	31
Total	1·43	·92	2·21	1·08	1·16 ~~1·10~~ 1·16	2·34	·45	1·29	1·31	3·10	2·94	3·51	TOTAL for year 21·74
No. of Rain Days	7	10	15	10	6	11	6	7	9	11	13	25	130

9,000, IX. '10

82

Ex. J.C.

220

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Weston Colville

in the County of Cambridgeshire 2

by G. H. Long

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02		·39			·18	·24	·02		1
2		·02	·10			·06	·36						2
3	·20		·06		·05	·25		·22				·16	3
4	·05		·44		·03	·05					·36		4
5		·07	·44					·18					5
6	·35	·07			·03	·40	·42	·10					6
7					·02	·47	·15	·18					7
8	·27	·16	·08	·02		·10		·12	·19			·02	8
9				·10		·32						·28	9
10		·04						·11	·07		·11	·03	10
11	·05	·16				·02		·01	·08			·08	11
12	·12		·04	—	·02						·32		12
13							·32				·28		13
14					·02	·08		·03		·06	·06		14
15	·25	·04	·12		·32	·29					·04	·02	15
16	·20		·05		·04	·22		·15		·05	·12		16
17			·20			·13		·05					17
18			·11					·04				·10	18
19	·10	·06	·01					·15			·04		19
20			·06		·03			·17		·34			20
21		·07	·34		·08		·30	·65		·22	·11	·02	21
22	·54		·10		·05			·14					22
23	·51	·40	·25		·12			1·00			·13	·03	23
24	·34					·02		·23					24
25						·12		·85			·28	·50	25
26							·26	1·45		·37	·20	·20	26
27										·06		·15	27
28		·04							·02	·23	·11	·40	28
29		·02				·10	·12	·20	·85	·38			29
30	·04				·13	·01		·06	·80	·10	·03		30
31			·07		·04		·11	·22		·15			31
Total	3·02	1·15	2·47	·14	·98	3·03	2·04	6·31	2·19	2·20	2·21	1·99	TOTAL for year 27·73
No. of Rain Days.	13	12	16	3	14	17	11	22	7	11	15	13	154

W. 8,000, X. '11.

82

Cnd by B. 23.11.14

REGISTER OF RAINFALL IN 1913

225

FORM A.
BRITISH RAINFALL.

27 JAN 1914

Kept at Weston Colville

in the County of Cambridgeshire 2

by G. H. Long

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·06	·15		·23					·30		·06	·03	1
2	·03	·10			·20		·16		·23			·01	2
3			·16		·80						·03		3
4	·08				·07	·15	·06			·16	·04	·18	4
5	·07						·05		·13	·50			5
6			·10		·30	·30		·02	·03				6
7					·04			·28		·64			7
8		·02			·33	·02				·06	·14		8
9		·20	·08			·14					·02	·05	9
10				·04									10
11	·70	·05		·46							·25		11
12											·58		12
13	·02			·02							·03		13
14	·05		·07	·04					·05	·30			14
15	·14		·11	·12			·30						15
16	·20		·25						·30		·09	·04	16
17	·06		·11	·10		·23	·09					·11	17
18			·02	·05							·04		18
19	·09		·05						·12				19
20	·07									·43			20
21			·11			·11				·18	·37		21
22	·36		·14						·05				22
23						·02		·28	·03				23
24	·02										·06		24
25				·10		·12	·03			·49		·03	25
26			·11	·01			·26					·20	26
27		·08			·10	·07				·14	·04		27
28			·08							·05		·04	28
29	·30		·12	·20	·28			·03		·09		·05	29
30	·18		·03	·10				·04		·03	·33		30
31								·27		·08			31
Total	2·43	·60	1·54	1·47	2·12	1·16	·95	~~·64~~ ·92	1·24	3·15	2·08	·74	YEAR'S TOTAL 16·40
Rain Days.	16	6	15	12	8	9	7	6	9	13	14	10	125

W. 7,500, XI. ·12

8l /

Ex Mi

206a

FORM A.
BRITISH RAINFALL
28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Weston Colville

in the County of Cambridgeshire

by G. H. Long

2.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03							·17			·08		1
2				·02									2
3	·22		·18	·17	·06		·46						3
4											·37	·07	4
5			·06	·21	·05		·15					·05	5
6		·15			·02	·07		·25			·33		6
7		·05	·24	·04	·25	·06	·03	·04				·08	7
8	·22		·56		·20	·45							8
9	·68		·52		·05	·35	·01	·12				1·10	9
10	·23	·07			·07							·19	10
11		·20	·23	·06					·09		·35	·15	11
12	·02		·03	·01		·10			·46			·35	12
13	·01	·12	·30	·04			·26			·12		·25	13
14			·19							·33	·03	·47	14
15	·05		·25									·13	15
16			·12								·07		16
17	·02	·13							·07		·02		17
18		·11	·04									·20	18
19		·03	·27			·23			·07				19
20		·05	·31			·08					·28	·07	20
21	·01	·25	·21			·09				·02		·08	21
22			·02		·30		·19			·45			22
23		·03	·04		·06					·08			23
24			·01	·12		·03	·22			·10	·20		24
25			·10							·36		·25	25
26			·02				·08			·02	·08	·52	26
27	·02							·20		·07			27
28		·01								·31	·62	·80	28
29										·01	·04		29
30			·03								·02	·07	30
31					·12		·03					·05	31
Total	1·51	1·20	3·73	·67	1·18	1·46	1·43	·78	·69	1·87	2·49	4·88	YEAR'S TOTAL 21·89
Rain Days.	11	12	21	8	10	9	9	5	4	11	13	18	131

W.7,000, XI. 13

82

301

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Weston Colville
in the County of Cambridgeshire
by G. H. Long

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·24	·13	·02		·09				·49				1
2	·08	·17	·19					·44	·06			·07	2
3	·25		·16	·16			·02	·82	·06			·20	3
4	·16	·12								·10	·11	·41	4
5	·04									·19		·16	5
6	·24		·08	·27			·60	·10				·05	6
7	·07	·25	·08				·30	·12				·10	7
8		·10					·03						8
9	·01	·17				·04					·35	·47	9
10	·28		·04					·33				·08	10
11			·02								·18		11
12	·09	·44		·42	·23					·10	·79	·04	12
13	·05	·24			1·15			·07					13
14							·35					·37	14
15	·12						·40	·05			·67	·03	15
16		·11					·20	·11					16
17		·17			·10		·10	·28					17
18		·18	·20		·08								18
19													19
20	·29			·05								·45	20
21	·23						·04	·05					21
22	·44	·05	·30				·55	·12				·08	22
23		·20	·10				·21		·27	·10		·14	23
24	·02		·12				·15					·12	24
25						·25						·10	25
26		·04				·04	07					·19	26
27		·10				·07	·15			·45		·01	27
28						·42		·06	·87	·05			28
29						·48	·10	·12			·17	09	29
30	·05					1·19	·05				·22		30
31								·07		·15		·08	31
Total	2·66	2·47	1·31	·90	1·65	2·49	3·32	2·74	1·75	1·14	2·49	3·24	YEAR'S TOTAL 26·16
Rain Days.	17	15	11	4	5	7	16	14	5	7	7	20	128

W. 8,000. X. 14.

8L [illegible] 8L 1280 ~~199~~

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
25. APR. 1917

Kept at Weston Colville

in the County of Cambridgeshire

by G. H. Long

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·15		·17	·08					–		1
2	·34	·06	·20		·10				·06	·25			2
3		·17	·12				·10		·45	·20			3
4	·26	·16				·31	·10		·20				4
5	·01		·02	·01		·19	·10						5
6		·12	·14	·23		·20	·20						6
7	·11				·37	·07				·19			7
8	·01				·13					·10			8
9					·26			·04		·15			9
10				·10									10
11	·05	·24		·15	·13	·23	·37			·20			11
12	·01	·01	·20		·50	·33	·09	·13		·08			12
13		·38	·06		·22	·19	·31	·16					13
14		·33	·05		·05	·03		·24					14
15		·34	·30					·23					15
16		·07	·20	·15			·10	·13					16
17	·06	·03		·12			·21	·04	·38				17
18		·11	·03	·10				·05	·28	·43			18
19	·01	·02		·30				·10	·11	·15			19
20	·14		·50										20
21	·01		·06				·10						21
22		·09			·16								22
23	·01	·55											23
24		·06				·14							24
25		·14	·16							·28			25
26		·12				·13		·27		·27			26
27		·27	·70			·12		·12					27
28		·25	·30					1·20					28
29		·15	·10					·38		·37			29
30		X								·30			30
31		X		X		X		·10	X		X		31
Total	1·05	3·67	3·29	1·16	2·09	2·02	1·68	3·19	1·48	2·97			YEAR'S TOTAL
Rain Days.	13	21	17	8	10	12	10	14	6	13			

W. 8,000. X. 15.

WHITTLESFORD

CAMBRIDGE

1920

4 MAR 1921

Form A. 1. METEOROLO… …GANIZATION.

RE… …0.

Kept at Whittle… …o'clock A.M.
"Scotts" …Whittlesford
in the County of Ca… …n Gauge 5 in.
by Robert May… …ve Ground ft. 6 in.
…Sea Level ft.

IMPORTANT NOTE.— …ntered to the previous day.
If an Observer prefers not to … …sted to add
the reading at 9 a.m. on 1st … … the end of
this paragraph. Full instructic… …rain gauges,
and particulars as to the Brit… …Observers,"
sent post-free on application … …52, Camden
Square, London, N.W. 1.
Reco…

Jan. 1, following.

Date	Jan.	Feb.	March				July	August	Sept.	Oct.	Nov	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·6		1·00						·45		·10	1
2				·14			·17	·13	·6	·6		·3	2
3				·50					·2				3
4				·10	·10		·59					·11	4
5			·4	·3			·23	·10	·17			·4	5
6			·14		·8		·52						6
7			·6	·7			·7						7
8	·16			·31			·4	·14					8
9	·31			·18			·5						9
10	·27		·10								·2		10
11	·9			·32			·10						11
12	·11		·4	·9			·10						12
13			·17	·11		·10					·15		13
14	·3			·8					·9	·9	·4	·23 Snow	14
15			·23	·6									15
16			·4	·6					·33	·2	·5		16
17	·8				·7			·31	·8			·2	17
18									·3				18
19				·9									19
20		·19		·30		·66							20
21				·12			·53	·8	·44			·7	21
22				·10					·16				22
23	·9						·16					·48	23
24			·7										24
25				·4			·22		·4				25
26			·7	·7	1·56		·13					·3	26
27	·[illegible]	·10		·13		·23	·2				·13	·4	27
28	·35				·10								28
29	·2		·34								·6	·26	29
30					·5		·15	·7	·15		·11	·30	30
31										·16			31
TOTAL	1·67	·35	1·30	~~3·80~~ 390	1·96	·99	3·08	·83	1·57	·78	·56	~~1·51~~ 1·71	YEAR'S TOTAL ~~18·40~~ 18·70 Inches
Days with ·01 in. or more													
Days with ·04 in. or more													

FORM A. 1. **METEOROLO**[redacted]**GANIZATION.**

RE[redacted]0.

4 MAR 1921

Kept at Whittlesford "Scotts"
in the County of Cambridge
by Robert Maynard

Lat. Long.
Time of Observation 8 o'clock A.M.
Nearest Railway Station Whittlesford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·6		1·00						·45		·10	1
2				·14			·17	·13	·6	·6		·3	2
3				·50					·2				3
4				·10	·10		·59					·11	4
5			·4	·3			·23	·10	·17			·4	5
6			·14		·8		·52						6
7			·6	·7			·7						7
8	·16			·31			·4	·14					8
9	·31			·18			·5						9
10	·27		·10								·2		10
11	·9			·32			·10						11
12	·11		·4	·9			·10						12
13			·17	·11		·10					·15		13
14	·3			·8					·9	·9	·4	·23 Snow	14
15			·23	·6									15
16			·4	·6					·33	·2	·5		16
17	·8				·7			·31	·8			·2	17
18									·3				18
19				·9									19
20		·19		·30		·66							20
21				·12			·53	·8	·44			·7	21
22				·10					·16				22
23	·9						·16					·48	23
24			·7										24
25				·4			·22		·4				25
26			·7	·7	1·56		·13					·3	26
27	·[illegible]	·10		·13		·23	·2				·13	·4	27
28	·35				·10								28
29	·2		·34								·6	·26	29
30		╳			·5		·15	·7	·15		·11	·30	30
31		╳		╳		╳			╳	·16	╳	1·71	31
TOTAL	1·67	·35	1·30	~~3·80~~ 3·90	1·96	·99	3·08	·83	1·57	·78	·56	~~1·51~~	YEAR'S TOTAL 18·70 ~~18·40~~ Inches
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Entered 28·XI·14

FORM A2.
BRITISH RAINFALL.

9 … 1913

REGIS … 912

CAMBRIDGE.

WILBURTON MANOR.

1912 – 1915

Kept at Wilburton Man…
in the County of Cambrid…
by A. J. Pell.

…p …… in.
…bove Ground …… ft. …… in.
„ Sea Level 70 ft. circa.
…9 a.m.
Name Wilburton (G.E.R).
Distance 1¼ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·42			·09			·09	1
2						·03	·30						2
3		·03				·41		·23				·14	3
4			·49		·11	·04		·03			·34		4
5		·10	·18			·03		·06			·05		5
6		·06			·03	~~·03~~	·75	·46				·03	6
7					·01	·76		·10				·01	7
8		·12	·10			·01		·24	·18				8
9			·02	·06		·35						·18	9
10						·01		·02	·17		·07		10
11		·03							·10			·14	11
12	·10	·05	·06								·08		12
13	·01					·04	·01				·37		13
14					·05			·02					14
15		·01	·15		·20	·26		·05			·01	·06	15
16	·30		·06		·03	·27		·06		·06	·02		16
17	·30		·25			·15		·05				·10	17
18	·02		·10				·03	·14		·02	·02	·06	18
19	·11	·09	·12				·18	·34		·03	·02		19
20	·03		·02		·05		·04	·27		·30			20
21	·04	·01	·39		·36			1·17		·20	·04		21
22	·32	·04	·02		·17		1·18	·14				·05	22
23	·28	·62	·39					·74			·20	·08	23
24	·27						·05	·28				·06	24
25						·12		1·03			·19	·27	25
26		·02				·06	·16	2·36		·38	·13	·20	26
27										·20		·21	27
28		·01		·01			·02	·07	·02	·33	·11	·39	28
29						·15	·14	·18	·64	·11	·06		29
30					·40				·40	·15			30
31			·08		·03		·17	·20		·02		·02	31
Total	~~1·78~~	1·19	2·43	·07	1·24	3·11	3·03	8·24	1·60	1·80	1·71	2·09	TOTAL for year 28·29
No. of Rain Days	11	13	15	2	11	16	12	23	7	11	15	17	153

X Part of month only

7,000. X. '09.

Entered 28·XI·14

REGIS 912

FORM A2.
BRITISH RAINFALL.

9
1913

Kept at Wilburton Manor, near Ely

in the County of Cambridge. 2

by A. J. Pell.

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " " Sea Level	70 ft. circa.

Time of Observation 9. a.m.

Nearest Railway Station: Name Wilburton (G.E.R). Distance 1¼ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·42			·09			·09	1
2						·03	·30						2
3		·03				·41		·23				·14	3
4			·49		·11	·44		·03			·34		4
5		·10	·18			·03		·06			·05		5
6		·06			·03	·~~03~~	·75	·46				·03	6
7					·01	·76		·10				·01	7
8		·12	·10			·01		·24	·18				8
9			·02	·06		·35						·18	9
10						·01		·02	·17		·07		10
11		·03							·10			·14	11
12	·10	·05	·06								·08		12
13	·01					·04	·01				·37		13
14					·05			·02					14
15		·01	·15		·20	·26		·05			·01	·06	15
16	·30		·06		·03	·27		·06		·06	·02		16
17	·30		·25			·15		·05				·10	17
18	·02		·10				·03	·14		·02	·02	·06	18
19	·11	·09	·12				·18	·34		·03	·02		19
20	·03		·02		·05		·04	·27		·30			20
21	·04	·01	·39		·36			1·17		·20	·04		21
22	·32	·04	·02		·17		1·18	·14				·05	22
23	·28	·62	·39					·74			·20	·08	23
24	·27						·05	·28				·06	24
25						·12		1·03			·19	·27	25
26		·02				·06	·16	2·36		·38	·13	·20	26
27										·20		·21	27
28		·01		·01			·02	·07	·02	·33	·11	·39	28
29						·15	·14	·68	·64	·11	·06		29
30					·40				·40	·15			30
31			·08		·03		·17	·20		·02		·02	31
Total	~~1·78~~	1·19	2·43	·07	1·44	3·11	3·03	8·24	1·60	1·80	1·71	2·09	TOTAL for year ~~28·49~~
No. of Rain Days	11	13	15	2	11	16	12	23	7	11	15	17	153

X Part of month only

7,000. X. '09.

FORM A.
BRITISH RAINFALL.
17 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Wilburton Manor. near Ely

in the County of Cambridge.

by Albert Julian Pell.

Lat. 52·21′N. Long. 0·11′E.

Time of Observation 9. a.m.

Nearest Railway Station Wilburton (G.E.R).

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·09	·09	·11					·86		·03		1
2	·06	·15			·87		·17		·22				2
3			·11		·66					·22		·02	3
4	·14				·02	·08	·03			·13		·25	4
5	·04	~~·07~~							·05	·44	·06		5
6		·01	·02		·24	·23				·07	·02		6
7		·06								·35			7
8				·01	·26	·14					·11		8
9		·24	·04	·02		·14					·07		9
10				·05			·08	·02			·33		10
11	·52			·40	·12	·02		·58			·26		11
12					·02			·03					12
13			·01					·04			·47		13
14	·04		·08	·05						·21	·02		14
15	·19	·04	·11	·10			·11		·09				15
16	·07		·43	·15					·16				16
17	·13		·09	·08		·29	·03					·18	17
18			·03	·03			·03					·01	18
19	·07		·10			·02	·06		·27			·03	19
20	·03		·13	·06					·03	·25			20
21	·20		·08		·07		·10			·10	·23		21
22			·12				·05		·11				22
23	·02					·02	·04	·08	·07			·03	23
24						·05		·07					24
25				·12			·01					·10	25
26		·03	·10	·01						·68	·02	·13	26
27		·04	·02	·03		·07				·06			27
28	·12		·13	·03						·11		·02	28
29	·16		·12	·25	·20			·09					29
30	·14			·15				·07		·06	·17	·04	30
31								1·26		·04			31
Total	1·93	·66	1·81	1·65	2·46	1·06	·71	2·24	1·86	2·72	1·79	·81	YEAR'S TOTAL 19·70
Rain Days.	15	8	18	17	9	10	11	9	9	13	12	10	141

W. 7,500, XI. ·12

Ex d L

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Wilburton Manor

in the County of Cambridge 2

by C. J. Pell.

Lat. 52°21'N Long. 0°11' E

Time of Observation 9.15. a. m.

Nearest Railway Station Wilburton (G.E.R.)

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·27	·33		·01	·09		1
2							·14	·07			·06	·08	2
3			·14		·16		·11	·05					3
4	·11			·21				·05			·35	·12	4
5			·09	·05			·19	·35					5
6		·07		·03	·08		·02	·01			·37	·07	6
7		·05	·38	·02	·05	·06	·01					·23	7
8	·21	·06	·20		·07	·58	·28	·17					8
9	·82		·35	·03	·01	·70						·71	9
10	·36	·13		·04	·04				·11				10
11		·07	·26		·07	·24			·01		·26		11
12		·01	·05			·02	·30		·37		·02	·17	12
13		·13	·15						·04	·28	·07	·46	13
14			·16				·12			1·03	·08	·52	14
15	·08		·19			·01		·04	·14		·03	·18	15
16	·02		·05						·04		·02		16
17		·21					·05		·05			·02	17
18		·01	·02								·02	·34	18
19			·13			·06	·02		·02		·18		19
20		·04	·51			·02							20
21	·03	·10	·32			·18		·25		·04	·03	·08	21
22			·02		·20		·22	·14		·15			22
23		·02	·05		·07		·01			·07			23
24				·07		·03	·07			·18	·12		24
25								·02		·36			25
26			·03				·04	1·07		·02		·40	26
27	·03						·03				·12		27
28		·03								·17	·29	1·48	28
29			·02							·19	·01		29
30			·03							·03	·10	·08	30
31					·08		·09					·07	31
Total	1·66	·93	3·15	·45	·83	1·90	1·97	2·55	·78	2·53	2·22	5·01	YEAR'S TOTAL 23·98
Rain Days.	8	13	20	7	10	10	17	12	8	12	18	16	151

W. 8,000. X. 14.

cnd for auth 27.III.16 ~~W~~ J.W.

1329

FORM A.
BRITISH RAINFALL.
2 FEB 1916

REGISTER OF RAINFALL IN 1915.

Kept at Wilburton Manor
in the County of ~~Conn~~ Cambridge
by Albert Julian Pell

Lat. Long.
Time of Observation
Nearest Railway Station [illegible]
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	·16			·09				·06		·06	·11	1
2	·06	·09	·20	·01				·46	·18		·08	·03	2
3	·20		·11	·12			·01	·88	·07		·05	·16	3
4	·15					·04	·47	·12			·01	·53	4
5	·04	·06			·01			·03		·08		·21	5
6	·16	·04	·08	·13	·26		·55	·05				·02	6
7	·05	·24	·06	·01			·05	·15			·01	·10	7
8		·22	·05	·05				·03					8
9	·62	·03									·29	·45	9
10	·24		·14					·07				·04	10
11			·03		·05		·01				·53		11
12	·10		·01	·20	·23			·06			1·37	·06	12
13	·01	·41		·01	1·05			·22	·02	·01			13
14		·21			·07		·05		·01		—	·25	14
15	·13							·25			·30	·06	15
16		·19					·45	·14				·01	16
17		·12	·12		·01		·16				·04		17
18		·06	·03								·06		18
19		·05					·22			·03			19
20	·29	·02		·01				·02				·33	20
21	·68						·35					·03	21
22	·76	·02	·29	·02			·53		·08			·14	22
23		·14	·02	·03			·51		·22	·10		·13	23
24			·07				·21		·28	·02		·05	24
25			·02			·56	·23			·03		·03	25
26		·06					·01					·17	26
27						·40	·22			·45		·10	27
28		·18				·21	·05	·02	·47	·14		·13	28
29						·12	·03	·01			·06	·16	29
30	·06	X				·33						·22	30
31	·04	X		X		X		·11	X	·10	X		31
Total	2·65	2·30	1·23	·59	1·77	1·66	4·11	2·72 2·72	1·39	·96	2·86	3·52	YEAR'S TOTAL 25·76 25·76
Rain Days.	17	18	14	10	8	6	18	16	9	8	12	24	160

W. 8,000. X. 15.

84 220

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REG

WIMPOLE HALL

CAMBRIDGE

1911 – 1915

Kept at Wimpole
in the County of Cam
by Mr W. J. Sn

in.
ound 1 ft. in.
Level 141 ft.
me
tance Direction

IMPORTANT NOTE.– he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in "*Rules for Rainfall Observers*, plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·02									1
2	·16	·02	·01	·02	·06		·05	·02			·12	·03	2
3		·04		·03	·07					·05	·07	·06	3
4	·05		·19	·20						·06		·25	4
5	·02	·03		·01				·03		·02		·15	5
6	·15	·01	·02	·02								·21	6
7	·01		·01							·02	·24	·22	7
8	·21		·11									·09	8
9	·18		·01	·02							·01	·03	9
10	·04	·06	·08								·12	·14	10
11	·35		·01		·01						·42	·01	11
12	·02		·46						·08	·41	·23	·01	12
13			·14		·19	·03			·27	·22	·01	·19	13
14		·03	·03		·54							·26	14
15		·04	·29							·03	·08		15
16			·05			·26				·01	·25	·05	16
17						·03					·04	·08	17
18	·02					·04					·54	·03	18
19	·03	·22			·04	·33			·11	·03	·47	·01	19
20			·02					·38	·13	·02		·48	20
21	·02	·10				·02		·22		·28		·12	21
22	·10		·15			·05				·08	·02	·44	22
23			·11			·82			·37			·11	23
24	·01	·08	·04			·21	·03			·30		·20	24
25	·02	·03	·02	·06		·18	·06	·15					25
26			·07	·25	·64					·11	·06	·26	26
27		·21		·05					·15		·03	·03	27
28		·14		·21				·10			·05	·02	28
29				·10		·33			·21	·23			29
30						·02				·09	·02		30
31										·05		·03	31
												351	TOTAL for year
Total	1·42	1·01	1·82	·99	1·55	2·32	·14	·90	1·32	2·01	2·78	3·57	19·77
No. of Rain Days	17	13	19	12	7	12	3	6	7	17	18	26	157

9,000, IX. '10.

8f

220

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REG

Kept at Wimpole Hall
in the County of Cambs 2
by Mr. W. J. Snell

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 141 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·02									1
2	·16	·02	·01	·02	·06		·05	·02			·12	·03	2
3		·04		·03	·07					·05	·07	·06	3
4	·05		·19	·20						·06		·25	4
5	·02	·03		·01				·03		·02		·15	5
6	·15	·01	·02	·02								·21	6
7	·01		·01							·02	·24	·22	7
8	·21		·11									·09	8
9	·18		·01	·02							·01	·03	9
10	·04	·06	·08								·12	·14	10
11	·35		·01		·01						·42	·01	11
12	·02		·46						·08	·41	·23	·01	12
13			·14		·19	·03			·27	·22	·01	·19	13
14		·03	·03		·54							·26	14
15		·04	·29							·03	·08		15
16			·05			·26				·01	·25	·05	16
17						·03					·04	·08	17
18	·02					·04					·54	·03	18
19	·03	·22			·04	·33			·11	·03	·47	·01	19
20			·02					·38	·13	·02		·48	20
21	·02	·10				·02		·22		·28		·12	21
22	·10		·15			·05				·08	·02	·44	22
23			·11			·82			·37			·11	23
24	·01	·08	·04			·21	·03			·30		·20	24
25	·02	·03	·02	·06		·18	·06	·15					25
26			·07	·25	·64					·11	·06	·26	26
27		·21		·05					·15		·03	·03	27
28		·14		·21				·10			·05	·02	28
29				·10		·33			·21	·23			29
30						·02				·09	·02		30
31										·05		·03	31
Total	1·42	1·01	1·82	·99	1·55	2·32	·14	·90	1·32	2·01	2·78	351 3·57	TOTAL for year 19·71
No. of Rain Days	17	13	19	12	7	12	3	6	7	17	18	26	157

9,000, IX. '10.

82 Ex JC 217

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Wimpole Hall

in the County of Cambridgeshire 2

by W. J. Snell

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02							·10	·28		·02	1
2				·02		·14	·52					·06	2
3	·08	·04	·03		·12			·21	·01			·13	3
4	·06		·42		·07	·62		·05			·28	·02	4
5	·12	·12	·28				·01	·07			·10	·01	5
6	·17	·04			·02	·50	·34	·20	·01			·02	6
7	·03				·01	1·17		·03	·24	·01	·01	·02	7
8	·20	20	·05			·05		·06				·01	8
9	·01	·04		·11		·35		·01	·01	·01		·30	9
10		·02				·03		·19	·03		·09	·02	10
11	·14	·10						·05	·04			·06	11
12	·15	·05	·04		·05	·07		·10		·02	·07		12
13	·01	·02	·02					·02			·24	·01	13
14	·01				·03	·05		·08		·01	·01		14
15		·03	·10		·34	·20		·02		·03	·02	·12	15
16	·36		·04		·02	·01		·04			·07		16
17	·54		·15			·20		·05			·02		17
18	·03							·25			·04	·22	18
19	·13						·35	·40			·03		19
20	·01	·08	·04		·14			·22		·24	·02		20
21	·02		·33		·77			·80		·41	·04		21
22	·80	·08						·31		·01			22
23	·62	·34					·04	·61			·36	·15	23
24	·25		·32					·11			·01	·10	24
25						·02		·90		·01	·22	·43	25
26		·01						1·01		·44	·25	·28	26
27								·02		·14	·01	·17	27
28		·01				·05	·12	·01	·23	·23	·17	·50	28
29		·03				·20		·32	·51	·17	·01		29
30					·36	·03			·44	·10			30
31			·18		·01		·32	·28		·04		·02	31
~~Total~~	3·74	1·23	2·00	·13	1·94	3·69	1·70	6·41	1·62	2·15	2·07	2·67	TOTAL for year 9·35
No. of Rain Days.	20	17	13	2	12	16	7	28	10	16	21	21	183

W. 8,000, X. '11.

81

Entd by new stats 27.11.14

REGISTER OF RAINFALL IN 1913

27 JAN 1914

FORM A. BRITISH RAINFALL.

222

Kept at Wimpole Hall

in the County of Cambridgeshire 2

by W. J. Snell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		·15	·05	·16					·41		·08		1
2	·07	·12			·01		·13		·30	·07		·03	2
3	·02		·22	·03	·93					·22		·06	3
4	·09		·01		·05		·12				·06	·33	4
5	·07						·01			·68	·03	·01	5
6		·03	·08		·04	·42	·19			·03			6
7		·06			·06	·03	·09	·02	·04	(·43) ·43	·04		7
8			·06	·01	·18	·07				·05	·04	·01	8
9		·11	·03	·03	·01	·07			·03		·05	·02	9
10	·05		·05				·08	·01			·35		10
11	·45			·50						·05	·27		11
12		·02		·02	·18	·01		·02			·07		12
13	·02	·01							·02		·60		13
14	·02	·02	·10	·02			·75			·28	·05		14
15	·11			·04			·31						15
16	·05		·55	·26					·10		·02		16
17	·03			·10		1·50	·03				·03	·11	17
18	·07		·05	·14			·02					·02	18
19	·12		·03				·05		1·15				19
20	·03		·08	·02			·03			·23			20
21	·01		·10	·01	·11		·01		·02	·10			21
22			·12	·02	·01		·01	·07	·10		·33		22
23						·03	·02	·02	·02				23
24	·02			·02				·08					24
25	·02			·12		·02						·03	25
26		·10	·22	·01				·05		·85	·02	·18	26
27	·03	·02	·03	·03	·21	·01				·05	·01	·05	27
28	·20		·09	·10				·01					28
29	·09		·12	·30	·27			·09		·11	·03		29
30	·20		·02	·06				·01		·06	·18	·05	30
31	·03							·73		·13		·02	31
Total	1·80	·64	2·01	2·00	2·06	2·16	1·85	1·11	2·19	3·34	2·26	·92	YEAR'S TOTAL 22·34
Rain Days.	22	10	19	21	12	9	15	11	10	15	18	13	175

W. 7,500, XI. 12

82 ✓ CK ML 215

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Wimpole Hall
in the County of Cambridgeshire 2
by W. J. Snell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02				·80	·22			·06		1
2	·02			·03				·08					2
3	·05		·17		·15		·44	·15			·05	·02	3
4	·13		·02	·11	·08						·40	·12	4
5			·02	·17	·03	·02	·30	·80					5
6		·05				·04	·13	·06			·31		6
7	·02	·09	·40	·05	·30	·36	·06	·02					7
8	·06	·08	·37	·03	·11	·63	·03	·12					8
9	·50		·58	·02	·10	·73						·76	9
10	·22	·07	·01	·13									10
11		·06	·30	·01	·09	·22			·14		·25	·15	11
12	·01	·01	·10						·43		·05	·13	12
13		·17	·22						·02	·28	·02	·20	13
14		·01	·22				·15			·62	·03	·40	14
15	·07		·30				·01				·01		15
16			·08				·05		·16		·03	·03	16
17	·01	·34					1·10					·07	17
18		·01							·15		·03	·34	18
19		·05	·34			·25			·03		·12	·02	19
20		·07	·45			·08			·08			·03	20
21			·13			·04				·02		·15	21
22		·25	·02	·02	·36		·05			·21			22
23		·07	·06		·07					·10	·02	·04	23
24	·03		·01	·08		·01	·02	·03		·12	·18	·10	24
25	·04		·11			·01	·15	·02		·24			25
26			·06					·15		·02	·07	·16	26
27	·03		·05								·05	·20	27
28	·01	·06								·08	·56	1·60	28
29			·04							·23	·02		29
30			·04							·01	·16	·11	30
31							·05			·01			31
Total	1·20	1·39	4·12	·65	1·29	2·39	3·34	1·65	1·01	1·94	2·42	4·63	YEAR'S TOTAL 2603
Rain Days.	14	15	25	10	9	11	14	10	7	12	19	19	165

Corr. for audit 1.3.16

1296
~~205~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Wimpole Hall
in the County of Cambridgeshire
by W. J. Snell

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·15	12	·08	·08						·04	·14	1
2	·15	·06				·01		·10			·03	·05	2
3	·25		·30	·10				1·05				·18	3
4	·15						·01	·06		·01	·01	·52	4
5	·01	·12								·03		·22	5
6	·21	·03	·01	·20			1·16			·06		·04	6
7	·06	·23	·07				·21	·15				·12	7
8	·03	·24	·01	·02			·03	·02		·02		·02	8
9				·01						·04		·64	9
10	·23		·02					·07			·01	·05	10
11	·02		·01		·04			·05			·72	·06	11
12	·10		·01	·30	·30			·06			·90	·01	12
13	·01	·32			1·28								13
14	·02	·02					·33	·10				·32	14
15		·01			·02			·21			·20	·12	15
16		·07					·43	·66		·04	·01	·14	16
17	·02	·20			·09		·14	·29			·02	·01	17
18		·06	·12								·09		18
19	·04	·01	·03				·16			·01			19
20	·40		·01	·10						·06		·36	20
21	·15						·04			·02		·07	21
22	·90	·01	·45	·01		·06	·55		·11	·12		·17	22
23	·01	·13	·36	·01			·15		·28	·02		·23	23
24		·01	·05				·12		·17	·02		·08	24
25			·01			·11	·03			·01		·18	25
26		·05				·05	·01					·26	26
27		·07				·11	·07	·08		·38	·03	·02	27
28		·02					·08		·60	·09	·01	·12	28
29							·20	·12	·02		·04	·02	29
30	·01	✕					02	·02		·06	·02		30
31	·02	✕		✕		✕		·07	✕	·12	✕	·15	31
Total	3·11	1·81	1·58	·83	1·81	·34	3·74	3·11	1·18	1·11	2·13	4·30 4·20	YEAR'S TOTAL 25·05 25·05
Rain Days.	21	19	15	9	6	5	18	16	5	17	14	27	172

W. 8,000. X. 14.

257

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

CAMBRIDGE.
WISBECH.
"MONICA ROAD"
1911-1915

IN 1911

Kept at Monica

in the County of Ca

by F. W. Clim

tern

meter of top ... in.

ght of top above Ground ... ft.

" " Sea Level ... ft.

vation

Nearest Railway Station { Name / Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·02		1
2	·15				·09			·01			·10	·02	2
3	·50	·06		·15	·14			·11		·18		·25	3
4	·02	·04	·12	·15					·07	·15	·16	·19	4
5	·02			·05				·13				·15	5
6	·40		·03							·03		·34	6
7											·15	·27	7
8	·35		·15						·32		·11	·07	8
9	·07			·04						·02	·13		9
10	·02	·06	·09								·02	·12	10
11	·19										·35		11
12	·15		·46		·04				·03		·13		12
13			·29			·14			·26			·26	13
14		·07	·16		·18	·02						·41	14
15		·08	·20							·03	·08		15
16			·05			·13					·44	·08	16
17			·02								·03	·09	17
18		·08				·15					·80		18
19						·52			·10		·25		19
20				·03				·20	·22	·06		·36	20
21		·38						1·22		·08		·13	21
22	·02		·10			·05		·14		·20		·29	22
23		·02	·12			1·02	·01		·53	·32		·13	23
24		·02	·05			·25						·10	24
25				·09	·08	·04		·03		·05	·06		25
26			·02	·14						·27	·15	·43	26
27		·05	·09	·11					·31			·03	27
28		23		·19		·01		·20			·03	·13	28
29				·01		·10	·01		·35	·29		·02	29
30			·01		·10				·11	·05			30
31					·01							·03	31
Total	1·89	1·09	1·96	·96	·64	2·43	·02	2·04	2·30	1·73	3·01	3·90	TOTAL for year 21·97
No. of Rain Days	11	11	16	10	7	11	2	8	10	13	17	22	138

9,000, IX. '10.

DL

noB

-257

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RAINFALL IN 1911

Kept at Monica Road, Wisbech

in the County of Cambs 3

by F. W. Climenson

RAIN GAUGE	Pattern
	Diameter of top in.
	Height of top above Ground ft. in.
	" " " Sea Level ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·02		1
2	·15				·09			·01			·10	·02	2
3	·50	·06		·15	·14			·11		·18		·25	3
4	·02	·04	·12	·15					·07	·15	·16	·19	4
5	·02			·05				·13				·15	5
6	·40		·03							·03		·34	6
7											·15	·27	7
8	·35		·15						·32		·11	·07	8
9	·07			·04						·02	·13		9
10	·02	·06	·09								·02	·12	10
11	·19										·35		11
12	·15		·46		·04				·03		·13		12
13			·29			·14			·26			·26	13
14		·07	·16		·18	·02						·41	14
15		·08	·20							·03	·08		15
16			·05			·13					·44	·08	16
17			·02								·03	·09	17
18		·08				·15					·80		18
19						·52			·10		·25		19
20				·03				·20	·22	·06		·36	20
21		·38						1·22		·08		·13	21
22	·02		·10			·05		·14		·20		·29	22
23		·02	·12			1·02	·01		·53	·32		·13	23
24		·02	·05			·25						·10	24
25				·09	·08	·04		·03		·05	·06		25
26			·02	·14						·27	·15	·43	26
27		·05	·09	·11					·31			·03	27
28		·23		·19		·01		·20			·03	·13	28
29				·01		·10	·01		·35	·29		·02	29
30			·01		·10				·11	·05			30
31					·01							·03	31
Total	1·89	1·09	1·96	·96	·64	2·43	·02	2·04	2·30	1·73	3·01	3·90	TOTAL for year 21·97
No. of Rain Days	11	11	16	10	7	11	2	8	10	13	17	22	138

9,000, IX. '10.

DL

E. J. C.

249

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Monica Road, Wisbech

in the County of Cambridgeshire 3

by F. W. Climenson

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·05			·10			·26	1
2			·02		·06		·41					·03	2
3	·15	·05				·55	·05	·25	·03			·06	3
4	·03	·05	·50		·03	·02		·04			·40		4
5		·15	·30			·08		·10			·02		5
6	·65		·01			·70	·62	·42					6
7						·82	·08						7
8	·23	·12	·10	·03		·19	·30	·01	·12				8
9		·02		·10	·27	·58		·01				·18	9
10				·01			·21	·07	·14		·07		10
11	·09	·06							·05			·16	11
12	·10	·05	·14		·07	·01	·01				·43		12
13	·02	·10				·05	·23				·53	·02	13
14	·03		·01		·01	·05		·01	·04	·04			14
15			·08		·42	·20		·01				·08	15
16	·16		·08		·17	·22		·12		·10			16
17	·50	·19	·23			·15		·13				·03	17
18	·03		·12				·03	·02		·04		·12	18
19	·17		·04				·25	·37			·04		19
20	·12		·02		·05		·05	·40		·31			20
21			·33		·25		·36	·43		·05	·06		21
22		·07	·07		·51		1·42	·26				·03	22
23	·31	·24	·26		·01		·09	·70			·09	·33	23
24	·16	·02				·17	·20	·30				·08	24
25	·03					·09	·10	·58			·27	·24	25
26		·02				·06	·10	2·80		·55	·17	·30	26
27								·04		·22		·15	27
28		·01	·01		·07			·48		·28	·26	·80	28
29						·03	·22	·09	·77	·18	·11		29
30					·09	·02		·06	·38	·13			30
31			·08		·11		·30	·21					31
Total	2·78	1·15	2·40	·14	2·12	4·04	5·03	7·91	1·63	1·90	2·45	2·87	TOTAL for year 34·42
No. of Rain Days.	16	14	18	3	14	19	19	25	8	10	12	16	174

W. 8,000, X. '11.

82

FORM A.
BRITISH RAINFALL.

254

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Monica Road, Wisbech
in the County of Cambridgeshire
by F. W. Climenson

3

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·06	·05	·10	·05					·12		·04		1
2	·02	·10	·03		·02		·10		·07				2
3			·12		·85				·07				3
4	·23				·06		·03			·07		·06	4
5			·05		·40					1·31	·01		5
6						·11				·06	·06		6
7		·03			·12	·06				·65			7
8					·42	·23				·05	·07		8
9		·23	·04	·02	·05	·06		·23			·07	·01	9
10				·04	·13		·05	·11			·20		10
11	·82			·33				·11					11
12				·11							·10		12
13								·07			·43		13
14		·02	·18	·03			·30			·15	·01		14
15	·20		·14	·10			·03		·59		·01		15
16	·10	·01	·06	·27					·27		·05		16
17	·10		·80	·10		·20	·07				·03		17
18			·09	·10		·02	·05		·07				18
19	·06								·25		·01	·02	19
20	·12		·11						·67	·15			20
21	·04		·12		·05		·17			·02	·25		21
22	·17		·09				·25	·07	·12				22
23			·02	·02		·08	·09		·04				23
24	·04					·10							24
25				·18		·05				·02			25
26		·01	·10	·01						·57	·02	·09	26
27		·01			·46	·12				·03	·04		27
28	·15		·12	·05						·20		·02	28
29	·19		·15	·15	·03			·07				·10	29
30	·18			·13						·12	·09	·03	30
31					·02			·53					31
Total	2·48	·46	2·32	1·69	2·61	1·03	1·14	1·19	2·27	3·40	1·49	·33	YEAR'S TOTAL 2041
Rain Days.	15	8	17	16	12	10	10	7	10	13	17	7	142

W. 7,500, XI. 12

81

SX 945

REGISTER OF RAINFALL IN 1914

28 JAN 1915

FORM A. BRITISH RAINFALL.

247

Kept at Monica Road, Wisbech

in the County of Cambridgeshire 3

by F. W. Climenson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02			·05	·70			·08		1
2							·05	·33			·04	·07	2
3			·10		·16		·08	·01			·07		3
4	·11		·01	·17	·03			·30			·35	·11	4
5	·01		·07	·02	·08		·10	·14					5
6		·05		·02	·05		·14	·02			·08	·02	6
7			·38			·30							7
8	·27	·01	·08	·05	·10	·57		·25	·03			·02	8
9	·60		·20	·20	·01	·87			·15		·02	·23	9
10	·49	·06	·07	·04	·02				·03				10
11		·02	·28	·10	·09	·04			·13		·28	·18	11
12			·04			·01	·68		·31		·02	·31	12
13		·09	·15							·05	·05	·23	13
14		·01	·25				·05			·60	·17	·49	14
15			·15					·06			·05	·36	15
16			·03				·08		·01		·05		16
17		·28							·09	·04	·04	·07	17
18			·04				·04				·02	·38	18
19		·06	·26			·18	·03		·01		·09		19
20		·02	·35			·01				·01			20
21	·03	·11	·20			·02		·12		·04		·05	21
22				·21	·24	·07	·04	·04		·17		·02	22
23			·03		·05	·13	·06			·02		·05	23
24			·01	·06		·02				·15	·15		24
25					·04			·02		·51			25
26								·10		·03	·12	·38	26
27			·02								·02	·19	27
28		·02								·04	·07	1·44	28
29			·03		·03					·21	·04		29
30	·02		·02	·01						·03	·12	·17	30
31					·02		·08			·02		·10	31
Total	1·53	·73	2·77	·90	·92	2·22	1·48	2·09	·76	1·92	1·93	4·87	YEAR'S TOTAL 22·12
Rain Days.	7	11	22	11	13	11	13	12	8	14	21	20	163

W.7,000, XI. 13

8L

1345
~~240~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Monica Road
in the County of Cambridgeshire 3
by F. W. Climenson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·28			·20				·08		·24	·10	1
2	·05	·11	·24	·02				·26	·12		·21	·02	2
3	·17		·11	·08			·15	·18	·15		·06	·17	3
4	·23		·01		·01		·43	·05			·02	·68	4
5	·03	·07			·07		·08	·01		·07	·07	·27	5
6	·10	·02	·07	·10			1·09			·06		·12	6
7	·06	·27	·12				·28	·06				·23	7
8	·02	·03					·04	·02			·02	·02	8
9	·08	·03									·13	·58	9
10	·22		·10					·34			·02		10
11	·07		·01		·10		·16				·48	·09	11
12	·13			·18	·20		·01	·03			2·12	·12	12
13	·02	·46			·75								13
14		·15			·02		·02	·35				·30	14
15	·21				·06			·01			·60	·05	15
16		·04					·68	·09		·03		·02	16
17	·08	·20					·10						17
18		·01	·15								·13		18
19			·02				·06						19
20	·23						·	·01				·48	20
21	·17	·02					·04					·05	21
22	·56	·02	·16				·50					·23	22
23	·02	·29	·02						·15	·03	·05	·34	23
24			·04				·06		·27	·06		·15	24
25			·02			·30	·04			·12		·12	25
26		·09	·01			·02	·08					·23	26
27		·07				·03	·08		·01	·72			27
28		·12				·40		·13	·14	·45			28
29						·24		·13			·25	·18	29
30	·07	X				·01		·14			·02		30
31	·01	X		X		X		·08	X	·07	X	·12	31
Total	2·75	2·28	1·08	·38	1·41	1·00	3·90	1·89	·92	1·61	4·42	4·67	YEAR'S TOTAL 26·31
Rain Days.	21	18	14	4	8	6	18	16	7	9	15	23	159

W. 8,000. X. 14.

1317

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGI

1223

WISBECH, QUEENS RD

1916-20

Kept at 12 Queens A.M.

in the County of C 300 yds

by H Da

auge 5 in.

Ground 7 ft. in.

Sea Level 12 ft.

IMPORTANT NOT he result entered to the previous day. If an Ob sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·03			·06	·12				·54		1
2	·32	·02	·02		·30		·08		·01	·09	·03		2
3		·08					·12		·45	·23	·07		3
4	·54	·07	·10		·04	·14	·01		·56	·02	·21		4
5	·02	·01	[illegible]	·01	·02	·16	·04			·19	·20	·22	5
6	·03	·07	·30	·20			·10	·01			·24		6
7			·30		·28		·50			·03	·10	·09	7
8					·05					·01	·01	·20	8
9					·35	·12				·07		·08	9
10			·14	·05		·15			·01			·15	10
11	·05	·64	·11	·24	·14	·35			·05			·01	11
12					·40	·32	·16	·01	·02	·05			12
13		·19	·09	·05	·15		·47	·11					13
14		·04			·10	·04		·07		·05			14
15		·55	·36					·05	·03	·03		·09	15
16		·10	·07	·20	·02		·10	·03					16
17	·04			·20			·15	1·18	·23	·30			17
18	·01	·12		·09				·44	·11	·08	·50		18
19	·08	·04	·04	·10		·02		·24	·54		·34	·12	19
20	·06			·08				·01			·13	·27	20
21			·40									·71	21
22		·21			·14	·01				·02		·50	22
23	·01	·40				·37	·05	·03			·07	·24	23
24		·55		·03				·04		·18		·20	24
25		·05	·10					·14		·04	·06		25
26		·11				·05		·28		·04	·05		26
27	·01	·22						·10		·06			27
28		·21	2·25						·01	·01		·17	28
29		·05				·19		2·80	·01	·21		·02	29
30		×				·33		·22		·16			30
31		×		×		×		·10	×	·04	×	·01	31
Total	1·18 1·19	3·76	4·31	1·25	2·02	2·31	1·93	5·80	2·03	1·91	2·55 2·55	3·08 3·08	YEAR'S TOTAL 32·15 32·154
Rain Days.	12	20	14	11	12	14	12	18	12	21	14	16	176

W. 8,000. X. 15.

1317

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at 12 Queens Road Wisbech

in the County of Cambs

by H Dann.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station 300 yds

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·03			·06	·12				·54		1
2	·32	·02	·02		·30		·08		·01	·09	·03		2
3		·68					·12		·45	·23	·07		3
4	·54	·07	·10		·04	·14	·01		·56	·02	·21		4
5	·02	·01	~~·30~~	·01	·02	·16	·07			·19	·20	·22	5
6	·03	·07	·30	·20			·10	·01			·24		6
7			·30		·28		·50			·03	·10	·09	7
8					·05					·01	·01	·20	8
9					·35	·12				·07		·08	9
10			·14	·05		·15			·01			·15	10
11	·05	·64	·11	·24	·14	·35			·05			·01	11
12					·40	·32	·16	·01	·02	·05			12
13		·19	·09	·05	·15		·47	·11					13
14		·04			·10	·04		·07		·05			14
15		·55	·36					·05	·03	·03		·09	15
16		·10	·07	·20	·02		·10	·03					16
17	·04			·20			·15	1·18	·23	·30			17
18	·01	·12		·09				·44	·11	·08	·50		18
19	·08	·04	·04	·10		·02		·24	·54		·34	·12	19
20	·06			·08				·01			·13	·27	20
21			·40									·41	21
22		·21			·14	·01				·02		·50	22
23	·01	·40				·37	·05	·03			·07	·24	23
24		·55		·03				·04		·18		·20	24
25		·05	·10					·14		·04	·06		25
26		·11				·05		·28		·04	·05		26
27	·01	·22						·10		·06			27
28		·21	2·25						·01	·01		·17	28
29		·05				·19		2·80	·01	·21		·02	29
30		X				·33		·22		·16			30
31		X		X		X		·10	X	·04	X	·01	31
Total	1·19	3·76	4·31	1·25	2·02	2·31	1·93	5·80	2·03	1·91	2·55	3·08	YEAR'S TOTAL 32·15
Rain Days.	1·19 12	20	14	11	12	14	12	18	12	21	2·55 14	3·08 16	32·154 176

W. 8,000. X. 15.

1256

BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Lyndhurst
12 Queens Road
in the County of Wisbech
Cambs
by

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Wisbech G.E.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 7 ft. 6 in.
" " " " Sea Level 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·10				2·02	·28	·03	·04		1
2	·05	·10		·55		·05		·25					2
3				·02				·60		·18			3
4		·10	·13	·05				·03		·50			4
5	·24		·02	·16				·02			·28		5
6					(·43*)	→ 48			·01		·03	·07	6
7	·44		·08			·04				·55		1·02	7
8	·27		·04				·47	·09		·23	·14		8
9	·10			·18				·12			·05	·02	9
10	·25		·22	·02				·22		·03	·06		10
11	·05	·05	·16	·12				·09		(·23)			11
12	·11			·18	·07			·07		·38	·02	·04	12
13	·29		·15	·02	·01	·20	·04	·10	·03	·05	·07	·02	13
14	·30						·12	·02				·03	14
15					·07		·31	·10					15
16	·10	·12		·22			·01			·35			16
17		·03	·10	·20	·46	·35	·11		·14	·10		·04	17
18	·04			·04	·01	·05	·20	·01	1·00				18
19		·07	·16		·02	·01			·07				19
20		·25	·13		·14						·20		20
21		·04	·20		·03	·05					·02		21
22	·03				·07			·01		·15			22
23					·16			·08	·05			·04	23
24		·05				·55	·02	·01		·19	·15		24
25			·04								·10		25
26			·12					·23	·05		·56	·40	26
27			·04				·06	·46			·07		27
28			·03			·40		·07		·04		·04	28
29						·16	·32	·01		·20		·03	29
30	·07	X					·18	·19				·01	30
31		X		X		X	·14	·20	X		X	·10	31
Total	2·34	X·81	1·62	1·86	1·04	2·59	2·01	5·00	1·66	3·18 ✓	1·67	·80	YEAR'S TOTAL 24·58 ✓
Rain Days.	14	9	15	13	10	11	12	23	8	15	14	13	157

3·54

W. 8,000, VIII. 16

W ~~Ely~~

40

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8.1.19

Kept at 'Lyndhurst' 12 Queens Rd Wisbech
in the County of Cambs
by H. Dann

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station G. E. Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 6 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·11					·06		·05	·10	1
2		·04		·05				·41		·07	·03	·21	2
3	·08	·02	·08		·33			·08			·85		3
4		·05	·04		·06		·02		·40	·02	·38	·03	4
5							·01	·23	·43		·02		5
6	·04	·05		·11				·01				·02	6
7	·19	·10		·03		·04			·04	·30	·10		7
8		·02							·02		·08	·05	8
9	·06	·15		·10		·01	·04		·24	·35		·04	9
10	·10			·02			·30		·01	·04	·03	·20	10
11		·02		·02	·16		·10		·11	·50		·19	11
12		·20	·03		·14		·25		·11	·06		·05	12
13		·03		·01	·25				·11			·02	13
14	·32			·04			·24		·21	·21			14
15	·65			1.00			·80		·05			·16	15
16				·35		·01			1.06				16
17	·24			·12	·30		·43	·02	·01			·20	17
18	·32					·04	·11		·41	·03		·25	18
19	·10		·11	·05		·10			·01	·11		·10	19
20		·10		·04		·03	·20		·12	·11	·03		20
21	·04					·05	·02		·20	·11	·02		21
22	·05				·02	·03	·04					·34	22
23	·13				·60		·04				·02		23
24		·30		·04	·21		·03		·08		·06		24
25			·02			·10	·10	·30			·03		25
26							·50	·01	·06	·02	·24	·16	26
27				·05		·08	·01	·26	·04	·01	·14	·02	27
28		·14	·11			·01		·02			·20	·36	28
29									1.04		·04	~~18~~	29
30	·03	×	·24						·13	·02	·14	·18	30
31		×	·09	×		×			×	·10	×	·16	31
Total	2.35	1·25	·78	2.14	2.10	·50	3.63	1.34	5.88	2.00	2.46	2.84	YEAR'S TOTAL 27.30
Rain Days.	14	13	8	16	9	11	18	9	23	16	18	20	175

W. 8,000, IX. 17.

[illegible] 118

FORM A. BRITISH RAINFALL.

5 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Lyndhurst 12 Queens Road Wisbech
in the County of Camb
by H. Dann

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station G. E. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·02	·02	~~·06~~	·06		·25			·20	·10	·64	1
2	·15			~~·02~~	·02		·12				·28	·40	2
3	·47		·14	~~·02~~	·02		·25		·40		·12		3
4	·10		·33			·14	·05	·20			·02	·20	4
5	·14	·08	·03					·08	·68			·04	5
6			·05							·03	·08	·11	6
7			·18				·09				·12	·04	7
8	·11		·02	·02									8
9				·09									9
10			·20	·02						·05	·10	·06	10
11	·19		·25	·04			·80				·14	·09	11
12			·26			·10	·12						12
13	·14			·14		·01	·03			·06			13
14	·30			·14			·08		·04				14
15	·12	·03		·38						·08		·14	15
16	·08	·78	·05	·05									16
17		·50									·45	·03	17
18		·03					·01	·18				·15	18
19		·15	·40			·10	·20	·22	·15		·10		19
20	·31	·03	·20			·21	·61	·39	·08			·09	20
21	·36	·50	·03			·02	·50					·14	21
22		·21	·02				·18		·28		·10	·46	22
23				·15	·13	·06	·16			·04		·04	23
24				·10	·02	·11				·04			24
25	·21			·05	·24			·40					25
26	·10	·11	·14	·21				·05	·04	·04		·48	26
27	·15	·24	·02	·70						·15			27
28				·03			·06	·85		·24	·12	·33	28
29	·05			·05		·11	·04	·08		·36	·15	·30	29
30		✕	·01	·24		·30				·04		·20	30
31	·02	✕		✕		✕	·05		✕	·12	✕	·08	31
Total	3.34	2.71	2.35	2.44	·49	1.19	3.60 ~~4.60~~	2.45 ~~2.25~~	1.40	1.48	1.91	4.06 ~~3.94~~	YEAR'S TOTAL 27.72
Rain Days.	18	12	18	16	6	10	18	9	~~8~~ ~~9~~ 7	13	13	20	~~27.62~~ 160

W, 6,500, VII. 18. W W C

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.** ~~WC~~ October

18 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Lyndhurst, 12 Queens Rd Wisbech
in the County of Cambs
by H. Dann

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station G E Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·15		·25			·12		·07	1
2			·06			·04		·16	·15	·04		·06	2
3		·04		·04			·02		·05	·04			3
4				·20				·30	·10			·05	4
5			·06	·12	·36		·31	·10	·07			·04	5
6			·04		·04		·82						6
7			·16	·21	~~·07~~ ·03		·15					·04	7
8		·03		·40	·05		·03						8
9	·35			·26			·06						9
10	·12	·01	·15	·10			·01				·02	·03	10
11	·35			·19	·12		·02						11
12	·10		·05	·16	·07	·03						·38	12
13	·03		~~·05~~ ·06	·20		·53			·12		·02	·02	13
14		·03	·35	·20		·16	·06		·22	·02	·17	·02	14
15			·50	·08					·20	·48	·14	·08	15
16				·03					·30			·12	16
17				·07	·12	·02	·07					·03	17
18	·10				·06	·14	·02	·35	·52			·04	18
19	·12			·08				·11					19
20	·10	·45		·37		·58							20
21				·20			·03	·15				·06	21
22				·15				·26	·50		·03		22
23							·20			·02		·37	23
24			·25	·03								·06	24
25		·15	·05	·09	·45	·12	·25						25
26	·07		·04	~~·07~~ ·04	·32							·01	26
27	·09	·03		·10	·05	·52	·06				·10	·17	27
28	·41		·07	·02	·15		·19				·07	·04	28
29	·04		·30		·06		·04				·08	·35	29
30		X		·05		·03	·08	·02	·25		·12	·20	30
31	·06	X	·04	X		X	·06		X	·10	X	·13	31
TOTAL	1.94	·74	2.18	3.39	2.03	2.17	2.73	1.45	~~2.45~~ 2.48	·82	·75	2.37	YEAR'S TOTAL ~~23.0~~ 23.05
Days with ·01 in. or more	13	7	15	24	14	10	20	8	11	7	9	22	~~23.04~~
·04	12	3	15	21	14	7	15	7	11	5	6	17=133	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

9 MAR 1921

Lyndhurst
12 Queen's Rd
Wisbech

Mch 8/21

The Superintendent
Air Ministry

Dr Sir,

Re. errors in Rainfall

						Total
Mch	13.	was	.06	not	.05	2.18
Apl.	26	"	.04	"	.07	3.39
May	7	"	.03	"	.07	2.03

Sept was wrong in total should be 2.48

Trusting have made quite clear

Yours truly

H Dann

Card returned

CAMBRIDGE.

WRYDE HOUSE

1911

8L

REGIS 911

FORM A2. BRITISH RAINFALL.

26 JAN 1912

256

Kept at Wryde Ho

in the County of Cambr

by S. W. Egar

op.......in.

above Ground.......ft.

„ Sea Level.......ft.

on { Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·11										1
2	·05												2
3	·22												3
4													4
5			·15										5
6													6
7	·30												7
8	·03												8
9	·29		·05										9
10	·06												10
11			·10										11
12	·18												12
13			·43										13
14	·01												14
15			·10										15
16			·20										16
17													17
18													18
19		·10											19
20													20
21			·05										21
22		·30											22
23		·01											23
24													24
25			·30										25
26													26
27		·15											27
28		·05	·10										28
29													29
30													30
31													31
Total	– ~~1·14~~ 1·14	·11 ~~·61~~ ·72	(–) ~~1·59~~ 1·48										TOTAL for year
No. of Rain Days	8	~~5~~ 6	~~10~~ 9										

9,000, IX. '10.

8L

256

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGI 911

Kept at Wryde House

in the County of Cambridgeshire 3

by S. W. Egar

Rain Gauge
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·11										1
2	.05												2
3	·22												3
4													4
5			·15										5
6													6
7	·30												7
8	·03												8
9	·29		·05										9
10	·06												10
11			·10										11
12	·18												12
13			·43										13
14	·01												14
15			·10										15
16			·20										16
17													17
18													18
19		·10											19
20													20
21			·05										21
22		·30											22
23		·01											23
24													24
25			·30										25
26													26
27		·15											27
28		·05	·10										28
29													29
30													30
31													31
Total	– ~~1·14~~ 1·14	·11 ~~·61~~ ·72	(–) ~~1·59~~ 1·48										TOTAL for year
No. of Rain Days	8	~~5~~ 6	~~10~~ 9										

9,000, IX. '10.